THE ROYAL SOCIETY

FOR THE PROMOTION

OF HEALTH

Founded 1876

LIBRARY REGULATIONS

(a) Books, periodicals and pamphlets may be borrowed by Fellows, Members, Licentiate Members, Associates and Affiliates personally or by a messenger producing a written order. The person to whom such publications are delivered shall sign a receipt for them in a book provided for that purpose.

(b) Publications may be borrowed through the post upon a written order. An acknowledgement of the receipt of such publications must be made on the form provided and returned to the Society immediately. Failing this, it will be assumed that the borrower has received the books, for which he will accordingly be held responsible. The postage of publications returned to the Society shall be defrayed by the borrower.

(c) A borrower may not have more than three publications in his possession at one time.

(d) A borrower will be considered liable for the value of any publication lost or damaged while on loan to him, and, if it be a single volume or part of a set, for the value of the whole work thereby rendered imperfect. Marking or writing in the publications is not permitted, and borrowers are requested to call attention to damage of this character.

(e) **Books and pamphlets may be retained for twenty-eight days. Periodicals may be retained for fourteen days. Applications for extension of the loan period must be made in writing before its expiry.** This loan period cannot be extended without application being made to the Secretary of the Society whose decision in this matter must be accepted as final and binding.

(f) Books and pamphlets added to the Library will not be lent until after the expiry of one month from the date received. The current number of a periodical may not be borrowed.

(g) Borrowers retaining publications longer than the time specified, and neglecting to return them when demanded, forfeit the right to borrow until they be returned, and for such further time as may be ordered by the Council.

Any borrower failing to comply with a request for the return of a publication shall be considered liable for the cost of replacing it, and the Council, may, after giving due notice to him, order it to be replaced at his expense.


No publication may be reissued to the same borrower until at least seven days have elapsed after its return, neither may it be transferred by one borrower to another.

(h) **Publications may not be taken or sent out of the United Kingdom.**

(i) Publications returned through the post must be securely packed and adequately protected.

(j) Parcels should be addressed: THE LIBRARIAN,
THE ROYAL SOCIETY OF HEALTH
90 BUCKINGHAM PALACE ROAD, LONDON, S.W.1

O.B., Truro. —February, 1963



THE ROYAL SOCIETY

FOR THE PROMOTION

OF HEALTH

90 Buckingham Palace Road, London, S.W.1

Class No. NABA/40. Acc. No. 27439

This book is returnable on or before the last date Marked below

ANNUAL REPORT OF THE REGISTRAR-GENERAL FOR SCOTLAND 1961



Annual Report of the Registrar-General for Scotland

1961

No. 107

EDINBURGH
HER MAJESTY'S STATIONERY OFFICE
1963

Annual Report of the Registrar-General for Scotland

1951

No. 107

Table of Contents

	Page
INTRODUCTORY LETTER	xiii.
INTRODUCTION	xiv.
EXPLANATORY NOTES	xv.

TEXT

Chapter 1. ESTIMATED POPULATION	
Total, de facto and *civilian* population	1
Age and sex distribution	1
Projection	2
Natural increase and estimated migration	2
Urban and rural population	3
Chapter 2. LIVE BIRTHS	
Numbers	3
Rates	4
Ratio of male to female births	4
Monthly birth-rates	4
Multiple births	4
Births by Social Class	5
Illegitimate births	5
International rates	5
Fertility	5
Population (Statistics) Acts, 1938 and 1960	7
Gross and net reproduction rate	7
Age of mother	7
Fertility rates	8
Age of mother and duration of marriage	9
Age of mother and duration of marriage—first births	9
Age of mother and birth order	10
Age of father	10
Duration of marriage and birth order	11
Infertility among women who had been married	11
Chapter 3. MARRIAGES	
Numbers and rates	11
Seasonal incidence	12
Urban and rural rates	13
Ecclesiastical and civil marriages	13
Civil marriages	13
International rates	14
Chapter 4. DIVORCES	
Number of decrees	14
Trends	14
Divorce statistics of persons married in Scotland	15
Chapter 5. MORTALITY—GENERAL	
Numbers	17
Crude and standardised death-rates	17
Area death-rates	17
Seasonal incidence	18
Death-rates by age and sex	18
Population (Statistics) Acts, 1938 and 1960	19
International death-rates	19
Centenarians	19

Chapter 6. CAUSES OF DEATH — *Page*

Certification 20
Principal epidemic diseases 20
Tuberculosis 21
Respiratory tuberculosis 22
Non-respiratory tuberculosis 23
Other infective and parasitic diseases 23
Malignant neoplasms 23
Diabetes 28
Anæmias 28
Other general diseases 28
Diseases of the nervous system 28
Diseases of the circulatory system 28
Diseases of the respiratory system 30
Diseases of the digestive system 31
Diseases of the genito-urinary system 31
Diseases of pregnancy and childbirth 31
Diseases of skin and cellular tissue 32
Diseases of bones and organs of movement 32
Malformations 32
Diseases of early infancy 32
Senility 33
Violence 33
Accidents Transport 33
Home 34
Residential institutions 35
Mines and quarries 35
Farm and forest 35
Industrial places 35
Street and highway 35
Other specified places 35
Suicide 36
Accidental and suicidal poisoning 36
Anæsthetics 36
Relative frequency of cause of death 36
Death-rates in Scotland compared with those in England and Wales, Northern Ireland and the Irish Republic 36

Chapter 7. INFANT MORTALITY

Numbers 37
National rates 37
Seasonal incidence 37
Area rates 37
International rates 38
Legitimacy and illegitimacy 38
Age and sex 39
Neonatal and postneonatal mortality trends 40
Neonatal and postneonatal mortality—legitimacy 40
Neonatal and postneonatal mortality—social class 41
Causes of death by age and sex 42
Causes of death, trends 43
Causes of death by month of registration 43
Causes of death by social class 43
Supplement by Medical Statistician 45

Chapter 8. STILLBIRTHS

Numbers and rates 45
Area death-rates. 45
Stillbirth- and neonatal death-rates 47
Age of mother and number of previous children 47
Illegitimate stillbirths 50
Multiple births 50

Chapter 8. STILLBIRTHS (*continued*) — Page

Causes of death 50
Certification 50
Principal causes 51
Death-rates by age of mother 51
Trends 51
Sex ratio and rates 52
Causes by parity 53
Illegitimate stillbirths by cause 53
Seasonal incidence 54
Cause and place of occurrence 54
Local authority areas 54
Social class 55
Causes 55
Area rates 55
Trends 56
Age of mother and parity 57
Population (Statistics) Act, 1960 57
New Tables 57

Chapter 9. PERINATAL MORTALITY

Definition 57
Numbers and rates 57
Area rates 58
Age of mother and birth order 58
Causes of death 60

Chapter 10. LIFE TABLES 60

Chapter 11. REGISTRATION SERVICE

Re-registration of births 62
Adopted Children Register 63
Registers in General Registry Office 63

SUPPLEMENT 65

A Note on the Current Level of Infant Mortality in Scotland, by Alwyn Smith, M.B., Ph.D., D.P.H.

APPENDICES

I. Marriages
Additional statistics regarding Marriages in 1960 68
II. Parliamentary and Local Government Electors 76
III. Alteration of Boundaries
Burghs, Districts of County, Landward Areas of Counties, Counties, Civil Parishes and Registration Districts 77
IV. Inhabited Houses 79
V. Central Clydeside Conurbation 79
VI. New Towns 81
VII. Meteorological Notes
Report on the weather in Scotland for the year 1961 . . . 83

TEXT TABLES

Chapter 1. Estimated Population

1.1 Estimated population, mid-1951 to mid-1961, Scotland . . . 1
1.2 Age distribution of the population of Scotland, 1861-1961 . . . 2
1.3 Movement of population, mid-1951 to mid-1961, Scotland . . 3
1.4 Census population 1951 and estimated *de facto* population mid-1961, Scotland, by local authority districts and Central Clydeside Conurbation 3

Chapter 2. Live Births — Page

2.1 Birth-rate in Scotland and its groups of local authority districts, 1961 . 4
2.2 Multiple births, 1961 5
2.3 International birth-rates, 1961 5
2.4 Birth-rate in Scotland, per 1,000 women aged 15-44, 1861-1951 . . 6
2.5 Crude birth-rate and rate per 1,000 women aged 15-44 in Scotland, 1931-1961 6
2.6 Crude birth-rate; gross and net reproduction rates 1939, 1947-1961 . . 7
2.7 Legitimate births by age of mother, 1939, 1947-1961 . . . 8
2.8 Fertility-rates by age of mother, 1939, 1947-1961 8
2.9 Percentage of first births taking place within eight months of date of present marriage, 1939, 1947-1961 9
2.10 Number of births by all husbands which are first, second, etc., 1946, 1951-1961 10
2.11 Average number of children in family, including stillborn and dead, by all husbands, 1946, 1951-1961 11

Chapter 3. Marriages

3.1 Monthly incidence of marriage, Scotland 1861-1961 . . . 12
3.2 Marriages in Scotland by local authority districts, 1961 . . . 13
3.3 Ecclesiastical and civil marriages in Scotland by local authority districts, 1961 13
3.4 International marriage-rates, 1961 14

Chapter 4. Divorces

4.1 Number of divorces, etc., in Scotland, 1855-1961 14
4.2 Conjugal condition at marriage of persons divorced in Scotland, 1948-1961 . 15
4.3 Age of wife in relation to age of husband at time of divorce, 1961 . . 15
4.4 Age of wife at time of marriage in relation to age of husband, 1961 . 16
4.5 Age of wife at time of divorce and duration of marriage, 1961 . . 16
4.6 Divorces—duration of marriage, 1961 16

Chapter 5. Mortality—General

5.1 Crude and standardised death-rates per 1,000 of population 1931-1961 . 17
5.2 Deaths and death-rates in Scotland and its groups of local authority districts, 1961 18
5.3 Age-group death-rates per 1,000 of population, 1911-1961 . . . 18
5.4 International death-rates, 1961 19

Chapter 6. Causes of Death

6.1 Deaths associated with influenza but not classified as such, 1961 . . 21
6.2 Death-rates per 100,000 from respiratory forms of tuberculosis, 1938-1961 22
6.3 Death-rates per 100,000 from malignant disease, 1931-1961 . . . 24
6.4 Death-rates per million from cancer of bronchus and lung, 1951-1961 . 25
6.5 Age-specific death-rates for principal cancer sites, 1920-22 to 1961 . . 26
6.6 Age-specific death-rates for heart diseases, 1920-22 to 1961 . . 29
6.7 Age-specific death-rates from bronchitis, 1920-22 to 1961 . . . 30
6.8 Deaths associated with pregnancy and parturition, but not classified as puerperal, 1961 31
6.9 Death-rates per 1,000 live births from congenital malformations and diseases of early infancy, 1961 32
6.10 Deaths from road transport accidents, 1934-1961 33
6.11 Deaths from accidents in the home, 1961 34
6.12 Death-rates per 100,000 from accidental deaths (excluding transport accidents), 1961 35
6.13 Relative frequency of causes of death, 1960, 1961 36

Chapter 7. Infant Mortality

7.1 Infant mortality rates in local authority districts and regional landward divisions, 1951, 1960, 1961 37
7.2 Infant mortality in various countries, 1961 38
7.3 Infant mortality per 1,000 births, by age and sex, 1922-1961 . . 39
7.4 Neonatal and postneonatal rates, 1911-1961 40
7.5 Neonatal and postneonatal mortality rates according to Social Class, 1939, 1946-1961 41

Chapter 7. Infant Mortality (*continued*) — *Page*

7.6 Infant mortality in Scotland, the cities, large burghs and counties according to Social Class, 1961 42
7.7 Infant mortality per 10,000 live births by cause and Social Class, 1950-1961 . 44

Chapter 8. Stillbirths

8.1 Stillbirths per 1,000 births (live and still) by divisions, 1961 . . 46
8.2 Stillbirths per 1,000 births (live and still) by areas, 1939-1961 . . 46
8.3 Stillbirth- and neonatal death-rates per 1,000 total births (live and still), 1939-1961 47
8.4 Stillbirth numbers and rates by age of mother and legitimacy, 1961 . 48
8.5 Stillbirths per 1,000 births (live and still) by age of mother, 1939-1961 . 48
8.6 Legitimate stillbirths per 1,000 legitimate births (live and still) by age of mother and birth order, 1961 49
8.7 Stillbirths per 1,000 births (live and still) by number of previous children to mother, 1939-1961 49
8.8 Percentage of live births and stillbirths which were illegitimate, 1939-1961 . 50
8.9 Stillbirths per 1,000 births (live and still) by age of mother and cause of death groups, 1961 52
8.10 Stillbirths per 1,000 births (live and still) by cause of death groups, 1939-1961 52
8.11 Causes of stillbirths—ratio of males to females, 1960 and 1961 . . 52
8.12 Stillbirth-rates by sex and cause, 1941-43 and 1959-61 . . . 53
8.13 Stillbirth-rates per 1,000 births (live and still) among married mothers, 1961 53
8.14 Quarterly stillbirth-rates by cause of death, 1961 54
8.15 Legitimate stillbirth-rates by cause of death and according to Social Class, 1950-1961 55
8.16 Stillbirths in Scotland, the cities, large burghs and counties according to Social Class, 1961 56
8.17 Stillbirth-rates according to Social Class, 1939 and 1946-1961 . . 57

Chapter 9. Perinatal Mortality

9.1 Perinatal mortality in Scotland, 1939-1961 58
9.2 Legitimate births: perinatal mortality and rates per 1,000 total births by age of mother, birth order and Social Class, 1961 . . . 59

Chapter 10. Life Tables

10.1 Abridged Life Table 1961—Scotland 61
10.2 Expectation of life, 1861-1961, Scotland 62

Chapter 11. Registration Service

11.1 Re-registration of births of legitimated persons, 1935-1961 . . . 62
11.2 Number of adoptions, 1930-1961 63
11.3 Searches, extracts and fees, 1937-1961 64

Appendix I. Additional Statistics Relating to Marriages in 1960

I.1 Number of marriages and marriage-rates, 1951-1960 . . . 68
I.2 Ecclesiastical marriages in Scotland in 1960 following proclamation of banns, publication of notice or licence granted by sheriff . . . 69
I.3 Marriages in Scotland in 1960 by denomination, etc., in order of frequency . 70
I.4 Conjugal condition of contracting parties, 1960 70
I.5 Conjugal condition of persons marrying, 1855-1960. . . . 71
I.6 Marriage of divorced persons, 1932-1960 72
I.7 Average age at marriage, 1861-1960 72
I.8 Average age at marriage according to conjugal condition, 1960 . . 73
I.9 Age at marriage, 1938 and 1948-1960 74
I.10 Percentage marrying in each age-group, 1938, 1950, 1960 . . . 75

Appendix V. Central Clydeside Conurbation

V.1 Vital statistics of Central Clydeside Conurbation, 1961 . . . 79
V.2 Certain specified causes of death in the Clydeside Conurbation and the rest of Scotland with their corresponding rates per 100,000 of population, 1961 80

Appendix V. Central Clydeside Conurbation (*continued*) *Page*

V.3 Death-rates per 100,000 of population from selected causes in the Conurbation, Glasgow, and remainder of Conurbation, 1961 . . . 81

Appendix VI. New Towns

VI.1 Vital statistics of the New Towns, 1961 81
VI.2 Deaths by cause and sex in the New Towns, 1961 . . . 82
VI.3 Deaths by age in the New Towns, 1961 82

Appendix VII. Meteorological Notes

VII.1 District values of air temperature, rainfall and sunshine . . . 86
VII.2 Summary table of mean values of air temperatures at the principal stations, together with extremes of temperature for Scotland and generalised figures for the United Kingdom 87
VII.3 Number of hours bright sunshine 88
VII.4 Monthly and annual amounts of rainfall and number of days of rain at selected stations 90

GENERAL TABLES

POPULATION AND VITAL STATISTICS

1. Population, Births, Stillbirths, Deaths and Marriages in Scotland, 1855-1961 with quinquennial averages 94
2. Birth-, Stillbirth-, Death-, and Marriage-rates, Scotland, 1855-1961 with quinquennial averages 96
3. Estimated population, *total*, *de facto* and *civilian* by sex and age, as at 30th June, 1961 98
4. Estimated *total* population by sex, age and marital condition as at 30th June, 1961 99
5. Estimated *total* population mid-1961 projected to mid-1981 by sex and age 101
6. Vital statistics in Scotland, numbers and rates in each quarter of the year, 1951-1961 102
7. Vital statistics and population, Scotland, counties of cities, large and small burghs and landward areas, numbers and rates, 1961 . . . 104

FERTILITY ANALYSES

8. Birth-rate among married and unmarried women, Scotland, counties of cities, large burghs and counties, 1961 110
9. Numbers and rates of stillbirths and neonatal deaths, Scotland, counties of cities, large burghs and counties, 1961 112
10. Maternities and births by sex, age of mother and legitimacy, Scotland, 1961 114
11. Legitimate live births by sex, age of mother and duration of marriage, Scotland, 1961 116
12. Legitimate live births by sex, age of mother and number of previous children by all husbands, Scotland, 1961 118
13. Legitimate live births by sex, duration of marriage and number of previous children by all husbands, Scotland, 1961 119
14. Interval between present marriage and birth of first child, Scotland, 1961 . 120
15. Legitimate live births by sex and age of parents, Scotland, 1961 . . 122
16. Legitimate stillbirths by sex, age of mother and number of previous children by all husbands, Scotland, 1961 123
17. Legitimate stillbirths by sex and age of parents, Scotland, 1961 . . 124
18. Stillbirths by sex, age of mother and period of gestation, Scotland, 1961 . 125
19. Stillbirths by sex, age of mother and weight of fœtus, Scotland, 1961 . 126
20. Stillbirths by sex, period of gestation and weight of fœtus, Scotland, 1961 . 128
21. Stillbirths by sex, weight of fœtus and number of mother's previous children by all husbands, Scotland, 1961 130
22. Stillbirths by sex, period of gestation and number of mother's previous children by all husbands, Scotland, 1961 131
23. Live birth- and stillbirth-rates per 1,000 women, by age of mother, 1961 . 132

FERTILITY ANALYSES (*continued*) *Page*

24. Multiple confinements (all births, live and still) by age of mother, Scotland, 1961 133
25. Live births by sex, Social Class, age of mother and number of previous children by all husbands, Scotland, 1961 134
26. Stillbirths by sex, Social Class, age of mother and number of previous children by all husbands, Scotland, 1961 135
27. Deaths under 1 week by sex, Social Class, age of mother and number of previous children by all husbands, Scotland, 1961 136
28. Deaths under 4 weeks by sex, Social Class, age of mother and number of previous children by all husbands, Scotland, 1961 137
29. Live births by age of mother, number of previous children and month of registration, Scotland, 1961 138

STILLBIRTHS—CAUSES OF DEATH

30. Causes of stillbirth by sex and age of mother and of father, Scotland, 1961 139
31. Causes of stillbirth by sex, Scotland, 1951-1961 143
32. Causes of stillbirth (legitimate children) by sex and number of mother's previous children (live and stillborn) by all husbands, Scotland, 1961 146
33. Causes of stillbirth (legitimate children) by sex and number of previous stillborn children by all husbands, Scotland, 1961 148
34. Causes of stillbirth by sex and period of gestation, Scotland, 1961 . . 150
35. Causes of stillbirth by sex and weight of fœtus, Scotland, 1961 . . 154
36. Causes of stillbirth (legitimate children) by sex and Social Class, Scotland, 1961 158
37. Causes of stillbirth by sex and place of occurrence, Scotland, 1961 . . 160
38. Causes of stillbirth by sex and month of registration, Scotland, 1961 . 162
39. Causes of stillbirth in local authority areas, 1961 164

PERINATAL DEATHS CLASSIFIED TO STILLBIRTH CAUSE LIST

40. Perinatal deaths classified to Stillbirth Cause List, 1961 172

INFANT MORTALITY—CAUSES OF DEATH

41. Deaths from selected causes among children aged under 1 year by sex and age periods, Scotland, 1961 175
42. Deaths from selected causes among children aged under 1 year by sex and month of registration, Scotland, 1961 176
43. Deaths from selected causes among legitimate children under 1 year by sex and Social Class, Scotland, 1961 177

INFANT MORTALITY—AGE-PERIODS

44. Deaths under 1 year and death-rates per 1,000 births, by age-periods, Scotland, counties of cities, large burghs and counties, 1961 . . 178
45. Deaths and death-rates of children aged under 1 year by selected age-groups, Scotland, 1961 180

DEATHS BY AGE

46. Deaths, male and female, by year of age and conjugal condition, Scotland, 1961 181
47. Deaths of married men and women in combination; age of surviving spouse, Scotland, 1961 183

CAUSES OF DEATH

Detailed International List

48. Causes of death by sex, Scotland, 1951-1961, and by age and sex, 1961 . 184

Intermediate International List A

49A. Deaths in Scotland by sex and age-groups, 1961 228
49B. Deaths in aggregate of cities over 100,000 population by sex and age-groups, 1961 236
49C. Deaths in aggregate of large burghs in Scotland by sex and age-groups, 1961 244
49D. Deaths in aggregate of small burghs in Scotland by sex and age-groups, 1961 252
49E. Deaths in aggregate of landward areas in Scotland by sex and age-groups, 1961 260

CAUSES OF DEATH (*continued*) *Page*

49F. Deaths in Central Clydeside Conurbation by sex and age-groups, 1961 . 268
50. Causes of death by sex and month of registration, Scotland, 1961 . . 276
51. Causes of death by sex in local authority areas, 1961 . . . 282
52. Deaths from violent causes: nature of injury according to external cause, July-December, 1961 298

Abbreviated International List B

53. Deaths and death-rates from selected causes by age-groups, Scotland, 1961 300
54. Deaths and death-rates from selected causes and in age-groups, Scotland, 1952-1961 304
55. Causes of death by sex and age-groups in local authority areas, 1961, (including separate particulars for the insular portions of Inverness and Ross & Cromarty Counties) 306
56. Causes of death and ages at death in Scotland, each city, large burgh, small burgh, and landward area; cause of death rates per 100,000 population in Scotland and aggregates of cities, large burghs, small burghs and landward areas 366

ACCIDENTS, POISONINGS AND DEATHS IN ANÆSTHESIA

57. Deaths in Scotland from non-transport accidents, by place of occurrence, age and sex, 1961 390
58. Deaths from poisoning in Scotland, 1961 392
59. Deaths during surgical procedures associated with anæsthesia, classified by age, sex and primary cause, Scotland, 1961 393

STANDARDISED MORTALITY RATIOS AND AGE-SPECIFIC DEATH-RATES

60. Standardised mortality ratios, age-specific death-rates and infant mortality rates from selected causes in 1961 in England and Wales, Scotland, Northern Ireland and Irish Republic 394

MARRIAGES

61. Method of celebration, etc., of marriages, 1855-1960 . . . 400
62. Ecclesiastical, civil and irregular marriages, Scotland, counties of cities, large burghs and counties, 1960 401
63. Marriages according to church of celebration, Scotland, counties of cities, large burghs and counties, 1960 402
64. Ages of men at marriage, Scotland, counties of cities, large burghs and counties, 1960 404
65. Ages of women at marriage, Scotland, counties of cities, large burghs and counties, 1960 406
66. Age and conjugal condition of men marrying in Scotland, 1960 . . 408
67. Age and conjugal condition of women marrying in Scotland, 1960 . . 410
68. Ages in combination of men and women at marriage, Scotland, 1960 . 412
69. Mean ages at marriage by conjugal condition, 1855-1960 . . . 413

MISCELLANEOUS

70. Parliamentary electors on the February 1961 Register . . . 415
71. Local Government electors and analysis of local elections on the February 1961 Register 418
72. Return of inhabited houses in Scotland, 1939 and 1957-1961 . . 429
73. Meteorology of Scotland for 1961; also number of births, stillbirths, deaths, deaths under 1 year and marriages by months, with rates . . 435
74. Deaths, temperature and rainfall for each week of 1961—seventeen large burghs. See also Tables VII.1, VII.2, VII.3, and VII.4, pages 86 to 93 . 436

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1961

General Registry Office of Births, &c.,
New Register House,
EDINBURGH, *22nd February, 1963.*

Sir,

I have the honour, in compliance with the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, to submit, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1961.

The Report includes fifteen new general tables, of which ten are based upon data obtained under the Population (Statistics) Act, 1960; and a supplement by the Medical Statistician on the current level of infant mortality in Scotland.

I am, Sir,

Your obedient Servant,

ALEX. B. TAYLOR,
Registrar-General.

To The Right Honourable
MICHAEL NOBLE, M.P.,
Secretary of State for Scotland.

Introduction

Population. The estimated population of Scotland at 30th June, 1961, was 5,183,900, an increase of 6,600 over the previous year. The natural increase (excess of births over deaths) during the period was 37,600, but the effect of this on the population was reduced to the figure of 6,600 referred to by a net outward movement of the population.

Births. The births registered in Scotland during the year 1961 numbered 101,169, giving a rate of 19·52 per thousand of population. This rate is 0·05 less than the 1960 rate but 0·34 above the average.

Stillbirths. These numbered 2,147, giving a rate of 20·8 per thousand total births, live and still, the lowest stillbirth rate yet recorded in Scotland.

Marriages. 40,567 marriages were registered, 464 more than in 1960. The rate of 7·83 per thousand of the population is 0·27 below the average.

Deaths. 63,928 deaths were registered and the rate per thousand of the population is 12·33.

Infant Mortality. Deaths of children under one year of age numbered 2,615 and equal a rate of 25·8 per 1,000 live births, the lowest ever recorded in Scotland.

Maternal Mortality. Deaths from diseases and accidents of pregnancy and childbirth numbered 37, two more than in 1960. These represent a rate of 4 for every 10,000 births (live and still).

Expectation of Life. The expectation of life at birth on the experience of the mortality of 1961 is 66·1 for males and 71·8 for females.

Explanatory Notes

Lay-out of the Report

A few improvements have been made in the form and lay-out of certain tables. For example, the numbers in the cells of many of the birth and stillbirth tables have been further subdivided to show males and females separately.

New Tables

The following new Tables have been included in this Report:

15 Legitimate live births by sex and age of parents—Scotland, 1961.

17 Legitimate stillbirths by sex and age of parents—Scotland, 1961.

18 Stillbirths by sex, age of mother and period of gestation—Scotland, 1961.

19 Stillbirths by sex, age of mother and weight of fœtus—Scotland, 1961.

20 Stillbirths by sex, period of gestation and weight of fœtus—Scotland, 1961.

21 Stillbirths by sex, weight of fœtus and number of mother's previous children (live and stillborn) by all husbands—Scotland, 1961.

22 Stillbirths by sex, period of gestation and number of mother's previous children (live and stillborn) by all husbands—Scotland, 1961.

29 Live births by age of mother, number of previous children (legitimate) and month of registration.

33 Causes of stillbirth (legitimate children) by sex and number of previous stillborn children by all husbands—Scotland, 1961.

34 Causes of stillbirth by sex and period of gestation—Scotland, 1961.

35 Causes of stillbirth by sex and weight of fœtus—Scotland, 1961.

47 Deaths of married men and women in combination; age of surviving spouse, single years.

52 Deaths from violent causes—Nature of injury according to external cause—July-December, 1961.

59 Deaths during surgical procedures associated with anæsthesia, classified by age, sex and primary cause—Scotland, 1961.

69 Mean age at marriage by previous conjugal condition, 1855-1960.

Definitions

Stillbirth. A child which has issued forth from its mother after the 28th week of pregnancy which did not breathe or show any other sign of life.

Perinatal mortality, in this report, includes stillbirths and deaths in the first week of life.

Neonatal mortality, includes deaths in the first four weeks of life.

Postneonatal mortality includes deaths after the first four weeks but before the end of the first year.

Infant mortality includes all deaths in the first year of life.

Social Class. Social classes are assigned according to the occupation of the father as stated at birth registration in accordance with the Classification of Occupations.*

Social Class I: Professional, etc., occupations

Social Class II: Intermediate occupations

Social Class III: Skilled occupations

Social Class IV: Partly skilled occupations

Social Class V: Unskilled

The *total* population comprises the civilian population, all members of H.M. Forces of Scottish domicile and Merchant Navy at home and abroad, but excludes Forces stationed in Scotland who are not of Scottish domicile.

The *de facto* or home population comprises the population, of all types, actually in Scotland.

The *civilian* population comprises all civilians but excludes Merchant Navy at home and abroad.

General Notes

(1) To save repetition, any references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1956-1960.

(2) The *de facto* or home population is used for the calculation of the birth- death- and marriage-rates.

(3) Births, stillbirths and deaths are corrected throughout this Report by transfer where necessary to usual place of residence, if in Scotland, but marriage figures are as registered.

(4) Throughout the Report "year" means "calendar year" except where otherwise specified.

(5) Rates given as 0 indicate that the actual rate is less than one half of a unit.

A dash (—) in any cell indicates that there were no events.

Dots (...) in any cell indicate that the information is not available, or, in the case of a rate, that the denominator may not be available.

*General Register Office: Classification of Occupations, 1960. London, 1960.

Report 1961

Chapter 1. Estimated Population

1.1 It is estimated that the population of Scotland at 30th June, 1961, was 5,183,900.

Total, de facto and civilian population

1.2 The figure of 5,183,900 quoted in the previous paragraph is the estimate of the *de facto* (or home) population of Scotland. The *total* population was estimated to be 5,226,100 and the *civilian* population 5,155,400. The composition of these populations are defined in the headnote to table 3.

1.3 The Preliminary Report* on the Sixteenth Census of Scotland, 1961, showed that the population enumerated in Scotland on 23/24 April, 1961, was 5,178,490. The mid-1961 estimates have been based on the 1961 Census figures and take account of the natural increase (excess of births over deaths) and such information as is available about movement of population in to and out of Scotland between Census day and 30th June, 1961.

1.4 Over the intercensal period 1951-1961 an overestimate of about 30,000 has accumulated in the population estimate for Scotland. Revised estimates of the *total*, *de facto* and *civilian* populations for the years 1951 to 1960 are shown along with the estimates for 1961 in Table 1.1. The estimated population of 5,183,900 given in paragraph 1.1 shows an increase of 6,600 over the revised estimate for mid-1960.

Table 1.1 Estimated Population mid-1951 to mid-1961, Scotland

(thousands)

Year	*Total*	*De Facto*	*Civilian*
1951	5,169·0	5,102·5	5,064·3
1952	5,168·5	5,100·8	5,060·5
1953	5,167·4	5,099·5	5,060·0
1954	5,172·3	5,103·6	5,064·8
1955	5,176·2	5,111·6	5,072·6
1956	5,182·7	5,120·4	5,083·3
1957	5,186·5	5,125·2	5,093·1
1958	5,195·7	5,141·2	5,111·0
1959	5,211·8	5,162·2	5,132·1
1960	5,223·0	5,177·3	5,148·1
1961	5,226·1	5,183·9	5,155·4

Age and sex distribution

1.5 Table 3 gives the age and sex distribution of the *total*, *de facto* and *civilian* mid-1961 estimates of population. The *total* population is also analysed by age, sex and marital condition in Table 4. It should be noted that the age and marital breakdown of the 1961 Census figure is not yet available and it has been necessary to project the mid-1960 distribution to mid-1961 to obtain the analyses for Tables 3 and 4.

*H.M.S.O. price 5 shillings net.

1.6 Changes in the age-structure of the population over a period are of interest. Table 1.2 shows the age distribution by three main age groups at different dates since 1861. The proportion of the population aged 65 and over has more than doubled between 1901 and 1951 and the estimates for the succeeding years indicate that this proportion has continued to rise.

Table 1.2 Age Distribution of the Population of Scotland, 1861-1961

Year	Proportion per 1,000 of total population in each age-group		
	0–14	15–64	Over 65
1861 Census	361	591	49
1901 ,,	334	617	48
1951 ,,	246	654	99
1952 Estimate	247	652	100
1953 ,,	247	651	101
1954 ,,	248	650	102
1955 ,,	249	649	102
1956 ,,	250	647	102
1957 ,,	252	645	103
1958 ,,	253	643	104
1959 ,,	254	642	104
1960 ,,	256	640	104
1961 ,,	257	638	105

Projection

1.7 Table 5 shows a projection of the *total* population of Scotland by sex and age at five-yearly intervals from 1961 to 1981. This projection has been prepared by the Government Actuary's Department in consultation with the Registrar-General.

1.8 The projection shows that, if the assumptions hold good, the *total* population of Scotland will increase from 5,226,000 in 1961 to 5,641,000 in 1981. An increase is forecast in the proportion of children, 25·5 per cent, to 27·4 per cent., and persons of pensionable age, 13·3 to 15·1, over the same period.

Natural increase and estimated migration

1.9 The estimated *total* population of 5,226,100 is greater than that at 30th June, 1960, by 3,100. This is the difference (rounded up) between the natural increase (excess of births over deaths) of 37,635 over the year and an estimated net outward movement by migration of 34,600.

1.10 Estimates of *total* population and net migration over the past ten years have been corrected in the light of subsequent information, and these corrected figures along with the figures for natural increase are given in Table 1.3. The last two columns of the table show how much of the net loss by migration is estimated to have been to the rest of the United Kingdom and how much was to countries outside the U.K.

Table 1.3 Movement of Population, mid-1951 to mid-1961, Scotland

(thousands)

	Estimated Total Population	Population Increase or Decrease	Natural Increase	Estimated Net Migration		
				Total	Remainder of United Kingdom	Overseas
1951	5,169·0					
		− 0·5	+28·6	−29·1	− 9·4	−19·7
1952	5,168·5					
		− 1·1	+30·2	−31·3	−14·0	−17·3
1953	5,167·4					
		+ 4·9	+31·9	−27·0	−13·0	−14·0
1954	5,172·3					
		+ 3·9	+29·0	−25·1	−13·8	−11·3
1955	5,176·2					
		+ 6·5	+33·7	−27·2	−14·0	−13·2
1956	5,182·7					
		+ 3·8	+36·9	−33·1	−11·1	−22·0
1957	5,186·5					
		+ 9·2	+34·6	−25·4	− 9·3	−16·1
1958	5,195·7					
		+16·1	+36·4	−20·3	−12·0	− 8·3
1959	5,211·8					
		+11·2	+39·7	−28·5	−19·3	− 9·2
1960	5,223·0					
		+ 3·1	+37·6	−34·6	−25·9	− 8·7
1961	5,226·1					

Urban and rural population

1.11 A distinctive feature of the population of Scotland is its distribution—a much higher number living in urban than rural areas and in cities than in large burghs. The Central Clydeside Conurbation (defined on page 79) occupied just over one per cent. of the area of Scotland but has a population of about one-third of the total population of Scotland.

1.12 It will be seen from Table 1.4 that since 1951 the small burghs have taken first place as gainers of population and the large burghs second place. There has been a decrease in the population of the four cities due mainly to overspill from Glasgow.

Table 1.4 Census Population 1951 and Estimated De Facto Population mid-1961, Scotland, by Local Authority Districts and Central Clydeside Conurbation

Year	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward	Central Clydeside Conurbation
1951	5,096,415	1,926,903	828,389	817,623	1,523,500	1,762,053
1961	5,183,930	1,898,146	873,781	883,280	1,528,723	1,805,699

Chapter 2. Live Births

Numbers

2.1 There were 101,169 live births registered in Scotland during 1961, of which 51,964 were males and 49,205 females. The number of births, which in recent years has been gradually increasing, was 123 fewer than in 1960 but 1,506 above the average.

Rates

2.2 The birth-rate was 19·52 per 1,000 population compared with 19·57 in 1960 and the average rate of 19·18. In the immediate post-war years the birth-rate stood at a high level but it declined in the early 1950's. Since 1954 there has been an upward trend until in 1960 the rate was the highest recorded since 1948 when it was 19·69.

2.3 It will be seen from Table 2.1 that the birth-rate was 20·10 in the cities, 20·97 in the large burghs, 18·41 in the small burghs and 18·59 in the landward areas. Local authority area birth-rates, both crude and standardised for age and sex, are given in Table 7.

Table 2.1 Birth-rate in Scotland and its Groups of Local Authority Districts in 1961

Groups of Districts	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities .	38,159	18,483	17,543	1,095	1,038	20·10	18·98	1·12	5·59
Large Burghs .	18,327	8,968	8,646	372	341	20·97	20·16	0·82	3·89
Small Burghs .	16,262	8,057	7,587	347	271	18·41	17·71	0·70	3·80
Landward .	28,421	14,005	13,232	637	547	18·59	17·82	0·77	4·17
SCOTLAND .	101,169	49,513	47,008	2,451	2,197	19·52	18·62	0·90	4·59

Ratio of male to female births

2.4 In 1961 there were 1,056 male births to every 1,000 female births. The ratio is 4 above that in 1960 and the same as the average. The highest average ratio of male to female births so far recorded was 1,063: 1,000 in the period 1946 to 1950.

Monthly birth-rates

2.5 As will be seen from Table 73, the monthly birth-rates were generally highest in the first six months of the year. They ranged from 20·6 in March and May to 18·1 in December.

Multiple births

2.6 The total number of women who gave birth to children, both live and still, in 1961 was 102,071. Table 10 gives a distribution of these women by single years of age. An analysis of these confinements according to plurality is given in Table 2.2 from which it will be seen that there were 100,833 single births, 1,231 twin births and 7 triplet births.

2.7 The percentage of mothers who gave birth to two or more children was 1·21 compared with 1·23 in 1960. Details are given in Tables 1 and 2 of the numbers and percentages of multiple births since 1855; prior to 1939 these relate to live births only.

2.8 Information is given in Table 24 regarding multiple confinements by age of mother.

Table 2.2 Multiple Births, 1961

No. of children born	Confinements	Liveborn children	Stillborn children
1 Living	98,785	98,785	—
1 Stillborn	2,048	—	2,048
2 Living	1,146	2,292	—
1 Living 1 Stillborn	75	75	75
2 Stillborn	10	—	20
3 Living	5	15	—
2 Living 1 Stillborn	1	2	1
1 Living 2 Stillborn	—	—	—
3 Stillborn	1	—	3
TOTAL	102,071	101,169	2,147

Births by social class

2.9 A social class distribution of the live births is given in Table 8.16 of the chapter on stillbirths.

Illegitimate births

2.10 These numbered 4,648 or 4·59 per cent. of the total live births compared with 4,409 or 4·35 per cent. in 1960. The percentage was 5·59 in the cities, 3·89 in the large burghs, 3·80 in the small burghs and 4·17 in the landward areas. When these births are related to the estimated number of unmarried women aged 15-44, it is found that the rate for Scotland was 12·4 per 1,000, those for the cities, large burghs, small burghs and landward areas being 14·5, 11·4, 10·1 and 11·4 respectively (Tables 2.1, 1, 2, 6-8 and 10).

International rates

2.11 For comparison the birth-rates in certain other countries are given in Table 2.3.

Table 2.3 Birth-rates per 1,000 Population, 1961.

New Zealand†	27·1	Austria	18·5
Canada	26·0	Finland	18·4
South Africa‡	25·0	France	18·3
Israel*	24·9	Western Germany	18·3
Portugal	23·6	Switzerland	18·1
U.S.A.	23·4	Greece	17·9
Australia	22·8	Norway	17·5
Yugoslavia	22·6	England and Wales	17·4
Northern Ireland	22·4	Eastern Germany	17·4
Eire	21·3	Belgium	17·0
Spain	21·3	Japan	16·9
Netherlands	21·2	Denmark	16·6
Poland	20·7	Czechoslovakia	15·8
Scotland	19·5	Hungary	14·0
Italy	18·8	Sweden	13·9

* Jewish population only. † Excluding Maoris. ‡ European population only

Fertility

2.12 Births and birth-rates in relation to women of child-bearing age in Scotland in 1961 are given in Table 8 for Scotland as a whole, for the administrative areas in the aggregate, and for each county, city and large burgh.

2.13 A summary of the rates for the three-yearly periods centred on each census from 1861 to 1951 is given in Table 2.4. The number of births per 1,000 married women reached its highest figure of 319·4 in 1870-72. By 1900-02 it had fallen to 271·8 and by 1950-52 that figure was more than halved at 132·3. The 1950-52 rate was about 42 per cent. of the rate of 1860-62.

Table 2.4 Birth-rate in Scotland per 1,000 women aged 15-44, 1861-1951

Year	Births per 1,000 women aged 15-44			Legitimate births per 1,000 married women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 . .	144·6	...	100	316·0	...	100
1870-72 . .	149·4	103·3	103·3	319·4	101·1	101·1
1880-82 . .	145·8	97·6	100·8	311·5	97·5	98·6
1890-92 . .	132·5	90·9	91·6	296·4	95·2	93·8
1900-02 . .	121·9	92·0	84·3	271·8	91·7	86·0
1910-12 . .	107·3	88·0	74·2	233·2	85·8	73·8
1920-22 . .	105·1	97·9	72·7	226·7	97·2	71·7
1930-32 . .	80·1	76·2	55·4	169·0	74·5	53·5
1940-42 . .	73·0	91·1	50·5	136·9	81·0	43·3
1950-52 . .	80·3	110·0	55·5	132·3	96·6	41·9

2.14 Rates are given in Table 2.5 for five-yearly periods from 1931 to 1950 and for single years from then onwards. The rate for all women aged 15-44 was 96·6, appreciably higher than the rate of 76·8 in the period 1931-35 while the rate of 143·4 for married women was lower. The reason for the increase in relation to all women of child-bearing age is that the proportion of married women is much increased.

2.15 It would appear that the increase in the number of births per 1,000 married women is due to the large number of marriages at the younger ages where fertility is generally highest (Table I.9).

Table 2.5 Crude Birth-rate and rate per 1,000 women aged 15-44 in Scotland, 1931-1961

Year	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
1931–35	18·2	76·8	159·3	9·6
1936–40	17·6	73·3	144·6	8·6
1941–45	17·8	75·9	136·4	11·8
1946–50	19·8	87·5	147·5	11·4
1951	17·8	79·8	131·5	9·6
1952	17·7	80·1	131·3	9·1
1953	17·8	81·3	132·1	9·2
1954	18·1	83·2	134·2	9·2
1955	18·1	84·1	134·2	9·1
1956	18·6	87·5	137·4	9·6
1957	19·1	90·8	140·9	9·7
1958	19·4	92·8	142·6	10·1
1959	19·2	93·2	141·6	10·5
1960	19·6	96·0	144·2	11·5
1961	19·5	96·6	143·4	12·4

Population (Statistics) Acts, 1938 and 1960

2.16 The remainder of this chapter analyses the birth statistics for the year 1961 obtained under these Acts. The main change brought about by the 1960 Act was that the informant on the registration of a birth or stillbirth was required to furnish the age of the father, as well as of the mother, and the number of the mother's previous children by the present and any former husband, live and stillborn to be shown separately.

2.17 The scope of many of the tables referred to in this section has been increased by showing the numbers of male and female births separately in each case. This will be of use in examining infant and stillbirth mortality by sex of child with age of mother, parity, etc.

Gross and net reproduction rate

2.18 The crude birth-rate for the year was 19·5 compared with 19·6 in 1960. If current trends of birth- and death-rates are maintained, the number of female births is more than enough to ensure that the population of Scotland is reproducing itself.

2.19 The crude birth-rates and the gross and net reproduction rates for 1939 and for each year from 1947 are given in Table 2.6.

Table 2.6 Crude birth-rate; gross and net reproduction rates, 1939, 1947-1961

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1939	17·4	1·051	0·932
1947	22·3	1·427	1·281
1948	19·7	1·265	1·158
1949	18·7	1·228	1·131
1950	18·0	1·187	1·107
1951	17·8	1·171	1·099
1952	17·7	1·180	1·114
1953	17·8	1·179	1·121
1954	18·1	1·212	1·156
1955	18·1	1·230	1·173
1956	18·6	1·279	1·228
1957	19·1	1·326	1·272
1958	19·4	1·355	1·302
1959	19·2	1·350	1·296
1960	19·6	1·401	1·348
1961	19·5	1·416	1·365

Age of mother

2.20 Table 10 shows the number of births analysed by age of mother, sex and legitimacy. The table also gives the number of maternities by legitimacy and age of mother. As usual, more children were born to mothers aged 25-29 than to those in any other quinquennial age-group, but the gap between the figures for this group and for mothers aged 20-24 is now only marginal. The single ages which contributed the greatest number of children were 24, 25 and 23 years, both for all births and legitimate births. The largest number of illegitimate births was to mothers aged 18, 21 and 19.

2.21 The number of legitimate births to mothers in the age-group 20-24 has steadily increased since 1939 when these figures were first available and, as Table 2.7 shows, they are now 59 per cent. above the 1939 figure.

Table 2.7 Legitimate births by age of mother, 1939, 1947-1961

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups 20-34			Proportion compared with 1939		
		20–24	25–29	30–34	20–24	25–29	30–34
1939	81,669	18,605	25,661	19,267	100	100	100
1947	106,836	25,804	33,600	24,795	139	131	129
1948	94,568	24,117	30,001	20,255	130	117	105
1949	90,451	23,586	29,628	17,949	127	115	93
1950	87,693	23,168	27,964	18,193	125	109	94
1951	86,047	23,244	27,302	18,306	125	106	95
1952	86,116	23,616	27,078	18,808	127	106	98
1953	86,682	24,140	27,391	19,325	130	107	100
1954	88,138	25,437	27,374	19,673	137	107	102
1955	88,548	25,595	28,491	18,786	138	111	98
1956	91,244	26,637	29,151	18,895	143	114	98
1957	93,960	28,010	30,022	18,812	151	117	98
1958	95,408	29,059	30,416	18,688	156	119	97
1959	95,117	29,150	30,240	18,548	157	118	96
1960	96,883	29,904	30,779	18,909	161	120	98
1961	96,521	29,606	30,374	18,917	159	118	98

Fertility rates

2.22 Table 23 shows fertility in respect of live and stillbirths by age of mother, sex and legitimacy. The fertility rates for 1939 and 1947-1961 are summarised in Table 2.8.

Table 2.8 Fertility rates by age of mother, 1939, 1947-1961

Legitimate Births per 1,000 Married Women

Year	All Ages (16–49)	16–19	20–24	25–29	30–34	35–39	40–44
1939	119·8	525·7	336·6	220·0	140·5	82·7	25·8
1947	137·5	466·4	348·8	251·5	171·3	98·5	29·7
1948	120·4	458·0	320·8	213·4	145·2	84·7	26·9
1949	115·2	510·0	316·8	208·6	132·9	79·1	23·8
1950	111·7	478·8	312·5	202·1	133·5	74·6	22·8
1951	109·6	464·3	307·1	203·5	129·6	71·6	21·2
1952	109·4	456·9	302·3	206·2	128·8	71·0	20·3
1953	109·8	456·7	301·8	209·4	127·8	68·6	19·6
1954	111·2	451·8	310·9	208·0	128·2	68·0	19·9
1955	111·2	450·9	305·2	214·6	124·9	66·8	18·7
1956	113·7	454·4	308·4	215·6	129·2	68·4	18·1
1957	116·4	456·9	315·1	218·6	131·5	68·5	18·1
1958	117·8	466·8	318·0	218·4	131·8	66·1	17·9
1959	117·1	452·8	312·8	215·3	130·5	64·4	17·0
1960	119·1	461·0	314·9	218·7	132·5	64·0	18·0
1961	118·9	455·5	310·6	216·4	131·5	65·5	18·8

Table 2.8—*continued*

Illegitimate Births per 1,000 Unmarried Women

Year	All Ages (15–49)	15–19	20–24	25–29	30–34	35–39	40–44
1939	7·7	5·3	12·0	11·5	10·6	7·7	2·8
1947	11·2	4·7	17·5	26·5	19·5	12·6	4·1
1948	10·4	4·8	15·4	24·9	19·7	12·1	4·0
1949	9·6	4·3	14·1	21·5	21·1	11·3	3·7
1950	9·0	4·1	12·8	19·9	19·0	11·6	3·6
1951	8·6	3·7	12·4	18·6	18·9	12·5	3·0
1952	8·2	3·7	11·7	17·6	18·2	11·2	3·5
1953	8·3	3·8	12·1	16·7	18·1	12·1	3·4
1954	8·4	3·8	12·4	17·7	16·9	13·4	3·3
1955	8·2	3·6	12·5	17·3	18·1	11·9	3·8
1956	8·6	4·2	13·3	18·8	18·4	11·6	3·4
1957	8·8	4·2	14·1	19·9	17·6	12·2	3·6
1958	9·1	4·1	15·0	22·3	19·0	11·8	3·7
1959	9·5	4·3	15·3	26·1	18·6	11·5	3·6
1960	10·4	4·9	17·0	28·2	20·2	14·6	4·3
1961	11·2	5·6	17·7	33·5	21·9	14·6	4·8

Rates for 1951-60 may be revised when 1961 Census age and marital condition populations become available.

2.23 On comparing the legitimate rates for 1961 with those of 1960 it will be observed that there is a small decrease in each age-group except 35-39 and 40-44. There was, however, an increase in the illegitimate fertility rates in every age-group.

Age of mother and duration of marriage

2.24 The 96,521 legitimate births are tabulated by age of mother and duration of marriage in Table 11. Further analyses by social class, age of mother and birth order are given in Table 25.

Age of mother and duration of marriage—first births

2.25 Table 14 shows the interval between present marriage and the birth of the first child for all first children born in 1961 according to the age of mother. A summary for the years 1939 and 1947 to 1961 of the percentage of first births occurring within eight months of marriage is given in Table 2.9.

Table 2.9 Percentage of First Births taking place within Eight Months of Date of Present Marriage

Year	Age of Mother				
	All ages	Under 20	20–24	25–29	30–34
1939	28·8	70·1	40·3	17·0	10·0
1947	15·1	50·8	18·9	9·6	7·7
1948	19·1	56·6	23·7	11·6	8·4
1949	20·4	59·8	24·3	11·3	8·7
1950	20·2	60·0	24·6	10·0	8·1
1951	19·8	60·3	23·6	9·9	9·1
1952	19·2	59·4	22·5	9·3	8·6
1953	18·6	59·9	21·7	8·8	7·0
1954	18·2	59·8	20·7	7·3	6·4
1955	17·6	56·1	19·6	7·3	7·0
1956	17·7	56·1	18·8	7·2	6·8
1957	16·8	54·4	17·4	6·8	5·8
1958	16·9	54·1	16·8	6·4	6·5
1959	17·6	55·5	17·4	6·6	5·8
1960	18·6	57·8	17·7	7·3	6·0
1961	19·1	59·3	17·8	6·6	5·6

2.26 There were 6,152 first births within eight months of marriage and they represent 19·1 per cent. of all first births, 0·5 higher than the percentage for 1960. If these are added to the number of illegitimate births, the combined total of 10,800 is 2,783 below the figure of 13,583 in 1939 but 179 above that for last year.

Age of mother and birth order

2.27 Analyses are given in Table 12 of all legitimate births by sex and age of mother and number of previous children (i) live and still and (ii) live born only. A summary is given in Table 2.10 of birth order by all husbands for the years 1946 and 1951 to 1961. The Population (Statistics) Act of 1960 limited the question on the number of previous children to "all husbands" and not separately to present and former husbands as previously.

Table 2.10 Number of Births by All Husbands which are First, Second, etc., 1946, 1951-1961

Year	Number of Previous Children (including Stillborn and Dead)						
	None	1	2	3	4	5 and over	Not Stated
1946	37,822	25,860	14,246	7,472	4,450	7,595	20
1951	30,137	24,749	14,165	7,310	3,861	5,691	134
1952	30,832	24,181	13,928	7,479	4,018	5,545	133
1953	30,983	24,233	14,259	7,627	4,101	5,400	79
1954	31,665	24,718	14,330	7,764	4,285	5,350	26
1955	32,109	24,552	14,468	7,720	4,267	5,365	67
1956	33,102	26,000	14,768	7,700	4,224	5,416	34
1957	34,346	26,483	15,156	7,946	4,389	5,594	46
1958	33,910	27,583	15,545	8,329	4,445	5,573	23
1959	33,163	27,381	16,127	8,310	4,468	5,631	37
1960	32,918	28,329	16,817	8,690	4,542	5,561	26
1961	32,458	27,000	16,949	9,302	4,894	5,880	38

2.28 In 1961 there was a decrease of 362 legitimate births compared with 1960. While first and second births decreased by 460 and 1,329 respectively, there were increases in third, fourth, fifth, and sixth and over births.

2.29 An examination of Table 2.10 shows that the proportion of all births that are first births was 38·8 per cent. in 1946. This percentage has since fluctuated only slightly, being 35·0 in 1951, 36·6 in 1957, 34·0 in 1960 and 33·6 in 1961.

Age of father

2.30 Table 15 has been introduced to show the distribution of live births by ages of father and mother. As is usually observed, the sex ratio of live births (males per 1,000 females) falls with advancing parental age, in this case more markedly with paternal age than maternal. Numbers for a single year are insufficient to permit any decision as to whether the associations are independent.

Duration of marriage and birth order

2.31 Table 13 shows legitimate births by sex, duration of present marriage and number of previous children (i) live and still and (ii) live born only. It also indicates the trend of family size. The average family size—but only for those families having a child in the year under observation—is given in Table 2.11 for 1946 and 1951 to 1961. The figures shown include the birth in the particular year referred to as well as previous births. In 1946 the figure was 2·48 compared with 2·50 in 1961. Since 1951 the average has fluctuated between 2·41 and 2·50.

Table 2.11 Average number of children in family, including stillborn and dead, by all Husbands, 1946, 1951-1961

Year	Duration of Marriage														
	Total, All Husbands	Under 1 Year	1	2	3	4	5	6	7	8	9	10–14	15–19	20–24	25 and over
1946	2·48	1·10	1·19	1·59	1·82	1·97	2·15	2·41	2·77	3·11	3·41	4·27	6·03	7·94	10·00
1951	2·48	1·08	1·31	1·76	2·08	2·37	2·59	2·81	3·02	3·21	3·36	4·13	5·97	7·91	9·75
1952	2·47	1·08	1·25	1·73	2·07	2·38	2·64	2·85	3·01	3·30	3·45	4·06	5·90	7·81	9·54
1953	2,46	1·08	1·26	1·69	2·06	2·32	2·62	2·91	3·11	3·28	3·55	4·06	5·77	7·74	9·02
1954	2·45	1·07	1·26	1·70	2·01	2·32	2·61	2·88	3·14	3·37	3·55	4·13	5·63	7·60	9·04
1955	2·44	1·07	1·26	1·71	2·02	2·32	2·59	2·88	3·14	3·42	3·65	4·18	5·49	7·40	8·88
1956	2·42	1·06	1·26	1·72	2·02	2·29	2·57	2·86	3·12	3·36	3·65	4·15	5·42	7·28	8·59
1957	2·41	1·06	1·25	1·72	2·03	2·31	2·56	2·83	3·13	3·38	3·64	4·17	5·25	7·20	9·14
1958	2·43	1·06	1·25	1·73	2·05	2·32	2·59	2·85	3·11	3·39	3·69	4·21	5·26	7·00	8·31
1959	2·44	1·07	1·25	1·73	2·05	2·35	2·63	2·86	3·12	3·36	3·67	4·28	5·29	6·84	8·28
1960	2·45	1·06	1·28	1·74	2·06	2·34	2·63	2·89	3·13	3·37	3·61	4·28	5·31	6·71	8·78
1961	2·50	1·06	1·29	1·76	2·08	2·39	2·66	2·92	3·20	3·44	3·65	4·28	5·38	6·48	8·27

2.32 Table 29 shows for each month separately the number of live births by age of mother and number of previous children. As mentioned earlier (2.5) there is a seasonal variation in the number of births and this is also noticeable when attention is restricted to particular maternal ages and parities. In particular it is noteworthy that the seasonal variation is evident at all parities. The numbers for a single year do not, however, permit firm conclusions concerning changes in the phasing or amplitude of the variation at different maternal ages or parities.

Infertility among women who had been married

2.33 The Population (Statistics) Act of 1960 discontinued the question as to whether on the death of a woman who had been married, she had had any children. Tables 2.12, 15 and 16 of the 1960 Report have therefore been discontinued.

Chapter 3. Marriages

3.1 The information given in this chapter about marriages registered in Scotland during 1961 is based on the statistical returns made by district registrars. After a complete examination of the 1961 marriage registers has been made a much fuller study will be given in an appendix to the 1962 Report. This will take the form of the analysis of the 1960 marriages given in Appendix I of this Report.

Numbers and rates

3.2 There were 40,567 marriages in Scotland in 1961, 464 more than in 1960, but 1,106 below the average. The rate per 1,000 of the population was 7·83 compared with a rate of 7·75 in 1960 and the average rate of 8·10.

Seasonal incidence

3.3 The seasonal incidence of marriage during the years 1861 to 1961 is the subject of Table 3.1 In the period 1951-60 the most popular month was March, followed by July and September. In recent years, however, October has moved up, and took second place to March in 1961. May continues to be the least popular month.

Table 3.1 Monthly Incidence of Marriage, Scotland—1861-1961

Year	Total	January	February	March	April	May	June	July	August	September	October	November	December
	Numbers												
1861-1870 Annual Average	22,422	2,622	1,359	1,271	1,308	1,089	3,227	2,204	1,435	1,298	1,444	2,247	2,918
1891-1900 ,, ,,	29,866	3,770	1,540	1,640	2,163	1,039	4,513	3,487	1,884	1,925	1,926	2,074	3,905
1921-1930 ,, ,,	33,663	3,660	1,995	2,186	3,137	1,280	3,880	3,955	2,414	2,955	2,520	2,128	3,553
1951-1960 ,, ,,	41,694	2,245	2,790	6,468	3,938	1,209	3,497	4,519	3,631	4,287	3,315	2,280	3,515
1938	38,716	3,583	2,052	2,250	3,384	1,695	4,341	4,943	3,237	3,713	3,147	2,459	3,912
1947	44,360	3,227	2,634	3,636	4,638	1,726	4,877	4,875	3,677	4,195	3,251	2,881	4,743
1948	43,718	3,080	2,345	4,534	3,982	1,681	4,827	5,148	4,046	4,315	2,764	2,850	4,146
1949	41,708	3,047	2,622	4,969	3,445	1,515	4,249	4,845	3,945	3,996	2,908	2,406	3,761
1950	40,459	2,944	2,800	5,367	3,345	1,395	3,940	4,644	3,454	3,749	2,950	2,223	3,648
1951	41,361	2,955	2,326	6,279	4,195	1,150	3,613	4,516	3,619	3,913	2,847	2,061	3,887
1952	41,154	2,350	3,150	6,920	3,678	1,057	3,421	4,391	3,390	4,113	2,692	2,179	3,813
1953	40,902	2,138	3,040	6,907	3,631	1,120	3,461	4,430	3,573	4,066	2,555	2,365	3,616
1954	41,974	2,150	2,629	7,592	3,828	1,246	3,479	4,729	3,774	3,986	2,579	2,516	3,466
1955	43,199	2,344	3,110	6,966	3,746	1,353	3,563	4,600	4,000	4,366	3,090	2,451	3,610
1956	43,963	2,618	3,024	6,100	5,130	1,193	3,520	4,906	3,775	4,277	3,495	2,124	3,801
1957	42,661	2,330	2,805	6,142	4,385	1,161	3,542	4,891	3,541	4,540	3,638	2,130	3,556
1958	41,186	1,982	2,850	6,045	3,605	1,176	3,601	4,392	3,500	4,570	3,711	2,233	3,521
1959	40,442	1,836	2,320	5,860	4,107	1,079	3,390	4,075	3,462	4,616	4,025	2,485	3,187
1960	40,103	1,751	2,650	5,872	3,069	1,552	3,376	4,263	3,677	4,423	4,522	2,260	2,688
1961	40,567	2,016	2,498	5,488	3,678	1,570	3,322	4,345	3,323	4,432	5,150	2,128	2,617
Ratio of Daily Average for the month to Daily Average for the year taken as 100													
1861-1870	100	138	79	67	71	57	175	116	75	70	76	122	153
1891-1900	100	149	67	65	88	41	184	137	74	78	76	84	154
1921-1930	100	128	77	76	113	45	140	138	84	107	88	77	124
1951-1960	100	63	87	183	115	34	102	128	103	125	94	67	99
1938	100	109	69	68	106	52	136	150	98	117	96	77	119
1947	100	86	77	97	127	46	134	129	98	115	86	79	126
1948	100	83	68	122	111	45	135	139	109	120	75	80	112
1949	100	86	82	140	100	43	124	137	111	117	82	70	106
1950	100	86	90	156	101	41	118	135	100	113	86	67	106
1951	100	84	73	179	123	33	106	129	103	115	81	61	111
1952	100	67	97	199	109	30	101	126	97	122	77	65	109
1953	100	62	97	199	108	32	103	128	103	121	74	70	104
1954	100	60	82	213	111	35	101	133	106	116	72	73	97
1955	100	64	94	190	106	37	100	125	109	123	84	69	98
1956	100	70	87	164	142	32	98	132	101	119	94	59	102
1957	100	64	86	169	125	32	101	135	98	129	100	61	98
1958	100	57	90	173	107	34	106	126	100	135	106	66	101
1959	100	53	75	171	124	31	102	119	101	139	117	75	93
1960	100	52	83	173	93	46	103	125	108	135	133	69	79
1961	100	59	80	159	110	46	100	126	96	133	150	64	76

Urban and rural rates

3.4 It will be seen from Table 3.2 that the marriage rate was highest in the cities and burghs and lowest in the landward areas; this is invariably the case. The true urban-rural difference in this respect is almost certainly overstated, as many of the people living in rural areas go to a town or city to be married. When the parties come from different areas it is not practicable to correct the marriage figures according to normal residence as it is customary to do for births and deaths.

Table 3.2 Marriages in Scotland by Local Authority Districts, 1961

Groups of Districts	Number of Marriages	Marriage-rate per 1,000 of Population	
		Rate	Relative Quantity, Scotland being = 100
Counties of Cities	16,618	8·76	111·9
Large Burghs	7,758	8·88	113·4
Small Burghs	7,478	8·47	108·2
Landward	8,713	5·70	72·8
SCOTLAND	40,567	7·83	100·0

Ecclesiastical and civil marriages

3.5 A summary of the number of ecclesiastical and civil marriages registered in the cities, burghs and landward areas in 1961 is given in Table 3.3

Table 3.3 Ecclesiastical and Civil Marriages in Scotland by Local Authority Districts, 1961

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All marriages	40,567	16,618	7,758	7,478	8,713
Solemnised by a minister of religion:					
Preceded by banns or publication of notice	32,876	12,236	6,252	6,332	8,056
Authorised by sheriff's licence	92	28	29	21	14
Irregular marriages:					
Decree of declarator (Court of Session)	4	2	—	—	2
Civil marriages:					
Preceded by publication of notice	7,339	4,200	1,425	1,098	616
Authorised by sheriff's licence	256	152	52	27	25

Civil marriages

3.6 The first full year in which the Marriage (Scotland) Act, 1939, took effect was 1941 when the percentage of civil marriages was 11·3. The percentage rose steadily until it was 19·2 in 1955, since when it has declined slightly, being 18·7 in 1961 (Table 61).

3.7 In 1961 the percentage of civil marriages ranged from 26·2 in the cities and 19·0 in the large burghs to 15·0 in the small burghs and 7·4 in the landward areas.

International rates

3.8 A selection of the 1961 marriage-rates in other countries is given in Table 3.4.

Table 3.4 Marriage-rates per 1,000 Population, 1961

Eastern Germany	9·8	Spain	7·8
Japan	9·5	Finland	7·7
Western Germany	9·4	Switzerland	7·7
Yugoslavia	9·0	Czechoslovakia	7·6
Portugal	8·6	England and Wales	7·5
U.S.A.	8·5	Australia	7·3
Austria	8·4	Israel†	7·2
Hungary	8·3	Canada	7·0
Greece	8·1	Sweden	7·0
Italy	8·0	France	6·9
Netherlands	8·0	Northern Ireland	6·9
New Zealand*	8·0	Belgium	6·8
Denmark	7·9	Norway	6·5
Scotland	7·8	Eire	5·4

*Excluding Maoris. †Jewish Population only.

Chapter 4. Divorces

Number of decrees

4.1 During 1961 the number of marriages which were dissolved by decrees pronounced in the Court of Session totalled 1,830, of which 1,808 were decrees of divorce, 17 were nullities and 5 were dissolutions of marriage on a presumption of death of one of the parties.

Trends

4.2 Details are given in Table 4.1 of the various forms of decree in ten-yearly periods from 1855 to 1954 and annually from 1945. Divorces increased from 1,687 in 1959 to 1,808 in 1961 and thus halted the downward trend apparent since 1952. The 1961 figure was 40 above the 1956-1960 average of 1,768.

Table 4.1 Number of Divorces, etc. in Scotland, 1855-1961

Ten Years	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of			
			Total	Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
1855–64	17	1945	2227	2208	15	4
1865–74	14	1946	2934	2902	22	10
1875–84	60	1947	2533	2495	18	20
1885–94	100	1948	2057	2028	19	10
1895–1904	159	1949	2447	2419	19	9
1905–14	222	1950	2204	2186	10	8
1915–24	458	1951	1955	1928	16	11
1925–34	488	1952	2737	2702	16	19
1935–44	906	1953	2376	2352	13	11
1945–54	2358	1954	2226	2200	16	10
		1955	2078	2054	19	5
		1956	1891	1867	16	8
		1957	1747	1722	17	8
		1958	1791	1762	19	10
		1959	1704	1687	12	5
		1960	1828	1804	19	5
		1961	1830	1808	17	5

Divorce statistics of persons married in Scotland

4.3 The divorce data in the text and tables that follow relate to those persons who were married in Scotland and who obtained their decree of divorce from the Court of Session.

4.4 Table 4.2 shows the conjugal condition of the parties at time of marriage for the years 1948-1961.

Table 4.2 Conjugal condition at Marriage of Persons Divorced in 1948-1961

Year	Conjugal Condition at Time of Marriage						
	Husbands			Total	Wives		
	Bachelors	Widowers	Divorced		Spinsters	Widows	Divorced
1948	1,675	24	15	1,714	1,686	16	12
1949	1,953	37	23	2,013	1,953	34	26
1950	1,744	45	25	1,814	1,763	30	21
1951	1,562	61	25	1,648	1,578	45	25
1952	2,196	75	36	2,307	2,208	59	40
1953	1,901	55	48	2,004	1,902	54	48
1954	1,784	63	38	1,885	1,776	64	45
1955	1,679	43	54	1,776	1,681	46	49
1956	1,524	50	47	1,621	1,524	42	55
1957	1,445	44	27	1,516	1,453	24	39
1958	1,468	37	47	1,552	1,469	35	48
1959	1,398	41	46	1,485	1,402	40	43
1960	1,499	37	64	1,600	1,508	36	56
1961	1,536	36	52	1,624	1,528	45	51

4.5 There were 1,624 divorces in 1961, and in 1,075 cases the marriage was performed by a minister of religion, 494 by a registrar and 55 were irregular marriages which had been authorised by a Decree of Declarator. The corresponding percentages of total divorces were 66·2, 30·4 and 3·4. In the period 1951 to 1960, of all marriages registered, the proportion performed by a minister of religion was 82·0 per cent., by a registrar 18·0 per cent.; 0·01 per cent. were irregular marriages.

4.6 Analyses have been made of the 1961 divorces showing the age of the wife in relation to the age of the husband (i) at time of divorce (Table 4.3) and (ii) at date of marriage (Table 4.4), and age of wife at time of divorce with duration of marriage (Tables 4.5 and 4.6).

Table 4.3 Age of Wife in Relation to Age of Husband at Time of Divorce—1961

Age of Wife	All Ages	Age of Husband								
		16–20	21–24	25–29	30–34	35–39	40–44	45–49	50–59	60 and over
16–20	47	7	25	11	4	—	—	—	—	—
21–24	259	3	97	132	23	—	1	1	2	—
25–29	361	—	15	177	136	23	8	2	—	—
30–34	296	—	—	18	130	122	19	6	1	—
35–39	247	—	—	2	18	117	86	18	6	—
40–44	163	—	—	—	1	17	75	54	14	2
45–49	110	—	—	—	1	2	11	49	43	4
50–59	118	—	—	—	1	—	6	15	78	18
60 and over	23	—	—	—	—	—	—	—	6	17
TOTAL .	1,624	10	137	340	314	281	206	145	150	41

Table 4.4 Age of Wife at time of Marriage in Relation to Age of Husband—1961

Age of Wife	All Ages	Age of Husband								
		16–20	21–24	25–29	30–34	35–39	40–44	45–49	50–59	60 and over
16–20	837	297	397	120	18	3	1	—	1	—
21–24	480	43	230	165	28	8	3	3	—	—
25–29	202	3	42	95	50	6	3	3	—	—
30–34	48	—	3	21	15	7	1	—	1	—
35–39	23	—	—	3	7	5	7	—	1	—
40–44	17	—	—	2	2	6	3	3	—	1
45–49	12	—	—	—	2	—	4	1	4	1
50–59	4	—	—	—	—	—	1	2	—	1
60 and over	1	—	—	—	—	—	—	—	1	—
TOTAL .	1,624	343	672	406	122	35	23	12	8	3

Table 4.5 Age of Wife at time of Divorce and Duration of Marriage—1961

Age of Wife	All Durations	Duration of Marriage (Years)						
		0–2	3–4	5–6	7–9	10–14	15–19	20 and over
16–20	47	28	19	—	—	—	—	—
21–24	259	36	123	91	9	—	—	—
25–29	361	8	47	115	147	44	—	—
30–34	296	1	10	32	75	152	26	—
35–39	247	—	5	13	22	65	116	26
40–44	163	—	2	2	7	17	51	84
45–49	110	—	2	3	2	6	12	85
50–59	118	4	1	3	5	11	8	86
60 and over	23	—	1	1	—	—	2	19
TOTAL	1,624	77	210	260	267	295	215	300

Table 4.6 Divorces—Duration of Marriage—1961

Under 1 year	1
1 ,,	21
2 years	55
3 ,,	77
4 ,,	133
5 ,,	137
6 ,,	123
7 ,,	87
8 ,,	96
9 ,,	84
10–14 ,,	295
15–19 ,,	215
20 and over	300
TOTAL . .	1,624

Chapter 5. Mortality

GENERAL

Numbers

5.1 There were 63,928 deaths registered in Scotland during 1961, of which 32,819 were males and 31,109 females. The total number was 2,164 above that in 1960 and 1,963 above the five years' average.

Crude and standardised death-rates

5.2 In Table 5.1 the crude and standardised death-rates are given for 1931, 1939 and for each year from 1951 to 1961.

5.3 There has been a general improvement in the crude rates over the thirty-year period. The adverse influence on mortality of the ageing of the population has been allowed for by standardisation. A comparison of the general death-rates shows that while the crude rate has declined by 7 per cent. since 1931 the standardised rate has improved by no less than 39 per cent.

Table 5.1 Death-rates for Scotland per 1,000 Population

	PERSONS		MALES		FEMALES	
	Crude Rate	Standardised* Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931 . .	13·26	12·45	13·86	13·74	12·71	11·28
1939 . .	12·87	11·10	13·68	12·62	12·11	9·73
1951 . .	12·89	8·86	13·58	10·25	12·26	7·63
1952 . .	12·06	8·24	12·89	9·66	11·30	6·98
1953 . .	11·55	7·79	12·45	9·26	10·72	6·46
1954 . .	12·03	7·95	12·92	9·48	11·21	6·59
1955 . .	12·06	7·90	12·83	9·38	11·36	6·59
1956 . .	12·07	7·77	12·93	9·34	11·28	6·36
1957 . .	11·93	7·65	12·91	9·28	11·03	6·21
1958 . .	12·07	7·64	12·91	9·21	11·30	6·25
1959 . .	12·22	7·70	13·12	9·39	11·38	6·21
1960 . .	11·93	7·45	12·76	9·10	11·16	6·01
1961 . .	12·33	7·59	13·20	9·30	11·54	6·07

*Standardised to a Standard International Population, 1900.

Area death-rates

5.4 The crude rates do not vary greatly between urban and rural areas, being 12·6 per 1,000 in the cities, 11·8 in the large burghs, 13·5 in the small burghs and 11·6 in the landward areas, but when the rates are standardised for difference of age and sex constitution the urban rates are appreciably higher. The standardised rate for the cities was 13·1, for the large burghs 12·6, for the small burghs, 12·3, and for the landward area only 11·3 (Table 5.2).

Table 5.2 Deaths in Scotland and its Groups of Local Authority Districts in 1961

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Numbers	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1951
Counties of Cities .	26,025	23,962	12·62	13·15
Large Burghs . .	10,904	10,278	11·76	12·62
Small Burghs . .	9,001	11,956	13·54	12·26
Landward . . .	17,998	17,732	11·60	11·26
SCOTLAND . .	63,928	63,928	12·33	—

5.5 In the cities and large burghs the standardised rate ranged from 14·3 in Glasgow to 10·8 in Inverness, and in the counties from 13·9 in Bute to 9·6 in Moray (Table 7).

Seasonal incidence

5.6 The death-rate was highest in the first quarter of the year at 14·7 and lowest in the third quarter (10·3). In individual months the rate ranged from 16·2 in February to 10·2 in September (Table 73).

Death-rates by age and sex

5.7 Death-rates by age and sex are given in Table 5.3 for five-yearly periods from 1911 to 1961 and for single years since 1956.

5.8 The death-rates show a rapid decline from the high rates in the first year of life to a minimum in age-group 10-14. There is an increase in the rates thereafter, gradual at first but becoming more pronounced at higher ages. It will be observed from Table 5.3 that in 1961 the male rate exceeded the female one in each age-group (Table 53).

Table 5.3 Age-group Death-rates per 1,000 of Population, 1911-1961

Years	Males												Females											
	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	8 an ov
1911–15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7		111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	
1916–20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2		85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	
1921–25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	25
1926–30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	27
1931–35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·8	117·4	26
1936–40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	28
1941–45	82·1	4·6	1·9	1·4	3·3	4·2	6·1	11·7	24·4	54·1	129·1	290·3	62·0	4·2	1·5	1·2	3·0	3·3	4·0	7·5	16·5	41·0	101·1	26
1946–50	56·0	2·6	1·1	0·9	1·8	2·4	3·4	10·6	24·5	54·2	117·8	258·5	42·6	2·1	0·8	0·7	1·5	3·0	3·3	6·5	15·3	41·2	98·0	23
1951–55	38·7	1·5	0·7	0·5	1·2	1·8	3·4	9·6	25·6	57·0	130·0	272·9	30·0	1·3	0·5	0·4	0·8	1·5	2·7	6·0	14·4	39·4	104·8	24
1956–60	33·2	1·2	0·6	0·5	1·0	1·4	3·1	9·2	25·3	59·1	127·9	254·1	25·1	0·9	0·4	0·3	0·5	1·0	2·3	5·4	13·6	37·1	99·2	24
1956	34·1	1·2	0·5	0·5	1·0	1·6	3·1	9·2	25·1	59·2	129·9	265·4	25·2	1·0	0·4	0·3	0·5	1·1	2·2	5·6	13·9	38·1	103·5	25
1957	34·7	1·3	0·7	0·5	0·9	1·5	3·1	9·5	25·6	57·8	123·7	256·4	26·0	0·8	0·4	0·4	0·5	1·0	2·5	5·5	13·7	36·8	95·8	24
1958	32·5	1·0	0·5	0·5	1·0	1·4	3·2	9·0	24·9	59·7	127·3	257·1	25·3	0·9	0·3	0·3	0·5	1·1	2·5	5·5	13·7	37·0	99·8	24
1959	33·1	1·3	0·5	0·5	1·0	1·3	3·1	9·2	25·5	60·3	131·8	259·2	24·8	1·1	0·3	0·3	0·5	0·9	2·3	5·2	13·8	37·1	100·1	25
1960	31·4	1·2	0·6	0·5	0·9	1·4	2·9	9·0	25·2	58·3	126·6	232·5	24·2	0·9	0·5	0·3	0·5	0·9	2·2	5·3	13·0	36·5	97·0	23
1961	31·0	1·2	0·6	0·4	1·0	1·3	3·2	9·1	26·2	60·3	132·7	251·6	22·9	0·9	0·3	0·3	0·4	0·8	2·2	5·5	13·5	37·2	100·1	24

Note—Populations by age from 1961 Census are not yet available to re-calculate rates for 1951-1960

Population (Statistics) Acts, 1938 and 1960

5.9 Information obtained under these Acts on the ages of surviving widows and widowers at the deaths of married persons is published for the first time. Table 47 shows the ages in combination of deceased married persons and their surviving widows and widowers. This table also shows the ages of these survivors by single year of age.

International death-rates

5.10 A selection of the 1961 crude death-rates for various countries is given in Table 5.4.

Table 5.4 Death-rates per 1,000 Population—1961

Eastern Germany	12·8	U.S.A.	9·3
Eire	12·3	Czechoslovakia	9·2
Scotland	12·3	Norway	9·1
Austria	12·0	Finland	9·0
England and Wales	12·0	New Zealand*	9·0
Belgium	11·7	Yugoslavia	9·0
Northern Ireland	11·3	South Africa†	8·8
Western Germany	11·0	Spain	8·6
France	10·9	Australia	8·5
Portugal	10·7	Canada	7·7
Sweden	9·8	Greece	7·6
Hungary	9·6	Netherlands	7·6
Denmark	9·4	Poland	7·6
Italy	9·4	Japan	7·4
Switzerland	9·3	Israel‡	5·9

*Excluding Maoris. †European population only. ‡Jewish population only.

Centenarians

5.11 Thirty-three deaths of reputed centenarians were registered during the year, the highest number in any year since records were kept. Four were males and 29 females. In 25 cases the age was verified as being at least 100 years, the verified age being 100 years in 10 cases, 101 in 6 cases, 102 in one case, 103 in 4 cases, 104 in one case, 105 in one case and 106 in 2 cases. Since 1910, when enquiries regarding such cases were begun, 752 deaths have been registered as being of centenarians, 124 of males and 628 of females. The age has been verified as being at least 100 years in 486 cases (71 males and 415 females); in 106 the evidence was rather against the claim, while in 160 cases no satisfactory evidence of age could be found. The greatest age verified was one of 109 years and 14 days in 1936.

Chapter 6. Causes of Death

Certification

6.1 The number of deaths registered in Scotland in 1961 was 63,928. The cause of death was specified in 63,662 cases or 99·6 per cent. of the total deaths registered and this number includes 381 deaths attributed to senility.

6.2 In 266 cases or 0·4 per cent. of the total registered deaths the cause was either ill-defined or unknown and, of these, 67 were ascribed to heart failure, 42 to syncope, 18 to convulsions in children under 5 years, 4 to uræmia and 11 in which no cause was specified.

6.3 In the text which follows the numbers given in brackets after a cause of death are Detailed List rubrics of the International Statistical Classification (1955), Seventh Revision.

Principal epidemic diseases

6.4 This group is now taken to comprise typhoid fever (I.S.C. No. 040), scarlet fever (050, 051), diphtheria (055), whooping cough (056), meningococcal infections (057) and measles (085). For comparison with previous years deaths from influenza (480-483) are also included. The total number of deaths in the group in 1961 was 405. The equivalent death-rate is 8 per 100,000 population which compares with 3 in 1960 and an average rate of 8.

6.5 Influenza accounted for 365 deaths in this group compared with 104 in 1960. In Table 6.1 the number of certified deaths is given in which influenza was mentioned not as a primary but as a contributory cause. There were 18 deaths (2 in 1960) from measles, 16 (19) from meningococcal infections, 4 (10) from whooping cough, and 2 (1) from scarlet fever and streptococcal sore throat. There were no deaths from diphtheria or typhoid fever.

6.6 Deaths in the whole of this group of the main epidemic diseases accounted for 0·6 per cent. of all deaths in Scotland in 1961 (Tables 53, 54 and 56).

Table 6.1 Deaths associated with Influenza but not classified as such, 1961

national abbreviated List 'B'	Cause of Death	Total	Males	Females	Ages											
					Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
1	Tuberculosis of respiratory system	4	3	1	–	–	–	–	–	–	–	1	1	2	–	–
18	Malignant neoplasms	5	2	3	–	–	–	–	–	1	–	–	1	2	1	–
20	Diabetes mellitus	5	2	3	–	–	–	–	–	–	–	–	3	1	1	–
21	Anæmias	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
46·0	Other general diseases	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
22	Vascular lesions affecting central nervous system	21	9	12	–	–	–	–	–	–	–	–	1	3	15	2
46·1	Other diseases of nervous system	11	3	8	–	–	–	–	–	–	–	2	2	4	3	–
25	Chronic rheumatic heart disease	5	3	2	–	–	–	–	–	–	–	2	–	1	2	–
26	Arteriosclerotic and degenerative heart disease	62	33	29	–	–	–	–	–	–	–	7	10	21	19	5
27	Other diseases of heart	4	1	3	–	–	–	–	–	–	–	–	1	1	2	–
28	Hypertensive heart disease	2	1	1	–	–	–	–	–	–	–	–	–	–	2	–
29	Other hypertensive disease	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–
46·2	Other circulatory disease	5	2	3	–	–	–	–	–	–	–	–	1	–	3	1
32	Bronchitis	12	9	3	–	–	–	–	–	–	1	1	5	2	3	–
46·3	Other respiratory diseases	4	4	–	–	–	–	–	–	–	–	–	1	2	1	–
37	Cirrhosis of liver	2	1	1	–	–	–	–	–	–	–	–	–	1	1	–
39	Hyperplasia of prostate	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
40·0	Puerperal sepsis including abortion with sepsis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
46·7	Diseases of skin and organs of locomotion	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
41	Congenital malformations	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	TOTAL	150	77	73	–	–	1	–	–	3	1	14	27	41	55	8

Tuberculosis (I.S.C. Nos. 001-009)

6.7 Deaths from all forms of tuberculosis numbered 481 compared with 509 in 1960 and the average of 659. The death-rate from tuberculosis was 9 per 100,000 of the population compared with 10 the previous year and the average of 13 (Tables 53 and 54).

6.8 Since 1855, when the registration of deaths began, mortality from tuberculosis has continuously decreased decade by decade, though the decline was checked temporarily in the two world wars. Since 1947 the rate has fallen from 81 to 9.

6.9 In 1961 death-rates from tuberculosis were heaviest at ages 55-84 in males and 65-84 in females (Table 53).

6.10 Deaths from tuberculosis were most numerous in January, 58, February, 58, and December, 52, and fewest in June, 34, July, 31, October, 28, and September, 25 (Table 50).

6.11 The rate in the cities was 13 per 100,000, in the large burghs 11, in the small burghs 8, and in the landward areas 5. In the cities and large burghs the rates ranged from 27 in Port Glasgow to 2 in Ayr. In the counties (excluding large burghs) the rates ranged from 28 in Bute to one in Aberdeen. There were no deaths from tuberculosis in the large burghs of Kilmarnock and Dunfermline and in the Counties of Caithness, Kinross, Nairn, Selkirk and Sutherland (Table 7).

Respiratory tuberculosis (I.S.C. Nos. 001-008)

6.12 90 per cent. of the deaths from tuberculosis in 1961 were due to the respiratory forms of the disease. They numbered 433 compared with 473 in 1960, and the average of 601. The death-rate from respiratory tuberculosis in 1961 was 8 per 100,000 (males 13, females 4) compared with 9 in 1960 (males 13, females 5). The heaviest death-rates in males in 1961 were at ages 65-84, in females at 85 and over. The lowest rates for males and females were recorded at ages under 25 years (Tables 53 and 54).

6.13 Table 6.2 shows the changing incidence of death-rates in different age-groups since 1938. It will be noted that the general fall in mortality is not shared by men aged 65 and over.

Table 6.2 Death-rates per 100,000 from Respiratory Forms of Tuberculosis, 1938-1961

	MALES					FEMALES				
Year	All ages	Under 15	15–44	45–64	65+	All ages	Under 15	15–44	45–64	65+
1938	58	9	74	89	46	46	10	75	30	25
1939	62	6	78	102	49	47	7	79	32	17
1940	74	6	107	107	50	52	9	88	33	23
1941	73	10	108	105	49	55	12	96	33	15
1942	70	11	103	103	42	56	12	98	31	22
1943	73	10	112	105	54	53	14	96	26	20
1944	72	11	111	103	54	53	14	99	25	16
1945	73	9	115	102	52	51	12	94	25	15
1946	72	11	94	113	61	56	12	105	27	19
1947	71	13	85	121	60	62	20	112	25	23
1948	73	13	89	124	63	60	13	115	23	19
1949	65	6	78	117	62	55	11	104	23	18
1950	52	6	54	100	73	42	7	78	23	19
1951	45	5	41	89	77	29	5	49	22	18
1952	35	4	29	69	70	21	4	35	17	13
1953	30	2	24	63	59	16	2	25	15	14
1954	25	1	19	55	54	15	2	22	14	16
1955	23	0	17	49	48	11	0	19	10	9
1956	19	0	12	42	54	9	0	13	7	14
1957	18	0	11	39	56	8	1	12	8	10
1958	17	0	8	39	56	8	0	11	7	13
1959	14	0	7	27	52	6	0	7	9	10
1960	13	0	6	27	53	5	0	6	6	10
1961	13	0	4	26	55	4	–	4	7	8

Note:—See footnote to Table 5.3 (page 18)

6.14 The range of monthly incidence was from 21 in September to 57 in January (Table 50).

6.15 The rate in the cities was 11 per 100,000, in the large burghs 10, in the small burghs 7 and in the landward areas 5. The highest rates in the cities and large burghs were 22 in Port Glasgow and 19 in Paisley.

Non-respiratory tuberculosis (I.S.C. Nos. 010-019)

6.16 Deaths from non-respiratory forms of tuberculosis numbered 48 compared with 36 in 1960 and the average of 59. The rates per 100,000 were 1 for males and 1 for females which are the same as those in the four years 1957 to 1960.

6.17 The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually, reaching a level of 60 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was 16. As with respiratory tuberculosis, the decline was interrupted for a few years during and after the war, but the rate of one in the last five years contrasts with a pre-war rate of 16 per 100,000 (Tables 53 and 54).

Other infective and parasitic diseases (remainder 020-138)

6.18 Deaths from syphilis and its sequelæ numbered 61, of which 19 were attributable to aneurysm of aorta, 29 to the nervous affections, including tabes dorsalis and general paralysis of the insane.

6.19 There were no deaths from acute poliomyelitis (080), (none in 1960), one (none in 1960) from late effects of acute poliomyelitis (081), 46 from acute infectious encephalitis (082, 083), and 26 from infectious hepatitis (092).

6.20 Other deaths in this group include 20 from septicæmia and pyæmia (053); and 2 from tetanus (061), one the result of an 18 year-old man being pricked by a thorn, and the other an abrasion to the hand of a 75 year-old man.

Malignant neoplasms (I.S.C. Nos. 140-205)

6.21 Deaths from this group numbered 11,221 (males 6,006 and females 5,215) equivalent to a death-rate of 216 per 100,000. This rate is 3 above that for the previous year and 5 above the average.

6.22 The death-rates per 100,000 of the population from malignant neoplasms from 1931 to 1961 are shown in Table 6.3. In the intervening years the population has aged appreciably and comparisons of crude death-rates do not allow for that. The table therefore also gives rates standardised to the age structure of the population when last known, i.e. at the census of 1951.

6.23 The increase in the crude rate is substantial. It was accelerated during the recent war, but this was mainly attributable to the withdrawal from the population, temporarily on war service, of numbers of younger persons less vulnerable to diseases of this kind. Since 1931 the crude rate has increased by 46 per cent., but the standardised rate by only 10 per cent.

6.24 The standardised rate for males rose from 186 in 1931 to 255 in 1961, an increase of 37 per cent. compared with an increase of 72 per cent. in the crude rate. On the other hand the standardised rate for females decreased from 182 to 165, a reduction of 9 per cent. compared with an increase of 25 per cent. in the crude rate.

6.25 As Hodgkin's disease, leukæmia, aleukæmia and mycosis fungoides were omitted from the malignant neoplasms before 1950, the rates for that year are calculated on the number of deaths classified to both the 5th and 6th Revisions of the International List of Causes of Death. An allowance can therefore be made for the years prior to 1950.

Table 6.3 Death-rates per 100,000 Population from Malignant Disease

Year	Both Sexes			Male		Female	
	Crude	Standardised to Scotland 1951	Effect of Standardisation	Crude	Standardised	Crude	Standardised
1931–35	153	186	+33	146	191	159	183
1936–40	162	185	+23	158	192	165	180
1941–45	183	184	+ 1	198	200	171	171
1946–50	184	186	+ 2	191	211	177	167
1951–55	200	197	— 3	215	233	186	169
1956–60	210	201	— 9	232	247	191	167
1950*	190	190	—	197	218	183	169
1950†	196	197	+ 1	205	226	187	174
1951	193	193	—	202	222	185	172
1952	198	196	— 2	212	230	186	171
1953	199	196	— 3	218	236	181	165
1954	206	201	— 5	225	242	189	171
1955	207	201	— 6	224	242	192	172
1956	210	203	— 7	228	245	193	170
1957	210	200	—10	230	244	191	167
1958	211	201	—10	237	252	187	163
1959	214	206	— 8	238	253	192	169
1960	213	202	—11	234	248	194	167
1961	216	203	—13	241	255	193	165

*5th Revision † 6th Revision

6.26 Table 6.4 has been prepared to show death-rates per million, by age and sex, from cancer of the lung and bronchus during the period 1952-1961. Among males the rates have remained fairly steady up to age 55 but thereafter have increased, especially so in those aged 70-84. Among females the rates have exhibited a somewhat similar trend, but there have not been any spectacular increases in the later age-groups.

6.27 Age-specific death-rates, by sex, are given in Table 6.5 for the principal sites, in the periods 1920-22, 1930-32, 1940-42, 1950-52 and 1961. When examining this table it should be remembered that the inclusive terms of any particular site may differ from one period to another because of the several revisions of the International Classification of Causes of Death made in the past forty years. Rubric numbers in use at the selected periods are given in a footnote to the table.

Table 6.4
Death-rates per Million, by Age and Sex, from Cancer of Bronchus and Lung (I.S.C. Nos. 162, 163), 1951-1961

Year	Males											
	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
1951	30	129	271	704	1,274	1,678	2,128	2,103	1,643	1,360	1,052	459
1952	40	124	276	728	1,425	1,840	2,124	2,435	1,980	1,801	1,240	583
1953	66	174	279	745	1,567	2,267	2,771	2,828	2,151	1,645	989	560
1954	59	125	264	631	1,518	2,451	2,843	3,112	2,239	1,616	1,344	1,508
1955	39	115	254	601	1,323	2,369	3,095	3,088	2,335	1,808	1,812	957
1956	39	136	269	673	1,349	2,367	3,532	3,599	2,961	2,044	1,110	1,158
1957	52	114	275	728	1,402	2,380	3,651	3,728	3,237	2,422	1,589	1,092
1958	23	155	387	628	1,314	2,423	3,816	4,179	3,494	2,952	2,069	1,289
1959	23	55	314	634	1,448	2,141	4,206	4,372	4,027	3,192	2,220	1,608
1960	18	114	251	637	1,427	2,600	4,042	4,396	4,637	3,328	2,525	1,040
1961	30	107	304	658	1,372	2,616	4,072	4,784	4,140	3,566	2,770	1,686
	Females											
	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
1951	33	26	52	88	113	315	345	457	454	459	462	221
1952	16	44	78	110	106	217	327	255	347	649	279	213
1953	16	40	47	121	239	275	308	316	482	566	613	414
1954	10	18	74	109	156	225	327	437	479	623	493	268
1955	27	24	64	120	161	162	284	439	428	592	533	540
1956	11	23	92	98	162	252	304	471	411	636	545	465
1957	12	22	102	103	156	162	307	491	552	495	550	457
1958	17	33	95	120	172	332	319	390	568	601	510	388
1959	23	64	88	137	199	268	415	454	648	535	616	507
1960	29	39	74	115	210	254	393	437	499	569	504	408
1961	17	34	66	141	204	231	450	486	558	546	555	395

Note:—See footnote to Table 5.3 (page 18)

Table 6.5 Age-specific death-rates per 100,000 population from malignant neoplasms and the principal sites

Site	Period	Males—Rates per 100,000									Females—Rates per 100,000									Site
		All Ages	Under 25	25–	35–	45–	55–	65–	75–	85 and over	All Ages	Under 25	25–	35–	45–	55–	65–	75–	85 and over	
All sites	1920–22	110	5	14	45	163	461	863	1054		137	3	22	88	238	479	779	1107		All sites
	1930–32	145	6	17	55	171	477	1003	1384	1294	159	4	19	82	221	463	852	1237	1250	
	1940–42	191	8	28	76	205	482	1005	1519	1487	170	5	22	81	203	431	786	1197	1407	
	1950–52	206	9	23	66	234	555	1066	1690	1633	185	6	21	83	198	394	758	1228	1449	
	1961	241	9	21	57	233	676	1236	1920	1934	193	7	20	81	212	392	675	1096	1598	
Buccal cavity	1920–22	14	0	1	3	23	61	107	139		3	0	1	1	6	9	12	28		Buccal cavity
	1930–32	15	0	1	2	15	58	107	130	181	3	0	0	1	4	8	15	24	75	
	1940–42	15	0	0	2	7	38	93	175	243	4	0	1	1	2	9	17	32	39	
	1950–52	8	0	0	1	3	14	52	117	181	3	0	0	1	2	6	10	24	31	
	1961	5	0	0	0	2	10	26	81	50	3	0	1	1	3	6	12	24	23	
Œsophagus	1920–22	4	–	0	2	7	26	35	45		2	–	0	2	5	9	13	20		Œsophagus
	1930–32	6	0	0	1	8	24	45	46	57	3	–	–	1	4	11	19	27	13	
	1940–42	8	–	1	1	7	22	51	75	52	4	–	0	1	3	11	23	34	39	
	1950–52	8	–	0	2	5	19	47	71	76	5	–	–	1	4	10	23	54	34	
	1961	6	–	0	1	2	14	30	86	40	5	0	–	1	4	8	23	33	85	
Stomach	1920–22	29	0	3	13	49	133	219	232		26	0	2	10	37	95	188	230		Stomach
	1930–32	37	0	3	18	50	128	254	334	200	33	0	2	8	30	91	218	329	252	
	1940–42	44	0	3	18	56	119	230	326	243	31	–	2	8	24	75	173	286	288	
	1950–52	39	0	2	11	41	103	222	333	272	32	0	2	8	20	60	159	279	316	
	1961	35	–	2	7	37	90	175	337	278	26	–	0	4	16	46	99	206	339	
Intestine (except rectum)	1920–22	17	0	2	6	21	74	157	180		21	0	2	8	25	66	149	226		Intestine (except rectum)
	1930–32	23	0	2	7	20	71	173	268	209	26	0	1	8	25	67	169	278	273	
	1940–42	31	0	3	7	23	72	192	298	250	30	0	3	9	21	69	154	286	380	
	1950–52	25	0	2	5	17	48	149	310	312	29	0	1	7	22	49	127	287	382	
	1961	21	0	1	2	13	44	100	256	426	26	0	2	7	15	46	91	201	373	
Rectum	1920–22	8	0	1	4	11	34	68	99		6	0	2	4	9	18	39	53		Rectum
	1930–32	11	0	1	4	12	36	81	119	133	7	0	1	4	8	18	40	52	67	
	1940–42	16	0	3	5	12	41	95	115	125	8	0	2	5	9	18	35	56	57	
	1950–52	14	0	1	3	10	34	86	147	136	9	0	1	2	8	19	43	58	58	
	1961	12	0	1	4	9	26	65	127	139	9	0	1	2	8	19	33	64	73	

Larynx	1920–22	2	–	–	1	3	8	13	10		1	–	0	1	2	3	3	4	Larynx
	1930–32	2	0	0	0	3	8	17	19	–	1	1	0	1	3	3	5	5	8
	1940–42	3	–	–	1	4	10	19	25	15	1	–	0	0	2	3	5	6	4
	1950–52	3	–	0	0	3	8	18	28	15	1	–	0	0	1	2	3	5	2
	1961	2	–	–	0	1	6	18	21	40	1	–	–	–	2	2	1	5	11
Bronchus and Lung, etc.	1920–22	2	0	1	1	4	8	10	4		1	0	0	1	4	5	7	4	Bronchus and Lung, etc.
	1930–32	6	0	2	5	14	18	27	15	10	3	0	1	2	5	9	13	11	4
	1940–42	19	0	3	18	46	63	55	46	7	6	0	0	3	9	19	29	25	11
	1950–52	48	0	3	20	99	194	191	132	60	10	0	1	6	12	29	40	50	24
	1961	85	–	2	20	101	326	451	329	169	13	0	2	5	17	33	52	55	40
Prostate	1920–22	3	–	–	0	2	9	35	46		21	0	2	17	47	75	89	155	Breast
	1930–32	7	–	–	0	2	17	64	131	86	25	0	3	16	50	81	96	144	201
	1940–42	10	–	–	–	2	18	75	141	140	27	–	3	19	46	72	109	153	217
	1950–52	13	–	–	0	2	16	87	211	222	31	0	2	22	48	66	110	151	181
	1961	16	–	–	–	1	21	90	277	367	36	0	4	24	60	75	109	161	237
Leukæmia and Aleukæmia	1920–22	1	1	1	2	1	2	3	2		1	1	1	1	1	2	3	1	Leukæmia and Aleukæmia
	1930–32	2	1	0	1	2	4	6	3	–	1	1	1	1	1	3	5	4	–
	1940–42	3	2	3	2	3	6	8	4	–	2	1	1	2	3	5	4	2	7
	1950–52	4	3	2	3	4	7	17	13	5	4	2	2	3	4	7	9	10	10
	1961	7	3	2	3	6	13	27	36	10	4	2	1	2	4	10	10	19	23
	1920–22										19	0	5	24	48	70	70	67	
	1930–32										18	0	5	21	41	55	68	56	42
	1940–42										20	0	3	18	42	57	65	68	64
	1950–52										17	0	3	14	28	49	56	58	65
	1961										17	0	2	12	29	37	51	59	85

International Statistical Classification of Malignant Neoplasms

Year	Revision	Rubric Nos. All sites	Buccal cavity	Œsophagus	Stomach	Intestine, ex. rectum	Rectum	Larynx	Bronchus, Lung, etc.	Prostate	Breast	Uterus	Leukæmia and Aleukæmia
1920	2nd	25b; 39-46; 53	39	40	40	41	41	45	45	45	43	42	53a
1921, 1922, 1930	3rd	30.2; 43-49; 65	43	44	44	45	45	49	49	49	47	46	65a
1931, 1932, 1940	4th	43.2; 45-53; 72	45	46	46	46	46	47	47	51	50	48	72a
1941, 1942	5th	43; 44b; 45-53; 74	45	46	46	46	46	47	47	51	50	48	74
1950-1952, 1961	6th, 7th	140-205	140-148	150	151	152, 153	154	161	162, 163	177	170	171-174	204

Diabetes (I.S.C. No. 260)

6.28 Deaths from this cause numbered 599 (175 males and 424 females), 44 more than in 1960 and 77 above the average. The much heavier female rate is most in evidence at the highest age-groups (Tables 53 and 54).

Anæmias (I.S.C. Nos. 290-293)

6.29 Deaths from this cause numbered 241, of which 80 were of males and 161 of females. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias (290) and these account for 139.

Other general diseases (remainder 240-299)

6.30 In addition to the foregoing there were 139 deaths from asthma, an increase of 7 compared with 1960, 27 deaths from thyrotoxicosis (19 in 1960), and 70 from other diseases of thyroid gland (62 in 1960).

Diseases of the nervous system (I.S.C. Nos. 330-398)

6.31 In this group there were 10,611 deaths, of which the majority (9,839) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral and subarachnoid hæmorrhages, 4,052, or cerebral embolism and thrombosis, 4,787. Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans, 178, multiple sclerosis, 159, epilepsy, 94, and other cerebral paralysis, 57. Non-meningococcal meningitis deaths numbered 39 compared with 56 in 1960.

6.32 The vascular lesions of the central nervous system show a heavier crude death-rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the circulatory system (I.S.C. Nos. 400-468)

6.33 Deaths in this group numbered 24,620, of which 22,048 were ascribed to heart disease. Deaths from heart disease increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of classification in 1941 reduced this number slightly (about one per cent.), and in the two following years there was a substantial diminution in deaths from these causes. Since then there has been an irregular increase. The change of classification between the fifth and sixth revision accounted for an increase of only one per cent. in deaths allocated to this group.

6.34 Of the total deaths from diseases of the heart (I.S.C. Nos. 410-443) the vast majority, 19,209, were ascribed to the arteriosclerotic and degenerative categories. Of these 11,942 were arteriosclerotic heart disease (including coronary thrombosis), 6,931 other forms of myocardial degeneration and 336 chronic endocarditis not specified as rheumatic.

6.35 Mortality ascribed to coronary thrombosis shows a progressive increase with age both in males and females, but at each age the rate in males exceeds that in females, although the extent of this differs widely throughout the age span. At ages under 35 the number of deaths is small and the sex-ratio is irregular. From ages 35 and over there is a decided divergence in the rates for the separate sexes. In age-group 45-49 the male rate is five times that of the female. After age 50 the male:female ratio declines progressively, until in the oldest age-groups the male mortality is about 50 per cent. higher than the female.

6.36 Deaths from chronic rheumatic heart disease numbered 808, compared with 741 in 1960. Acute rheumatic fever accounted for 10 deaths, a decrease of 7 from the previous year. Deaths from acute non-rheumatic conditions of the heart were 76. Functional and other unspecified diseases of the heart caused 815 deaths. Hypertension accounted for 1,687, of which 1,140 were associated with heart disease.

6.37 Age-specific death-rates are given in Table 6.6 for heart disease, coronary thrombosis and myocardial degeneration, covering the period 1920 to 1961. When examining this table it should be remembered that the inclusive terms of any particular cause may differ from one period to another because of the several revisions of the International Classification of Causes of Death made in the past forty years. The rubric numbers in use at the selected periods are given in a footnote to the table.

Table 6.6 Age-specific death-rates per 100,000 from heart disease, coronary thrombosis and myocardial degeneration

Cause	Period	MALES—Rates per 100,000								
		All Ages	under 25	25–	35–	45–	55–	65–	75–	85+
Heart Disease	1920-22	136	12	41	61	138	410	1,038	2250	
	1930-32	195	11	24	62	152	465	1,345	3,176	5,431
	1940-42	366	10	32	83	254	672	1,894	5 007	9 995
	1950-52	425	5	22	73	289	873	2,139	5,382	12,399
	1961	457	1	19	97	342	993	2,228	4,980	10,384
Coronary Thrombosis	1920-22	8	0	1	2	9	33	68	90	
	1930-32	21	0	0	7	26	73	157	206	171
	1940-42	80	0	3	24	93	214	440	632	662
	1950-52	190	0	6	45	206	579	1,052	1,500	1,699
	1961	280	0	10	69	290	808	1,531	2,044	2,202
Myocardial Degeneration	1920-22	58	2	5	15	46	173	493	1,277	
	1930-32	92	1	5	14	51	193	668	1,891	3,814
	1940-42	213	1	6	22	91	310	1,110	3,715	8,383
	1950-52	173	0	2	4	34	156	793	3,254	9,576
	1961	114	0	1	2	11	79	412	2,161	6,595

Cause	Period	FEMALES—Rates per 100,000								
		All Ages	under 25	25–	35–	45–	55–	65–	75–	85+
Heart Disease	1920-22	137	13	33	61	128	358	852	1821	
	1930-32	191	14	32	64	138	365	1,005	2,526	4,700
	1940-42	303	12	38	70	158	447	1,370	3,827	9,100
	1950-52	384	5	23	49	126	440	1,503	4,498	11,038
	1961	396	2	12	37	120	410	1,342	4,004	10,497
Coronary Thrombosis	1920-22	4	0	0	0	2	12	33	44	
	1930-32	11	0	0	1	8	29	79	119	147
	1940-42	39	0	1	5	20	89	235	394	462
	1950-52	99	0	1	9	39	186	549	879	1,048
	1961	157	0	1	11	64	252	725	1,348	1,570
Myocardial Degeneration	1920-22	60	2	8	15	44	145	409	1,024	
	1930-32	94	1	4	16	48	169	518	1,509	3,241
	1940-42	189	1	6	19	69	223	836	2,852	7,669
	1950-52	211	0	2	5	27	131	673	3,010	9,175
	1961	152	0	0	1	6	48	325	1,878	7,431

International Statistical Classification

Year	Revision	Rubric Nos.		
		Heart Disease	Coronary Thrombosis	Myocardial Degeneration
1920	2nd	77-80	80	79 b.c.
1921, 1922, 1930	3rd	87-90	89	90 b.c.
1931, 1932, 1940	4th	90-95	94	93 b.c.
1941, 1942	5th	90-95	94	93 c.d.
1950-1952, 1961	6th and 7th	410-443	420.1.2	422

6.38 General arteriosclerosis was the most important of the circulatory diseases apart from the heart, and in 1961 there were 1,499 deaths ascribed to this cause, compared with 1,297 in 1960.

Diseases of the respiratory system (I.S.C. Nos. 470-527)

6.39 Deaths from these causes accounted for 5,962 deaths, compared with 4,870 in 1960. Of these the principal individual causes were bronchitis, 2,516, bronchopneumonia, 1,886, lobar pneumonia, 361, and pneumoconiosis, 245. Deaths from influenza have been mentioned previously in para. 6.5. The increase in their number over 1960 would contribute to the total increase in the respiratory group. Age-specific death-rates are given in Table 6.7 for bronchitis, covering the period 1920 to 1961. When examining this table it should be remembered that the inclusive terms of bronchitis may differ from one period to another because of the several revisions of the International Classification of Causes of Death made in the past forty years. Rubric numbers in use at the selected periods are given in a footnote to the table.

Table 6.7 Age-specific death-rates per 100,000 from bronchitis

Cause	Period	MALES—Rates per 100,000								
		All Ages	under 25	25–	35–	45–	55–	65–	75–	85+
Bronchitis . .	1920-22	99	54	8	22	69	223	624	1450	
	1930-32	77	25	6	25	53	131	457	1,211	2,330
	1940-42	84	22	10	26	85	163	332	875	1,936
	1950-52	57	4	2	8	53	167	265	541	1,119
	1961	72	2	2	7	48	201	447	549	853

Cause	Period	FEMALES—Rates per 100,000								
		All Ages	under 25	25–	35–	45–	55–	65–	75–	85+
Bronchitis . .	1920-22	90	43	7	18	44	152	459	1412	
	1930-32	73	22	5	14	36	98	334	999	2,700
	1940-42	55	13	3	10	23	74	219	672	1,900
	1950-52	32	3	1	5	13	42	115	354	872
	1961	27	2	1	5	13	31	100	233	497

International Statistical Classification

Year	Revision	Rubric Nos.
1920	2nd	89-90
1921, 1922, 1930	3rd	99
1931, 1932, 1940	4th	106
1941, 1942	5th	106
1950-1952, 1961	6th, 7th	500-502

6.40 In 1961 deaths from pneumonia and bronchitis numbered 4,989 and are 632 above the five years' average.

Diseases of the digestive system (I.S.C. Nos. 530-587)

6.41 Deaths in this group numbered 1,996 compared with 1,988 in 1960. The principal conditions under this heading are ulcer of stomach, 240, and ulcer of duodenum, 315, hernia and intestinal obstruction, 388, and cirrhosis of the liver, 234. There were 62 deaths from diarrhœa of children between four weeks and under 2 years of age compared with 73 in 1960.

Diseases of genito-urinary system (I.S.C. Nos. 590-637)

6.42 These collectively numbered 1,170 deaths and are 19 fewer than in 1960. They are 56 below the average of the past five years. The principal components of the group are chronic nephritis, 245, infection of kidney, 324, and diseases of the prostate, 378. Deaths from diseases of the prostate were 11 more than in 1960.

Diseases of pregnancy and childbirth (I.S.C. Nos. 640-689)

6.43 These numbered 37 and are 2 more than in 1960. They are 7 below the average of the past five years and roughly a third of what were so registered ten years ago. The most prominent constituents are complications of the puerperium, 14, delivery with specified complication, 12, complications of pregnancy, 6, and abortion 5. The total deaths represent a rate of 0·4 per 1,000 live births.

6.44 In addition to the deaths classified as due to puerperal conditions, there were 21 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table 6.8. The number is 4 more than in 1960.

Table 6.8 Deaths associated with Pregnancy and Parturition but not Classified as Puerperal—1961

International Abbreviated List 'B'	Cause of Death	Total	Ages						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over
18	Malignant neoplasms	3	—	—	1	2	—	—	—
22	Vascular lesions affecting central nervous system	2	—	—	—	—	2	—	—
46·1	Other diseases of nervous system	2	—	1	1	—	—	—	—
25	Chronic rheumatic heart disease	5	—	—	1	2	2	—	—
26	Arteriosclerotic and degenerative heart disease	3	—	—	—	1	1	1	—
27	Other diseases of heart	1	—	—	—	—	—	1	—
46·2	Other circulatory disease	1	—	1	—	—	—	—	—
31	Pneumonia	2	1	—	—	—	1	—	—
34	Appendicitis	1	—	—	1	—	—	—	—
35	Intestinal obstruction and hernia	1	—	—	—	1	—	—	—
	TOTAL	21	1	2	4	6	6	2	—

Diseases of skin and cellular tissue (I.S.C. Nos. 690-716)

6.45 There were 43 deaths from these causes compared with 44 in 1960.

Diseases of bones and organs of movement (I.S.C. Nos. 720-749)

6.46 These causes accounted for 270 deaths during the year, 2 fewer than in 1960. Rheumatoid arthritis and allied conditions was the principal cause in this group, and of the 156 deaths from this cause 30 were males and 126 females.

Malformations (I.S.C. Nos. 750-759)

6.47 There were 755 deaths from these compared with 659 in 1960. Congenital malformations of the circulatory system were the most frequent and numbered 260. These were followed by spina bifida, 143, digestive system, 96, hydrocephalus, 77, and genito-urinary system, 63. Of the 755 who died from congenital malformations 572, or 76 per cent., died at ages under one year and of these 263 did not survive a week.

6.48 Table 6.9 shows for each of the principal causes in the group and also for certain diseases of early infancy, the rate per 1,000 births in each quinquennium since 1936 and for 1960 and 1961. The rate for congenital malformations was 7·46 in 1961 compared with 6·51 in 1960. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend.

Table 6.9 Death-rates per 1,000 Live Births from Congenital Malformations and Diseases of Early Infancy
(International Detailed List Nos. 750-776)

Cause of Death		1936–40	1941–45	1946–50	1951–55	1956–60	1960	1961
Congenital malformations . (All ages) .	750–759	6·87	7·28	6·58	6·85	6·91	6·51	7·46
Do. (Under 1 Year) .		6·20	6·33	5·47	5·25	5·29	4·99	5·65
Spina bifida meningocele	751	1·89	1·93	1·38	1·54	1·37	1·24	1·41
Hydrocephalus . .	752	0·70	0·74	0·64	0·70	0·73	0·71	0·76
Congenital heart disease	754	2·26	2·26	2·11	2·24	2·37	2·17	2·57
Congenital pyloric stenosis	756·0	2·02	2·34	0·48	0·11	0·04	0·02	0·05
Other congenital defects	Residual			1·97	2·26	2·39	2·36	2·67
Diseases of early infancy .	760–776	30·61	27·74	20·24	17·24	15·16	14·44	13·76
Debility .	773 OY & 5Y	7·09	5·22	1·93	0·74	0·23	0·13	0·12
Premature birth .	776	16·79	15·07	10·39	5·50	3·99	3·26	3·71
Injury at birth .	760–761	3·22	3·19	2·94	2·78	2·70	3·00	2·28
Asphyxia at birth .	762	3·50	4·27	2·99	4·58	5·35	5·22	5·30
Other specified causes .	Residual			2·00	*3·65	*2·88	*2·83	*2·35
TOTAL (All ages) .		37·48	35·02	26·83	24·09	22·06	20·95	21·22

* Includes pneumonia of newborn and diarrhœa of newborn.

Diseases of early infancy (I.S.C. Nos. 760-776)

6.49 Deaths from this group of causes totalled 1,392 compared with 1,463 in 1960. The most important individual component of this group is postnatal asphyxia and atelectasis, deaths from which numbered 536—over a third of the total. Prematurity unqualified, 375, birth injury, 231, pneumonia of newborn, 82, and hæmolytic disease of newborn, 51, are next in order of importance. Of the 1,392 deaths ascribed to certain diseases of early infancy, 375 were classified to prematurity, but it is perhaps worth mentioning that of the other 1,017 deaths in this group 526 had a mention of prematurity on the death certificate. Table 6.9 shows that mortality ascribed to prematurity and, even more, to congenital debility has shown a remarkable decrease recently. Deaths from injury at birth have shown no such change; the rate per 1,000 live births for 1961, however, was 2·28 compared with 3·00 in 1960.

6.50 Changes in classification of causes such as prematurity affect some of the rates when comparing 1950 onwards with earlier years.

Senility (I.S.C. No. 794)

6.51 Only 381 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause-groups, presumably as a result of more specific certification.

Violence (I.S.C. Nos. E.800-E.999)

6.52 2,911 deaths from causes other than natural causes were registered in 1961: 2,477 were from accidents, 409 from suicide, 23 were caused by homicide and 2 were due to late effects of war operations. There is no way of knowing to what extent, if any, suicide is under-reported. Instances have come to notice where the clinical history and circumstances of death suggest suicide but where the certificate accepted for statistical purposes did not attribute the death to this cause. Table 60 shows Scotland with a lower death-rate from suicide than England and Wales and a higher death-rate from domestic accidents, and these differences might be due in part to such under-reporting.

6.53 There were 786 deaths from **transport** accidents in 1961, 7 fewer than in 1960. The majority were motor vehicle accidents—713—an increase of 37 from the previous year. Of the remainder, 30 were from railway accidents, 9 from road transport fatalities other than with motor vehicles, 27 in water transport accidents and 7 in air transport accidents.

6.54 The number of deaths from road transport accidents in Scotland from 1934 is set out in summary form in Table 6.10. The figures are given by sex and age. It will be seen that at all ages accidents have taken a much heavier toll of the male than of the female population.

Table 6.10 Deaths from Road Transport Accidents, 1934-1961

		All Ages	0–4	5–14	15–34	35–64	65 and over
Males	1934-38 (average)	515	41	86	169	145	74
	1939-45 „	709	50	104	183	242	130
	1946-50 „	394	48	67	98	105	76
	1951-55 „	422	39	61	123	122	76
	1956-60 „	467	27	44	138	172	86
	1956	452	31	45	117	173	86
	1957	454	26	45	133	159	91
	1958	463	24	44	137	175	83
	1959	461	22	39	150	166	84
	1960	504	31	45	154	189	85
	1961	521	38	45	171	177	90
Females	1934-38 (average)	162	21	37	25	42	37
	1939-45 „	188	22	43	29	50	44
	1946-50 „	155	21	35	20	35	43
	1951-55 „	149	19	28	21	38	42
	1956-60 „	160	18	22	23	47	50
	1956	137	20	21	20	37	39
	1957	133	15	15	10	41	52
	1958	169	18	18	35	50	48
	1959	173	14	27	20	57	55
	1960	187	24	30	29	49	55
	1961	201	26	23	26	62	64

6.55 Table 57 shows other deaths by accident (International Detailed List Nos. E.870-E.936, E.961, E.962) classified by sex and age in cause-groups and place of occurrence.

65.6 Deaths from accidents in the **home** in 1961 made up as usual the greatest individual group of fatal accidents. They numbered 1,211 or 49 per cent. of the total deaths from accidents. The number was 161 more than in 1960.

6.57 The causes of accidents in the home are shown in more detailed age-groups in Table 6.11.

Table 6.11. Deaths from Accidents in the Home, 1961

International Detailed List Nos.	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
E870–E888	Accidental poisoning by solid and liquid substances	M.	34	–	3	–	–	3	2	9	7	5	4	1	–	–
		F.	*40*	–	*3*	–	*1*	*1*	*5*	*4*	*10*	*11*	*4*	*1*	–	–
E890–E895	Accidental poisoning by gases and vapours	M.	129	–	3	1	1	2	*9*	15	19	32	22	20	5	–
		F.	*121*	–	–	–	*1*	–	*2*	7	*8*	*15*	*24*	*51*	*13*	–
E890*a*	Poisoning by utility (illuminating) gas, stated to be accidental	M.	64	–	3	1	1	1	4	4	5	17	10	15	3	–
		F.	*56*	–	–	–	–	–	–	*3*	*1*	*5*	*12*	*31*	*4*	–
E890*b*	Poisoning by utility (illuminating) gas, unspecified as to whether accidental or suicidal	M.	64	–	–	–	–	1	*5*	11	13	15	12	5	2	–
		F.	*64*	–	–	–	–	–	*2*	*4*	*7*	*10*	*12*	*20*	*9*	–
E891–E895	Accidental poisoning by other gases and vapours	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–
E900–E904	Accidental falls	M.	172	–	7	1	–	1	–	7	2	18	28	73	35	–
		F.	*432*	–	*4*	*1*	–	–	–	*3*	*6*	*11*	*48*	*204*	*155*	–
E916–E918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	42	–	1	1	1	–	1	3	3	5	6	16	5	–
		F.	*67*	–	*9*	*2*	*2*	*2*	–	*2*	*4*	*9*	*8*	*21*	*8*	–
E919	Accident caused by firearm	M.	4	–	–	–	–	–	1	–	1	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E921, E922, E924, E925	Accidental mechanical suffocation	M.	80	61	2	–	–	1	1	4	5	2	2	2	–	–
		F.	*60*	*50*	*4*	*1*	–	–	–	*2*	*1*	–	–	*1*	*1*	–
E926	Lack of care of infants under 1 year of age	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*3*	*3*	–	–	–	–	–	–	–	–	–	–	–	–
E929	Accidental drowning and submersion	M.	11	2	3	1	1	–	1	–	1	1	1	–	–	–
		F.	*2*	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–
Rem. of E910–E936, E961, E962	Other and unspecified accidents	M.	10	–	4	1	1	2	–	–	–	–	2	–	–	–
		F.	*3*	*1*	*1*	–	*1*	–	–	–	–	–	–	–	–	–
	TOTAL	M.	483	64	23	5	4	9	15	38	38	65	65	112	45	–
		F.	*728*	*55*	*21*	*4*	*5*	*3*	*7*	*18*	*29*	*46*	*85*	*278*	*177*	–

6.58 Accidental falls were the main cause, accounting for 604 or 50 per cent. of the total deaths through accidents at home. These deaths from falls were much heavier among females, numbering 432 and they took a very much heavier toll of older persons, as is seen from the fact that 90 per cent. of the deaths were of persons aged 65 years and over (males 79 per cent., females 94 per cent.).

6.59 Gas poisoning was the second heaviest cause of deaths in the home, and it will be seen from the table that in 1961 there were 250 deaths (129 of males and 121 of females). Of these 122 were stated to be accidental and 128 were unspecified as to whether accidental or suicidal. 135 of the deaths from gas poisoning were among persons aged 65 and over (males 47, females 88).

6.60 The third heaviest cause was suffocation which accounted for 140 accidental deaths in 1961. No less than 111, or 79 per cent. were deaths of children under one, and 6 of the remainder were of children between one and four. 69 of the deaths of children under one were due to inhalation and ingestion of food causing obstruction or suffocation. Of the remaining 42 deaths of children under one, 39 were due to suffocation in bed or cradle.

6.61 Accidents by fire, etc., were the next heaviest contributor to deaths in the home in 1961. They caused 109 deaths. Among these there were 10 children under five and 64 persons aged 65 and over.

6.62 Accidents in **residential institutions** accounted for 51 deaths, 14 fewer than in 1960. 47 of the deaths were due to falls, and 41 of this cause-group were aged 65 and over.

6.63 There were 45 deaths due to fatal accidents in **mines and quarries** compared with 55 in 1960. One death was caused by fire and explosion of combustible material (4 in 1960), 32 by blows from falling objects (27), 4 by machinery (6), and 2 by mine vehicles (10).

6.64 **Farm and forest** accidents claimed 10 deaths, the same number as in 1960. 2 (0) were due to poisoning by solid and liquid substances and 2 (1) were caused by animals. In addition there were 14 deaths due to accidents in which farm tractors, etc., were involved.

6.65 There were 91 deaths from accidents in **industrial places** compared with 139 in 1960. Forty (47) deaths were due to falls, 19 (29) to blows from falling objects, 9 (13) to machinery and 9 (5) to electric current.

6.66. Accidents in the **street and highway** were responsible for 29 (30) deaths, 25 (26) of which were due to falls.

6.67 In **other specified places** there were 224 deaths, 140 (182) of which were caused by drowning and 36 (30) by falls, mainly on mountains and hills. These deaths numbered 249 in 1960.

6.68 A further 24 deaths occurred in places which were not adequately specified.

6.69 The following Table 6.12 compares in broad age-groups the death-rates per 100,000 of the population of males and females from accidents at home and from accidents elsewhere (excluding transport accidents).

Table 6.12. Death-rate per 100,000 from Accidental Deaths (excluding Transport Accidents)

		All ages	0–4	5–14	15–44	45–64	65 and over
Accidents at Home	*Male*	19	36	2	6	17	104
	Female	*27*	*33*	*2*	*3*	*11*	*163*
Accidents elsewhere	*Male*	16	8	10	15	21	26
	Female	*3*	*2*	*0*	*1*	*3*	*15*
Total	*Male*	35	44	12	21	38	130
	Female	*30*	*35*	*3*	*3*	*14*	*178*

6.70 The over-all male rate is lower than for females as regards accidents at home, but it will be observed that the male rate is higher in each individual age-group except for 65 and over where the rate for females is 60 per cent. higher. The figures show that males are more vulnerable to accidents outside the home in the proportion of almost five to one. The difference is even greater in the age-groups between 15 and 64.

6.71 **Suicide.** Deaths from suicide numbered 409, 258 males and 151 females. These represent a death-rate of 8 per 100,000, the same as for 1960 and as the average of the last five years (Tables 48 and 58). (See also para. 6.52.)

6.72 **Accidental and suicidal poisoning.** The agents used in the 334 accidental and 282 suicidal deaths from poisoning are given in Table 58.

6.73 **Anæsthetics.** Details are given in Table 59 of the 115 deaths which took place during surgical procedures associated with anæsthesia, classified by age, sex and primary cause. It should be pointed out that mention of anæsthesia does not necessarily carry the implication that it played a part in the train of events leading to death, or that the deaths mentioned include all those cases in which anæsthetics were in use.

Relative frequency of cause of death

6.74 The commonest causes or cause-groups of deaths and their percentages of total deaths are given in Table 6.13.

Table 6.13. Relative Frequency of Cause of Death

Cause of Death	1961		1960	
	Number	Per cent. of total	Number	Per cent. of total
Heart disease	22,048	34·49	21,373	34·60
Malignant neoplasms	11,221	17·55	11,033	17·86
Vascular lesions of the central nervous system	9,839	15·39	9,850	15·95
Violence	2,911	4·55	2,867	4·64
Bronchitis	2,516	3·94	2,214	3·58
Pneumonia (excluding pneumonia of newborn)	2,473	3·87	2,008	3·25
Congenital malformations and diseases of early infancy	2,147	3·36	2,122	3·44
TOTAL	53,155	83·15	51,467	83·33

Death-rates in Scotland compared with those in England and Wales, Northern Ireland and the Irish Republic

6.75 Precise comparisons between the death-rates in Scotland and those in England and Wales, Northern Ireland and the Irish Republic cannot be made from an examination of the crude death-rates in the four countries. By agreement between the Registrars-General, death-rates have been standardised to the age and sex distribution of the United Kingdom and the Irish Republic.

6.76 Table 60 gives the standardised mortality ratios for the four countries for all causes and for a specially selected list of causes for the year 1961. It also shows the age-specific death-rates by sex so that a more detailed examination of the rates can be made. It will be observed that while for all causes Scotland has the highest rates its position varies a great deal from cause to cause. The Scottish ratio is more favourable for acute poliomyelitis, influenza, and nephritis and nephrosis. The Scottish ratio shows a fairly marked excess in the case of malignant neoplasms, diabetes, anæmias, vascular lesions of central nervous system, diseases of digestive system and accidents in the home.

Chapter 7. Infant Mortality

Numbers

7.1 There were 2,615 deaths of infants aged under one year of whom 1,520 were males and 1,095 were females. The total number was 58 fewer than in 1960 and 140 below the average.

National rates

7.2 The infant mortality rate was 25·8 per 1,000 live births, the lowest ever recorded in Scotland; in 1960 it was 26·4. The rate for males was 29·3 and 22·3 for females, compared with 29·7 and 22·9 respectively in 1960.

7.3 Up to 1915 the rate never fell below 100, but in the 1920's and 1930's it started to decline, and by 1939 it was 68·5. Since 1947, when the rate was 55·8 there has been a downward trend (Table 2).

Seasonal incidence

7.4 The highest monthly infant mortality rate was 33 in January and the lowest was 22 in July, September and October. In 1960 the highest rate was recorded in January, 31, and the lowest in July, 22 (Table 73). The rate in the first quarter was 30, in the second 25, in the third 23, and 26 in the fourth quarter. Quarterly rates are given in Table 6 for the years 1951 to 1961.

Area rates

7.5 The rate in the cities was 28, in the large burghs 25, in the small burghs 27 and in the landward areas 24.

7.6 As landward areas are by no means uniformly rural in character, rates have been calculated for the four regions which comprise the landward area. These are given in Table 7.1 along with those for cities and large burghs combined and small burghs for the years 1951, 1960 and 1961.

Table 7.1 Infant Mortality Rates in Local Authority Districts and Regional Landward Divisions, 1951, 1960, 1961

	1961	1960	1951		1961	1960	1951
Scotland	**26**	**26**	**37**	*Regions (Landward):			
Cities and large burghs	27	28	39	Northern	16	22	31
Glasgow	31	32	46	East Central	23	28	36
Others	24	25	34	West Central	30	26	40
Small burghs	27	24	34	Southern	17	23	40
Landward	24	25	36				

* See footnote to Table 8·1 (page 46)

Infant mortality rates for cities, large and small burghs and landward areas are given in Table 7.

7.7 In individual cities and large burghs the rate ranged from 35 in Port Glasgow to 11 in Arbroath, and in the counties (exclusive of cities and large burghs) it ranged from 56 in Kinross to 6 in Orkney.

International rates

7.8 So that comparison may be made with the experience in Scotland, a selection of infant mortality rates of other countries is given in Table 7.2.

Table 7.2 Infant Mortality per 1,000 Births, 1961

Portugal	89	Belgium	26
Poland	54	France	26
Hungary	44	**Scotland**	26
Greece	40	Denmark	22
Spain	38	England and Wales	22
Austria	33	Finland	20
Western Germany	32	New Zealand*	19
Eire	31	Sweden	16
Japan	29	Netherlands	15
Northern Ireland	28		

*Excluding Maoris.

Legitimacy and illegitimacy

7.9 Among legitimate children the infant mortality rate was 25, being 27 in the cities, 25 in the large burghs and 24 in the counties; these compare with figures of 26, 27, 27 and 25 respectively in 1960.

7.10 The rate among illegitimate children was appreciably higher at 39, being 41 in the cities, 32 in the large burghs and 38 in the counties. The 1960 rates were 41, 44, 53 and 32 (Table 44).

Age and sex

7.11 The number of deaths and death-rates per 1,000 live births by age and sex in days, weeks and months during the first year of life are given in Table 45. It will be seen that more infants died in the first day of life than in the remaining days of the first week, and that 60 per cent. of the children who died before reaching one year of age did not survive the first week. The neonatal rate was 17·9, 20·7 for males and 15·0 for females, but in the second month the mortality rate fell to 1·7, 1·9 for males and 1·5 for females, and the combined rate for the last three months was only 0·7 for persons, males and females. Infant mortality rates, by age and sex, for the period 1922-1961, are given in Table 7.3.

Table 7.3 Infant Mortality per 1,000 Births by Age and Sex in Scotland, 1922-1961

Year	Males						Females					
	Under 1 year	Under 7 days	*7–27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under12 months	Under 1 year	Under 7 days	*7–27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under12 months
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·3	74·4	31·8		10·6	12·1	19·9
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941–45	76·4	25·9	12·4	14·1	13·4	10·6	58·5	19·2	9·9	10·0	10·2	9·2
1946–50	53·2	22·3	7·0	9·2	8·3	6·4	41·1	16·9	5·9	6·5	6·4	5·3
1951–55	36·9	19·8	3·7	5·4	4·9	3·0	28·8	14·9	2·9	4·3	3·9	2·9
1956–60	31·6	18·9	3·0	4·1	3·4	2·2	24·1	13·6	2·4	3·2	2·8	2·2
1951	42·2	20·4	4·8	6·9	6·2	3·8	32·4	15·5	3·6	5·1	4·6	3·6
1952	39·3	20·1	4·1	5·6	6·2	3·3	30·8	15·7	3·2	4·1	4·3	3·5
1953	34·7	18·9	3·5	5·3	4·4	2·6	26·6	13·5	2·5	4·3	3·6	2·7
1954	34·9	20·2	3·4	4·3	4·1	2·9	26·9	15·2	2·3	4·2	3·1	2·0
1955	33·2	19·3	2·8	4·9	3·7	2·5	27·4	14·5	2·8	3·9	3·7	2·6
1956	32·6	19·2	3·1	4·6	3·9	1·8	24·4	13·3	2·4	3·7	2·6	2·4
1957	32·6	19·2	3·4	4·1	3·5	2·3	24·4	14·0	2·4	3·1	3·0	2·0
1958	30·9	18·8	2·8	4·3	3·0	2·0	24·3	13·4	2·2	3·3	3·2	2·3
1959	32·0	19·4	3·1	3·7	3·5	2·4	24·5	13·6	2·5	3·1	3·1	2·2
1960	29·7	17·9	2·6	3·9	2·9	2·4	22·9	13·7	2·3	2·8	2·2	1·9
1961	29·3	18·4	2·4	3·8	2·8	1·9	22·3	12·6	2·4	3·0	2·6	1·7

*Prior to 1950 the numbers and rates relate to 1 week and under 1 month and 1 month and under 3 months.

Neonatal and postneonatal mortality trends

7.12 The neonatal and postneonatal mortality rates are given in quinquennial averages from 1911 and by single years from 1951 in Table 7.4. From 1936 legitimate and illegitimate rates are shown separately.

Table 7.4 Neonatal and Postneonatal Mortality per 1,000 Births—1911-1961

	Deaths under 28 days*			Deaths between 28 days and 1 Year*		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911–15	43·0	...	...	69·8	...	...
1916–20	40·5	...	...	58·5	...	...
1921–25	38·2	...	...	53·6	...	..
1926–30	36·5	...	...	48·9	...	...
1931–35	36·8	...	...	44·0	...	...
1936–40	36·9	35·8	54·5	38·9	37·5	58·8
1941–45	33·8	32·3	53·0	33·9	32·1	55·6
1946–50	26·1	25·3	39·8	21·2	20·2	37·0
1951–55	20·7	20·1	32·4	12·2	11·9	18·5
1956–60	19·0	18·6	27·8	8·9	8·8	11·2
1951	22·3	21·8	31·6	15·1	14·7	22·2
1952	21·7	21·1	33·2	13·5	13·1	20·9
1953	19·3	18·8	30·3	11·5	11·2	17·0
1954	20·6	19·9	35·0	10·4	10·1	15·6
1955	19·7	19·2	31·8	10·6	10·4	16·3
1956	19·1	18·7	27·0	9·5	9·4	13·3
1957	19·6	19·2	29·9	9·0	8·9	10·5
1958	18·7	18·4	27·0	9·0	9·0	8·8
1959	19·4	19·1	26·4	9·0	8·9	11·4
1960	18·2	17·8	28·8	8·1	8·0	11·8
1961	17·9	17·4	28·2	7·9	7·8	10·5

*Prior to 1950 the rates relate to under 1 month and between 1 month and 1 year.

7.13 In the 1911-1915 quinquennium the postneonatal rate was very much higher than the neonatal rate, but by 1941-1945 the rates were almost equal. Since then the difference between the two rates has widened in favour of the postneonatal rate, and in recent years it has been less than half of the neonatal rate.

7.14 The neonatal rate was 17·9 in 1961 compared with 18·2 in 1960. The postneonatal rate remained steady at 9·0 in the years 1957-1959 but fell to 7·9 in 1961.

Neonatal and postneonatal mortality—legitimacy

7.15 Since 1942 the postneonatal death-rate for legitimate births has been lower than the neonatal rate, but it was not until 1948 that the postneonatal rate similarly fell in the case of illegitimate births. Recently the excess of illegitimate rates over the legitimate has been more pronounced for the neonatal rate.

Neonatal and postneonatal mortality—social class

7.16 A series of neonatal and postneonatal rates by social class are given in Table 7.5 for 1939 and from 1946 to 1961; comparable stillbirth-rates are given in Table 8.17. In each social class the postneonatal rate has shown a greater improvement than the neonatal rate.

Table 7.5 Infant Mortality Rates according to Social Class, 1939 and 1946 to 1961

Year	Neonatal deaths per 1,000 live births					Postneonatal deaths per 1,000 live births				
	I	II	III	IV	V	I	II	III	IV	V
1939	25·9	25·1	38·6	34·8	39·9	7·6	14·8	30·2	33·4	44·9
1946	16·7	25·0	29·3	31·1	36·9	5·5	12·8	22·0	29·3	36·1
1947	17·8	19·3	27·2	29·7	42·1	9·1	15·7	24·1	31·4	46·5
1948	15·0	16·4	24·6	28·7	30·5	9·8	9·9	18·2	21·8	32·2
1949	13·7	17·9	22·6	24·4	31·3	4·9	9·1	16·2	22·9	30·8
1950	20·0	16·5	22·7	24·9	28·5	5·9	7·7	14·3	18·9	25·1
1951	14·6	15·2	22·1	23·3	29·7	3·8	7·6	14·3	17·7	24·3
1952	12·9	18·2	21·8	23·2	24·2	5·3	6·6	12·7	15·9	22·1
1953	14·8	16·2	19·0	21·4	22·0	4·0	5·5	10·6	13·0	20·4
1954	13·4	16·0	20·8	20·7	25·6	2·2	6·1	10·1	10·9	16·4
1955	15·8	16·7	18·3	22·4	24·3	4·2	5·9	9·5	12·5	17·9
1956	11·0	13·5	19·0	22·0	22·1	5·6	5·6	8·2	10·6	16·1
1957	14·1	16·4	19·5	20·1	22·2	4·3	5·3	7·9	11·6	14·3
1958	15·0	14·2	18·4	18·4	24·2	2·1	5·7	8·4	10·6	14·0
1959	13·7	16·4	18·8	20·5	24·0	2·3	6·0	8·2	10·2	15·4
1960	13·0	17·2	17·1	20·7	21·0	2·7	4·3	7·2	10·2	12·8
1961	13·3	13·2	17·7	19·5	21·6	4·7	3·9	7·4	7·9	12·9

7.17 In Table 7.6, infant, neonatal and postneonatal mortality rates by social class are given for Scotland, the cities, large burghs and counties in 1961; comparable stillbirth-rates are given in Table 8.16. Social class has a much more marked effect on postneonatal than on neonatal mortality. The same is true not only for Scotland as a whole but also for the area-rates, and this merely confirms the experience of recent years. Compared with 1960 there were decreases in the total infant mortality rate in social classes II and IV, but increases in social classes I, III and V.

Table 7.6 Infant Mortality in Scotland Cities, Large Burghs and Counties according to Social Class, 1961

Social Class		Numbers			Rates		
		Live Births	Deaths		Neonatal Deaths per 1,000 Live Births	Post-neonatal Deaths per 1,000 Live Births	Total Infant Mortality per 1,000 Live Births
			Under 28 days	28 days-11 months			
SCOTLAND	I.	4,731	63	22	13·3	4·7	18·0
	II.	9,912	131	39	13·2	3·9	17·2
	III.	53,695	948	400	17·7	7·4	25·1
	IV.	19,974	390	158	19·5	7·9	27·4
	V.	11,060	239	143	21·6	12·9	34·5
	NOT STATED	1,797	42	40	...	...	..
	TOTAL	101,169	1,813	802	17·9	7·9	25·8
COUNTIES OF CITIES	I.	1,735	30	6	17·3	3·5	20·7
	II.	2,676	41	15	15·3	5·6	20·9
	III.	20,984	380	160	18·1	7·6	25·7
	IV.	7,140	160	61	22·4	8·5	31·0
	V.	4,658	94	73	20·2	15·7	35·9
	NOT STATED	966	17	18	...	...	...
	TOTAL	38,159	722	333	18·9	8·7	27·6
LARGE BURGHS	I.	696	3	3	4·3	4·3	8·6
	II.	1,289	20	5	15·5	3·9	19·4
	III.	10,522	175	67	16·6	6·4	23·0
	IV.	2,949	52	24	17·6	8·1	25·8
	V.	2,610	67	24	25·7	9·2	34·9
	NOT STATED	261	10	4	...	...	...
	TOTAL	18,327	327	127	17·8	6·9	24·8
COUNTIES (except Counties of Cities and Large Burghs)	I.	2,300	30	13	13·0	5·7	18·7
	II.	5,947	70	19	11·8	3·2	15·0
	III.	22,189	393	173	17·7	7·8	25·5
	IV.	9,885	178	73	18·0	7·4	25·4
	V.	3,792	78	46	20·6	12·1	33·7
	NOT STATED	570	15	18	...	...	...
	TOTAL	44,683	764	342	17·1	7·7	24·8

Causes of death by age and sex

7.18 Malformations and diseases of early infancy (I.S.C. Nos. 750-776) are reviewed in Chapter 6 paras. 47-50, and an analysis is given in Table 41 of causes of death in 1961 among children under one year, by age and sex. The most important causes were congenital malformations, 572 (505 in 1960), asphyxia and atelectasis, 536 (529), prematurity (unqualified), 375 (330), pneumonia (excluding newborn), 237 (242), and birth injuries, 231 (304).

Causes of death, trends

7.19 In Table 29A of the 1960 Annual Report, deaths of infants under one year in each of the years 1950 to 1960 were shown by sex and cause together with the rates per 1,000 births. Since 1950 deaths from tuberculosis have almost disappeared, and mortality from other infectious diseases, notably whooping cough, has been greatly reduced. There has been substantial improvement in mortality from all forms of pneumonia, diarrhœa and convulsions. The congenital malformation rate has fluctuated and today stands higher than it was in 1950. After showing improvement in the early and mid 1950's, the birth injuries rate increased in 1959 and in 1960, but in 1961 a new low record was reached. Asphyxia and atelectasis alone among the principal causes has increased fairly steadily since 1950.

Causes of death by month of registration

7.20 Deaths of children under one year are classified by cause and month of registration in Table 42. Reference has already been made in paragraph 7.4 to the seasonal incidence of infant mortality.

Causes of death by social class

7.21 The causes of death by social class in the first year of life among legitimate children, are given in Table 43.

7.22 As one might expect, the social class differences between the rates for neonatal causes (I.S.C. Nos. 750-776) and postneonatal causes follow the trends already referred to in paragraph 7.17. The 1961 rates per 10,000 live births for social classes I and II, III, IV and V were:

	I and II	III	IV and V
Neonatal causes (750-776)	141	190	211
Other causes (remainder)	33	59	84

7.23 Table 7.7. gives the experience for the years 1950-1961 of infant mortality by cause and social class. The rates have been calculated on three-year periods to provide more stable rates.

Table 7.7 Infant Mortality per 10,000 Live Births by Cause and Social Class

International Detailed List Nos.	Cause of Death	1950–1952			1953–1955			1956–1958			1959–1961		
		I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
001-019	Tuberculosis	1	3	4	—	1	1	0	0	0	—	0	0
020-029	Syphilis	—	0	1	—	0	0	—	—	—	—	—	—
055-057, 085	Epidemic diseases	3	7	10	2	4	5	1	2	4	...	...	...
340	Meningitis (not meningococcal or tuberculous)	1	2	4	1	1	3	2	2	3	1	2	1
490-493	Pneumonia (excluding newborn)	15	38	56	10	24	42	9	22	41	10	24	33
500-502	Bronchitis	3	5	7	2	4	4	2	3	5	1	3	4
470-483, 510-527	Other respiratory diseases	3	4	4	2	3	4	1	2	2	2	2	3
543, 571, 572	Diarrhœa (excluding newborn) gastritis and duodenitis*	7	19	30	4	10	16	3	6	10	1	6	11
530-542, 544-570, 573-587	Other digestive diseases	2	4	4	3	5	5	3	5	4	4	4	5
750-759	Congenital malformations	38	51	57	37	53	57	43	53	57	44	53	62
760-761	Birth injuries	28	31	31	19	25	27	20	25	27	20	26	30
762	Asphyxia and atelectasis	27	37	43	39	47	54	33	54	58	37	54	60
763	Pneumonia of newborn	7	14	18	7	11	14	7	10	12	7	8	12
764	Diarrhœa of newborn	2	2	5	1	1	1	1	1	2	1	1	2
765-776	Other infantile diseases	67	93	110	63	70	83	53	59	71	48	49	55
780a	Convulsions	2	5	12	0	5	7	1	3	5	...	...	...
Remainder	All other natural causes	9	12	15	7	7	12	8	7	11	7	11	16
E921, E922, E924, E925	Accidental mechanical suffocation, etc.	7	14	19	5	15	24	5	13	22	7	10	18
E800-E920, E923, E926-E999	Other violence	—	1	2	1	1	1	1	1	2	1	1	1
	All Causes	222	343	430	204	287	361	192	268	337	191	253	313

*Diarrhœa only in 1950-1953.

7.24 During the period 1950-1961 the greatest improvement in the total infant mortality was in classes IV and V followed closely by class III.

7.25 In 1959-1961 the relative excess of classes IV and V over classes I and II was greatest in pneumonia, diarrhœa, and suffocation, and least in congenital malformations and other infantile diseases. The greatest contributions to the absolute difference in the two rates were made by pneumonia, asphyxia and atelectasis and congenital malformations which jointly contributed more than half of the excess.

Supplement by Medical Statistician

7.26 "A Note on the Current Level of Infant Mortality in Scotland" by the Medical Statistician to the Registrar-General is published as a supplement to this Report on pages 65 to 67.

Chapter 8. Stillbirths

Numbers and rates

8.1 The total number of stillbirths registered during the year 1961 was 2,147, and with 101,169 live births registered during the same period these stillbirths were equivalent to a rate of 20·8 per 1,000 total births, live and still, the lowest ever recorded in Scotland. Apart from slight increases in the rates for 1945 and 1954 there has been a continuous reduction in the rate since 1939, the first year in which stillbirths were registered in Scotland (Table 2).

Area death-rates

8.2 For local authority aggregates the stillbirth-rate was 21 in the cities, 22 in the large burghs, 20 in the small burghs and 20 in the landward areas. The corresponding rates in 1960 were 22, 22, 20 and 22. As in previous years the rates for individual large burghs and counties show wide variations, and in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among cities and large burghs the highest rate for the year was 30 in Hamilton and the lowest 15 in Aberdeen and Dumbarton. In the counties the highest rate was 33 in Selkirk and the lowest 9 in Kinross (Tables 7 and 9).

8.3 In Table 8.1 will be found the stillbirth-rates aggregated for the four geographical divisions of Scotland. The rate ranged from 23·0 in Southern to 17·3 in Northern.

Table 8.1 Stillbirth-Rates per 1,000 Births (Live and Still) by Divisions, 1961

Divisions*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern .	17·3	17·9	17·0
East Central .	20·0	19·9	20·2
West Central .	22·1	22·7	20·8
Southern .	23·0	22·8	23·0
SCOTLAND	20·8	21·5	19·8

*The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark Dunbarton, Renfrew and Ayr; the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Table 8.2 Stillbirths per 1,000 Births (Live and Still) by Areas, 1939 to 1961

Year	Scotland	Counties of Cities and Large Burghs	Counties (excluding counties of cities and large burghs)	Divisions			
				Northern	East Central	West Central	Southern
1939 .	42·2	42·1	42·5	39·3	42·4	43·2	42·0
1940 .	42·1	42·4	41·7	40·1	43·1	42·7	37·6
1941 .	39·6	41·9	36·8	32·1	38·7	43·1	35·9
1942 .	38·2	40·2	35·9	33·7	38·0	40·8	30·5
1943 .	35·6	37·0	33·9	32·6	35·9	36·5	35·8
1944 .	32·5	33·6	31·2	28·4	31·5	34·8	29·0
1945 .	32·8	33·1	32·5	29·9	32·4	34·4	29·1
1946 .	32·3	34·7	29·3	28·6	32·0	33·9	32·2
1947 .	30·5	29·8	31·5	27·6	29·2	32·3	31·6
1948 .	28·7	29·8	27·4	26·6	27·7	30·3	26·1
1949 .	27·1	27·7	26·4	22·6	27·4	28·6	21·4
1950 .	26·9	28·2	25·3	22·7	25·9	28·8	29·7
1951 .	26·6	27·1	26·0	23·5	26·4	28·0	25·7
1952 .	26·2	26·6	25·6	22·1	26·2	27·9	23·8
1953 .	24·8	25·5	23·9	21·5	25·0	25·9	23·9
1954 .	25·3	26·4	24·1	20·7	25·3	27·0	25·5
1955 .	24·6	24·7	24·4	18·4	26·1	25·8	25·5
1956 .	23·9	24·4	23·2	22·1	23·4	24·8	22·7
1957 .	23·7	23·3	24·2	19·9	22·7	25·4	24·7
1958 .	22·8	23·7	21·8	19·1	22·3	24·1	25·9
1959 .	22·2	22·8	21·4	20·7	20·3	23·3	26·2
1960 .	21·7	22·2	21·2	18·5	21·2	23·0	22·9
1961 .	20·8	21·5	19·8	17·3	20·0	22·1	23·0

8.4 In Table 8.2 stillbirth-rates are given for Scotland, cities and large burghs, counties exclusive of large burghs, and the four geographical divisions for the years 1939 to 1961. Generally there has been a steady improvement each year in all the areas, although the rate in the Southern Division has tended to fluctuate. Among the geographical divisions the Northern has shown the most improvement, the rate now being 56 per cent. below that of 1939, the East Central coming next at 53 per cent. below the 1939 rate.

Stillbirth and neonatal death-rates

8.5 In 1961 the death-rate among stillbirths and children aged under four weeks was 38·3 per 1,000 total births, live and still, compared with 77·3 in 1939 and the average of 41·4. The rates for individual years since the beginning of stillbirth registration are given in Table 8.3. Stillbirth and neonatal rates have declined since 1939, the stillbirth-rate rather more regularly than the neonatal rate, but each is now half of the rate registered 22 years ago.

Table 8.3 Stillbirth and Neonatal Death-Rates per 1,000 Total Births (Live and Still)—1939-1961

Year	Still-births	Neonatal Deaths*	Total
1939	42·2	35·0	77·3
1940	42·1	35·7	77·8
1941	39·6	38·4	77·9
1942	38·2	33·7	71·9
1943	35·6	31·7	67·3
1944	32·5	31·7	64·2
1945	32·8	27·6	60·4
1946	32·3	28·9	61·2
1947	30·5	27·7	58·2
1948	28·7	24·4	53·1
1949	27·1	22·5	49·7
1950	26·9	22·4	49·3
1951	26·6	21·7	48·3
1952	26·2	21·1	47·3
1953	24·8	18·8	43·6
1954	25·3	20·1	45·5
1955	24·6	19·2	43·8
1956	23·9	18·6	42·5
1957	23·7	19·1	42·8
1958	22·8	18·3	41·1
1959	22·2	18·9	41·1
1960	21·7	17·8	39·6
1961	20·8	17·5	38·3

* These neonatal-rates, being based on total births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Age of mother and number of previous children

8.6 Table 16 shows legitimate stillbirths classified by sex according to age of mother and the number of her previous children by all husbands. Stillbirths are shown for the first time by single year of age of mother and legitimacy in Table 10 alongside the live births.

8.7 Among legitimate births the rate was 20 per 1,000 total births, this rate being at its lowest when the mother was aged under 25 years, and rising thereafter with increasing age of the mother (Table 8.4).

8.8 For every age-group, except 25-29, the illegitimate stillbirth-rates were higher than the corresponding legitimate rates. They are based on small numbers, but exhibit a similar general trend to the legitimate rates, viz.: a fairly steady increase with increasing age of mother.

8.9 Stillbirth-rates by age of mother are given in Table 8.5 for the years 1939 to 1961. Throughout the twenty-three years under review it will be seen that, generally, the younger the mother the less risk there is of stillbirth. Among those aged under 45 a comparison of the 1939 and 1961 rates shows that there has been a steady improvement in each age-group and that greatest improvement has taken place in age-groups 35-39, 30-34 and 25-29 which are now respectively 56, 50 and 46 per cent. below the 1939 rates.

Table 8.4 Stillbirth numbers and rates, by age of mother and legitimacy, 1961

	Age of Mother									
	All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not Stated
Legitimate stillbirths	2,012	92	500	581	431	274	121	8	—	5
Illegitimate stillbirths	135	29	37	15	21	14	12	—	—	7
All stillbirths	2,147	121	537	596	452	288	133	8	—	12
Stillbirths per 1,000 total births (including stillbirths)—										
Legitimate	20·4	17	17	19	22	28	45	53	—	...
Illegitimate	28·2	30	26	16	33	33	77	—	—	...
All births	20·8	19	17	19	23	28	47	51	—	...

Table 8.5 Stillbirths per 1,000 Births (Live and Still) by Age of Mother, 1939 to 1961

Year	Age of Mother								
	All Ages			Under 20	20–24	25–29	30–34	35–39	40–44	45–49
	Total	Leg.	Illeg.	Total	Total	Total	Total	Total	Total	Total
1939	42·2	41·9	47·6	30	31	35	46	63	74	132
1940	42·1	41·6	50·7	35	31	36	45	61	77	95
1941	39·6	38·9	49·2	27	30	35	43	56	65	67
1942	38·2	37·6	46·4	32	29	32	42	55	66	98
1943	35·6	35·1	41·6	25	25	31	38	49	71	66
1944	32·5	31·8	40·7	24	24	27	35	44	57	98
1945	32·8	32·4	37·2	25	25	27	34	46	67	61
1946	32·3	31·8	39·7	27	23	29	33	44	61	94
1947	30·5	29·8	42·0	24	23	26	33	41	60	77
1948	28·7	28·3	35·6	23	22	23	32	41	55	88
1949	27·1	26·7	34·7	21	21	20	31	40	63	104
1950	26·9	26·5	34·7	23	19	23	27	41	59	73
1951	26·6	26·0	37·3	23	19	22	28	40	64	87
1952	26·2	25·7	34·5	23	20	23	27	39	56	61
1953	24·8	24·3	34·0	17	20	22	27	36	51	58
1954	25·3	24·9	33·8	23	20	22	28	36	48	51
1955	24·6	24·1	33·7	20	20	19	28	38	49	90
1956	23·9	23·4	32·8	22	19	21	25	35	50	60
1957	23·7	23·4	30·2	21	18	21	25	37	51	94
1958	22·8	22·5	30·7	21	19	20	24	34	49	91
1959	22·2	21·7	33·0	21	19	19	24	33	43	38
1960	21·7	21·3	31·8	23	18	18	24	31	49	79
1961	20·8	20·4	28·2	19	17	19	23	28	47	51

8.10 Table 8.6 has been prepared from the distribution of stillbirths by age and parity shown in Table 16 in order to contrast first births with all subsequent births at different ages of mother. This shows that except for age-group 40 and over the rate for primiparous exceeds the rate for multiparous births.

8.11 Among multiparous births themselves the relative frequency of stillbirth varies widely, being least in the case of a second birth and thereafter generally increasing with increase in the number of previous children born to the mother.

Table 8.6 Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), 1961

Age of Mother	Children of all mothers	Primiparæ (first births)	Multiparæ (one or more previous births)				
			Number of Previous Births				
			1 and over	1	2	3	4 and over
Under 20	17	17	14	12	22	167	—
20—	17	19	14	14	14	18	13
25—	19	23	17	14	19	22	23
30—	22	29	21	19	16	20	31
35—	28	32	27	19	22	33	32
40 and over	46	12	49	32	52	41	54
ALL AGES	20	21	20	15	18	24	32

Table 8.7 Stillbirths per 1,000 Births (Live and Still) by Number of Previous Children to Mother, 1939 to 1961

Year	All Legitimate Stillbirths	Number of previous children (present or any previous husband)											
		None	1	2	3	4	5	6	7	8	9	10 and over	Not Stated
1939*	41·9	48	29	33	42	44	45	53	63	67	72	88	—
1940*	41·6	46	28	35	41	42	51	52	69	78	82	101	—
1941*	38·9	42	28	31	38	44	56	51	57	56	74	61	—
1942*	37·6	41	26	31	37	41	46	52	55	63	82	88	—
1943*	35·1	37	23	30	36	42	53	49	59	78	54	97	—
1944*	31·8	36	21	25	31	37	52	48	65	50	53	75	—
1945*	32·4	35	23	29	33	37	40	56	48	77	79	74	—
1946	31·8	36	21	26	33	40	42	46	52	57	61	74	—
1947	29·8	33	21	26	31	38	39	42	53	48	47	76	—
1948	28·3	30	20	26	31	36	41	42	59	47	66	75	—
1949	26·7	28	17	24	31	32	43	54	64	42	61	80	—
1950	26·5	27	18	25	32	36	36	50	45	49	36	64	—
1951	26·0	27	18	23	30	36	41	60	56	41	67	78	—
1952	25·7	28	18	24	25	33	36	39	48	50	58	69	—
1953	24·3	26	17	23	26	31	34	39	56	50	35	53	—
1954	24·9	26	18	24	27	33	38	49	46	48	45	50	—
1955	24·1	24	18	23	26	30	40	41	49	65	56	76	—
1956	23·4	25	16	23	25	33	40	31	44	50	49	49	—
1957	23·4	25	17	20	27	36	34	39	38	75	43	76	—
1958	22·5	24	17	23	22	30	27	34	40	62	40	60	—
1959	21·7	22	15	21	25	30	41	39	38	38	25	52	—
1960	21·3	22	15	19	23	29	33	40	51	46	79	83	—
1961	20·4	21	15	18	24	27	31	32	47	48	40	34	—

* Present husband only.

8.12 Stillbirth-rates by parity are given in Table 8.7 for the years 1939 to 1961. It will be seen that throughout the period covered by the table risk of stillbirth has been above average for the first birth, fallen to a minimum for the second birth and thereafter risen with parity.

Illegitimate stillbirths

8.13 Of the 2,147 stillbirths 135 or 6·3 per cent. were illegitimate, this being an appreciably greater proportion than among live births, 4·6 per cent. of which were illegitimate. The corresponding general stillbirth-rate among illegitimate children was 28·2 compared with the rate of 20·4 for legitimate infants. It will be seen from Table 8.5 that while the 1961 general legitimate rate is now 51 per cent. below that of 1939 the illegitimate rate has improved by 41 per cent. in the same period.

8.14 The percentage of stillbirths and live births which were illegitimate are compared for individual years in Table 8.8.

Table 8.8 Percentage of Live Births and Stillbirths which were Illegitimate, 1939-1961

Year	Still-births	Live Births
1939	6·8	6·0
1940	7·2	6·0
1941	8·3	6·6
1942	8·8	7·2
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·7
1946	8·2	6·7
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2
1951	7·2	5·1
1952	6·3	4·8
1953	6·5	4·7
1954	6·1	4·5
1955	6·0	4·3
1956	5·9	4·3
1957	5·3	4·1
1958	5·6	4·1
1959	6·3	4·2
1960	6·4	4·4
1961	6·3	4·6

Multiple births

8.15 In 1961 there were 101,169 live births and 2,147 stillbirths which resulted in 102,071 confinements. These confinements are analysed according to whether live or still and plurality in Table 2.2 (see paragraphs 2.6-8). Among single births the stillbirth-rate was 20 per 1,000 but among multiple births the rate was 40.

CAUSES OF DEATH

Certification

8.16 In 2,129 of the 2,147 stillbirths registered, the cause of death was certified by a medical practitioner, and 13 by a midwife. There were 5 cases of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition. The percentages certified by a medical practitioner and by a midwife were 99·2 and 0·6 respectively. In 1960 the corresponding figures were 99·1 and 0·7 and in 1939 94·4 and 5·3 respectively.

Principal causes

8.17 Analyses of the causes of stillbirth are given in Tables 30 to 39. The principal causes of death among stillbirths in 1961 were congenital malformation of fœtus, 564; antepartum hæmorrhage, 348; other placental and cord conditions, 345; ill-defined causes, 326; difficult labour, 199; and toxæmias of pregnancy, 186.

8.18. In acute and chronic diseases of mother there were 68 deaths, of which the chief individual components were diseases of the circulatory system, 27, and diabetes, 24.

8.19 Deaths from toxæmias, of which 92 per cent. were from eclampsia and pre-eclampsia, numbered 186, the same as in 1960.

8.20 Fœtal deaths attributed to difficulties at birth numbered 199, of which 50 were certified as birth injury. Of the remainder 66 were due to malposition of fœtus and 28 to disproportion.

8.21 Antepartum hæmorrhage leading to stillbirth is preponderantly accidental hæmorrhage, a little over 8 per cent. of this whole group being ascribed to placenta prævia.

8.22 Among stillbirths ascribed to congenital defects, the most important individual defects were anencephalus, 348, and hydrocephalus, 111, these accounting for four-fifths of the whole group.

8.23 Placental and cord conditions (apart from antepartum hæmorrhage) accounted for a total of 345 deaths; 67 were due to prolapse of cord, 97 to torsion of cord and 57 to placental infarct.

8.24 Ill-defined and unknown causes constituted 15 per cent. of stillbirths (16 per cent. in 1960), which compares favourably with the figure of 33 per cent. at the outset of registration of stillbirths in 1939.

Death-rates by age of mother

8.25 For the principal cause-groups the rates per 1,000 births by age of mother are shown in Table 8.9. Generally, the rates in the first age-group (under 20 years) are high, fall to a minimum at 20-24 or 25-29 and thereafter rise steadily with advance of maternal age (Table 30).

Trends

8.26 Table 8.10 has been compiled to show rates for cause of death groups during the period 1939 to 1961. Toxæmias and antepartum hæmorrhage have fallen fairly regularly in the twenty-three years, and are now respectively 53 per cent. and 38 per cent. below the 1939 rates. Other placental and cord conditions, fœtal defects and acute and chronic disease in mother have not shown any comparable improvement. Difficult labour and ill-defined or unknown causes have shown the greatest improvement, being now 75 per cent. and 78 per cent. respectively, below the 1939 rates. The apparent improvement in the ill-defined and unknown causes rates should be looked at somewhat cautiously, as should the increase in the other defined causes rate, from 0·7 in 1939 to 1·1 in 1961. These are partly due to an improvement in certification and from further enquiries to the certifiers. Table 31 shows the number of stillbirths by cause and sex for each year 1951 to 1961.

Table 8.9 Stillbirths per 1,000 Births (Live and Still) by Age of Mother and Cause of Death Groups, 1961

Age of mother	All causes Y30-Y39	Acute and chronic diseases in mother Y30.0-5 Y31.0-4	Toxæmias Y32.1,3-5 Y33	Antepartum hæmorrhage Y32.2 Y36.1-4	Other placental and cord conditions Y36.0,5,6	Fœtal defects Y38.0-7	Difficult labour Y34.0-6 Y37	Other defined causes Y32.0 Y35.0-3 Y39.0-3	Ill-defined and unknown causes Y39.4-6
Under 20	19	0·5	1·1	3·4	2·2	6·3	2·0	0·2	3·3
20—	17	0·3	1·7	2·9	2·4	5·0	1·2	0·7	2·9
25—	19	0·5	1·7	2·6	2·8	5·3	1·8	1·3	2·7
30—	23	1·1	1·8	3·3	4·6	5·4	2·1	1·6	3·1
35—	28	1·2	2·5	5·6	4·3	6·0	3·7	1·2	3·8
40 and over	47	2·3	3·3	9·7	10·0	8·3	3·7	1·7	8·3
ALL AGES	21	0·7	1·8	3·4	3·3	5·5	1·9	1·1	3·2

Table 8.10 Stillbirths per 1,000 Births (Live and Still) by Cause of Death Groups, 1939 to 1961

Year	All causes	Acute and chronic diseases in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined and unknown causes
1939	42	0·8	3·8	5·5	4·1	5·4	7·5	0·7	14·4
1940	42	0·9	4·4	5·0	4·3	5·6	6·9	0·7	14·3
1941	40	1·3	4·0	5·1	4·9	6·1	8·5	1·1	8·4
1942	38	1·2	4·2	5·2	5·1	6·4	8·5	0·9	6·7
1943	36	1·2	3·4	4·3	4·6	5·6	8·0	0·9	7·4
1944	32	1·0	2·8	3·9	4·8	5·5	7·6	1·0	5·9
1945	33	1·0	3·0	3·7	4·6	6·0	7·0	1·2	6·2
1946	32	1·1	2·7	3·7	4·9	5·6	6·8	1·0	6·4
1947	31	1·1	2·7	3·5	5·2	4·8	6·9	1·2	5·2
1948	29	0·9	2·1	3·9	4·4	5·0	6·2	1·1	5·1
1949	27	0·8	2·4	3·8	4·3	4·8	5·3	1·1	4·5
1950	27	0·8	2·3	3·9	4·1	4·8	5·4	0·9	4·7
1951	27	0·8	2·7	3·8	3·9	5·1	4·8	1·1	4·2
1952	26	0·8	2·1	3·8	4·8	5·6	3·9	1·1	3·9
1953	25	0·7	2·3	3·4	4·8	5·1	3·5	1·2	3·7
1954	25	0·5	2·5	3·9	4·4	5·1	4·0	1·3	3·7
1955	25	0·8	1·8	3·8	4·5	5·3	3·4	0·9	4·1
1956	24	0·8	2·1	3·5	4·5	5·2	3·3	1·1	3·5
1957	24	0·7	2·2	4·0	4·3	5·1	2·8	1·0	3·4
1958	23	0·5	2·1	3·4	4·3	5·3	2·3	1·1	3·9
1959	22	0·7	1·9	4·0	3·9	4·9	2·7	1·0	3·2
1960	22	0·7	1·8	3·5	3·9	5·1	2·3	1·0	3·5
1961	21	0·7	1·8	3·4	3·3	5·5	1·9	1·1	3·2

Rates for years 1939 to 1949 conform as far as is possible to the 1948 and 1955 International Classification of Causes of Stillbirth (Y30-Y39)

Sex ratio and rates

8.27 The ratio of male to female stillbirths for groups of causes is given in Table 8.11.

Table 8.11 Causes of Stillbirths—Ratio of males to females, 1960 and 1961

	1961	1960
Acute and chronic diseases in mother	1.83	1·00
Toxæmias	1·09	1·21
Antepartum hæmorrhage	1·49	1·43
Other placental and cord conditions	1·20	1·15
Fœtal defects	0·57	0·57
Difficult labour	1·16	1·34
Other defined causes	1·52	1·08
Ill-defined and unknown causes	1·08	1·14
ALL CAUSES	1·02	1·03

8.28 In 1961 the ratio of male:female stillbirths was 1·02, the corresponding live birth ratio being 1·06. There has been a downward trend from a peak of 1·27 in 1941, the ratio falling below unity for the first time in 1959 when it was 0·99.

8.29 An examination of the trend of the stillbirth-rate in each sex over the period since 1939 shows that the excess of the male rate over the female gradually decreased until in 1956 the female rate was greater than the male rate and has remained so.

8.30 Table 8.12 has been drawn up to show how the sex rates by cause-group have changed between 1941-43 and 1959-61. The total male rate has improved by 47 per cent. as against the female 37 per cent. In individual cause-groups the improvement in the male and female rates has been relatively and absolutely greatest for difficult labour and toxæmias.

Table 8.12 Stillbirth-rates by Sex and Cause, 1941-43 and 1959-61

	All causes	Acute and chronic diseases in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined and unknown causes
MALES									
1941–43	40	1·4	4·4	5·4	5·5	4·3	9·5	1·1	8·3
1959–61	21	0·8	1·9	4·1	3·8	3·6	2·5	1·1	3·3
FEMALES									
1941–43	35	1·1	3·4	4·3	4·1	7·9	7·1	0·8	6·7
1959–61	22	0·6	1·8	3·0	3·6	6·7	2·1	1·0	3·3

Causes by parity

8.31 Table 8.13 shows the stillbirth-rates for broad cause-groups for all married mothers and separately among primiparous and multiparous births. The slightly heavier general rate among primiparous births is chiefly attributable to toxæmias, other placental and cord conditions and fœtal defects. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage and other defined causes (Table 32).

Table 8.13 Stillbirth-rates per 1,000 Births (Live and Still) among Married Mothers, 1961

	All married mothers	Primiparæ	Multiparæ
Acute and chronic diseases in mother	0·7	0·5	0·7
Toxæmias	1·8	2·8	1·3
Antepartum hæmorrhage	3·3	3·2	3·4
Other placental and cord conditions	3·3	3·7	3·1
Fœtal defects	5·4	5·7	5·2
Difficult labour	1·9	1·8	1·9
Other defined causes	1·1	0·2	1·5
Ill-defined and unknown causes	3·0	3·0	3·0
ALL CAUSES	20·4	20·9	20·2

Illegitimate stillbirths by cause

8.32 The 135 illegitimate stillbirths are analysed by cause in Table 32.

Seasonal incidence

8.33 Stillbirths are classified by cause of death and month of registration in Table 38. The monthly rate for all causes fluctuates between 19 in January and October and 24 in July. Quarterly rates of causes of death are given in Table 8.14.

Table 8.14 Quarterly Stillbirth-rates per 1,000 Births (Live and Still), by cause of death, 1961

	All causes	Acute and chronic diseases in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined and unknown causes
1st Quarter .	20	0·5	2·3	2·7	3·2	4·8	2·0	1·3	3·1
2nd Quarter .	21	0·6	1·7	3·6	3·1	6·2	1·9	1·0	3·1
3rd Quarter .	22	0·7	2·0	3·1	3·9	5·3	1·9	1·2	3·3
4th Quarter .	20	0·8	1·2	4·1	3·1	5·5	1·8	0·8	3·0
YEAR	21	0·7	1·8	3·4	3·3	5·5	1·9	1·1	3·2

Cause and place of occurrence

8.34 Table 37 shows the stillbirths by cause subdivided by place of occurrence. Of the total 2,147 stillbirths, 1,876 or 87·4 per cent. occurred in institutions. The highest proportions are, as expected, found for acute serious illness peculiar to pregnancy such as eclampsia and pre-eclampsia, and accidental hæmorrhage; for general illness such as diabetes and heart disease; and for anencephalus, erythroblastosis and asphyxia. The lower proportions of institutional stillbirths, proportions actually lower than the average for all deliveries, are found for malposition of fœtus, placental infarct, torsion of cord, premature birth (cause not stated) and unknown causes. These proportions do not, of course, directly reflect the relative safety to the fœtus of institutional and domiciliary deliveries. Interpretation of these data is complicated by initial selection for institutional confinement on the basis of maternal age, parity, obstetric history and social class and by later selective admission on the basis of overt obstetric abnormality or risk.

In local authority areas

8.35 In Table 39 the stillbirths in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 7.

Causes

8.36 These are shown in Table 36, and the trend in social class cause rates may be seen from Table 8.15 which covers the 1950-1961 period in four three-year periods.

Table 8.15 Legitimate Stillbirths per 10,000 Births (Live and Still) by Cause of Death and Social Class, 1950–61

Cause of Death	1950–1952			1953–1955			1956–1958			1959–1961		
	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
Acute and chronic diseases in mother	6	7	10	7	6	8	6	6	8	5	6	8
Toxæmias	20	25	24	19	21	26	20	21	21	14	18	20
Antepartum hæmorrhage	33	36	45	27	35	42	27	33	46	22	35	43
Other placental and cord conditions	39	40	49	37	44	52	41	41	47	31	35	41
Fœtal defects	37	52	57	33	50	63	38	50	61	32	50	60
Difficult labour	41	44	52	27	34	41	22	26	32	17	23	24
Other defined causes	6	11	11	9	11	12	12	10	13	7	10	13
Ill-defined and unknown causes	33	39	48	30	35	43	30	33	44	26	30	37
All Causes	216	254	295	188	236	289	195	220	271	153	207	245

8.37 In 1959-61 the relative excess of classes IV and V over classes I and II was greatest in antepartum hæmorrhage, fœtal defects and other defined causes. These three causes accounted for 60 per cent. of the absolute difference between the two class groups.

Area rates

8.38 Social class rates for Scotland and the aggregate of cities, large burghs and counties are given in Table 8.16 for 1961. Comparable rates for neonatal, postneonatal and infant mortality are given in Table 7.6.

Table 8.16 Stillbirths in Scotland, the Cities, Large Burghs and Counties according to Social Class, 1961

Social Class		Numbers		Stillbirths per 1,000 Total Births (Live and Still)
		Live Births	Stillbirths	
SCOTLAND	I.	4,731	62	12·9
	II.	9,912	165	16·4
	III.	53,695	1,100	20·1
	IV.	19,974	475	23·2
	V.	11,060	292	25·7
NOT STATED		1,797	53	...
TOTAL		101,169	2,147	20·8
COUNTIES OF CITIES	I.	1,735	20	11·4
	II.	2,676	45	16·5
	III.	20,984	450	21·0
	IV.	7,140	164	22·5
	V.	4,658	124	25·9
NOT STATED		966	31	...
TOTAL		38,159	834	21·4
LARGE BURGHS	I.	696	9	12·8
	II.	1,289	19	14·5
	III.	10,522	218	20·3
	IV.	2,949	80	26·4
	V.	2,610	78	29·0
NOT STATED		261	6	...
TOTAL		18,327	410	21.9
COUNTIES (ex. Cos. of Cities and Large Burghs)	I.	2,300	33	14·1
	II.	5,947	101	16·7
	III.	22,189	432	19·1
	IV.	9,885	231	22·8
	V.	3,792	90	23·2
NOT STATED		570	16	...
TOTAL		44,683	903	19·8

Trends

8.39 Rates are given in Table 8.17 for the years 1939 and 1946 to 1961. It will be seen that although improvement is apparent in each class the disparity between the extremes of social class was greater in 1961 than it was in 1939. Comparable neonatal and postneonatal rates are given in Table 7.5.

Table 8.17 Stillbirth-rates according to Social Class, 1939 and 1946 to 1961

	Stillbirths per 1,000 births (live and still)				
	I	II	III	IV	V
1939	34·1	38·1	44·9	38·3	42·7
1946	18·8	26·0	31·7	35·6	38·3
1947	17·8	30·2	29·5	31·1	38·4
1948	19·8	26·7	26·0	31·6	38·9
1949	17·3	21·4	26·5	28·7	35·0
1950	16·3	22·5	26·3	29·0	32·1
1951	14·7	22·9	25·1	31·1	32·2
1952	19·7	23·9	25·3	27·8	29·9
1953	13.2	21·0	23·9	27·4	29·7
1954	17·6	22·0	24·1	28·3	29·9
1955	16·1	17·3	23·2	29·5	30·6
1956	17·4	19·9	22·8	25·5	29·5
1957	17·1	20·8	21·5	29·2	29·7
1958	16·5	20·7	21·9	24·7	27·1
1959	13·5	15·4	21·8	24·4	26·9
1960	12·8	16·8	20·8	24·7	26·4
1961	12·9	16·4	20·1	23.2	25·7

Age of mother and parity

8.40 The number of stillbirths in each social class are shown in Table 26 distributed by age of mother and number of previous children (legitimate only).

POPULATION (STATISTICS) ACT, 1960

8.41 The Population (Statistics) Act, 1960, amended the certificate of stillbirth in Scotland to ask the additional question as to estimated duration of the pregnancy of the mother in weeks. The certifier was also asked to supply, on a voluntary basis, the weight of the fœtus if known.

8.42 The 1960 Act also made a change in the form of the confidential information to be supplied by the informant on the registration of a birth or stillbirth. The informant was required to furnish the age of the father, as well as of the mother, and the number of the mother's previous children by the present and any former husband, liveborn and stillborn to be shown separately.

New Tables

8.43 A series of new tables has been introduced in the report to analyse the additional information now available. These tables are listed in detail in the Explanatory Notes.

Chapter 9. Perinatal Mortality

Definition

9.1 Perinatal mortality is usually taken to include stillbirths and deaths of infants in the first week of life. To help research workers in this field additional data are given for deaths in the second, third and fourth weeks of life.

Numbers and rates

9.2 In 1961 there were 3,721 perinatal deaths, of which 2,147 were stillbirths and 1,574 deaths of children in the first week of life. The rate was 36·0 per 1,000 total births, live and still, compared with 37·2 in 1960, 44·2 in 1951 and 67·5 in 1939. Perinatal deaths and rates are given in Table 9.1 for the years 1939 to 1961.

Table 9.1
Perinatal Mortality in Scotland, 1939-1961

Year	Perinatal Deaths			Perinatal Mortality per 1,000 Total Births		
	Both Sexes	Males	Females	Both Sexes	Males	Females
1939	6,121	3,440	*2,681*	67·5	73·5	*61·0*
1940	5,999	3,422	*2,577*	66·5	73·8	*58·8*
1941	6,014	3,405	*2,609*	64·4	70·7	*57·6*
1942	5,729	3,208	*2,521*	60·7	66·3	*54·9*
1943	5,586	3,064	*2,522*	56·9	60·9	*52·7*
1944	5,274	2,969	*2,305*	53·2	57·9	*48·1*
1945	4,746	2,579	*2,167*	52·8	55·7	*49·7*
1946	5,816	3,160	*2,656*	53·9	56·8	*50·9*
1947	5,827	3,212	*2,615*	49·9	53·6	*46·1*
1948	4,840	2,697	*2,143*	46·8	50·5	*43·0*
1949	4,415	2,436	*1,979*	44·9	48·2	*41·4*
1950	4,288	2,325	*1,963*	45·1	47·3	*42·7*
1951	4,113	2,247	*1,866*	44·2	46·8	*41·4*
1952	4,054	2,180	*1,874*	43·7	45·9	*41·3*
1953	3,789	2,086	*1,703*	40·6	43·4	*37·7*
1954	4,042	2,201	*1,841*	42·7	45·2	*40·0*
1955	3,898	2,146	*1,752*	41·1	44·0	*38·0*
1956	3,884	2,111	*1,773*	39·8	42·1	*37·3*
1957	4,012	2,163	*1,849*	40·0	42·0	*37·9*
1958	3,934	2,137	*1.797*	38·6	40·9	*36·2*
1959	3,900	2,113	*1,787*	38·4	40·4	*36·3*
1960	3,855	2,070	*1,785*	37·2	39·0	*35·4*
1961	3,721	2,039	*1,682*	36·0	38·4	*33·5*

Area rates

9.3 The geographical distribution of stillbirths together with neonatal deaths and the corresponding rates for stillbirths, neonatal deaths, and the two groups combined is given in Table 9. The combined rate in the cities and large burghs ranged from 53 in Port Glasgow to 25 in Arbroath, and in the counties from 64 in Kinross to 18 in Caithness.

Age of mother and birth order

9.4 Tables 26, 27 and 28 analyse stillbirths, deaths under one week and deaths under 4 weeks by social class, age of mother and number of previous children.

9.5 Perinatal mortality and rates by age of mother, birth order and social class are given in Table 9.2.

Table 9.2 Legitimate Births: Perinatal Mortality and Rates per 1,000 Births, Live and Still, by age of Mother, Birth Order and in Social Class—1961

Age of Mother	Social Class	Total			Number of Previous Children																	
					0			1			2			3			4 and over			Not Stated	
		Deaths	Births	Rate	Deaths	Births	Rate	Deaths	Births	Rate	Deaths	Births	Rate	Deaths	Births	Rate	Deaths	Births	Rate	Deaths	Births
All Ages	I and II	386	14,599	*26·4*	146	5,215	*28·0*	111	4,521	*24·6*	58	2,663	*21·8*	32	1,158	*27·6*	32	1,028	*31·1*	7	14
	III	1,879	53,709	*35·0*	682	18,813	*36·3*	420	15,385	*27·3*	291	9,182	*31·7*	178	4,881	*36·5*	280	5,439	*51·5*	28	9
	IV and V	1,195	30,221	*39·5*	363	9,121	*39·8*	231	7,512	*30·8*	202	5,421	*37·3*	145	3,491	*41·5*	238	4,661	*51·1*	16	15
	Not stated	7	4	...	1	2	...	2	—	...	1	1	...	1	—	...	2	1	...	—	—
		3,467	98,533	*35·2*	1,192	33,151	*36·0*	764	27,418	*27·9*	552	17,267	*32·0*	356	9,530	*37·4*	552	11,129	*49·6*	51	38
Under 20	I and II	9	216	*41·7*	8	186	*43·0*	1	27	*37·0*	—	3	—	—	—	—	—	—	—	—	—
	III	113	2,862	*39·5*	96	2,440	*39·3*	13	373	*34·9*	3	46	*65·2*	1	2	*500·0*	—	1	—	—	—
	IV and V	82	2,344	*35·0*	61	1,892	*32·2*	16	404	*39·6*	3	44	*68·2*	2	4	*500·0*	—	—	—	—	—
		204	5,422	*37·6*	165	4,518	*36·5*	30	804	*37·3*	6	93	*64·5*	3	6	*500·0*	—	1	—	—	—
20–	I and II	70	3,020	*23·2*	47	1,959	*24·0*	16	826	*19·4*	4	190	*21·1*	2	36	*55·6*	1	9	*111·1*	—	—
	III	498	17,405	*28·6*	290	9,487	*30·6*	140	5,449	*25·7*	50	1,842	*27·1*	16	487	*32·9*	2	139	*14·4*	—	1
	IV and V	327	9,771	*33·5*	152	4,378	*34·7*	99	3,224	*30·7*	47	1,483	*31·7*	19	522	*36·4*	10	164	*61·0*	—	—
	Not stated	1	3	...	—	2	...	1	—	...	—	1	...	—	—	...	—	—	...	—	—
		896	30,199	*29·7*	489	15,826	*30·9*	256	9,499	*27·0*	101	3,516	*28·7*	37	1,045	*35·4*	13	312	*41·7*	—	1
25–	I and II	127	5,206	*24·4*	50	1,947	*25·7*	48	1,973	*24·3*	20	877	*22·8*	7	280	*25·0*	2	129	*15·5*	—	—
	III	541	17,047	*31·7*	178	4,627	*38·5*	149	5,989	*24·9*	113	3,628	*31·1*	58	1,676	*34·6*	43	1,126	*38·2*	—	1
	IV and V	301	8,687	*34·6*	81	1,804	*44·9*	61	2,430	*25·1*	70	2,067	*33·9*	49	1,298	*37·8*	40	1,088	*36·8*	—	—
	Not stated	2	—	...	1	—	...	1	—	...	—	—	...	—	—	...	—	—	...	—	—
		971	30,940	*31·4*	310	8,378	*37·0*	259	10,392	*24·9*	203	6,572	*30·9*	114	3,254	*35·0*	85	2,343	*36·3*	—	1
30–	I and II	102	3,767	*27·1*	30	789	*38·0*	31	1,190	*26·1*	19	1,010	*18·8*	9	439	*20·5*	13	338	*38·5*	—	1
	III	364	9,955	*36·6*	78	1,561	*50·0*	79	2,563	*30·8*	67	2,382	*28·1*	49	1,615	*30·3*	91	1,832	*49·7*	—	2
	IV and V	257	5,573	*46·1*	44	688	*64·0*	37	992	*37·3*	45	1,203	*37·4*	39	1,037	*37·6*	92	1,651	*55·7*	—	2
	Not stated	1	—	...	—	—	...	—	—	...	—	—	...	—	—	...	1	—	...	—	—
		724	19,295	*37·5*	152	3,038	*50·0*	147	4,745	*31·0*	131	4,595	*28·5*	97	3,091	*31·4*	197	3,821	*51·6*	—	5
35–	I and II	47	1,865	*25·2*	7	268	*26·1*	13	430	*30·2*	9	479	*18·8*	9	312	*28·8*	9	376	*23·9*	—	—
	III	229	4,999	*45·8*	34	582	*58·4*	26	858	*30·3*	42	1,047	*40·1*	40	871	*45·9*	87	1,641	*53·0*	—	—
	IV and V	156	2,945	*53·0*	18	289	*62·3*	17	380	*44·7*	26	505	*51·5*	31	512	*60·5*	64	1,258	*50·9*	—	1
	Not stated	3	—	...	—	—	...	—	—	...	1	—	...	1	—	...	1	—	...	—	—
		435	9,809	*44·3*	59	1,139	*51·8*	56	1,668	*33·6*	78	2,031	*38·4*	81	1,695	*47·8*	161	3,275	*49·2*	—	1
40 and over	I and II	23	511	*45·0*	3	65	*46·2*	2	75	*26·7*	6	104	*57·7*	5	91	*54·9*	7	176	*39·8*	—	—
	III	106	1,436	*73·8*	6	116	*51·7*	13	153	*85·0*	16	237	*67·5*	14	230	*60·9*	57	700	*81·4*	—	—
	IV and V	52	885	*58·8*	3	66	*45·5*	1	82	*12·2*	11	119	*92·4*	5	118	*42·4*	32	500	*64·0*	—	—
	Not stated	—	1	...	—	—	...	—	—	...	—	—	...	—	—	...	—	1	...	—	—
		181	2,833	*63·9*	12	247	*48·6*	16	310	*51·6*	33	460	*71·7*	24	439	*54·7*	96	1,377	*69·7*	—	—
Not stated	I and II	8	14	...	1	1	...	—	—	...	—	—	...	—	—	...	—	—	...	7	13
	III	28	5	...	—	—	...	—	—	...	—	—	...	—	—	...	—	—	...	28	5
	IV and V	20	16	...	4	4	...	—	—	...	—	—	...	—	—	...	—	—	...	16	12
		56	35	...	5	5	...	—	—	...	—	—	...	—	—	...	—	—	...	51	30

Causes of death

9.6 Deaths of infants under four weeks have again been classified to the stillbirth cause list and the results are given in Table 40. The experience of this year shows, as in 1959 and 1960, that fully 95 per cent. of deaths under one week can be satisfactorily classified to a stillbirth rubric.

9.7 Stillbirths show a marked relative excess in diseases and conditions of pregnancy and childbirth, difficult labour and placental and cord conditions, and in congenital malformations to a lesser degree. Prematurity, birth injury and asphyxia and atelectasis are relatively more important among deaths under one week.

Chapter 10. Life Tables

10.1 An abridged life table is given in Table 10.1 and shows the further expectation of life at different stages of life, based on the mortality experience of 1961. At each age point the expectation of life is the average future life a person of that age would have if the 1961 mortality rates were to operate throughout the lifetime.

10.2 Table 10.2 shows how the expectation of life has increased at different ages during the past century.

10.3 It will be seen that since the period 1861-1870, the expectation of life at birth has increased by 25·8 years for males and by 27·9 years for females. The greatest improvement has taken place since the beginning of the century. In the thirty years from 1861-1870 to 1891-1900 the improvement in males was only 4·4 years, and in females 3·5 years. From 1891-1900 to 1930-1932 the span had lengthened by 11·3 years for males and 12·1 years for females. Since 1930-32 it has increased further by 10·1 years and 12.3 years respectively.

10.4 In 1861-1870 if the child survived the first year of life the expectation of life rose from 40·3 years at age 0 to 45·6 at age 1 for the male and from 43·9 to 47·5 for the female child. Adding the year elapsed since birth, the gain was 6·3 and 4·6 years for males and females respectively. By 1961 the improvement in infant mortality has reduced these handicaps to 2·0 and 1·6 years respectively.

10.5 At the age of 15 the expectation of life has increased for males by about 12 years (from roughly 42 to 54 years) since 1861-70. At succeeding ages there is a consistent increase in life expectation right up till the end of the life span. The actual amount of improvement, however, as might be expected, decreases progressively with increase of age until at age 65 the average improvement is less than one year.

10.6 The expectation of life for females is uniformly greater than for males of the same age, and the increase since 1861-70 is slightly greater. At age 15 it increased by about 15 years (from 44 to 59 years) and at age 65 the average change is about two and a half years.

Table 10.1 Abridged Life Table, 1961—Scotland

Age x	Males		Females	
	l_x	$\mathring{e}_x$	l_x	$\mathring{e}_x$
0	10,000	66·13	10,000	71·78
1	9,708	67·12	9,778	72·40
2	9,690	66·24	9,762	71·52
3	9,677	65·33	9,754	70·58
4	9,667	64·40	9,746	69·64
5	9,660	63·44	9,740	68·68
10	9,632	58·62	9,724	63·79
15	9,614	53·73	9,708	58·89
20	9,577	48·93	9,690	53·99
25	9,521	44·20	9,669	49·10
30	9,471	39·42	9,638	44·25
35	9,394	34·72	9,593	39·45
40	9,278	30·12	9,512	34.76
45	9,099	25·67	9,382	30·21
50	8,803	21·45	9,185	25·81
55	8,307	17·58	8,881	21·60
60	7,507	14·18	8,425	17·64
65	6,342	11·33	7,747	13·96
70	4,915	8·89	6,717	10·72
75	3,389	6·77	5,267	7·98
80	1,927	5·01	3,509	5·73
85+	753	3·93	1,719	4·09

This abridged life table is constructed from the estimated population in 1961 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1961 death records. Column $\mathring{e}_x$ is the "expectation of life", that is the average future lifetime which would be lived by a person aged exactly x, if likewise subject to these death probabilities.

Table 10.2 Expectation of Life, 1861 to 1961, Scotland

Scottish Life Tables	Expectation of Life at									
	Birth		Age one year		Age 15		Age 45		Age 65	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
1861–70	40·3	43·9	45·6	47·5	42·3	44·5	22·7	24·5	10·8	11·6
1871–80	41·0	43·8	46·5	48·5	42·2	44·4	22·1	24·2	10·4	11·5
1881–90	43·9	46·3	49·7	51·2	43·9	45·6	22·6	24·6	10·8	11·9
1891–1900	44·7	47·4	51·1	52·7	44·3	46·2	22·2	24·2	10·5	11·5
1910–12	50·1	53·2	55·8	57·8	47·5	49·5	23·5	25·7	10·9	12·2
1920–22	53·1	56·4	58·4	60·4	49·1	51·1	24·5	26·7	10·9	12·5
1930–32	56·0	59·5	60·7	63·1	50·4	52·7	25·1	27·3	11·0	12·6
1942–44	59·8	64·6	63·6	67·6	51·6	55·4	25·7	29·0	11·7	13·6
1950–52	64·4	68·7	66·2	69·9	53·1	56·7	25·5	29·1	11·4	13·2
1953	65·7	70·7	67·0	71·6	53·8	58·3	26·2	30·2	11·9	14·1
1954	65·5	70·5	66·9	71·5	53·6	58·0	25·8	29·8	11·6	13·9
1955	65·8	70·6	67·0	71·6	53·7	58·1	25·9	29·8	11·6	13·7
1956	66·0	71·2	67·2	72·0	53·8	58·4	25·8	29·9	11·4	13·8
1957	66·0	71·4	67·2	72·2	53·9	58·7	25·8	30·3	11·7	14·1
1958	66·2	71·4	67·3	72·1	53·9	58·6	25·9	30·2	11·5	14·0
1959	66·0	71·4	67·2	72·2	53·8	58·7	25·7	30·2	11·3	13·9
1960	66·4	71·9	67·5	72·6	54·1	59·1	26·0	30·5	11·6	14·1
1961	66·1	71·8	67·1	72·4	53·7	58·9	25·7	30·2	11·3	14·0

Chapter 11. Registration Service

Re-registration of births

11.1 The Registrar-General may authorise the re-registration of certain births under the provisions of the Registration of Births, etc. (Scotland) Amendment Act, 1934. This Act which became operative on the 1st January, 1935, allows for the re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

11.2 The number of re-registrations authorised in each year since 1935 are given in table 11.1.

Table 11.1 Re-registration of Births, 1935-1961

Year	*No.*	*Year*	*No.*
1935	1,259	1949	534
1936	1,063	1950	552
1937	1,048	1951	507
1938	979	1952	507
1939	1,069	1953	469
1940	1,191	1954	449
1941	716	1955	401
1942	742	1956	511
1943	687	1957	382
1944	737	1958	317
1945	719	1959	276
1946	729	1960	332
1947	717	1961	351
1948	648		

Adopted Children Register

11.3 The Adoption of Children (Scotland) Act, 1930, which came into operation on 1st October, 1930, provides for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. Various amending Acts followed, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1958. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry.

11.4 The number of adoptions recorded in each year since 1930 are given in Table 11.2.

Table 11.2 Number of Adoptions, 1930-1961

Year	*No.*	*Year*	*No.*
1930	3	1946	2,292
1931	347	1947	1,890
1932	492	1948	2,073
1933	437	1949	1,764
1934	602	1950	1,289
1935	683	1951	1,562
1936	704	1952	1,523
1937	820	1953	1,486
1938	812	1954	1,343
1939	1,100	1955	1,352
1940	1,424	1956	1,358
1941	1,222	1957	1,405
1942	1,563	1958	1,365
1943	1,747	1959	1,236
1944	1,681	1960	1,457
1945	1,876	1961	1,609

Registers in General Registry Office

11.5 These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to make searches in the alphabetical indexes and to have extracts made from the registers on the payment of prescribed fees. The pre-1855 Church of Scotland registers of births, baptisms, proclamations of banns, etc., are also kept in the General Registry Office and extracts from these may also be obtained. The earlier census records are also open for search or extract.

11.6 The number of searches and extracts made in the General Registry Office and the fees received therefor are given in Table 11.3 for the years 1937 to 1961.

11.7 There were 14,955 official searches made in 1961 and of this number 12,545 related to claims for contributory, non-contributory and service pensions, 2,168 were in connection with investigations made by government departments and 242 related to claims for family allowances.

Table 11.3 Searches, Extracts and Fees, 1937-1961

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	*s.*	*d.*
1937 . .	37,107	21,338	15,769	10,929	2,184	11	5
1938 . .	39,360	22,432	16,928	12,419	2,348	17	8
1939 . .	40,064	24,964	15,100	13,048	2,179	11	7
1940 . .	67,233	53,355	13,878	13,044	2,099	14	2
1941 . .	47,275	35,090	12,185	11,656	1,861	5	6
1942 . .	46,636	33,454	13,182	12,734	2,006	19	8
1943 . .	43,567	30,070	13,497	12,395	2,009	3	10
1944 . .	49,986	35,534	14,452	13,408	2,167	16	7
1945 . .	59,405	42,460	16,945	16,430	2,543	4	6
1946 . .	118,861	95,838	23,023	22,889	3,485	12	4
1947 . .	89,732	65,694	24,038	23,911	3,677	18	4
1948 . .	88,208	64,609	23,599	26,658	3,640	16	2
1949 . .	83,516	59,727	23,789	25,063	3,592	4	1
1950 . .	73,832	50,691	23,141	25,136	3,453	9	7
1951 . . .	103,436	77,816	25,620	28,595	3,927	18	4
1952 . .	88,436	63,624	24,812	27,030	3,863	13	10
1953 . .	82,710	57,876	24,834	25,902	3,811	10	10
1954 . .	82,958	55,870	27,088	28,085	4,090	1	3
1955 . .	60,671	32,663	28,008	27,672	4,116	8	7
1956 . .	60,705	31,975	28,730	28,744	4,219	15	1
1957 . .	53,416	22,701	30,715	30,313	4,476	10	8
1958 . .	49,893	21,212	28,681	27,618	4,198	16	3
1959 . .	40,551	15,186	25,365	19,571	*6,500	4	9
1960 . .	38,518	13,728	24,790	19,828	6,636	1	11
1961 . .	39,959	14,955	25,004	19,920	6,576	7	11

*The fees chargeable for search and extract were increased on 1st January, 1959.

Supplement

A NOTE ON THE CURRENT LEVEL OF INFANT MORTALITY IN SCOTLAND

by ALWYN SMITH, M.B., Ch.B., Ph.D., D.P.H.
Medical Statistician to the Registrar-General for Scotland

Although the infant mortality rate in Scotland has been falling for many years it remains consistently higher than the rates for many other countries (Text Table 7.2). Several countries have *total* infant mortality rates lower than the *neonatal* rate in Scotland. Since it would usually be conceded that Scottish medical education compares favourably with that anywhere in the world and since the proportion of doctors to population is also at least comparable with the proportion in other countries, the high infant mortality in Scotland calls for further investigation.

Data obtainable from vital registration do not permit any final identification of the determinants of the high Scottish rates but examination of various features suggests profitable lines of further enquiry.

Text Table 7.1 shows total infant mortality by Regional divisions and shows that on the whole the landward areas experience lower infant mortality than the urban areas. The table also shows that the Northern region has had consistently the most favourable experience over the past few years and is now experiencing rates comparable with the lowest found in other countries. The table also identifies the cities and the Western landward areas as having the least favourable experience. Since these areas are numerically predominant in the Scottish population it seems that part of the high national rate is to be explained by the high proportion of births occurring in areas unfavourable to infant survival.

But this explanation invites further questions as to the nature of the inimical environment afforded by Scottish cities. Table A shows the rates for the four cities. Aberdeen, Dundee and Edinburgh have rates below the national rate whereas Glasgow has a rate considerably higher. Thus we have evidence that an urban environment is not necessarily in itself hostile to infant life.

Further light is thrown on the question by examination of variation according to the social class of the parents. Text Table 7.6 shows that variation between social classes is more marked than regional variation, the infant mortality rates in class V being nearly twice the rates for class I. In the case of the post-neonatal infant mortality rate the discrepancy is greater, as might be expected, since mortality at this period depends to a larger extent on the post-natal environment. What are perhaps surprising, are the fairly marked differences between the classes in their neonatal mortality rates. The discrepancy is even more marked when stillbirth rates are considered (Text Table 8.16). Stillbirths are of course wholly, and neonatal deaths mainly, determined by causes operating before and during birth. Many of these causes are imperfectly understood but social class differences in their effects suggest that many of them may be amenable to environmental control.

It is of interest to examine the certified causes of death. Table 41 of this Report shows the distribution of infant deaths by cause and age and demonstrates that the numerically important groups include pneumonia, congenital

malformations, asphyxia and atelectasis, prematurity and birth injuries. There is so far little evidence that congenital malformations and prematurity are preventable in the light of current knowledge but infant deaths from pneumonia, and from birth injury and other perinatal causes may be at least partly preventable by good obstetric and pædiatric care.

This is borne out by examination of rates for certain causes and by social class in Table B. The death rate from pneumonia in class V is more than five times that in classes I and II combined. In the case of birth injury the rate for class V is more than twice that for classes I and II. The rate for asphyxia and atelectasis also shows a twofold difference between classes I and II and class V.

In this connection it is useful to compare 1961 experience with that for 1951. During the ten years separating these two periods total infant mortality has fallen from 37·4 per 1,000 to 25·8 per 1,000. The greater part of this fall is accounted for by the fall in the post-neonatal rate (from 15·1 to 7·9) while the neonatal mortality rate fell only slightly (from 22·3 to 17·9). The difference may, of course, be accounted for by the much greater amenability of the post-natal environment to change. When secular trends in social class differentials are examined a comparable pattern is seen. The neonatal rate in class I has scarcely fallen (14·6 in 1951 to 13·3 in 1961), the neonatal rate for class V has fallen rather more (from 29·7 to 21·6). This seems most likely to be attributable to the rate in class I having for some time been near the minimum attainable in the light of current knowledge, whereas the rate in class V includes a larger proportion of deaths from currently preventable causes. Comparison of class differences in post-neonatal rates shows much greater reduction for class V (24·3 in 1951 to 12·9 in 1961) than for classes I and II combined (6·73 in 1951 to 4·17 in 1961). Post-neonatal mortality in classes I and II is too small to give stable rates for these classes separately. We may interpret these changes as indicating that infant mortality in classes I and II has approached much nearer to the currently possible lower limits than has mortality in the socio-economically less favoured sections of the community. In the case of post-neonatal mortality it seems reasonable to interpret class differences as reflecting differences in domestic environment and possibly in maternal efficiency. In the case of neonatal mortality where pre-natal and intra-natal causes predominate, the class differences seem more likely to be attributable to differences in maternal health and to differences in the effective use made of existing medical services. Obstacles to such use arise from complex causes which include different parental attitudes, differences in education and differences in the expectations of different classes as to what constitutes an acceptable standard of care. These differences, although well recognised, have been little studied in the context of infant survival.

Evidence of such class differences in the use of such services is provided by the social class distribution of home confinement. For the last quarter of 1961 in Glasgow, births have been classified according to place of occurrence distinguishing home confinements from institutional. Table C shows these births distributed by social class, parity and place of confinement. The proportion of births taking place at home is successively higher from class I to class V. That this is not more than to a small extent the consequence of the different parity distributions of births in different classes is shown by examination of individual parities. At all parities classes I and II have lower home confinement rates than classes III, IV and V. This is especially marked at parities higher than the first.

Evidently the identifiable characteristic most markedly associated with differences in the level of infant mortality is the occupational status of the

parents as measured by the five-fold social classification used in this Report. This association may partly be explained in terms of differences in domestic environment and in maternal health and efficiency, but there is evidence that it may be partly explained by differences in the use made of good medical care.

Table A. Infant mortality rates for the four Cities, and Scotland, 1961

	Mortality Rates per 1,000 Live Births		
	Neonatal Rate	Post-neonatal Rate	Total Infant Rate
Aberdeen City	15	7	22
Dundee City	16	8	24
Edinburgh City	17	6	23
Glasgow City	21	10	31
Scotland	18	8	26

Table B. Infant mortality rates (per 1,000 live births) according to social class and certified cause of death, 1961

Cause of Death	Social Class				
	I and II	III	IV	V	All Classes
Pneumonia (I.S.C. 490–493)	0·68	2·22	2·45	3·98	2·34
Congenital malformations (I.S.C. 750–759)	4·23	5·66	6·36	5·70	5·65
Birth injury (I.S.C. 760 and 761)	1·37	2·14	2·70	2·98	2·28
Asphyxia and atelectasis (I.S.C. 762)	3·28	5·44	5·61	6·87	5·30
Prematurity unqualified (I.S.C. 776)	2·87	3·72	3·96	4·07	3·71

Table C. Live births to Glasgow mothers, Fourth Quarter, 1961

Number of Previous Children	Place of Birth	Social Class					
		I	II	III	IV	V	Total
None	Home	2	3	76	21	15	117
	Institution	64	101	925	285	182	1,557
	Total	66	104	1,001	306	197	1,674
	% Home	3·0%	2·9%	7·6%	6·9%	7·6%	7·0%
1 and 2	Home	15	46	542	195	128	926
	Institution	61	94	756	264	177	1,352
	Total	76	140	1,298	459	305	2,278
	% Home	19·7%	32·9%	41·8%	42·5%	42·0%	40·6%
3 and over	Home	4	27	300	150	125	607*
	Institution	9	58	317	151	120	655
	Total	13	85	617	301	245	1,262*
	% Home	30·8%	31·8%	48·6%	49·8%	51·0%	48·1%
Total	Home	21	76	918	366	268	1,650*
	Institution	134	253	1,998	700	479	3,564
	Total	155	329	2,916	1,066	747	5,214*
	% Home	13·5%	23·1%	31·5%	34·3%	35·9%	31·6%

*Includes 1 social class not stated.

Appendix I

ADDITIONAL STATISTICS RELATING TO MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1960

I.1 A preliminary statement relating to marriages registered in Scotland during the year 1960 was incorporated in the Hundred and Sixth Annual Report, but as full details were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the type of marriage, the kind of marriage preliminaries (banns, notice or sheriff's licence), the church of celebration and the conjugal condition and ages of those marrying.

Number of marriages

I.2 In the Hundred and Sixth Annual Report it was stated that the number of marriages registered in Scotland in 1960 was 40,101, but after complete examination of the registers the corrected number is found to be 40,103. This is 339 fewer than in 1959 but is much above the average of 38,000 in the years 1934-38. In the post-war years, 1946-50, the average was as high as 43,200.

I.3 The following Table I.1 shows the annual number of marriages from 1951 and the estimated total population available for marriage. It will be seen that since 1951 the number of unmarried males over 15 has fallen by 10 per cent. and women by 8 per cent.

Table I.1 Number of marriages and marriage rates, 1951 to 1960

Year	Number of Marriages	Estimated Total Population (Single, Widowed and Divorced) aged 15 and over		Rate per 1,000 Population	Rate per 1,000 Total Unmarried Population aged 15 and over	
		Males	Females		Males	Females
1951	41,361	728,900	914,300	8·09	56·7	45·2
1952	41,154	719,200	909,500	8·05	57·2	45·2
1953	40,902	713,600	902,300	7·99	57·3	45·3
1954	41,974	705,000	894,600	8·19	59·5	46·9
1955	43,199	696,800	884,600	8·42	62·0	48·8
1956	43,963	684,500	871,600	8·55	64·2	50·4
1957	42,661	672,200	860,500	8·28	63·5	49·6
1958	41,186	666,500	852,800	7·97	61·8	48·3
1959	40,442	660,700	846,000	7·79	61·2	47·8
1960	40,103	652,900	837,000	7·70	61·4	47·9

Marriage-rates

I.4 The marriages in 1960 represent a rate of 7·70 per 1,000 population as against 7·79 in 1959.

I.5 Table I.1 also shows the number of marriages related to the estimated total unmarried population aged 15 and over, males and females separately. It will be seen that over the period these rates show effective increases of 8 and 6 per cent. respectively.

Ecclesiastical, Civil and Irregular Marriages

I.6 Of the 40,103 marriages registered, 32,926 or 82·10 per cent. were solemnised by a minister of religion after proclamation of banns, publication of notice or sheriff's licence, 7,176 or 17·89 per cent. were civil marriages under the Act of 1939, and 1 or 0·00 per cent. was an irregular marriage registered on the authority of decree of declarator granted in the court of session. Percentages in 1959 were 82·07, 17·93 and 0·00 respectively. (Table 61).

Table I.2. Ecclesiastical Marriages in Scotland in 1960 following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff.

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland .	22,709	21,188	572	910	39	93·3	2·5	4·0	0·2	69·0
United Free Church .	375	251	101	23	—	66·9	26·9	6·1	—	1·1
Free Church . .	217	118	84	14	1	54·4	38·7	6·5	0·5	0·7
Roman Catholic Church . .	6,789	304	6,301	131	53	4·5	92·8	1·9	0·8	20·6
Scottish Episcopal Church . .	820	338	413	64	5	41·2	50·4	7·8	0·6	2·5
Congregational Church . .	820	563	221	34	2	68·7	27·0	4·1	0·2	2·5
Baptist Church .	367	206	133	27	1	56·1	36·2	7·4	0·3	1·1
Methodist Church .	285	119	152	14	—	41·8	53·3	4·9	—	0·9
Christian Brethren .	146	29	115	2	—	19·9	78·8	1·4	—	0·4
Jews . . .	57	—	57	—	—	—	100·0	—	—	0·2
All other Ecclesiastical Marriages .	341	131	188	19	3	38·4	55·1	5·6	0·9	1·0
All Ecclesiastical Marriages . .	32,926	23,247	8,337	1,238	104	70·6	25·3	3·8	0·3	100·0

Method of Publication

I.7 Of the 32,926 ecclesiastical marriages (i.e. those with a religious ceremony) 70·6 per cent. were solemnised after proclamation of banns, 25·3 per cent. after publication of notice, 3·8 per cent. after proclamation of banns for one party and publication of notice for the other, while 0·3 per cent. were after sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 63·5, 32·6, 3·5 and 0·4 while in the counties they were 79·8, 15·8, 4·2 and 0·2.

I.8 Table I.2 shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. Proclamation of banns was the most usual preliminary in the Church of Scotland (93·3 per cent.), in the United Free Church (66·9 per cent.) and in the Congregational Church (68·7 per cent.). On the other hand 92·8 per cent. of Roman Catholic marriages and 100·0 per cent. of Jewish marriages were preceded by publication of notice.

I.9 Of the 7,176 civil marriages registered 6,926 were preceded by publication of notice at the office of the registrar, while 250 were after sheriff's licence (Tables 61 and 62).

Table I.3. Marriages in Scotland in 1960 by Denomination, etc., in Order of Frequency

1. Church of Scotland	22,709	16. International Bible Students' Association (Jehovah's Witnesses)	20
2. Roman Catholic Church	6,789	17. Church of England (English Episcopal Church)	14
3. Congregational Church	820	18. Reformed Presbyterian Church	14
4. Scottish Episcopal Church	820	19. United Presbyterian Church	14
5. United Free Church	375	20. Church of God, Community of God's Son	11
6. Baptist Church	367	21. Other religious forms (28)	73
7. Methodist Church	285		
8. Free Church	217	All Religious Forms	32,926
9. Christian Brethren (Plymouth Brethren)	146	Irregular Marriages	1
10. Salvation Army	75	Civil Marriages	7,176
11. Jews	57		
12. Free Presbyterian Church	54	All Marriages	40,103
13. Church of Christ	25		
14. Elim Foursquare Gospel	21		
15. Church of the Nazarene	20		

Church of Celebration

I.10 Of the 32,926 ecclesiastical marriages those solemnised according to the forms of the Church of Scotland numbered 22,709 or 69·0 per cent. (0·4 per cent. higher than last year), and those according to the forms of the Roman Catholic Church 6,789 or 20·6 per cent. (0·2 per cent. higher than last year) (Tables I.3 and 61).

I.11 The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages are set out in Table 63. Church of Scotland marriages constituted 56·6 per cent. of all marriages in Scotland, the proportion being 46·7 in the cities, 50·6 in the large burghs and 70·0 in the counties. Roman Catholic marriages made up 16·9 per cent. of all Scottish marriages, the percentage being 19·7 in the cities, 20·4 in the large burghs and 12·4 in the counties.

Conjugal conditions of those marrying

I.12 Of the 40,103 males marrying during the year, 37,325 or 93·1 per cent. were bachelors, 1,619 or 4·0 per cent. were widowers and 1,159 or 2·9 per cent. had been divorced. Of the females, 37,711 or 94·0 per cent. were spinsters, 1,231 or 3·1 per cent. were widows, and 1,161 or 2·9 per cent. had been divorced. Table I.4 shows the marriages registered during 1960 arranged according to the conjugal condition of the contracting parties (Tables 66 and 67).

Table I.4 Conjugal conditions of contracting parties, 1960

	Spinsters	Widows	Divorced Women	All Women
Bachelors	36,143	450	732	37,325
Widowers	801	641	177	1,619
Divorced men	767	140	252	1,159
All men	37,711	1,231	1,161	40,103

I.13 Table I.5 shows the civil condition of those marrying as compared with previous years. From about 1880 there has been a gradual decline in the percentage of widowed persons of both sexes remarrying. For males the percentage fell from 12·0 in 1871-1880 to 3·9 in 1958 and for females the percentage declined from 6·3 to 2·8 during the same period. The slight increase shown in 1959 for both sexes has been maintained. The male rate is the same while that for females is 0·1 above the 1959 percentage.

Table I.5. Conjugal Condition of persons marrying, 1855-1960

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced*	
1855–1860	100·0	84·3	11·2	...	90·1	5·4	...	4·5
1861–1870	100·0	87·3	11·5	...	93·6	5·2	...	1·2
1871–1880	100·0	87·8	12·0	...	93·5	6·3	...	0·2
1881–1890	100·0	88·6	11·4	...	94·2	5·8	...	0·0
1891–1900	100·0	90·1	9·9	...	94·6	5·3	...	0·0
1901–1910	100·0	91·4	8·5	...	95·0	4·9	...	0·0
1911–1920	100·0	91·7	8·3	...	93·4	6·6	...	0·0
1921–1930	100·0	92·6	7·4	...	95·2	4·8	...	0·0
1931–1940	100·0	93·4	5·9	0·7	96·3	3·0	0·7	0·0
1941–1950	100·0	91·7	5·7	2·6	93·3	4·3	2·4	0·0
1951	100·0	91·6	5·1	3·3	93·1	3·7	3·2	0·0
1952	100·0	91·2	5·0	3·8	92·3	3·8	3·9	0·0
1953	100·0	91·8	4·9	3·3	92·9	3·5	3·6	0·0
1954	100·0	92·0	4·7	3·3	92·6	3·6	3·8	0·0
1955	100·0	92·5	4·4	3·2	93·3	3·1	3·5	0·0
1956	100·0	93·0	4·0	3·0	93·8	3·0	3·2	—
1957	100·0	93·2	3·9	2·9	94·1	2·9	3·0	—
1958	100·0	93·3	3·9	2·8	94·2	2·8	3·0	—
1959	100·0	93·1	4·0	2·8	94·0	3·0	3·0	—
1960	100·0	93·1	4·0	2·9	94·0	3·1	2·9	—

*Previous to 1933 classified as bachelors and spinsters respectively.

I.14 It will be noted that the percentage of widowers remarrying has always been higher than that of widows.

I.15 The trend of divorce since 1932 and some detail regarding marriage of divorced persons is tabulated in Table I.6.

Table I.6. Marriage of divorced persons, 1932-1960

Year	Divorces*	Re-marriage of divorced persons		Divorced persons remarried per 100 divorced in previous year or period	
		Males	Females	Males	Females
1932 . .	488	...	...	...	...
1933–35	*491*	*234*	*245*	*47·8*	*50·1*
1936–40	*749*	*400*	*391*	*57·8*	*56·5*
1941–45	*1,409*	*682*	*645*	*60·9*	*57·6*
1946–50	*2,424*	*1,592*	*1,420*	*65·5*	*58·5*
1951 . .	1,944	1,357	1,338	61·8	60·9
1952 . .	2,718	1,549	1,611	79·7	82·9
1953 . .	2,365	1,368	1,480	50·3	54·5
1954 . .	2,216	1,378	1,586	58·3	67·1
1955 . .	2,073	1,368	1,526	61·7	68·9
1951–55	*2,263*	*1,404*	*1,508*	*61·4*	*65·9*
1956 . .	1,883	1,329	1,426	64·1	68·8
1957 . .	1,739	1,236	1,293	65·6	68·7
1958 . .	1,781	1,139	1,243	65·5	71·5
1959 . .	1,699	1,147	1,201	64·4	67·4
1960 . .	1,823	1,159	1,161	68·2	68·3
1956–60	*1,785*	*1,202*	*1,265*	*65·5*	*68·9*

*Including nullities.

Ages of those marrying

I.16 The average age of all men marrying in 1960 was 27·2 and of all women 24·6. Table I.7 shows the broad trend from 1861-1941 and yearly since 1951. Between 1861 and 1951 the variation ranged about one year but since 1952 there has been a progressive decrease in average age, evidence of the recent trend to younger marriages.

Table I.7. Average age at marriage, 1861-1960

Year	Males	Females
1861	28·7	25·5
1901	28·7	26·1
1941	29·1	26·1
1951	28·6	25·7
1952	28·7	25·7
1953	28·5	25·6
1954	28·3	25·4
1955	28·0	25·2
1956	27·7	24·9
1957	27·5	24·8
1958	27·4	24·7
1959	27·4	24·7
1960	27·2	24·6

I.17 The average ages arranged according to the conjugal condition of those marrying during 1960 are set forth below in Table I.8. These do not show any marked difference compared with 1959.

Table I.8. Average age at marriage according to conjugal condition, 1960

	Spinsters	Widows	Divorced Women	All Women
Average ages of				
Bachelors marrying .	25·3	41·1	33·3	25·7
Widowers marrying .	50·9	58·3	51·8	53·9
Divorced men marrying .	36·6	45·2	41·1	38·6
All men marrying .	26·1	50·5	37·8	27·2
	Bachelors	**Widowers**	**Divorced Men**	**All Men**
Average ages of				
Spinsters marrying .	22·9	41·3	30·2	23·4
Widows marrying .	41·8	54·1	43·6	48·4
Divorced women marrying	33·4	43·8	37·7	35·9
All women marrying .	23·3	46·7	33·4	24·6

I.18 Table 69 gives mean ages at marriage by previous conjugal condition for the period 1855-1960.

I.19 Table I.9 shows in age-groups the number of persons married in 1938 and in each year from 1948 to 1960. During the intervening years a considerable alteration has taken place in the age of those marrying. The number under 25 has increased since 1938 by no less than 98 per cent. in the case of males and 52 per cent. in that of females. In age-groups 25-44 the proportion has fallen considerably but at age 45 and over more marriages now take place, especially among females where the percentage is 38 above that of 1938. Compared with 1959 the numbers of both males and females show an increase in the age-groups under 21.

Table I.9. Age at marriage 1938, and 1948-1960

Year	All Ages	16–17	18–20	21–24	25–29	30–34	35–44	45 and over
MALES								
1938	38,716	53	1,595	9,192	14,292	7,215	4,205	2,164
1948	43,718	81	2,180	13,564	14,774	5,861	4,716	2,542
1949	41,708	90	2,229	13,508	13,857	5,251	4,288	2,485
1950	40,459	92	2,285	13,274	13,055	5,288	4,129	2,336
1951	41,361	82	2,600	14,123	13,152	5,272	3,755	2,377
1952	41,154	92	2,662	13,989	12,940	5,153	3,847	2,471
1953	40,902	117	2,805	14,567	12,511	5,027	3,478	2,397
1954	41,974	157	3,366	15,207	12,536	4,906	3,300	2,502
1955	43,199	226	3,861	15,814	12,795	4,804	3,216	2,483
1956	43,963	260	4,350	16,551	12,634	4,539	3,204	2,425
1957	42,661	259	4,895	16,246	11,909	4,119	2,833	2,400
1958	41,186	232	5,144	16,110	10,913	3,719	2,824	2,244
1959	40,442	228	5,052	15,912	10,694	3,636	2,600	2,320
1960	40,103	278	5,222	15,967	10,492	3,434	2,485	2,225
1960 % of 1938	103·6	524·5	327·4	173·7	73·4	47·6	59·1	102·8

Year	All Ages	16–17	18–20	21–24	25–29	30–34	35–44	45 and over
FEMALES								
1938	38,716	976	6,162	11,927	10,927	4,804	2,819	1,101
1948	43,718	1,004	8,617	15,554	10,027	3,668	3,339	1,509
1949	41,708	968	8,836	14,882	9,387	3,154	3,061	1,420
1950	40,459	879	8,788	14,770	8,660	3,100	2,818	1,444
1951	41,361	911	9,222	15,455	8,590	3,120	2,605	1,458
1952	41,154	970	9,255	15,288	8,279	3,157	2,662	1,543
1953	40,902	1,045	9,524	15,597	7,757	3,040	2,378	1,561
1954	41,974	1,214	10,380	15,698	7,721	2,998	2,355	1,608
1955	43,199	1,527	11,288	15,897	7,693	2,890	2,295	1,609
1956	43,963	1,690	12,066	16,216	7,416	2,705	2,283	1,587
1957	42,661	1,813	12,229	15,614	6,899	2,449	2,123	1,534
1958	41,186	1,832	12,270	15,003	6,303	2,310	2,009	1,459
1959	40,442	1,913	11,939	14,997	5,951	2,172	1,961	1,509
1960	40,103	2,202	11,993	14,724	5,784	2,034	1,850	1,516
1960 % of 1938	103·6	225·6	194·6	123·5	52·9	42·3	65·6	137·7

I.20 The youngest bridegrooms of the year were 36 bachelors aged 16 who all married spinsters and 242 aged 17 of whom 241 married spinsters and one who married a divorced woman. The youngest brides were 621 spinsters aged 16, of whom 615 married bachelors, one married a widower, and 5 divorced men. There were 1,581 brides aged 17, all spinsters, of whom 1,570 married bachelors, 2 married widowers and 9 married divorced men. It will thus be seen that the great bulk of those who have married under the age of 21 were 18 or over.

I.21 The oldest man who married during the year was a widower aged 88 who married a spinster aged 76 years. The oldest bride was a widow aged 79 years who married a widower aged 75 years.

I.22 Table I.10 shows the percentage of persons who married by age-groups for the years 1938, 1950 and 1960. This comparative table indicates that both as regards males and females there are now more marriages in the younger age-groups than immediately prior to the war. In 1938 the largest percentage of males who married were in the ages 25-29 whereas today the largest percentage is in the age-group 21-24. The number of males marrying under 21 years has also greatly increased and the percentage is roughly three times that of 1938. The highest percentage of females now marrying is in the age-group 21-24 years. In 1938 this group also showed the highest percentage, being slightly in excess of those at ages 25-29 but in 1960 the percentage in the latter group was less than half of those between 21-24. As in the case of males there is now a higher percentage of females marrying under 21 years and they constitute just over a third of all marriages.

Table I.10. Percentage marrying in each age-group 1938, 1950, 1960

Year	All Ages	16–17	18–20	21-24	25-29	30-34	35-44	45 and over
MALES								
1938 . .	100	0·14	4·12	23·74	36·91	18·64	10·86	5·59
1950 . .	100	0·23	5·65	32·81	32·27	13·07	10·21	5·77
1960 . .	100	0·69	13·02	39·81	26·16	8·56	6·20	5·55
FEMALES								
1938 . .	100	2·52	15·92	30·81	28·22	12·41	7·28	2·84
1950 . .	100	2·17	21·72	36·51	21·40	7·66	6·97	3·57
1960 . .	100	5·49	29·91	36·72	14·42	5·07	4·61	3·78

I.23 The foregoing paragraphs and tables demonstrate the recent change in marriage age from the late 20's and the 30's to the earlier age-groups. This has had its effect in reducing the average age at marriage, an effect slightly offset by the increases at ages over 45 with their heavier weighting.

Unpublished data

I.24 Tables equivalent to Table 52 (Conjugal condition of persons marrying in cities, large burghs and counties) and Tables 56-59B (Ages in combination of persons marrying by conjugal condition) of the 1960 Report have been omitted from this Report. These data are available and may be had on application to the Registrar-General.

Appendix II

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1961

II.1 Tables 70 and 71 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th February, 1961, with reference to the qualifying date, the 10th October, 1960.

II.2 The figures contained in Table 70 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There were two by-elections held on the basis of the February 1961 register.

II.3 The figures contained in Table 71, which have been compiled from returns furnished by Town Clerks, show the number of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1961.

Appendix III

ALTERATIONS OF BOUNDARIES OF BURGHS, DISTRICTS OF COUNTY, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS

REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1961

Area	Nature of Alteration	Population at Census 1961 (Preliminary)					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
I. BURGHS							
Aberlour	Extension within (i) Civil Parish of Aberlour, (ii) District of County of Dufftown	958	488	*470*	968	493	*475*
Cupar	Extension and disjunction within (i) Civil Parish of Cupar, (ii) District of County of Cupar	5,495	2,527	*2,968*	5,695	2,614	*3,081*
Dalbeattie	Extension within (i) Civil Parish of Urr, (ii) District of County of Dalbeattie	3,104	1,444	*1,660*	3,111	1,447	*1,664*
Grangemouth	Extension within (i) Civil Parish of Grangemouth, (ii) District of County of Eastern, No. 2	18,860	9,545	*9,315*	18,873	9,554	*9,319*
Invergordon	Extension within (i) Civil Parish of Rosskeen, (ii) District of County of Invergordon	1,640	792	*848*	1,658	802	*856*
Inverurie	Extension within (i) Civil Parishes of Inverurie and Kintore, (ii) District of County of Garioch	5,152	2,409	*2,743*	5,251	2,456	*2,795*
Linlithgow	Extension within (i) Civil Parish of Linlithgow, (ii) District of County of Linlithgow	4,327	2,068	*2,259*	4,351	2,080	*2,271*
Portsoy	Extension within (i) Civil Parish of Fordyce, (ii) District of County of Cullen	1,690	765	*925*	1,701	771	*930*
Rutherglen	Extension and disjunction within (i) Civil Parishes of Rutherglen and Carmunnock, (ii) Eighth District of County	25,067	11,754	*13,313*	25,118	11,772	*13,346*
Whitburn	Extension within (i) Civil Parish of Whitburn, (ii) District of County of Whitburn and Livingston	5,902	2,951	*2,951*	5,906	2,952	*2,954*
II. DISTRICTS OF COUNTY							
Aberdeen County							
Garioch	Extension of Burgh of Inverurie	8,225	4,076	*4,149*	8,126	4,029	*4,097*
Ayr County							
Newmilns	Abolished and area added to District of County of Kilmarnock	1,764	872	*892*	—	—	—
Kilmarnock	See above	15,475	7,624	*7,851*	17,239	8,496	*8,743*
Saltcoats	Renamed "West Kilbride"	6,961	3,080	*3,881*	6,961	3,080	*3,881*
Banff County							
Cullen	Extension of Burgh of Portsoy	1,924	992	*932*	1,913	986	*927*
Dufftown	Extension of Burgh of Aberlour	3,527	1,808	*1,719*	3,517	1,803	*1,714*
Dumfries County							
Dumfries	An area in District of County of Thornhill transferred to District of County of Dumfries	13,002	6,443	*6,559*	13,085	6,472	*6,586*
Thornhill		6,746	3,303	*3,443*	6,690	3,274	*3,416*
Sanquhar	Renamed "Upper Nithsdale"	5,432	2,758	*2,674*	5,432	2,758	*2,674*
Fife County							
Cupar	Extension of Burgh of Cupar	13,668	6,693	*6,975*	13,468	6,606	*6,862*
Kirkcaldy	An area in District of County of Kirkcaldy transferred to form District of County of Glenrothes	19,771	9,745	*10,026*	7,704	3,773	*3,931*
Glenrothes		—	—	—	12,067	5,972	*6,095*
Kirkcudbright County							
Dalbeattie	Extension of Burgh of Dalbeattie	3,712	1,815	*1,897*	3,705	1,812	*1,893*
Lanark County							
Second	An area in the Third District of County transferred to the Second District of County	14,718	7,273	*7,445*	14,774	7,297	*7,477*
Third		22,775	11,396	*11,379*	22,719	11,372	*11,347*
Eighth	Extension of Burgh of Rutherglen	36,951	17,558	*19,393*	36,900	17,540	*19,360*
Perth County							
Central	Areas in Highland District of County transferred partly to Eastern District of County and partly to Western District of County; an area in Central District of County transferred to Western District of County	9,147	4,483	*4,664*	9,017	4,423	*4,594*
Eastern		9,171	4,512	*4,659*	9,319	4,589	*4,730*
Highland		8,596	4,279	*4,317*	8,357	4,151	*4,206*
Western		9,050	4,590	*4,460*	9,271	4,701	*4,570*
Ross and Cromarty County							
Invergordon	Extension of Burgh of Invergordon	3,180	1,566	*1,614*	3,162	1,556	*1,606*

Area	Nature of Alteration	Population at Census 1961 (Preliminary)					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
Stirling County							
Eastern, No. 2	Extension of Burgh of Grangemouth	13,430	6,839	*6,591*	13,417	6,830	*6,587*
West Lothian County							
Linlithgow	Extension of Burgh of Linlithgow	2,950	1,488	*1,462*	2,926	1,476	*1,450*
Whitburn and Livingston	Extension of Burgh of Whitburn	17,699	8,920	*8,779*	17,695	8,919	*8,776*
LANDWARD AREAS							
Aberdeen County	Extension of Burgh of Inverurie	96,069	47,459	*48,610*	95,970	47,412	*48,558*
Banff County	Extension of Burghs of Aberlour and Portsoy	18,857	9,544	*9,313*	18,836	9,533	*9,303*
Fife County	Extension of Burgh of Cupar	115,809	57,762	*58,047*	115,609	57,675	*57,934*
Kirkcudbright County	Extension of Burgh of Dalbeattie	18,925	9,433	*9,492*	18,918	9,430	*9,488*
Lanark County	Extension of Burgh of Rutherglen	334,205	163,607	*170,598*	334,154	163,589	*170,565*
Ross and Cromarty County	Extension of Burgh of Invergordon	43,788	21,499	*22,289*	43,770	21,489	*22,281*
Stirling County	Extension of Burgh of Grangemouth	89,498	44,464	*45,034*	89,485	44,455	*45,030*
West Lothian County	Extension of Burghs of Linlithgow and Whitburn	50,533	25,220	*25,313*	50,505	25,207	*25,298*
COUNTIES	None	—	—	—	—	—	—
CIVIL PARISHES	None	—	—	—	—	—	—
		Population as at Census 1951					
REGISTRATION DISTRICTS							
281 Dun	United under the name of "Montrose, Dun and Maryton", No. 312	411	211	*200*	—	—	—
308 Maryton		214	118	*96*	—	—	—
312 Montrose		12,494	5,563	*6,931*	—	—	—
312 Montrose, Dun and Maryton	See above	—	—	—	13,119	5,892	*7,227*
284 Eassie and Nevay	Abolished, part transferred to "Glamis", No. 289 and remainder transferred to "Newtyle", No. 314	456	231	*225*	—	—	—
289 Glamis		876	427	*449*	—	—	—
314 Newtyle		908	431	*477*	—	—	—
289 Glamis and Eassie	See above	—	—	—	1,074	532	*542*
314 Newtyle and Nevay	See above	—	—	—	1,166	557	*609*
291 Guthrie	United under the name of "Kirkden, Kinnell and Guthrie", No. 298	220	107	*113*	—	—	—
298 Kirkden and Kinnell		1,549	788	*761*	—	—	—
298 Kirkden, Kinnell and Guthrie	See above	—	—	—	1,769	895	*874*
295 Kingoldrum	United under the name of "Lintrathen and Kingoldrum", No. 302	226	121	*105*	—	—	—
302 Lintrathen		257	132	*125*	—	—	—
302 Lintrathen and Kingoldrum	See above	—	—	—	483	253	*230*
335 Blairgowrie	United under the name of "Blairgowrie", No. 335	7,129	3,252	*3,877*	—	—	—
386B Persie		460	228	*232*	—	—	—
335 Blairgowrie	See above	—	—	—	7,589	3,480	*4,109*
342 Crieff	United under the name of "Crieff", No. 342	6,744	2,970	*3,774*	—	—	—
378 Madderty		354	183	*171*	—	—	—
342 Crieff	See above	—	—	—	7,098	3,153	*3,945*
352 Findo Gask	United under the name of "Gask", No. 352	274	148	*126*	—	—	—
396 Trinity Gask		275	145	*130*	—	—	—
352 Gask	See above	—	—	—	549	293	*256*
355A(3) Kinloch Rannoch	United under the name of "Rannoch and Foss", No. 355B	648	346	*302*	—	—	—
355B Foss		532	458	*74*	—	—	—
355B Rannoch and Foss	See above	—	—	—	1,180	804	*376*
365 Kinclaven	United under the name of "Stanley and Kinclaven", No. 393B	381	197	*184*	—	—	—
393B Stanley		1,527	665	*862*	—	—	—
393B Stanley and Kinclaven	See above	—	—	—	1,908	862	*1,046*
510(1) Dunoon	United under the name of "Dunoon", No. 510(1)	12,550	5,290	*7,260*	—	—	—
514(1) Inverchaolain		221	173	*48*	—	—	—
510(1) Dunoon	See above	—	—	—	12,771	5,463	*7,308*
597 Kilmarnock	United under the name of "Kilmarnock", No. 597	43,406	20,584	*22,822*	—	—	—
598 Kilmaurs		5,366	2,647	*2,719*	—	—	—
597 Kilmarnock	See above	—	—	—	48,772	23,231	*25,541*
735 Duns	United under the name of "Duns", No. 735	3,378	1,569	*1,809*	—	—	—
750 Longformacus		320	179	*141*	—	—	—
735 Duns	See above	—	—	—	3,698	1,748	*1,950*
		Population as at Census 1961 (Preliminary)					
625(2) Holytown	The area, lying in the Burgh of Motherwell and Wishaw, situated in the Registration District of "Holytown", No. 625(2) transferred to the Registration District of "Dalziel", No. 639	22,024	10,818	*11,206*	19,567	9,620	*9,947*
639 Dalziel		40,982	19,974	*21,008*	43,439	21,172	*22,267*
627 Cambuslang	The area, within Civil Parish of Carmunnock, affected by extension of Rutherglen Burgh, transferred from Registration District of "Cambuslang", No. 627 to Registration District of "Rutherglen" No. 654	26,347	12,598	*13,749*	26,326	12,594	*13,732*
654 Rutherglen		34,757	16,261	*18,496*	34,778	16,265	*18,513*

Appendix IV

INHABITED HOUSES

IV.1 Table 72 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1957 to 1961.

IV.2 The table has been compiled from statements received from Town Clerks and County Clerks.

Appendix V

CENTRAL CLYDESIDE CONURBATION

V.1 The constitution of the area of the Central Clydeside Conurbation is as follows:—

Dunbarton County (part of)
- Clydebank Burgh
- Bearsden Burgh
- Kirkintilloch Burgh
- Milngavie Burgh

Lanark County (part of)
- Glasgow City
- Airdrie Burgh
- Coatbridge Burgh
- Hamilton Burgh
- Motherwell and Wishaw Burgh
- Rutherglen
- Lanark Fifth District of County
- Lanark Sixth District of County
- Lanark Eighth District of County
- Lanark Ninth District of County

Renfrew County (part of)
- Barrhead Burgh
- Johnstone Burgh
- Paisley Burgh
- Renfrew Burgh
- Renfrew First District of County
- Renfrew Second District of County

V.2 The vital statistics in the area of the conurbation in the calendar year of 1961 are given in Table V.1. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

Table V.1 Vital Statistics of Central Clydeside Conurbation, 1961

	Registered	Corrected for Transfer	Rate per 1,000 of estimated population
Births	38,601	38,969	21·6
Deaths	20,986	21,705	12·0
Deaths under 1 year	—	1,163	29·8 per 1,000 live births
Marriages	15,007	—	8·3
Stillbirths	888	904	22·7 per 1,000 total births (live and still)

V.3 The population of central Clydeside at 30th June, 1961, was estimated to be 1,805,699, more than a third of the population of Scotland. The birth-rate of 21·6 was 3·2 higher than that of the rest of Scotland whereas the general death-rate of 12·0 was 0·5 lower. The infant mortality rate of 29·8 was 6·5 higher, and the stillbirth rate, 22·7, was 3·1 higher than in the rest of Scotland.

V.4 The excess of the birth-rate over the death-rate in the conurbation area was 9·6 per 1,000 of the population against 5·9 in the remainder of Scotland. The excess of births over deaths in Scotland was 37,241, those in the conurbation accounting for no less than 17,264.

V.5 The male death-rate in the conurbation area was 1,322 per 100,000 of the population compared with 1,318 in the rest of Scotland. The female rates were 1,090 and 1,187 respectively. The rates, by sex, from the principal groups of causes of death are given in Table V.2.

Table V.2 Certain Specified Causes of Death in the Central Clydeside Conurbation and the rest of Scotland with their Corresponding Rates per 100,000 Population—1961

International Classification Intermediate List "A"	Cause of Death	Number				Rate per 100,000 population			
		Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
		Males	Females	Males	Females	Males	Females	Males	Females
1	Tuberculosis, respiratory	191	*69*	125	*48*	22	*7*	8	*3*
2–5	Tuberculosis—other forms	14	*7*	14	*13*	2	*1*	1	*1*
6–10	Syphilis	16	*5*	28	*12*	2	*1*	2	*1*
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases	61	*74*	132	*138*	7	*8*	8	*8*
44–59	Malignant neoplasms	2,177	*1,683*	3,829	*3,532*	251	*180*	237	*201*
70	Vascular lesions of central nervous system	1,367	*1,821*	2,681	*3,970*	157	*194*	166	*226*
80–83	Heart disease	3,662	*3,374*	7,709	*7,303*	422	*360*	476	*415*
89–91	Pneumonia (excluding newborn)	491	*481*	716	*785*	57	*51*	44	*45*
92, 93	Bronchitis	835	*308*	954	*419*	96	*33*	59	*24*
99, 100	Ulcer of stomach and duodenum	121	*48*	280	*106*	14	*5*	17	*6*
104	Gastro-enteritis (excluding newborn)	40	*46*	79	*95*	5	*5*	5	*5*
108, 109	Nephritis	55	42	111	*131*	6	*4*	7	*7*
127–135	Congenital malformations and other diseases of early infancy	538	*398*	724	*487*	62	*42*	45	*28*
Residual of 1–137	All other natural causes	1,344	*1,513*	2,790	*3,025*	155	*161*	172	*172*
138, 139	Transport accidents	183	*67*	398	*138*	21	*7*	25	*8*
148	Suicide	97	*44*	161	*107*	11	*5*	10	*6*
Residual of 138–150	Other violence	291	*242*	605	*578*	34	*26*	37	*33*
	All causes	11,483	*10,222*	21,336	*20,887*	1,322	*1,090*	1,318	*1,187*

V.6 The rates in the conurbation area are to a large extent influenced by those of Glasgow. The rates for tuberculosis, bronchitis, pneumonia (excluding newborn), and the principal epidemic diseases are given in Table V.3 separately for the conurbation area, Glasgow, and the remainder of the conurbation area.

Table V.3 Death-rates per 100,000 of Population from Selected Causes in the Conurbation, Glasgow and Remainder of Conurbation—1961

International Classification Intermediate List "A"	Cause of Death	Rate per 100,000 of Estimated Population					
		Conurbation Area		Glasgow		Remainder of Conurbation Area	
		Males	Females	Males	Females	Males	Females
1	Tuberculosis respiratory	22	*7*	25	*10*	17	*4*
2–5	Tuberculosis—other forms	2	*1*	2	*1*	1	*1*
92, 93	Bronchitis	96	*33*	107	*40*	82	*22*
89–91	Pneumonia (excluding newborn)	57	*51*	63	*59*	48	*40*
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases*	7	*8*	8	*9*	6	*6*

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Appendix VI

NEW TOWNS

VI.1 This new appendix introduces a series of vital statistics on the New Towns in Scotland.

VI.2 Under the New Towns Act of 1946 there have been designated in 1947, 1948, 1955 and 1962 respectively the four New Towns of East Kilbride (Lanarkshire), Glenrothes (Fife), Cumbernauld (Dunbartonshire) and Livingston (Midlothian and West Lothian).

VI.3 This appendix provides some statistics of the year 1961 for three of these New Towns—Cumbernauld, Glenrothes and East Kilbride.

VI.4 Table VI.1 shows the estimated populations of these three, as well as the numbers of births, deaths and marriages with the corresponding rates. It will be seen that as would be expected of young populations, the birth-rates are well above the Scottish average and the death-rates well below.

VI.5 Table VI.2 lists the deaths in each new town by sex and a short list of causes. Table VI.3 gives an age distribution of the deaths.

Table VI.1.
Vital Statistics of the New Towns, 1961

	Cumbernauld	Glenrothes	East Kilbride
Estimated population 30.6.61	5,300	12,950	32,250
Births*	148	388	836
Marriages	19	20	76
Deaths*	26	60	183
Deaths under 1 year*	—	4	21
Rates—			
Births per 1,000 population	27·9	30·0	25·9
Marriages per 1,000 population	3·6	1·5	2·4
Deaths per 1,000 population	4·9	4·6	5·7
Infant mortality per 1,000 live births	—	10·3	25·1

* Corrected for usual residence.

Table VI.2 Deaths by Cause and Sex in the New Towns—1961

International Classification		Cause of Death	Cumbernauld		Glenrothes		East Kilbride	
Detailed List	Abbreviated List 'B'		M.	F.	M.	F.	M.	F.
010-019	2	Tuberculosis, other than respiratory	–	–	–	–	1	–
140-205	18	*Malignant neoplasms Total*	4	*1*	8	*3*	15	*14*
160-165	—	Malignant neoplasms of respiratory system	–	–	3	–	4	*1*
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	1	–	1	–	1	–
140-159, 170-199	—	Other malignant neoplasms	3	*1*	4	*3*	10	*13*
260	20	Diabetes mellitus	–	–	–	*1*	–	*1*
290-293	21	Anæmias	–	–	–	–	–	*2*
330-334	22	Vascular lesions affecting central nervous system	1	*2*	6	*2*	14	*12*
300-326, 341-398	46·1	Other diseases of the nervous system	–	*1*	–	*1*	2	*2*
410-416	25	Chronic rheumatic heart disease	–	–	–	–	2	*3*
420-422	26	Arteriosclerotic and degenerative heart disease	5	*5*	8	*9*	34	*10*
430-434	27	Other diseases of the heart	–	*1*	1	–	1	*2*
440-443	28	Hypertensive heart disease	–	–	–	*1*	3	*2*
444-447	29	Other hypertensive disease	1	–	1	–	–	*1*
450-468	46·2	Other circulatory disease	–	–	–	*2*	2	*3*
490-493	31	Pneumonia (except of newborn)	–	*1*	1	–	5	*2*
500-502	32	Bronchitis	–	–	1	–	10	*4*
470-475, 510-527	46·3	Other respiratory diseases	–	–	1	–	2	*2*
540, 541	33	Ulcer of stomach and duodenum	–	–	–	–	1	–
560, 561, 570	35	Intestinal obstruction and hernia	–	–	–	–	1	*1*
571, 572	36.1	Diarrhœa (except of newborn)	–	–	–	*1*	1	–
581	37	Cirrhosis of liver	–	*1*	1	–	–	–
580, 582-586	46.4	Other diseases of liver	–	–	–	–	–	*1*
530-539, 542, 544 545, 573-578, 587	46.5	Other digestive diseases	–	–	–	*1*	–	–
590-594	38	Nephritis and nephrosis	–	–	–	–	1	*1*
610	39	Hyperplasia of prostate	–	–	–	–	1	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	–	*1*	–	*2*	–	*1*
640-689	40	Deliveries and complications of pregnancy, childbirth and the puerperium	–	–	–	–	–	*1*
690-749	46.7	Diseases of skin and organs of locomotion	–	–	1	–	–	–
750-759	41	Congenital malformations	–	–	1	–	3	*4*
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	–	–	–	–	6	*1*
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	–	–	1	*1*	3	–
E963, E970-E979	E49	Suicide and self-inflicted injury	1	–	1	–	1	–
E810-E835	E47	Motor vehicle accidents	1	–	1	–	1	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	–	–	–	*2*	–	*3*
Remainder of E800–E999	E48.2	Other violence (BE50)	–	–	1	–	–	–
		ALL CAUSES	13	*13*	34	*26*	110	*73*

Table VI.3.
Deaths by Age in the New Towns, 1961

Age at Death	Cumbernauld	Glenrothes	East Kilbride
Under 1	–	4	21
1–4	1	2	3
5–9	–	–	2
10–14	–	–	1
15–24	–	3	–
25–34	1	1	3
35–44	3	4	9
45–54	5	9	25
55–64	3	7	41
65–74	6	17	34
75–84	7	13	33
85 and over	–	–	11
All ages	26	60	183

Appendix VII

METEOROLOGICAL NOTES

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDED 31st DECEMBER, 1961

SUPPLIED BY THE METEOROLOGICAL OFFICE, EDINBURGH

VII.1 Under the heading of "Meteorological Notes" a brief account of the weather is given in the "Quarterly Returns" published by the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns.

VII.2 The present report for the year 1961, is of general character as to text, and to it are appended tables summarising the statistics of the various stations (pages 86-93).

General

VII.3 The outstanding features of the year are indicated in the course of the report. The more notable are:—

(*a*) Mildness of February and March.
(*b*) Cool and wet July and August.
(*c*) High frequency of gales.
(*d*) Heavy snowfalls in December.

Gales

VII.4 Wind reached gale force at one place or another on 163 days, the highest annual frequency since 1943. The most disturbed months were February (22 days), March (20 days) and December (21 days). Notably high speeds in gusts were—109 miles per hour at Lerwick on 27th (the highest gust recorded at Lerwick since records began); 116 miles per hour at Tiree on February 26th; 106 miles per hour at Rannoch Moor, 104 at Tiree and 99 at Duirinish (in Wester Ross) on September 16th/17th, during one of the worst autumn gales for many years.

Temperatures

VII.5 The mean temperature for the year based on the main centres of population was 48·0°F., which was 0·5° above average. A cold January was followed by unusually mild weather in February and March. It was the warmest February since 1945 and the warmest March with the exception of 1938 for at least 106 years. In April and May temperatures continued above average although the first four days of April were relatively cool. June was about average but broadly speaking it was warmer in the eastern half and colder in the western half of the country. It was the coldest July since 1954 with mean temperatures for the month about 2° lower than the average. The cool weather continued in August until the last few days when a fine sunny spell arrived with day temperatures rising to above 80 degrees in places for the only time during the year. September and October brought temperatures above average for these months. Cold weather returned after the first few days of November with a particularly cold spell during the closing days of the month and this continued to give us the coldest December, with the exception of 1950, since 1886. The last week was extremely cold and many places had their coldest Christmas for many years.

The highest daily reading of temperature during the year was 84°F. at Kinlochewe on 29th August and the lowest reading was —8°F. at Cannich (in Inverness-shire) on 30th December. On the same day the same temperature was recorded on the ground also at Cannich to give the lowest ground temperature for the year.

Rainfall

VII.6 Precipitation amounts for 1961 exceeded average in the West but there was a deficit in the East.

January amounts were below average fairly generally, with the exception of some areas in the East and South-east. February, on the other hand, brought a moderate to large excess to Central and Western districts, but amounts of only about two-thirds of average were recorded at places along the east coast. March was dry in the East and wet in the North and West while in April there was an excess in most parts south of a line from Aberdeen to Oban and in the Outer Hebrides, but there were large deficits in places further north. Some parts of Inverness-shire, West Perthshire and Stirlingshire measured amounts above average in May but elsewhere it was a very dry month. June was also relatively dry except for areas in the North-west and in the Shetlands. Rainfall in July was above average in North-west and Central Districts and also in parts of East Lothian, Peebleshire and Lanarkshire and a little below average elsewhere. In August rainfall amounts exceeded average in most parts except for places in the North, the North-west and in the South-east Border country. September totals in parts of central Perthshire were more than twice the average but in south-east and north-east parts of the mainland there was a deficiency. A wet October followed with only some places in a narrow strip along the east coast with less than average amounts. The total falls of precipitation in November were below average except for some areas of Wester Ross, West Inverness-shire, Lanarkshire and West Renfrewshire and in December there was a large excess in the East and a deficit in the West.

The following were among heavy falls of rain in 24 hours—4·33 inches at Ormsary House in Argyllshire on 12th July, 3·84 inches at New Yetts Dam and 3·78 inches at Hole Glen Reservoir, both in Renfrewshire, on August 8th and 3·50 inches at Kingairloch in Argyllshire on 25th September.

Snowfall

VII.7 The worst snowstorms came in late December. Between Christmas and New Year undrifted snow, 2 feet deep in places caused much trouble in Aberdeenshire.

Other falls during the second and last weeks of January, during the first week of February and in the last week in November also caused local traffic problems.

Thunder

VII.8 Thunder was reported from one place or another on 86 days which was about average frequency. October with reports on 17 days, September 11 days and November with 10 days were the months with most storms.

Sunshine

VII.9 Sunshine records for the year were above average in most of East Scotland and in the Northern Hebrides but there was a deficit elsewhere and

this was most marked in Shetland and at places in the West and South-west where places recorded amounts of 100 hours below their average. At Stornoway on the other hand the total for the year showed an excess of 40 hours.

The highest annual totals were, Dunbar 1621 hours, Arbroath 1465 hours, Leuchars 1456 hours and Prestwick 1404 hours.

January was dull in the East, but amounts of sunshine were above average in the West and North. In February the greater part of the country had more than average amounts but at some places in the West it was a dull month. March sunshine figures were above average only in Eastern and Central districts and April was a sunny month over the northern half of the country but there was a considerable deficit in the South. Sunshine amounts for May were well above average except in Shetland but June and July totals showed a considerable deficit generally. The dull weather continued in West and North-west districts during August but most other areas had sunshine amounts up to or above average despite it being a relatively wet and cool month. September totals were above average only in some places in the Northern half of the country, but in October Shetland and the Northern half of the mainland had slight deficiencies while most other areas were appreciably above average. In November there was an excess of sunshine except in North Shetland and in December amounts were above average generally except in areas near Glasgow and in Shetland.

Fog

VII.10 Morning fog was reported from one place or another on 196 days, which was slightly less than in 1960. On the 27th November fog was thick around Glasgow and traffic services were interrupted. Thick fog on 10th December blanketed Central and South Scotland causing widespread delay to road, rail, sea and air services. The months of January, November and December, as is fairly usual, showed the highest number of foggy mornings, and April had an unusually large number almost rivalling the winter months.

Aurora

VII.11 Aurora Borealis was observed on 125 nights. This is about the average frequency and considerably less than the last five years. The months with the highest number of occurrences were December (19) and October (16).

(*For statistical tables see pages* 86-93.)

Table VII.1. District Values of Air Temperature, Rainfall and Sunshine

District	1961	Air Temperature			Rainfall		Sunshine	Normal Values			
		Highest	Lowest	Deviation from Average Daily Mean	Percentage of Normal	Number of Days Deviation from Normal	Percentage of Average Duration	Daily Mean Temperature	Total Rainfall	Number of Days	Daily Sunshine
		°F.	°F.	°F.	%		%	°F.	Ins.		Hours
North Scotland	Jan.	56	12	−0·9	84	−4	128	39·1	5·79	23	0·90
	Feb.	60	13	+2·3	138	+1	106	39·2	4·57	21	1·89
	Mar.	68	20	+3·8	126	+2	82	41·0	4·41	23	3·16
	April	64	15	+0·7	95	−1	98	43·7	3·23	19	4·39
	May	69	24	+0·2	76	−5	107	47·9	2·80	19	5·49
	June	70	27	0·0	112	+4	86	52·3	2·72	16	5·37
	July	71	32	−1·3	107	0	64	55·8	3·35	19	4·22
	Aug.	84	34	−0·4	117	+2	96	55·6	4·18	21	4·06
	Sept.	73	33	+1·6	113	0	104	52·4	3·78	19	3·36
	Oct.	68	26	+1·6	129	+3	98	47·5	5·00	22	2·33
	Nov.	57	10	−1·6	88	−3	119	42·8	5·63	23	1·31
	Dec.	60	−8	−4·8	91	−2	118	40·4	6·18	24	0·59
	Year	**84**	**−8**	**+0·1**	**106**	**0**	**101**	**46·5**	**51·64**	**249**	**3·09**
East Scotland	Jan.	57	10	−0·9	105	+3	92	37·7	2·57	17	1·58
	Feb.	59	12	+3·6	96	0	112	38·3	2·24	16	2·54
	Mar.	67	21	+5·6	52	−4	104	41·0	2·48	19	3·54
	April	64	12	+1·8	122	+3	77	44·2	1·85	16	4·61
	May	74	22	+0·5	39	−5	109	48·7	2·24	16	5·49
	June	76	27	+0·5	69	0	90	54·4	2·13	14	6·15
	July	76	31	−1·8	93	−2	78	58·0	2·87	17	4·94
	Aug.	83	31	−0·4	111	+1	111	57·1	3·15	18	4·60
	Sept.	78	30	+2·3	87	+2	97	53·5	2·24	15	5·06
	Oct.	68	25	+1·6	106	+4	105	47·7	3·27	19	3·02
	Nov.	59	10	−1·1	62	−3	117	42·1	3·11	19	1·96
	Dec.	56	−1	−4·5	123	−4	116	39·1	3·11	19	1·28
	Year	**83**	**−1**	**+0·7**	**89**	**0**	**101**	**46·8**	**31·26**	**205**	**3·65**
West Scotland	Jan.	54	14	−1·1	84	−4	133	38·8	4·57	20	1·15
	Feb.	56	22	+3·8	139	+2	93	39·1	3·94	18	2·12
	Mar.	62	21	+4·1	81	0	77	41·4	3·58	19	3·28
	April	65	19	+2·3	147	+4	72	44·7	2·76	16	4·77
	May	71	27	+0·7	68	−4	102	49·5	2·91	16	6·06
	June	73	30	−0·5	71	0	79	54·5	2·87	15	6·24
	July	73	35	−2·0	84	−2	81	57·5	3·46	17	4·84
	Aug.	82	33	−1·3	135	+4	106	57·0	4·41	18	4·51
	Sept.	76	34	+2·0	136	+5	93	53·4	3·66	16	3·72
	Oct.	66	29	+1·1	126	+2	113	48·2	4·69	19	2·58
	Nov.	59	21	−0·5	77	−1	115	42·6	5·16	19	1·70
	Dec.	54	−1	−4·5	74	−5	115	40·1	5·63	22	1·02
	Year	**82**	**−1**	**+0·4**	**102**	**0**	**98**	**47·2**	**47·64**	**215**	**3·51**

Table VII.2. Summary Table of Mean Values of Air Temperatures at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Dumfries and Inverness) together with Extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom.

1961	Air Temperatures								Rainfall		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean of A–B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January .	42·0	32·5	37·3	−1·0	9·5	+0·2	57	10	85	127	99
February .	47·8	38·2	43·0	+3·9	9·7	−0·1	60	12	125	105	130
March .	52·6	41·1	46·8	+5·2	11·6	−0·6	68	20	95	25	59
April . .	53 1	41·1	47·1	+2·0	12·0	−1·6	65	12	115	160	209
May . .	58·0	43·4	50·7	+0·9	14·7	−0·6	74	22	71	64	103
June . .	62·3	48·3	55·3	−0·2	14·0	−1·8	76	27	82	69	78
July . .	63·0	50·1	56·5	−2·2	13·0	−1·2	76	31	108	86	68
August .	63·9	50·4	57·1	−0·7	13·6	−0·3	84	31	131	100	85
September .	62·4	49·9	56·2	+2·1	12·5	−0·9	78	30	118	105	117
October .	55·1	44·6	49·9	+1·5	10·5	−1·0	68	25	121	128	112
November .	46·4	36·5	41·5	−0·8	9·9	−0·5	59	10	65	65	81
December .	39·4	30·1	34·8	−4·9	9·3	+0·1	60	−8	91	114	78
Means and Extremes .	53·8	42·2	48·0	+0·5	11·7	−0·7	84	−8	103	98	98

Table VII.3. Number of Hours Bright Sunshine

1961	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
Shetland													
Lerwick	22	38	73	116	118	152	86	123	88	62	35	9	922
Orkney													
Kirkwall	32	63	90	126	170	152	70	149	131	89	51	20	1,143
Caithness													
Wick	51	78	109	144	177	148	74	153	130	96	72	38	1,270
Sutherland													
Strathy	39	61	82	148	154	140	50	123	111	79	53	22	1,062
Ross and Cromarty													
Fortrose	50	85	98	127	183	159	96	131	123	81	59	40	1,232
Stornoway	61	65	79	173	220	156	89	122	118	84	62	26	1,255
Inverness													
Fort William	24	49	66	107	211	123	65	94	82	46	40	39	946
Glenmore Lodge	31	95	93	124	172	119	60	99	128	75	34	16	1,046
Inverness	46	82	110	129	201	163	98	131	137	89	53	28	1,267
Onich	35	53	61	112	222	97	79	97	90	56	47	37	986
Skye-Duntulm	52	61	66	160	205	141	72	93	109	71	50	49	1,129
East Scotland													
Nairn													
Nairn	51	94	116	141	182	169	96	147	143	89	67	35	1,330
Moray													
Elgin	59	92	109	143	174	164	84	135	132	97	78	46	1,313
Forres	61	82	106	135	166	159	77	127	122	91	71	46	1,243
Gordon Castle	49	83	104	132	153	148	73	127	120	98	76	45	1,208
Kinloss	62	83	103	142	161	160	72	127	120	87	65	43	1,225
Banff													
Banff	50	81	102	139	144	137	75	139	128	88	71	31	1,185
Aberdeen													
Braemar	23	54	106	96	199	158	111	133	80	62	36	25	1,083
Craibstone	53	89	138	115	163	166	88	150	129	96	88	54	1,329
Dyce	49	87	139	111	161	159	88	155	129	101	86	55	1,320
Rattray Head	51	90	131	139	175	161	98	180	139	90	81	44	1,379
Kincardine													
Fettercairn	37	76	133	94	160	146	92	142	94	71	88	53	1,186
Angus													
Arbroath	45	85	142	118	204	197	147	164	120	113	78	52	1,465
Carnoustie	38	76	136	106	194	186	143	163	110	116	74	49	1,391
Dundee	42	69	100	84	182	166	117	147	94	103	69	54	1,227
Perth													
Perth	31	73	132	95	200	181	132	150	104	90	50	37	1,275
Fife													
Kirkcaldy	40	82	111	91	185	173	150	167	104	105	71	35	1,314
Leuchars	46	81	132	108	204	202	157	171	109	118	78	50	1,456
St. Andrews	46	84	119	103	180	186	148	163	108	108	74	50	1,369

Table VII.3.—*continued*

1960	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
Midlothian													
Edinburgh (R.O.)	44	83	109	93	200	146	149	173	110	110	65	47	1,329
Edinburgh (B.G.)	33	79	109	94	193	153	164	164	110	105	61	34	1,299
Penicuik . .	14	76	103	96	185	150	139	163	105	88	41	20	1,180
Turnhouse .	41	84	111	88	194	154	155	162	109	98	50	37	1,283
East Lothian													
North Berwick .	42	93	100	100	179	155	145	157	107	105	69	29	1,281
Dunbar . .	54	110	146	119	224	201	188	184	137	125	84	49	1,621
Berwick													
Marchmont .	36	63	115	102	195	180	146	172	112	89	56	42	1,308
Peebles													
Blyth Bridge .	33	76	97	94	174	121	119	141	103	91	56	44	1,149
West Scotland													
Argyll													
Lephinmore .	43	48	65	104	211	126	103	119	83	77	63	35	1,077
Tiree . .	68	50	79	131	235	158	106	140	114	86	67	45	1,279
Dunbarton													
Helensburgh .	32	37	70	99	170	129	121	123	75	71	43	21	991
Renfrew													
Greenock .	31	46	79	111	196	149	143	150	99	82	42	27	1,155
Paisley . .	36	53	95	97	185	154	150	160	108	103	49	19	1,209
Renfrew . .	37	56	83	84	178	153	145	156	109	95	49	21	1,166
Lanark													
Glasgow . .	41	50	76	77	165	141	136	137	100	88	52	23	1,086
Thorntonhall .	34	53	85	88	185	152	140	152	102	96	41	16	1,144
Ayr													
Auchincruive .	68	74	97	108	201	153	139	150	109	107	62	56	1,324
Kilmarnock .	46	57	81	98	183	142	116	132	110	95	60	47	1,167
Prestwick (Airport)	66	75	101	122	215	162	151	160	114	113	64	61	1,404
Dumfries													
Dumfries .	36	60	68	92	174	122	125	167	102	102	58	63	1,154
Eskdalemuir .	46	50	77	88	161	147	105	140	95	81	58	48	1,111
Kirkcudbright													
Castle Douglas .	58	62	77	122	185	149	124	165	103	101	57	45	1,248
Wigtown													
Stranraer	51	58	69	110	201	168	152	143	102	86	62	45	1,247

Table VII.4. Monthly and Annual Amounts of Rainfall (Inches) and Number of Days of Rain at Selected Stations.

1961	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04 inch. or more
North Scotland															
SHETLAND															
Lerwick	3·32	3·31	3·79	2·91	2·41	3·26	2·15	2·13	4·69	6·90	5·07	3·03	42·97	253	193
ORKNEY															
Kirkwall	3·33	3·00	3·13	2·27	1·64	2·55	2·18	2·36	4·54	4·09	4·20	2·71	36·00	252	182
CAITHNESS															
Wick	2·43	2·21	2·02	2·17	1·28	1·31	2·46	2·91	2·56	2·71	1·92	2·89	26·87	224	161
SUTHERLAND															
Cape Wrath	2·48	5·11	3·87	2·76	1·17	5·41	4·31	3·26	4·63	4·43	5·08	2·22	44·73	257	207
Strathy	2·42	2·42	3·30	2·29	·95	2·55	3·20	3·13	3·33	5·40	3·48	3·44	35·91	263	198
ROSS AND CROMARTY															
Achnashellach	5·29	10·35	11·66	2·91	3·12	7·58	7·12	10·19	8·05	12·04	7·55	6·13	91·99	282	229
Fortrose	1·85	2·14	1·44	·98	·75	1·27	2·13	2·50	2·14	3·33	2·28	2·58	23·39	189	129
Stornoway	3·88	5·08	3·35	2·52	1·69	2·93	5·36	3·84	3·86	6·17	4·20	4·09	46·97	267	200
INVERNESS															
Benbecula	4·67	6·85	3·31	1·97	1·23	5·02	5·03	5·55	3·98	7·06	4·28	3·94	52·89	256	205
Duntulm	4·73	5·90	4·49	2·09	1·65	5·78	6·91	6·03	6·12	7·42	5·29	4·66	61·07	264	223
Fort William	6·58	9·27	6·15	2·61	3·53	4·98	4·94	8·40	9·68	10·72	5·37	4·52	76·75	251	206
Glenmore Lodge	3·76	2·30	1·61	1·04	1·09	1·78	3·48	6·14	3·37	8·42	2·94	4·43	40·36	233	167
Inverness	1·53	1·93	·96	·88	·84	·32	1·98	2·81	2·17	4·00	2·39	2·96	22·77	158	122
Onich	8·79	11·34	8·21	4·45	3·46	7·58	6·04	12·15	11·16	12·91	5·99	5·44	97·52	250	236
East Scotland															
NAIRN															
Nairn	1·99	1·71	1·14	·85	·91	1·78	2·02	2·68	2·05	3·03	2·06	2·85	23·07	212	131
MORAY															
Forres	1·53	1·27	·84	·58	·56	1·35	2·36	3·28	1·98	2·89	1·68	2·08	20·40	180	123
Gordon Castle	1·93	1·17	1·34	1·03	·75	1·66	3·02	3·30	1·71	3·51	1·40	3·52	24·34	190	130
Kinloss	1·83	1·40	·90	·70	·74	1·63	2·38	3·25	1·83	2·70	1·58	2·66	21·60	194	124
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

BANFF															
Banff	3·09	1·23	1·61	1·22	1·12	1·88	2·95	3·48	2·29	2·87	1·39	3·65	26·78	207	159
ABERDEEN															
Balmoral	3·14	1·50	1·28	2·25	1·11	·60	3·04	3·67	3·27	5·79	1·49	2·61	29·75	211	136
Braemar	2·82	2·06	·99	2·02	1·44	·99	3·20	3·94	3·84	6·22	1·88	4·02	33·42	211	142
Craibstone	3·71	1·82	·85	2·58	·74	1·52	3·46	3·53	2·51	4·51	1·07	3·70	30·00	198	139
Dyce	3·58	1·80	·81	2·43	·68	1·45	3·17	3·52	2·24	4·05	·95	3·39	28·07	180	131
Rattray Head	3·42	1·54	1·30	1·92	1·52	1·66	2·55	3·22	1·86	2·81	1·33	3·61	26·74	218	158
KINCARDINE															
Fettercairn	3·70	2·57	·97	3·44	1·37	1·19	3·85	4·03	5·27	4·66	1·47	4·63	37·15	195	139
ANGUS															
Arbroath	2·55	1·51	·34	1·99	·73	1·18	3·07	3·27	2·34	2·52	·98	2·14	22·62	178	121
Buddon Ness	2·42	1·68	·40	2·23	·99	1·81	3·11	3·33	2·15	2·72	1·31	2·83	24·98	182	132
Dundee	2·24	2·08	·64	3·03	·93	1·70	3·45	3·68	3·06	2·79	1·33	3·30	28·23	195	139
Montrose	3·15	1·81	·35	2·68	·97	·77	3·75	2·91	3·19	2·98	·82	2·53	25·91	178	126
PERTH															
Perth	2·89	2·82	·80	3·38	1·18	·92	2·91	3·67	3·39	3·04	1·71	4·24	30·95	190	144
FIFE															
Kirkcaldy	2·76	2·27	1·01	2·66	1·12	1·71	3·78	3·93	3·11	2·90	2·25	2·92	30·42	188	146
Leuchars	2·65	1·64	·78	2·48	·76	·98	3·30	3·79	2·50	2·95	1·31	2·85	25·99	175	122
St. Andrews	3·03	1·92	·82	2·61	·79	1·04	3·11	3·72	2·36	3·15	1·43	2·60	26·58	177	126
MIDLOTHIAN															
Bush House	3·73	2·40	2·46	2·36	1·22	1·16	3·07	4·10	2·48	4·97	3·60	2·63	34·18	196	142
Edinburgh	2·72	1·77	·92	2·19	·91	·89	3·10	3·67	1·47	3·30	1·74	2·61	25·29	170	120
Midcalder	3·31	2·36	1·20	2·66	1·19	1·17	3·24	4·39	2·45	3·92	2·95	2·52	31·36	187	144
Penicuik	3·93	2·41	1·58	2·40	1·23	1·21	3·16	4·30	2·80	4·68	3·74	2·77	34·21	193	148
Turnhouse	2·26	1·91	·99	2·44	·66	1·05	3·21	3·67	2·02	2·82	2·20	2·12	25·35	171	116
EAST LOTHIAN															
North Berwick	2·57	1·51	·72	1·75	·80	·57	3·28	3·54	1·36	2·74	2·10	2·39	23·33	174	117
BERWICK															
Marchmont	3·22	2·02	·96	2·44	·95	·90	2·34	3·62	2·45	2·88	2·02	2·67	26·47	195	129
PEEBLES															
Blyth Bridge	2·85	3·06	1·85	2·47	1·04	·98	4·21	4·46	2·24	5·05	3·22	3·20	34·63	206	147

Table VII.4.—*continued*

1961	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04 inch. or more
ROXBURGH															
Kelso	3·20	2·16	·99	2·38	·92	·93	2·19	2·49	1·83	2·62	2·08	2·15	23·94	191	138
West Scotland															
ARGYLL															
Colonsay	4·17	5·36	3·22	4·38	1·78	2·72	4·18	5·93	6·98	6·01	4·55	4·12	53·40	254	205
Dunoon (Benmore F.S.)	9·71	9·60	6·33	8·50	5·15	4·48	6·80	10·59	11·14	13·81	7·97	6·82	100·90	244	216
Glenbranter	11·28	10·41	7·61	7·68	4·63	5·41	7·25	13·00	11·10	14·16	9·21	7·38	109·12	247	215
Lephimore	7·92	6·90	4·79	5·25	2·77	3·68	5·11	8·63	8·44	11·74	5·12	4·68	75·03	241	201
Tiree	5·10	5·47	2·54	3·34	1·84	2·02	3·48	5·45	6·12	6·48	3·36	3·26	48·46	239	196
BUTE															
Millport	4·10	4·90	1·82	4·42	2·32	3·01	3·49	7·02	8·01	6·80	4·59	3·25	53·73	214	166
DUNBARTON															
Helensburgh	5·46	6·18	3·17	4·92	2·62	2·27	4·27	7·56	6·47	7·94	5·03	5·34	61·23	233	207
STIRLING															
Falkirk	3·49	3·67	1·85	3·40	1·39	1·18	2·96	5·19	4·96	3·90	3·35	3·42	38·76	193	158
Stirling	3·65	4·16	1·34	4·27	2·63	·96	3·29	3·65	4·82	4·52	4·77	3·53	40·59	190	148
RENFREW															
Greenock	6·76	7·06	3·98	5·38	2·35	2·71	4·92	8·72	7·86	8·20	5·69	5·07	68·70	237	191
Paisley	3·94	5·03	2·39	3·77	2·06	1·45	2·72	5·76	6·10	5·90	4·48	4·78	48·38	209	165
Renfrew	3·28	3·71	2·00	3·33	1·71	1·29	2·41	4·93	5·37	5·32	4·01	4·22	41·58	210	154
AYR															
Auchincruive	2·14	2·74	1·91	2·91	·82	1·65	2·99	5·11	6·47	5·73	4·41	2·78	39·66	196	156
Barr	4·87	5·18	3·45	5·21	1·72	3·00	4·09	7·27	9·62	9·44	4·14	4·02	62·01	251	189
Kilmarnock	2·69	3·59	2·07	3·30	1·26	1·71	3·03	6·51	6·04	5·90	4·65	3·15	43·90	197	158
Largs	4·12	4·67	2·10	5·04	2·19	2·56	4·05	7·66	7·78	6·74	5·10	3·52	55·53	219	180
Prestwick (Airport)	1·73	2·94	2·02	2·98	·88	1·57	2·81	5·46	5·71	5·25	4·23	3·11	38·69	192	147

Dumfries	4·17	3·58	1·76	4·70	1·99	1·60	2·20	4·22	4·48	6·91	2·59	2·59	40·79	196	156
Eskdalemuir	5·45	6·05	2·85	3·69	2·43	2·30	3·81	5·83	6·70	8·39	4·11	4·74	56·35	222	174
Moniaive	5·06	5·24	1·79	6·51	2·35	1·67	3·08	5·29	7·73	9·32	4·30	3·88	56·22	194	170
KIRKCUDBRIGHT															
Castle Douglas	4·57	3·69	1·42	5·14	1·90	1·34	2·73	5·14	5·17	6·76	3·20	2·64	43·70	190	153
Glenlee	5·88	6·26	2·54	7·08	2·67	1·49	3·27	6·00	7·83	10·99	4·62	4·53	63·16	209	170
Glenlochar Barrage	4·37	3·90	1·57	5·27	1·69	1·51	2·63	5·58	5·95	6·59	3·78	3·14	45·98	203	156

Table 1. Population of Scotland, estimated in the middle of each year, with the Numbers of Births Stillbirths, Deaths and Marriages registered in each year, 1855-1961

Year	Estimated Mid-Year Population	Live Births				Still-Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	...	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	...	1,267	12	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	...	1,300	†16	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	...	1,262	17	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	...	1,335	11	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	...	1,247	23	21,225	68,170	33,610	34,560	13,413
1855-60	*3,018,000*	*102,462*	*52,655*	*49,807*	*8,953*	...	*1,282*	*†16*	*20,645*	*62,644*	*31,139*	*31,505*	*12,250*
1861	3,069,403	107,009	54,606	52,403	9,929	...	1,249	18	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	...	1,279	18	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	...	1,267	6	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	...	1,332	12	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	...	1,364	9	23,611	70,891	35,190	35,701	14,099
1861-65	*3,127,000*	*109,764*	*56,336*	*53,428*	*10,742*	...	*1,298*	*13*	*22,013*	*69,265*	*34,380*	*34,885*	*13,166*
1866	3,215,130	113,667	58,360	55,307	11,673	...	1,366	12	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	...	1,365	†13	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	...	1,443	15	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,066	...	1,407	15	22,144	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	...	1,384	9	23,854	74,165	36,866	37,299	14,166
1866-70	*3,276,000*	*114,394*	*58,676*	*55,718*	*11,270*	...	*1,393*	*†13*	*22,832*	*71,974*	*35,823*	*36,151*	*13,971*
1871	3,368,926	116,128	60,029	56,099	11,077	...	1,299	17	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	...	1,383	11	25,641	75,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	...	1,410	15	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	...	1,512	13	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	...	1,477	9	25,974	81,767	40,323	41,444	16,320
1871-75	*3,441,000*	*120,376*	*61,964*	*58,412*	*10,941*	...	*1,416*	*13*	*25,754*	*77,988*	*38,961*	*39,027*	*15,314*
1876	3,552,182	126,534	64,819	61,715	11,029	...	1,463	20	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	...	1,429	12	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	...	1,367	12	24,358	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	...	1,452	20	23,519	73,347	36,296	37,051	13,571
1880	3,705,994	124,570	63,786	60,784	10,589	...	1,438	8	24,505	75,803	38,055	37,748	15,523
1876-80	*3,629,000*	*126,086*	*64,648*	*61,438*	*10,711*	...	*1,430*	*14*	*24,956*	*74,801*	*37,463*	*37,338*	*14,921*
1881	3,742,564	126,171	64,720	61,451	10 484	...	1,418	13	26,004	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	...	1,415	7	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	...	1,370	18	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	...	1,457	19	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	...	1,423	14	25,304	74,607	36,932	37,675	15,200
1881-85	*3,799,000*	*126,409*	*64,805*	*61,604*	*10,453*	...	*1,417*	*14*	*26,176*	*74,396*	*37,041*	*37,355*	*14,864*
1886	3,885,154	127,890	65,910	61,980	10,506	...	1,331	10	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	...	1,335	18	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	...	1,380	12	25,305	71,174	34,953	36,221	13,945
1889	3,973,304	122,783	63,303	59,480	9,770	...	1,423	10	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	...	1,421	13	27,469	79,004	39,130	39,874	15,877
1886-90	*3,944,000*	*123,977*	*63,674*	*60,303*	*9,973*	...	*1,378*	*13*	*25,702*	*74,320*	*36,729*	*37,591*	*14,943*
1891	4,036,245	125,986	64,769	61,217	9,647	...	1,372	14	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	...	1,468	17	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	...	1,469	10	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	...	1,450	13	27,604	71,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	...	1,342	12	28,422	81,852	40,663	41,189	16,874
1891-95	*4,122,000*	*125,800*	*64,558*	*61,242*	*9,326*	...	*1,420*	*13*	*27,962*	*78,350*	*38,797*	*39,553*	*15,896*
1896	4,254,153	129,172	66,214	62,958	9,393	...	1,493	21	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	...	1,375	15	31,050	79,144	39,506	39,638	17,772
1898	4,344,589	130,861	66,814	64,047	8,870	...	1,450	14	32,112	78,397	39,344	39,053	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	...	1,463	15	32,978	79,593	39,903	39,690	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	...	1,544	15	32,444	82,296	41,276	41,020	16,888
1896-1900	*4,345,000*	*130,209*	*66,554*	*63,655*	*8,870*	...	*1,465*	*16*	*31,771*	*78,021*	*39,070*	*38,951*	*16,857*
1901	4,479,104	132,192	67,753	64,439	8,359	...	1,547	13	31,387	80,107	40,213	39,894	17,104
1902	4,507,220	132,267	67,442	64,825	8,300	...	1,620	25	31,913	77,941	39,183	38,758	15,000
1903	4,535,513	133,525	68,087	65,438	8,295	...	1,604	†13	32,351	76,002	38,136	37,866	15,693
1904	4,563,985	132,603	67,794	64,809	9,010	...	1,603	18	32,271	77,981	38,851	39,130	16,329
1905	4,592,636	131,410	66,750	64,660	9,082	...	1,619	17	31,270	74,536	37,196	37,340	15,275
1901-05	*4,536,000*	*132,399*	*67,565*	*64,834*	*8,609*	...	*1,599*	*†17*	*31,838*	*77,313*	*38,716*	*38,597*	*15,881*
1906	4,621,466	132,005	67,461	64,544	9,306	...	1,524	21	33,142	75,635	37,731	37,904	15,174
1907	4,650,478	128,840	65,901	62,939	8,791	...	1,676	†14	33,298	77,296	38,240	39,056	14,140
1908	4,679,671	131,362	66,826	64,536	9,111	...	1,675	15	31,606	77,838	38,864	38,974	15,900
1909	4,709,048	128,669	65,725	62,944	9,370	...	1,627	12	30,108	74,632	37,094	37,538	13,850
1910	4,738,611	124,059	63,144	60,915	9,049	...	1,541	8	30,902	72,268	36,049	36,219	13,430
1906-10	*4,680,000*	*128,987*	*65,811*	*63,176*	*9,125*	...	*1,609*	*†14*	*31,811*	*75,534*	*37,596*	*37,938*	*14,500*

* Live births only prior to 1939
† Including one case of quadruplets

Table 1—*continued*

Year	Estimated Mid-Year Population	Live Births				Still-Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1911	4,751,132	121,850	62,274	59,576	9,200	...	1,552	11	31,844	71,732	35,823	35,909	13,707
1912	4,741,077	122,790	62,931	59,859	8,989	...	1,524	13	32,506	72,340	36,072	36,268	12,949
1913	4,728,132	120,516	61,464	59,052	8,548	...	1,527	21	33,676	73,069	36,504	36,565	13,214
1914	4,747,167	123,934	62,974	60,960	8,879	...	1,634	16	35,028	73,557	36,757	36,800	13,710
1915	4,770,798	114,181	58,392	55,789	7,875	...	1,451	15	36,233	81,631	41,110	40,521	14,441
1911-15	*4,748,000*	*120,654*	*61,607*	*59,047*	*8,698*	...	*1,538*	*15*	*33,857*	*74,466*	*37,253*	*37,213*	*13,604*
1916	4,794,708	109,942	56,471	53,471	7,797	...	1,419	6	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	...	1,274	7	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	...	1,357	10	34,529	78,372	39,144	39,228	9,836
1919	4,820,077	106,268	54,771	51,497	8,424	...	1,584	†14	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	...	1,822	15	46,754	68,179	34,619	33,560	12,565
1916-20	*4,820,000*	*109,750*	*56,269*	*53,481*	*8,315*	...	*1,491*	*†10*	*37,437*	*72,365*	*36,455*	*35,910*	*10,869*
1921	4,882,497	123,201	63,075	60,126	8,757	...	1,596	8	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	...	1,498	11	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	...	1,491	9	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,919	51,981	7,086	...	1,400	13	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	...	1,309	7	32,456	65,507	33,036	32,471	9,430
1921-25	*4,879,600*	*112,245*	*57,516*	*54,729*	*7,606*	...	*1,459*	*10*	*34,720*	*67,652*	*33,843*	*33,809*	*10,299*
1926	4,864,300	102,449	52,362	50,087	7,046	...	1,279	†12	31,244	63,780	32,021	31,759	8,514
1927	4,853,100	96,672	49,314	47,358	6,978	...	1,237	9	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	...	1,201	15	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	...	1,157	12	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	...	1,265	9	33,315	64,285	32,448	31,837	7,852
1926-30	*4,845,100*	*96,674*	*49,419*	*47,255*	*7,059*	...	*1,228*	*†11*	*32,605*	*66,017*	*33,106*	*32,911*	*8,260*
1931	4,843,000	92,220	46,972	45,248	6,661	...	1,117	15	32,652	64,229	32,238	31,991	7,544
1932	4,883,100	91 000	46,579	44,421	6,456	...	1,106	17	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,964	...	1,067	10	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	...	1,034	15	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	87,928	44,965	42,963	5,777	...	1,058	5	37,988	65,331	32,822	32,509	6,754
1931-35	*4,905,000*	*89,306*	*45,739*	*43,567*	*6,195*	...	*1,076*	*12*	*34,986*	*64,839*	*32,498*	*32,341*	*7,212*
1936	4,966,300	88,928	45,323	43,605	5,744	...	1,047	7	37,896	66,749	33,873	32,876	7,315
1937	4,976,600	87,810	45,035	42,775	5,404	...	1,035	10	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	...	1,058	3	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955
1940‡	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766
1936-40	*4,956,800*	*87,734*	*44,945*	*42,789*	*5,397*	...	*1,116*	*8*	*42,941*	*67,166*	*34,259*	*32,907*	*6,650*
1941‡	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426
1942‡	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283
1943‡	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,407	6,174
1944‡	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	†13	37,017	64,603	33,323	31,280	6,237
1945‡	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889
1941-45	*4,711,900*	*91,593*	*47,055*	*44,538*	*6,964*	*3,393*	*1,253*	*†13*	*43,772*	*66,302*	*34,230*	*32,072*	*6,202*
1946‡	4,900,800	104,413	53,857	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621
1947	5,084,200	113,147	58,010	55,137	6 311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309
1948	5,096,900	100,344	51,858	48,486	5,776	2,966	1,360	11	43.718	60,979	30,844	30,135	4,486
1949	5,110,900	95 674	49,183	46,491	5,223	2,666	1,331	17	41,708	63,488	31,851	31,637	3,961
1950	5,126,400	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569
1946-50	*5,063,800*	*101,222*	*52,146*	*49,076*	*5,819*	*3,047*	*1,416*	*17*	*43,206*	*63,854*	*32,281*	*31,573*	*4,789*
1951	5,102.500	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391
1952	5,100.800	90,422	46,268	44,154	4,306	2,430	1,277	†14	41,154	61,510	31,401	30.109	3,181
1953	5,099.500	90,913	46,853	44,060	4,231	2,308	1,222	6	40,902	58,878	30,326	28.552	2,800
1954	5,103.600	92,315	47,414	44,901	4,177	2,401	1,310	14	41,974	61,380	31,493	29,887	2,861
1955	5,111.600	92,539	47,526	45,013	3,991	2,330	1.269	10	43,199	61,645	31,329	30,316	2,811
1951-55	*5,103.600*	*91,366*	*46,952*	*44,414*	*4,259*	*2,390*	*1,272*	*†13*	*41,721*	*61,838*	*31,533*	*30,305*	*3,009*
1956	5,120,400	95,313	48,951	46,362	4,069	2,329	1,295	†10	43,963	61,792	31,651	30,141	2,727
1957	5,125.200	97,977	50,350	47,627	4,017	2,378	1,408	12	42,661	61,143	31,622	29,521	2,802
1958	5.141.200	99,481	51.018	48,463	4,073	2,324	1,277	†6	41,186	62,065	31,765	30,300	2,758
1959	5.162.200	99.251	51,216	48,125	4.134	2,252	1,237	†10	40,442	63,061	32.454	30.607	2,816
1960	5,177 300	101,292	51,938	49,354	4,409	2,252	1,237	16	40,103	61 764	31,682	30,082	2.673
1956-60	*5,145,300*	*98.663*	*50,677*	*47,986*	*4,140*	*2,307*	*1,291*	*†11*	*41,671*	*61,965*	*31,835*	*30,130*	*2,755*
1961	5,183,900	101,169	51,964	49,205	4,648	2,147	1.231	7	40,567	63,928	32,819	31,109	2,615

* Live Births only prior to 1939
† Including one case of quadruplets (two cases in 1944)

‡ Mean civilian population for year

Table 2. Birth-, Stillbirth-, Death-, and Marriage-rates in Scotland, 1855-1961

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Marriage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	1049	—	125·2	...
1856	33·988	6·923	19·537	20·65	18·50	14·45	8·54	1053	1·27	118·4	...
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	1057	1·29	117·9	...
1858	34·356	6·492	20·986	22·02	20·05	13·37	8·99	1066	1·25	121·3	...
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	1052	1·28	108·2	...
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	1062	1·22	127·0	...
1855-60	*34·104*	*6·839*	*20·750*	*21·72*	*19·84*	*13·36*	*8·74*	*1057*	*1·26*	*119·6*	...
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	1042	1·20	110·9	...
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	1066	1·23	117·3	...
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	1058	1·18	120·0	...
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	1044	1·21	126·2	...
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	1061	1·23	124·7	...
1861-65	*35·096*	*7·046*	*22·139*	*23·16*	*21·21*	*12·96*	*9·79*	*1054*	*1·21*	*119·9*	...
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	1055	1·23	122·4	...
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	1054	1·22	118·6	...
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	1052	1·28	117·7	...
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	1059	1·27	129·3	...
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	1044	1·22	122·8	...
1866-70	*34·911*	*6·971*	*21·969*	*22·96*	*21·06*	*12·94*	*9·85*	*1053*	*1·24*	*122·1*	...
1871	34·470	7·130	22·177	22·90	21·51	12·29	9·54	1070	1·15	130·3	...
1872	34·882	7·531	22·261	23·33	21·00	12·62	9·20	1066	1·19	123·9	...
1873	34·786	7·773	22·361	23·72	21·11	12·43	9·13	1055	1·20	124·9	...
1874	35·573	7·588	23·211	24·44	22·08	12·36	8·88	1058	1·25	124·9	...
1875	35·160	7·390	23·264	23·94	22·63	11·90	8·73	1055	1·22	132·1	...
1871-75	*34·974*	*7·482*	*22·655*	*23·67*	*21·67*	*12·32*	*9·09*	*1061*	*1·20*	*127·2*	...
1876	35·621	7·482	20·869	21·96	19·86	14·75	8·72	1050	1·19	121·2	...
1877	35·326	7·191	20·595	21·57	19·69	14·73	8·33	1054	1·15	114·9	...
1878	34·940	6·713	21·165	22·02	20·37	12·78	8·39	1059	1·10	123·0	...
1879	34·288	6·414	20·002	20·58	19·47	14·29	8·53	1048	1·18	107·9	...
1880	33·613	6·612	20·454	21·33	19·64	13·16	8·50	1049	1·17	124·6	...
1876-80	*34·758*	*6·882*	*20·617*	*21·49*	*19·81*	*13·94*	*8·49*	*1052*	*1·16*	*118·3*	...
1881	33·712	6·948	19·325	20·02	18·68	14·39	8·31	1053	1·15	112·5	...
1882	33·458	7·053	19·357	19·98	18·77	14·10	8·36	1046	1·14	118·0	...
1883	32·761	7·073	20·240	20·90	19·61	12·52	8·13	1054	1·13	119·0	...
1884	33·745	6·821	19·639	20·32	18·97	14·11	8·08	1057	1·16	117·9	...
1885	32·700	6·562	19·347	19·83	18·87	13·35	8·47	1049	1·15	120·5	...
1881-85	*33·275*	*6·891*	*19·582*	*20·21*	*18·98*	*13·69*	*8·27*	*1052*	*1·15*	*117·6*	...
1886	32·918	6·310	18·954	19·40	18·50	13·96	8·21	1063	1·06	115·7	...
1887	31·785	6·355	19·044	19·44	18·63	12·74	8·34	1054	1·10	122·2	...
1888	31·257	6·417	18·048	18·32	17·75	13·21	8·09	1050	1·14	113·1	...
1889	30·902	6·630	18·433	18·88	17·96	12·47	7·96	1064	1·18	121·3	...
1890	30·358	6·862	19·736	20·26	19·25	10·62	7·60	1048	1·19	130·6	...
1886-90	*31·444*	*6·515*	*18·843*	*19·26*	*18·42*	*12·60*	*8·04*	*1056*	*1·13*	*120·5*	...
1891	31·214	6·929	20·706	21·11	20·33	10·51	7·66	1058	1·11	127·9	...
1892	30·656	7·029	18·521	19·01	18·06	12·14	7·40	1060	1·20	117·5	...
1893	30·837	6·585	19·328	19·87	18·82	11·51	7·45	1047	1·18	136·0	...
1894	29·856	6·627	17·071	17·45	16·72	12·79	7·29	1055	1·19	116·7	...
1895	30·049	6·752	19·444	19·95	18·96	10·61	7·28	1050	1·08	133·4	...
1891-95	*30·522*	*6·784*	*19·014*	*19·48*	*18·58*	*11·51*	*7·41*	*1054*	*1·15*	*126·4*	...
1896	30·364	7·115	16·614	17·14	16·12	13·75	7·27	1052	1·19	115·5	...
1897	29·977	7·222	18·409	18·96	17·89	11·57	7·04	1044	1·09	137·9	...
1898	30·120	7·391	18·045	18·67	17·46	12·08	6·78	1043	1·13	134·2	...
1899	29·776	7·511	18·128	18·72	17·57	11·65	6·49	1044	1·14	131·0	...
1900	29·615	7·312	18·548	19·15	17·98	11·07	6·49	1045	1·20	128·5	...
1896-1900	*29·970*	*7·310*	*17·949*	*18·53*	*17·40*	*12·02*	*6·81*	*1046*	*1·15*	*129·5*	...
1901	29·513	7·007	17·885	18·47	17·33	11·63	6·32	1051	1·19	129·4	...
1902	29·346	7·080	17·292	17·89	16·73	12·05	6·28	1040	1·26	113·4	...
1903	29·440	7·133	16·757	17·31	16·24	12·68	6·21	1040	1·23	117·5	...
1904	29·054	7·071	17·086	17·53	16·67	11·97	6·79	1046	1·24	123·1	...
1905	28·613	6·809	16·229	16·68	15·81	12·38	6·91	1032	1·26	116·2	...
1901-05	*29·193*	*7·020*	*17·050*	*17·58*	*16·56*	*12·14*	*6·50*	*1042*	*1·24*	*119·9*	...
1906	28·563	7·171	16·366	16·82	15·94	12·20	7·05	1045	1·18	115·0	...
1907	27·705	7·160	16·621	16·94	16·32	11·08	6·82	1047	1·33	109·7	...
1908	28·071	6·754	16·633	17·11	16·18	11·44	6·94	1035	1·30	121·0	...
1909	27·324	6·394	15·849	16·24	15·48	11·48	7·28	1044	1·29	107·7	...
1910	26·180	6·521	15·251	15·68	14·84	10·93	7·29	1037	1·26	108·3	...
1906-10	*27·566*	*6·800*	*16·144*	*16·56*	*15·75*	*11·43*	*7·07*	*1042*	*1·27*	*112·4*	...

Table 2—*continued*

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)†	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Marriage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1911	25·647	6·702	15·098	15·55	14·67	10·55	7·55	1045	1·30	112·5	...
1912	25·899	6·856	15·258	15·68	14·86	10·64	7·32	1051	1·27	105·5	...
1913	25·489	7·122	15·454	15·90	15·04	10·04	7·09	1041	1·30	109·6	...
1914	26·107	7·379	15·495	15·93	15·08	10·61	7·16	1033	1·35	110·6	...
1915	23·933	7·595	17·111	17·77	16·49	6·82	6·90	1047	1·30	126·5	...
1911-15	*25·415*	*7·131*	*15·683*	*16·17*	*15·23*	*9·73*	*7·21*	*1043*	*1·30*	*112·8*	...
1916	22·930	6·553	14·733	15·37	14·13	8·20	7·09	1056	1·31	97·1	...
1917	20·257	6·324	14·445	15·24	13·71	5·81	7·49	1054	1·33	107·5	...
1918	20·480	7·175	16·286	16·96	15·67	4·19	7·97	1045	1·41	99·8	...
1919	22·047	9·141	15·591	16·20	15·02	6·46	7·93	1064	1·53	101·6	...
1920	28·070	9·611	14·016	14·81	13·28	14·05	7·47	1043	1·36	92·0	...
1916-20	*22·757*	*7·761*	*15·014*	*15·72*	*14·36*	*7·74*	*7·58*	*1052*	*1·39*	*99·0*	...
1921	25·233	8·037	13·561	14·09	13·07	11·67	7·11	1049	1·32	90·3	...
1922	23·496	7·018	14·885	15·37	14·43	8·61	6·85	1046	1·33	101·4	...
1923	22·892	7·201	12·946	13·47	12·46	9·95	6·68	1051	1·36	78·9	...
1924	21·986	6·649	14·470	15·10	13·89	7·52	6·63	1057	1·34	97·7	...
1925	21·396	6·668	13·459	14·15	12·82	7·94	6·56	1054	1·28	90·6	...
1921-25	*23·001*	*7·114*	*13·864*	*14·44*	*13·34*	*9·14*	*6·78*	*1051*	*1·33*	*91·8*	...
1926	21·061	6·423	13·112	13·73	12·55	7·95	6·88	1045	1·28	83·1	...
1927	19·919	6·707	13·564	14·22	12·96	6·35	7·22	1041	1·31	88·7	...
1928	19·971	6·796	13·463	14·01	12·96	6·51	7·39	1050	1·28	85·7	...
1929	19·220	6·822	14·675	15·27	14·12	4·54	7·71	1059	1·27	86·8	...
1930	19·583	6·900	13·314	14·01	12·67	6·27	7·35	1034	1·37	83·0	...
1926-30	*19·951*	*6·730*	*13·626*	*14·25*	*13·05*	*6·32*	*7·30*	*1046*	*1·30*	*85·4*	...
1931	19·042	6·742	13·262	13·86	12·71	5·78	7·22	1038	1·24	81·8	...
1932	18·636	6·790	13·525	13·94	13·14	5·11	7·09	1049	1·25	86·2	...
1933	17·618	6·962	13·201	13·79	12·66	4·42	6·89	1072	1·26	81·1	...
1934	18·004	7·485	12·918	13·51	12·37	5·09	6·89	1046	1·20	77·7	...
1935	17·754	7·670	13·191	13·76	12·66	4·56	6·57	1047	1·23	76·8	...
1931-35	*18·207*	*7·133*	*13·219*	*13·77*	*12·71*	*4·99*	*6·94*	*1050*	*1·23*	*80·8*	...
1936	17·906	7·631	13·440	14·16	12·77	4·47	6·46	1039	1·20	82·3	...
1937	17·645	7·703	13·853	14·59	13·17	3·79	6·15	1053	1·20	80·3	...
1938	17·749	7·754	12·608	13·22	12·04	5·14	6·15	1053	1·21	69·5	...
1939	17·359	9·235	12·865	13·68	12·11	4·49	6·03	1058	1·39	68·5	42·2
1940*	17·124	10·609	14·863	16·59	13·40	2·26	5·95	1049	1·36	78·3	42·1
1936-40	*17·557*	*8·586*	*13·517*	*14·41*	*12·70*	*4·03*	*6·15*	*1050*	*1·27*	*75·8*	...
1941*	17·501	9·284	14·741	16·74	13·11	2·76	6·63	1056	1·33	82·7	39·6
1942*	17·632	9·215	13·343	15·24	11·81	4·29	7·18	1048	1·27	69·3	38·2
1943*	18·355	7·402	13·977	15·93	12·43	4·38	7·63	1049	1·36	65·2	35·6
1944*	18·485	7·134	13·574	15·65	11·95	4·91	7·94	1067	1·39	65·0	32·5
1945*	16·855	9·432	13·200	15·11	11·70	3·65	8·66	1062	1·42	56·2	32·8
1941-45	*17·766*	*8·493*	*13·772*	*15·74*	*12·20*	*4·00*	*7·61*	*1056*	*1·35*	*67·7*	*35·7*
1946*	20·334	8·917	13·074	14·14	12·15	7·26	6·65	1065	1·40	53·8	32·3
1947	22·254	8·725	13·021	13·86	12·25	9·14	5·58	1052	1·38	55·8	30·5
1948	19·687	8·577	11·964	12·64	11·34	7·62	5·76	1070	1·35	44·7	28·7
1949	18·720	8·161	12·422	12·99	11·90	6·22	5·46	1058	1·39	41·4	27·1
1950	18·050	7·892	12·484	13·09	11·93	5·51	5·23	1070	1·45	38·6	26·9
1946-50	*19·806*	*8·454*	*12·589*	*13·33*	*11·91*	*7·24*	*5·75*	*1063*	*1·39*	*47·3*	*29·2*
1951	17·764	8·106	12·891	13·58	12·26	4·87	5·07	1063	1·42	37·4	26·6
1952	17·727	8·068	12·059	12·89	11·30	5·67	4·76	1048	1·41	35·2	26·2
1953	17·828	8·021	11·546	12·45	10·72	6·28	4·65	1063	1·33	30·8	24·8
1954	18·088	8·224	12·027	12·92	11·21	6·06	4·52	1056	1·42	31·0	25·3
1955	18·104	8·451	12·060	12·83	11·36	6·04	4·31	1056	1·37	30·4	24·6
1951-55	*17·902*	*8·175*	*12·117*	*12·93*	*11·37*	*5·79*	*4·66*	*1057*	*1·39*	*32·9*	*25·5*
1956	18·614	8·586	12·068	12·93	11·28	6·55	4·27	1056	1·35	28·6	23·9
1957	19·117	8·324	11·930	12·91	11·03	7·19	4·10	1057	1·44	28·6	23·7
1958	19·350	8·011	12·072	12·91	11·30	7·28	4·09	1053	1·28	27·7	22·8
1959	19·227	7·834	12·216	13·12	11·38	7·01	4·17	1062	1·24	28·4	22·2
1960	19·565	7·746	11·930	12·76	11·16	7·63	4·35	1052	1·23	26·4	21·7
1956-60	*19·176*	*8·099*	*12·043*	*12·93*	*11·23*	*7·13*	*4·20*	*1056*	*1·31*	*27·9*	*22·9*
1961	19·516	7·826	12·332	13·20	11·54	7·18	4·59	1056	1·21	25·8	20·8

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths
† Stillbirths not available prior to 1939

Table 3. Estimated Population (Total, Civilian and De Facto) by sex and age as at 30th June, 1961

Total population comprises the civilian population, all members of H.M. Forces of Scottish domicile and Merchant Navy at home and abroad, but excludes Forces stationed in Scotland who are not of Scottish domicile.

Civilian population comprises all civilians but excludes Merchant Navy at home and abroad.

De facto population comprises the population, of all types, actually in Scotland.

(*Figures in thousands*)

	Total Population			Civilian Population			De facto Population		
Age	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
0	96·9	49·1	47·8	96·9	49·1	47·8	96·9	49·1	47·8
1	94·6	48·5	46·1	94·6	48·5	46·1	94·6	48·5	46·1
2	95·2	48·5	46·7	95·2	48·5	46·7	95·2	48·5	46·7
3	93·2	47·5	45·6	93·2	47·5	45·6	93·2	47·5	45·6
4	89·3	45·9	43·4	89·3	45·9	43·4	89·3	45·9	43·4
5	88·5	45·2	43·3	88·5	45·2	43·3	88·5	45·2	43·3
6	84·6	43·1	41·5	84·6	43·1	41·5	84·6	43·1	41·5
7	83·9	42·9	41·0	83·9	42·9	41·0	83·9	42·9	41·0
8	82·0	41·9	40·1	82·0	41·9	40·1	82·0	41·9	40·1
9	80·0	40·7	39·3	80·0	40·7	39·3	80·0	40·7	39·3
10	82·2	42·2	40·0	82·2	42·2	40·0	82·2	42·2	40·0
11	83·3	42·7	40·6	83·3	42·7	40·6	83·3	42·7	40·6
12	86·9	44·6	42·3	86·9	44·6	42·3	86·9	44·6	42·3
13	91·1	46·5	44·6	91·1	46·5	44·6	91·1	46·5	44·6
14	101·4	51·7	49·7	101·4	51·7	49·7	101·4	51·7	49·7
15	77·0	39·2	37·8	76·7	38·9	37·8	76·9	39·1	37·8
16	74·3	37·7	36·6	73·6	37·0	36·6	73·9	37·3	36·6
17	77·5	39·4	38·1	75·4	37·4	38·0	76·2	38·2	38·0
18	77·0	38·9	38·1	74·2	36·3	37·8	75·3	37·4	38·0
19	73·5	37·1	36·3	70·3	34·3	36·0	71·6	35·4	36·2
20	71·5	36·2	35·4	68·1	33·0	35·1	69·5	34·3	35·2
0– 4	469·2	239·6	229·6	469·2	239·6	229·6	469·2	239·6	229·6
5– 9	419·0	213·8	205·2	419·0	213·8	205·2	419·0	213·8	205·2
10–14	445·0	227·8	217·2	445·0	227·8	217·2	445·0	227·8	217·2
15–19	379·3	192·4	187·0	370·2	183·9	186·2	373·9	187·3	186·5
20–24	359·1	181·6	177·5	328·2	151·4	176·9	340·7	163·6	177·1
25–29	340·4	171·4	169·0	328·7	159·8	168·9	333·4	164·5	168·9
30–34	341·8	169·1	172·7	335·2	162·6	172·6	337·9	165·2	172·6
35–39	346·3	170·9	175·4	341·3	165·9	175·4	343·3	167·9	175·4
40–44	323·9	157·0	166·9	320·2	153·4	166·9	321·7	154·8	166·9
45–49	343·0	165·3	177·7	340·9	163·3	177·6	341·7	164·1	177·7
50–54	341·0	164·7	176·3	339·9	163·6	176·3	340·3	164·0	176·3
55–59	310·7	146·3	164·4	310·3	145·9	164·4	310·4	146·0	164·4
60–64	261·7	115·2	146·6	261·7	115·2	146·6	261·7	115·2	146·6
65–69	201·9	82·6	119·3	201·9	82·6	119·3	201·9	82·6	119·3
70–74	152·6	59·4	93·2	152·6	59·4	93·2	152·6	59·4	93·2
75–79	106·0	40·1	65·9	106·0	40·1	65·9	106·0	40·1	65·9
80–84	57·3	21·3	36·0	57·3	21·3	36·0	57·3	21·3	36·0
85 and over	27·8	10·1	17·7	27·8	10·1	17·7	27·8	10·1	17·7
All ages	5,226·1	2,528·3	2,697·8	5,155·4	2,459·5	2,695·9	5,183·9	2,487·2	2,696·7

Table 4. Estimated Total Population by age, sex and marital condition as at 30th June, 1961

(thousands)

Age	Males				Females			
	Total	Single	Married	Widowed and Divorced	Total	Single	Married	Widowed and Divorced
Under 15	681·1	681·1	—	—	652·0	652·0	—	—
15–19	192·4	189·8	2·6	—	187·0	175·2	11·7	0·1
20–24	181·6	124·6	56·9	0·1	177·5	81·2	95·6	0·8
25–29	171·4	51·0	119·7	0·7	169·0	27·2	140·3	1·5
30–34	169·1	35·5	132·4	1·2	172·7	27·0	143·5	2·2
35–39	170·9	28·3	140·7	1·8	175·4	26·5	145·5	3·3
40–44	157·0	22·5	130·5	3·9	166·9	23·2	136·6	7·0
45–49	165·3	20·8	140·5	4·0	177·7	26·2	138·7	12·9
50–54	164·7	19·7	138·7	6·2	176·3	28·9	127·4	20·0
55–59	146·3	16·7	121·8	7·8	164·4	31·1	103·9	29·4
60–64	115·2	13·2	91·5	10·5	146·6	28·7	80·3	37·6
65–69	82·6	8·6	61·9	12·0	119·3	24·3	51·2	43·9
70–74	59·4	6·2	39·5	13·7	93·2	19·7	27·9	45·5
75 and over	71·5	8·1	31·5	31·9	119·7	25·8	15·8	78·0
All ages	2,528·3	1,226·3	1,208·2	93·8	2,697·8	1,197·0	1,218·5	282·3

Table 5. Scotland—Estimated Total Population, Mid-1961, projected to Mid-1981 by sex and age

Basis: Mid-1961 estimate of Total Population (including Scottish Armed Forces and Merchant Seamen at home and abroad, but excluding Forces stationed in Scotland who are not of Scottish domicile).

Assumptions:

Mortality: Steady decline of death-rates over the period to about one-half of the rates experienced in the years 1956-60 at ages under 45; and progressively less improvement at ages over 45.

Fertility: Births averaging 101,000 a year in first 5 years. 106,500 a year in the next 10 years, thereafter rising to about 110,000 in 1981. Male to female ratio 1·06.

Migration: Annual net loss of 30,000 persons a year in each of the years ending 30th June, 1962 and 1963, thereafter a net loss of 22,000 persons a year (males and females in equal numbers).

(thousands)

Age-Group	1961		1966		1971		1976		1981	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
0– 4	240	230	250	237	259	246	272	257	276	261
5– 9	214	205	234	224	246	232	255	241	267	253
10–14	228	217	209	201	229	220	241	228	250	237
15–19	192	187	223	213	205	197	226	216	238	225
20–24	182	178	185	180	217	207	198	191	219	210
25–29	171	169	170	167	175	171	206	197	188	182
30–34	169	173	160	160	160	159	165	163	197	189
35–39	171	175	161	165	153	153	153	153	158	157
40–44	157	167	164	169	154	160	147	148	147	148
45–49	165	178	150	161	158	164	149	155	142	143
50–54	165	176	157	171	143	155	150	158	142	150
55–59	146	164	151	168	145	164	133	149	140	152
60–64	115	147	129	153	134	157	129	154	119	140
65–69	83	119	95	131	107	138	113	143	109	140
70–74	59	93	61	99	71	110	82	117	87	122
75–79	40	66	38	69	40	74	47	83	55	89
80–84	21	36	21	40	20	42	21	46	25	52
85+	10	18	10	18	9	19	9	21	9	23
All Ages	2,528	2,698	2,568	2,726	2,625	2,768	2,696	2,820	2,768	2,873

SUMMARY	1961		1966		1971		1976		1981	
	Number	per 1000	Number	per 1000	Number	per 1000	Number	per 1000	Number	per 1000
Total	5,226	1,000	5,294	1,000	5,393	1,000	5,516	1,000	5,641	1,000
Male & Female under 15	1,334	255	1,355	256	1,432	266	1,494	271	1,544	274
Males 15-44	1,042	199	1,063	201	1,064	197	1,095	199	1,147	203
Females 15-44	1,049	201	1,054	199	1,047	194	1,068	194	1,111	197
Males 45-64	591	113	587	111	580	108	561	102	543	96
Females 45-59	518	99	500	94	483	90	462	84	445	79
Males 65+	213	41	225	43	247	46	272	49	285	51
Females 60+	479	92	510	96	540	100	564	102	566	100

Source—Government Actuary and Registrar-General

	Numbers										
	Live Births				Still-births	Marriages	Deaths				
							All Ages			Under 1 year	Under 4 weeks
	Both Sexes	Males	Females	Illeg.			Both Sexes	Males	Females		
1st Quarter 1951	23,625	12,142	11,483	1,195	657	11,560	22,428	11,144	11,284	1,088	583
2nd „ „	24,310	12,550	11,760	1,289	658	8,958	15,442	7,731	7,711	850	530
3rd „ „	21,932	11,187	10,745	1,126	575	12,048	13,104	6,664	6,440	698	461
4th „ „	20,772	10,820	9,952	982	589	8,795	14,804	7,577	7,227	755	445
Year 1951	**90,639**	**46,699**	**43,940**	**4,592**	**2,479**	**41,361**	**65,778**	**33,116**	**32,662**	**3,391**	**2,019**
1st Quarter 1952	22,892	11,722	11,170	1,069	677	12,420	18,394	9,348	9,046	872	516
2nd „ „	23,531	12,004	11,527	1,126	598	8,156	14,270	7,342	6,928	801	518
3rd „ „	22,161	11,483	10,678	1,126	541	11,894	12,813	6,574	6,239	663	459
4th „ „	21,838	11,059	10,779	985	614	8,684	16,033	8,137	7,896	845	465
Year 1952	**90,422**	**46,268**	**44,154**	**4,306**	**2,430**	**41,154**	**61,510**	**31,401**	**30,109**	**3,181**	**1,958**
1st Quarter 1953	22,860	11,775	11,085	1,030	602	12,085	17,264	8,806	8,458	776	459
2nd „ „	23,791	12,303	11,488	1,175	586	8,212	14,345	7,407	6,938	696	444
3rd „ „	22,166	11,442	10,724	1,022	561	12,069	12,722	6,643	6,079	614	426
4th „ „	22,096	11,333	10,763	1,004	559	8,536	14,547	7,470	7,077	714	427
Year 1953	**90,913**	**46,853**	**44,060**	**4,231**	**2,308**	**40,902**	**58,878**	**30,326**	**28,552**	**2,800**	**1,756**
1st Quarter 1954	23,456	12,109	11,347	1,049	612	12,371	18,003	9,302	8,701	892	560
2nd „ „	24,097	12,329	11,768	1,086	628	8,553	14,638	7,511	7,127	728	491
3rd „ „	22,823	11,786	11,037	1,077	601	12,489	13,327	6,812	6,515	555	375
4th „ „	21,939	11,190	10,749	965	560	8,561	15,412	7,868	7,544	686	478
Year 1954	**92,315**	**47,414**	**44,901**	**4,177**	**2,401**	**41,974**	**61,380**	**31,493**	**29,887**	**2,861**	**1,904**
1st Quarter 1955	23,111	11,908	11,203	988	598	12,420	19,078	9,699	9,379	829	517
2nd „ „	23,942	12,145	11,797	1,046	566	8,662	14,998	7,562	7,436	692	462
3rd „ „	22,734	11,737	10,997	1,037	597	12,966	12,733	6,566	6,167	588	417
4th „ „	22,752	11,736	11,016	920	569	9,151	14,836	7,502	7,334	702	430
Year 1955	**92,539**	**47,526**	**45,013**	**3,991**	**2,330**	**43,199**	**61,645**	**31,329**	**30,316**	**2,811**	**1,826**
1st Quarter 1956	24,594	12,567	12,027	1,007	617	11,742	19,156	9,762	9,394	764	496
2nd „ „	24,889	12,705	12,184	1,099	613	9,843	14,562	7,461	7,101	656	430
3rd „ „	22,654	11,729	10,925	1,068	536	12,958	13,088	6,785	6,303	602	430
4th „ „	23,176	11,950	11,226	895	563	9,420	14,986	7,643	7,343	705	463
Year 1956	**95,313**	**48,951**	**46,362**	**4,069**	**2,329**	**43,963**	**61,792**	**31,651**	**30,141**	**2,727**	**1,819**
1st Quarter 1957	24,759	12,770	11,989	948	632	11,277	16,175	8,375	7,800	782	475
2nd „ „	24,974	12,904	12,070	1,049	602	9,088	14,426	7,403	7,023	668	489
3rd „ „	24,100	12,326	11,774	1,047	569	12,972	13,537	7,013	6,524	653	474
4th „ „	24,144	12,350	11,794	973	575	9,324	17,005	8,831	8,174	699	482
Year 1957	**97,977**	**50,350**	**47,627**	**4,017**	**2,378**	**42,661**	**61,143**	**31,622**	**29,521**	**2,802**	**1,920**
1st Quarter 1958	25,100	12,842	12,258	1,032	614	10,877	18,622	9,569	9,053	794	479
2nd „ „	25,588	13,234	12,354	1,093	568	8,382	15,189	7,664	7,525	692	486
3rd „ „	23,535	12,154	11,381	934	530	12,462	12,667	6,537	6,130	578	422
4th „ „	25,258	12,788	12,470	1,014	612	9,465	15,587	7,995	7,592	694	475
Year 1958	**99,481**	**51,018**	**48,463**	**4,073**	**2,324**	**41,186**	**62,065**	**31,765**	**30,300**	**2,758**	**1,862**
1st Quarter 1959	25,478	13,130	12,348	1,003	573	10,016	21,048	10,803	10,245	841	557
2nd „ „	25,856	13,222	12,634	1,129	568	8,576	14,382	7,475	6,907	681	465
3rd „ „	24,362	12,608	11,754	1,018	554	12,153	12,900	6,592	6,308	610	435
4th „ „	23,555	12,166	11,389	984	557	9,697	14,731	7,584	7,147	684	465
Year 1959	**99,251**	**51,126**	**48,125**	**4,134**	**2,252**	**40,442**	**63,061**	**32,454**	**30,607**	**2,816**	**1,922**
1st Quarter 1960	25,230	13,041	12,189	1,090	625	10,273	17,194	8,739	8,455	730	469
2nd „ „	26,176	13,393	12,783	1,176	554	7,997	14,768	7,677	7,091	673	482
3rd „ „	25,055	12,784	12,271	1,094	572	12,363	13,705	7,029	6,676	596	442
4th „ „	24,831	12,720	12,111	1,049	501	9,470	16,097	8,237	7,860	674	455
Year 1960	**101,292**	**51,938**	**49,354**	**4,409**	**2,252**	**40,103**	**61,764**	**31,682**	**30,082**	**2,673**	**1,848**
1st Quarter 1961	25,598	13,196	12,402	1,119	520	10,002	18,752	9,570	9,182	757	476
2nd „ „	25,895	13,067	12,828	1,199	565	8,570	15,190	7,814	7,376	659	477
3rd „ „	25,113	13,082	12,031	1,144	555	12,100	13,514	6,931	6,583	568	419
4th „ „	24,563	12,619	11,944	1,186	507	9,895	16,472	8,504	7,968	631	441
Year 1961	**101,169**	**51,964**	**49,205**	**4,648**	**2,147**	**40,567**	**63,928**	**32,819**	**31,109**	**2,615**	**1,813**

each quarter of the Year, 1951-1961.

Perinatal Deaths (Stillbirths and Deaths under one Week)	Rates									
	Per 1,000 Population			Male Births per 1000 Female Births	Illeg. Births per 100 Live Births	Infant Mortality Rate per 1000 Live Births	Neo-Natal Mortality Rate per 1000 Live Births	Still-births per 1000 Total Births (L & S)	Perinatal Mortality per 1000 Total Births (L & S)	
	Live Births	Marriages	Deaths							
1,098	18·8	9·2	17·8	1,057	5·1	46	25	27	45	1st Quarter 1951
1,093	19·1	7·0	12·1	1,067	5·3	35	22	26	44	2nd " "
959	17·1	9·4	10·2	1,041	5·1	32	21	26	43	3rd " "
963	16·2	6·8	11·5	1,087	4·7	36	21	28	45	4th " "
4,113	**17·8**	**8·1**	**12·9**	**1,063**	**5·1**	**37**	**22**	**27**	**44**	**Year 1951**
1,075	18·1	9·8	14·5	1,049	4·7	38	23	29	46	1st Quarter 1952
1,040	18·6	6·4	11·3	1,041	4·8	34	22	25	43	2nd " "
940	17·3	9·3	10·0	1,075	5·1	30	21	24	41	3rd " "
999	17·0	6·8	12·5	1,026	4·5	39	21	27	44	4th " "
4,054	**17·7**	**8·1**	**12·1**	**1,048**	**4·8**	**35**	**22**	**26**	**44**	**Year 1952**
987	18·2	9·6	13·7	1,062	4·5	34	20	26	42	1st Quarter 1953
954	18·7	6·5	11·3	1,071	4·9	29	19	24	39	2nd " "
931	17·2	9·4	9·9	1,067	4·6	28	19	25	41	3rd " "
917	17·2	6·6	11·3	1,053	4·5	32	19	25	40	4th " "
3,789	**17·8**	**8·0**	**11·5**	**1,063**	**4·7**	**31**	**19**	**25**	**41**	**Year 1953**
1,081	18·6	9·8	14·3	1,067	4·5	38	24	25	45	1st Quarter 1954
1,047	18·9	6·7	11·5	1,048	4·5	30	20	25	42	2nd " "
942	17·7	9·7	10·4	1,068	4·7	24	16	26	40	3rd " "
972	17·1	6·7	12·0	1,041	4·4	31	22	25	43	4th " "
4,042	**18·1**	**8·2**	**12·0**	**1,056**	**4·5**	**31**	**21**	**25**	**43**	**Year 1954**
1,027	18·3	9·9	15·1	1,063	4·3	36	22	25	43	1st Quarter 1955
972	18·8	6·8	11·8	1,029	4·4	29	19	23	40	2nd " "
966	17·6	10·1	9·9	1,067	4·6	26	18	26	41	3rd " "
933	17·7	7·1	11·5	1,065	4·0	31	19	24	40	4th " "
3,898	**18·1**	**8·5**	**12·1**	**1,056**	**4·3**	**30**	**20**	**25**	**41**	**Year 1955**
1,034	19·3	9·2	15·0	1,045	4·1	31	20	24	41	1st Quarter 1956
973	19·5	7·7	11·4	1,043	4·4	26	17	24	38	2nd " "
903	17·6	10·1	10·2	1,074	4·7	27	19	23	39	3rd " "
974	18·0	7·3	11·6	1,064	3·9	30	20	24	41	4th " "
3,884	**18·6**	**8·6**	**12·1**	**1,056**	**4·3**	**29**	**19**	**24**	**40**	**Year 1956**
1,033	19·6	8·9	12·8	1,065	3·8	32	19	25	41	1st Quarter 1957
1,009	19·5	7·1	11·3	1,069	4·2	27	20	24	39	2nd " "
983	18·7	10·0	10·5	1,047	4·3	27	20	23	40	3rd " "
987	18·7	7·2	13·2	1,047	4·0	29	20	23	40	4th " "
4,012	**19·1**	**8·3**	**11·9**	**1,057**	**4·1**	**29**	**20**	**24**	**40**	**Year 1957**
1,012	19·8	8·6	14·7	1,048	4·1	32	19	24	39	1st Quarter 1958
995	20·0	6·5	11·8	1,071	4·3	27	19	22	38	2nd " "
903	18·2	9·6	9·8	1,068	4·0	25	18	22	38	3rd " "
1,024	19·5	7·3	12·0	1,026	4·0	27	19	24	40	4th " "
3,934	**19·4**	**8·0**	**12·1**	**1,053**	**4·1**	**28**	**19**	**23**	**39**	**Year 1958**
1,032	20·0	7·9	16·5	1,063	3·9	33	22	22	40	1st Quarter 1959
977	20·1	6·7	11·2	1,047	4·4	26	18	21	37	2nd " "
940	18·7	9·3	9·9	1,073	4·2	25	18	22	38	3rd " "
951	18·1	7·5	11·3	1,068	4·2	29	20	23	39	4th " "
3,900	**19·2**	**7·8**	**12·2**	**1,062**	**4·2**	**28**	**19**	**22**	**38**	**Year 1959**
1,027	19·6	8·0	13·4	1,070	4·3	27	19	24	40	1st Quarter 1960
984	20·3	6·2	11·5	1,048	4·5	26	18	21	37	2nd " "
955	19·3	9·5	10·5	1,042	4·4	24	18	22	37	3rd " "
889	19·1	7·3	12·4	1,050	4·2	27	18	20	35	4th " "
3,855	**19·6**	**7·7**	**11·9**	**1,052**	**4·4**	**26**	**18**	**22**	**37**	**Year 1960**
916	20·0	7·8	14·7	1,064	4·4	30	19	20	35	1st Quarter 1961
982	20·0	6·6	11·8	1,019	4·6	25	18	21	37	2nd " "
923	19·2	9·3	10·3	1,087	4·6	23	17	22	36	3rd " "
900	18·8	7·6	12·6	1,057	4·8	26	18	20	36	4th " "
3,721	**19·5**	**7·8**	**12·3**	**1,056**	**4·6**	**26**	**18**	**21**	**36**	**Year 1961**

Table 7. Vital Statistics and Population, Scotland, Counties of Cities, Large and Small Burghs and Landward Areas, Numbers and Rates—1961.

Area	Estimated Population 1961	Numbers											Rates per 1,000 of Population														
		Live Births					Stillbirths		Marriages Registered	Deaths				Birth-Rate		Marriage Rate	Death-Rate									Illegitimate Births Per Cent. of Live Births	Infant Mortality Per 1,000 Live Births	Neo-Natal Mortality Per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Reg'd. Both Sexes	Corrected for Usual Residence				Registered	Corrected for Usual Residence		Reg'd. Both Sexes	Corrected for Usual Residence			Crude	Standardised for Age and Sex		Crude	Standardised for Age and Sex	Tuberculosis (001-019)	Malignant Neoplasms (140-205)	Bronchitis and Pneumonia (490-502)	Road Transport Accidents (E810-E845)	Accidents in the Home (Pt.E870-E936)				
			Both Sexes	Males	Fe-males	Illegitimate					Both Sexes	Males	Fe-males														
Scotland	5,183,930	101,169	101,169	51,964	49,205	4,648	2,147	2,147	40,567	63,928	63,928	32,819	31,109	19·5	19·5	7·8	12·3	12·3	0·09	2·17	0·96	0·14	0·23	4·6	26	18	21
Counties of Cities	1,898,146	42,182	38,159	19,578	18,581	2,133	1,018	834	16,618	26,025	23,962	12,211	11,751	20·1	20·0	8·8	12·6	13·1	0·13	2·39	1·20	0·13	0·27	5·6	28	19	21
Large Burghs	873,781	23,599	18,327	9,340	8,987	713	427	410	7,758	10,904	10,278	5,405	4,873	21·0	19·9	8·9	11·8	12·6	0·11	2·13	0·96	0·12	0·23	3·9	25	18	22
Counties (Ex. Counties of Cities and Large Burghs)	2,412,003	35,388	44,683	23,046	21,637	1,802	702	903	16,191	26,999	29,688	15,203	14,485	18·5	19·0	6·7	12·3	11·6	0·06	2·00	0·78	0·16	0·21	4·0	25	17	20
Small Burghs	883,280	13,828	16,262	8,404	7,858	618	183	329	7,478	9,001	11,956	5,928	6,028	18·4	18·3	8·5	13·5	12·3	0·08	2·24	0·82	0·11	0·26	3·8	27	18	20
Landward	1,528,723	21,560	28,421	14,642	13,779	1,184	519	574	8,713	17,998	17,732	9,275	8,457	18·6	19·5	5·7	11·6	11·3	0·05	1·86	0·76	0·18	0·18	4·2	24	17	20
Aberdeen County	320,526	6,063	5,644	2,869	2,775	294	102	84	2,734	4,000	3,742	1,887	1,855	17·6	17·2	8·5	11·7	11·2	0·04	2·14	0·66	0·13	0·23	5·2	21	15	15
Aberdeen C. of C.	185,222	4,374	3,263	1,665	1,598	171	89	51	1,752	2,902	2,233	1,129	1,104	17·6	16·6	9·5	12·1	12·1	0·06	2·38	0·73	0·11	0·28	5·2	22	15	15
Ballater S.B.	1,056	3	15	10	5	1	–	–	9	8	19	5	14	14·2	20·0	8·5	18·0	11·4	–	2·84	1·89	–	–	6·7	–	.....	–
Ellon S.B.	1,442	4	25	13	12	4	–	1	34	21	25	16	9	17·3	21·0	23·6	17·3	12·9	0·69	3·47	2·08	–	–	16·0	12	.....	38
Fraserburgh S.B.	10,399	390	194	101	93	4	3	–	99	106	119	71	48	18·7	16·5	9·5	11·4	12·9	–	2·12	0·87	0·19	0·19	2·1	15	.....	–
Huntly S.B.	3,882	160	50	30	20	2	–	–	47	47	48	20	28	12·9	14·3	12·1	12·4	10·0	–	1·80	0·26	–	–	4·0	–	.....	–
Inverurie S.B.	5,172	5	68	30	38	1	–	1	63	69	68	30	38	13·1	13·8	12·2	13·1	11·9	–	2·71	1·35	–	0·39	1·5	44	.....	14
Kintore S.B.	745	–	15	7	8	1	–	–	7	7	10	5	5	20·1	20·1	9·4	13·4	9·5	–	–	1·34	1·34	–	6·7	–	.....	–
Old Meldrum S.B.	1,075	1	15	10	5	–	–	–	7	16	26	11	15	14·0	14·9	6·5	24·2	16·2	–	1·86	2·79	0·93	–	–	67	.....	–
Peterhead S.B.	12,520	67	293	151	142	10	–	2	134	99	131	72	59	23·4	20·8	10·7	10·5	11·5	–	2·16	0·72	–	0·32	3·4	31	.....	7
Rosehearty S.B.	1,146	1	13	5	8	–	–	–	11	7	17	7	10	11·3	9·2	9·6	14·8	15·0	–	3·49	0·87	–	–	–	154	.....	–
Turriff S.B.	2,678	112	30	16	14	3	–	1	32	24	26	8	18	11·2	10·0	11·9	9·7	8·2	–	0·75	–	–	–	10·0	100	.....	32
Landward	95,189	946	1,663	831	832	97	10	28	539	694	1,020	513	507	17·5	18·7	5·7	10·7	9·5	0·01	1·69	0·44	0·18	0·17	5·8	14	.....	17
Angus County	278,586	5,562	5,199	2,713	2,486	308	110	102	2,103	3,622	3,438	1,674	1,764	18·7	18·4	7·5	12·3	11·3	0·08	2·41	0·99	0·11	0·37	5·9	23	16	19
Dundee C. of C.	182,854	4,435	3,681	1,905	1,776	247	101	78	1,463	2,270	2,153	1,046	1,107	20·1	19·2	8·0	11·8	11·5	0·08	2·43	0·98	0·08	0·36	6·7	24	16	21
Arbroath L.B.	19,535	352	353	191	162	21	2	6	174	269	301	151	150	18·1	16·2	8·9	15·4	13·3	0·10	2·87	1·28	0·20	0·77	5·9	11	8	17
Brechin S.B.	7,198	6	124	70	54	1	–	3	70	94	115	47	68	17·2	17·0	9·7	16·0	12·7	0·14	2·08	1·11	0·14	0·42	0·8	32	.....	24
Carnoustie S.B.	5,516	7	85	39	46	3	–	2	25	35	92	47	45	15·4	16·7	4·5	16·7	11·0	–	1·99	1·63	0·18	0·36	3·5	24	.....	23
Forfar S.B.	10,252	431	158	87	71	2	3	1	97	128	153	77	76	15·4	15·8	9·5	14·9	12·2	0·10	2·73	1·17	0·20	0·39	1·3	32	.....	6
Kirriemuir S.B.	3,476	1	46	19	27	–	–	–	30	31	69	34	35	13·2	17·0	8·6	19·9	12·7	–	2·88	1·44	–	1·44	–	–	.....	–
Monifieth S.B.	3,488	7	48	28	20	–	–	–	17	26	59	24	35	13·8	14·2	4·9	16·9	11·6	0·57	2·58	1·43	–	0·57	–	21	.....	–
Montrose S.B.	10,793	7	167	92	75	8	–	3	95	103	175	83	92	15·5	14·9	8·8	16·2	12·1	0·09	2·41	0·83	–	0·09	4·8	30	.....	18
Landward	35,474	316	537	282	255	26	4	9	132	666	321	165	156	15·1	17·0	3·7	9·0	8·5	0·06	2·03	0·68	0·20	0·20	4·8	22	.....	16
Argyll County	60,409	761	890	464	426	68	12	17	358	927	971	471	500	14·7	19·0	5·9	16·1	12·0	0·10	2·62	0·91	0·07	0·35	7·6	22	11	19
Campbeltown S.B.	6,496	166	122	64	58	11	4	2	48	95	101	55	46	18·8	18·1	7·4	15·5	16·0	0·15	3·08	1·08	–	0·46	9·0	25	.....	16
Dunoon S.B.	10,640	160	96	56	40	6	–	–	61	160	179	77	102	9·0	10·5	5·7	16·8	11·3	0·28	2·44	1·22	–	0·75	6·3	31	.....	–
Inveraray S.B.	498	1	14	7	7	1	–	–	10	6	8	4	4	28·1	28·2	20·1	16·1	14·2	–	4·02	–	–	–	7·1	–	.....	–
Lochgilphead S.B.	1,190	–	18	7	11	2	–	–	17	10	25	10	15	15·1	17·1	14·3	21·0	15·6	–	4·20	–	0·84	–	11·1	–	.....	–
Oban S.B.	6,717	307	125	64	61	11	8	5	72	161	113	53	60	18·6	23·6	10·7	16·8	14·2	–	2·83	1·49	–	0·30	8·8	32	.....	38
Tobermory S.B.	682	5	12	8	4	3	–	–	4	12	14	5	9	17·6	18·2	5·9	20·5	12·9	–	5·87	–	–	–	25·0	83	.....	–
Landward	34,186	122	503	258	245	34	–	10	146	483	531	267	264	14·7	21·4	4·3	15·5	11·1	0·06	2·40	0·73	0·09	0·23	6·8	18	.....	19
Ayr County	340,690	6,544	6,583	3,402	3,181	285	170	169	2,639	4,009	4,150	2,090	2,060	19·3	18·5	7·7	12·2	12·6	0·04	2·05	0·69	0·14	0·17	4·3	29	22	25
Ayr L.B.	44,601	639	820	403	417	47	5	21	465	619	566	279	287	18·4	18·4	10·4	12·7	12·3	0·02	2·42	0·81	0·09	0·25	5·7	18	17	25
Kilmarnock L.B.	47,575	1,071	1,009	500	509	42	4	23	398	616	556	264	292	21·2	19·6	8·4	11·7	12·7	–	1·98	0·84	0·19	0·17	4·2	28	22	22

Cumnock and Holmhead S.B.	5,477	34	141	68	73	10	–	1	65	38	68	36	32	25·7	23·5	11·9	12·4	14·1	–	1·46	1·64	–	–	7·1	21	....	7
Darvel S.B.	3,249	3	50	31	19	–	–	1	16	33	45	22	23	15·4	16·3	4·9	13·9	11·5	0·31	2·46	0·31	0·31	0·31	–	60	....	20
Galston S.B.	4,054	5	74	43	31	1	–	–	30	49	71	36	35	18·3	18·9	7·4	17·5	17·1	–	2·47	0·74	–	0·49	1·4	54	....	–
Girvan S.B.	5,999	154	120	59	61	9	5	6	50	82	89	47	42	20·0	19·8	8·3	14·8	12·7	–	2·67	0·67	0·17	–	7·5	25	....	48
Irvine S.B.	16,995	46	346	190	156	11	–	11	140	125	207	121	86	20·4	17·4	8·2	12·2	15·3	–	1·94	0·88	0·35	0·18	3·2	29	....	31
Kilwinning S.B.	7,248	1,047	142	75	67	8	7	4	89	49	74	44	30	19·6	15·8	12·3	10·2	12·4	–	1·79	0·41	–	0·28	5·6	14	....	27
Largs S.B.	8,585	15	100	51	49	6	–	–	54	133	200	78	122	11·6	15·6	6·3	23·3	13·8	–	2·56	0·70	0·12	0·47	6·0	40	....	–
Maybole S.B.	4,624	25	77	45	32	2	1	2	41	38	69	36	33	16·7	15·2	8·9	14·9	16·1	0·43	2·16	0·43	0·22	–	2·6	91	....	25
Newmilns and Greenholm S.B.	3,549	3	53	25	28	1	–	1	22	33	54	27	27	14·9	13·0	6·2	15·2	13·4	0·56	1·13	1·41	–	0·56	1·9	75	....	19
Prestwick S.B.	12,385	14	207	104	103	7	–	2	101	107	181	91	90	16·7	17·4	8·2	14·6	11·5	–	2·91	0·65	0·08	0·24	3·4	19	....	10
Saltcoats S.B.	14,016	46	339	190	149	13	–	10	113	120	185	106	79	24·2	20·9	8·1	13·2	14·1	0·14	2·64	0·71	0·14	–	3·8	41	....	29
Stevenston S.B.	10,204	22	233	137	96	4	2	9	84	62	102	54	48	22·8	24·1	8·2	10·0	11·7	–	1·47	0·59	–	0·29	1·7	26	....	37
Stewarton S.B.	3,373	15	57	31	26	3	1	–	19	42	48	20	28	16·9	16·5	5·6	14·2	14·3	–	1·78	0·59	0·30	–	5·3	53	....	–
Troon S.B.	9,751	15	134	64	70	5	–	5	63	72	133	60	73	13·7	14·5	6·5	13·6	11·7	–	3·18	0·31	–	0·21	3·7	45	....	36
Landward	129,407	3,353	2,495	1,283	1,212	106	144	66	812	1,720	1,393	714	679	19·3	18·4	6·3	10·8	12·0	0·02	1·71	0·56	0·16	0·12	4·2	27	....	26
Banff County	**46,151**	**781**	**838**	**448**	**390**	**52**	**13**	**20**	**357**	**497**	**590**	**283**	**307**	**18·2**	**20·9**	**7·7**	**12·8**	**11·1**	**0·04**	**2·32**	**0·85**	**0·22**	**0·26**	**6·2**	**29**	**24**	**23**
Aberchirder S.B.	754	1	18	7	11	5	–	–	7	5	14	5	9	23·9	25·6	9·3	18·6	11·2	–	–	3·98	–	–	27·8	–	....	–
Aberlour S.B.	963	1	25	15	10	–	–	–	13	19	12	4	8	26·0	41·9	13·5	12·5	12·8	–	1·04	2·08	–	–	–	40	....	–
Banff S.B.	3,233	254	50	31	19	3	4	3	37	108	56	21	35	15·5	16·7	11·4	17·3	13·9	–	4·95	0·62	0·31	0·62	6·0	80	....	57
Buckie S.B.	7,697	233	137	63	74	8	3	3	85	100	113	58	55	17·8	20·4	11·0	14·7	13·4	–	3·12	1·30	0·13	0·26	5·8	22	....	21
Cullen S.B.	1,328	–	21	11	10	2	–	2	11	21	25	9	16	15·8	20·9	8·3	18·8	12·9	–	3·01	–	–	0·75	9·5	190	....	87
Dufftown S.B.	1,541	109	32	19	13	2	2	1	4	29	24	9	15	20·8	21·3	2·6	15·6	12·0	–	2·60	1·30	1·30	–	6·3	31	....	30
Findochty S.B.	1,353	–	24	13	11	1	–	1	6	8	15	8	7	17·7	19·4	4·4	11·1	9·1	–	2·22	0·74	–	–	4·2	42	....	40
Keith S.B.	4,172	152	67	33	34	3	4	4	40	56	63	30	33	16·1	17·8	9·6	15·1	12·8	0·24	2·40	0·48	0·24	0·48	4·5	30	....	56
Macduff S.B.	3,464	3	69	36	33	3	–	1	24	12	55	24	31	19·9	21·8	6·9	15·9	12·1	0·29	2·31	1·44	0·58	–	4·3	72	....	14
Portknockie S.B.	1,257	1	19	12	7	–	–	1	5	12	18	10	8	15·1	18·6	4·0	14·3	12·6	–	0·80	–	–	–	–	–	....	50
Portsoy S.B.	1,668	3	21	12	9	1	–	–	18	30	26	12	14	12·6	15·1	10·8	15·6	10·7	–	1·80	0·60	–	1·20	4·8	48	....	–
Landward	18,721	24	355	196	159	24	–	4	107	97	169	93	76	19·0	22·0	5·7	9·0	8·4	–	1·76	0·59	0·16	0·16	6·8	6	....	11
Berwick County	**22,116**	**182**	**307**	**166**	**141**	**16**	**1**	**4**	**135**	**232**	**343**	**174**	**169**	**13·9**	**15·7**	**6·1**	**15·5**	**12·7**	**0·05**	**2·44**	**0·68**	**0·27**	**0·23**	**5·2**	**20**	**16**	**13**
Coldstream S.B.	1,224	42	39	18	21	2	–	1	11	22	23	12	11	31·9	35·8	9·0	18·8	14·3	–	–	0·82	–	0·82	5·1	26	....	25
Duns S.B.	1,814	103	32	19	13	2	1	–	22	31	37	24	13	17·6	17·6	12·1	20·4	17·0	–	2·21	0·55	–	–	6·3	–	....	–
Eyemouth S.B.	2,132	3	13	7	6	–	–	–	12	31	41	24	17	6·1	6·5	5·6	19·2	15·9	–	4·22	1·88	–	–	–	77	....	–
Lauder S.B.	604	1	10	5	5	–	–	–	4	5	16	9	7	16·6	16·9	6·6	26·5	16·8	–	8·28	1·66	–	1·66	–	–	....	–
Landward	16,342	33	213	117	96	12	–	3	86	143	226	105	121	13·0	15·0	5·3	13·8	11·5	0·06	2·20	0·49	0·37	0·18	5·6	19	....	14
Bute County	**14,425**	**150**	**191**	**95**	**96**	**15**	**1**	**3**	**101**	**270**	**289**	**132**	**157**	**13·2**	**16·1**	**7·0**	**20·0**	**13·9**	**0·28**	**3·60**	**0·90**	**0·14**	**0·42**	**7·9**	**42**	**31**	**15**
Millport S.B.	1,395	7	8	3	5	1	–	–	10	30	32	17	15	5·7	7·9	7·2	22·9	12·5	0·72	1·43	1·43	–	0·72	12·5	–	....	–
Rothesay S.B.	7,504	103	112	51	61	10	1	2	61	154	154	61	93	14·9	16·5	8·1	20·5	16·2	0·27	4·40	0·80	0·13	0·53	8·9	54	....	18
Landward	5,526	40	71	41	30	4	–	1	30	86	103	54	49	12·8	17·6	5·4	18·6	11·7	0·18	3·08	0·90	0·18	0·18	5·6	28	....	14
Caithness County	**27,620**	**473**	**610**	**313**	**297**	**37**	**3**	**7**	**191**	**320**	**347**	**183**	**164**	**22·1**	**25·2**	**6·9**	**12·6**	**10·2**	–	**2·03**	**0·36**	**0·25**	**0·36**	**6·1**	**11**	**7**	**11**
Thurso S.B.	8,276	54	232	131	101	10	1	4	49	47	65	37	28	28·0	18·2	5·9	7·9	6·9	–	1·45	–	0·36	–	4·3	4	....	17
Wick S.B.	7,496	218	157	70	87	9	–	–	80	71	91	41	50	20·9	21·1	10·7	12·1	11·5	–	2·67	0·80	0·13	0·40	5·7	19	....	–
Landward	11,848	201	221	112	109	18	2	3	62	202	191	105	86	18·7	23·3	5·2	16·1	11·8	–	2·03	0·34	0·25	0·59	8·1	14	....	13
Clackmannan County	**41,342**	**255**	**828**	**426**	**402**	**46**	**4**	**18**	**252**	**312**	**437**	**227**	**210**	**20·0**	**17·2**	**6·1**	**10·6**	**11·3**	**0·05**	**1·81**	**0·75**	–	**0·34**	**5·6**	**22**	**13**	**21**
Alloa S.B.	13,882	74	277	144	133	20	3	9	116	116	160	82	78	20·0	18·5	8·4	11·5	12·1	–	1·58	0·65	–	0·43	7·2	25	....	31
Alva S.B.	3,946	26	91	49	42	3	–	2	29	39	72	33	39	23·1	21·3	7·3	18·2	15·9	0·25	2·79	1·77	–	0·76	3·3	22	....	22
Dollar S.B.	1,948	2	16	7	9	2	–	1	7	9	17	7	10	8·2	10·6	3·6	8·7	7·0	–	2·57	0·51	–	0·51	12·5	–	....	59
Tillicoultry S.B.	3,960	34	84	49	35	1	–	–	19	24	50	31	19	21·2	16·9	4·8	12·6	12·3	0·25	2·02	1·26	–	–	1·2	12	....	–
Landward	17,606	119	360	177	183	20	1	6	81	124	138	74	64	20·4	16·1	4·6	7·8	9·4	–	1·65	0·51	–	0·23	5·6	22	....	16

Table 7—*continued*

Area	Estimated Population 1961	Numbers												Rates per 1,000 of Population												
		Live Births					Stillbirths		Marriages Registered	Deaths				Birth-Rate			Death-Rate							Illegitimate Births Per Cent. of Live Births	Infant Mortality Per 1,000 Live Births	Neo-Natal Mortality Per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Reg'd. Both Sexes	Corrected for Usual Residence				Registered	Corrected for usual Residence		Reg'd. Both Sexes	Corrected for Usual Residence			Crude	Standardised for Age and Sex	Marriage Rate	Crude	Standardised for Age and Sex	Tuberculosis (001-019)	Malignant Neoplasms (140-205)	Bronchitis and Pneumonia (490-502)	Road Transport Accidents (E810-E845)	Accidents in the Home (Pt. E870-E936)				
			Both Sexes	Males	Fe-males	Illegitimate					Both Sexes	Males	Fe-males													
Dumfries County	87,686	2,159	1,612	818	794	88	58	40	1,093	1,155	1,045	508	537	18·4	18·4	12·5	11·9	11·2	0·06	2·08	1·03	0·25	0·15	5·5	18	14	24
Dumfries L.B.	26,868	1,912	515	257	258	26	53	12	349	524	353	171	182	19·2	17·6	13·0	13·1	13·4	0·04	2·87	0·89	0·11	0·07	5·0	14	12	23
Annan S.B.	5,596	15	151	81	70	6	–	4	79	40	72	32	40	27·0	28·8	14·1	12·9	11·3	–	1·43	2·32	0·18	0·18	4·0	26	....	26
Langholm S.B.	2,366	8	23	16	7	1	–	–	17	31	34	11	23	9·7	11·0	7·2	14·4	9·9	–	1·27	1·27	–	–	4·3	43	....	....
Lochmaben S.B.	1,280	1	24	10	14	–	1	1	10	3	9	3	6	18·8	20·2	7·8	7·0	5·4	–	–	–	–	0·78	–	42	....	40
Lockerbie S.B.	2,820	3	40	19	21	1	–	–	29	34	50	25	25	14·2	16·5	10·3	17·7	14·4	–	3·19	1·42	0·35	0·35	2·5	25	....	....
Moffat S.B.	1,915	72	23	15	8	4	2	3	26	26	34	9	25	12·0	15·4	13·6	17·8	11·1	–	4·70	3·13	0·52	0·52	17·4	43	....	115
Sanquhar S.B.	2,172	13	38	18	20	–	–	1	19	24	28	11	17	17·5	14·4	8·7	12·9	13·9	–	1·38	0·46	–	0·46	–	26	....	26
Landward	44,669	135	798	402	396	50	2	19	564	473	465	246	219	17·9	18·6	12·6	10·4	9·9	0·09	1·63	0·87	0·36	0·13	6·3	16	....	23
Dunbarton County	186,660	2,735	3,926	2,007	1,919	115	51	78	1,201	1,922	2,092	1,074	1,018	21·0	20·1	6·4	11·2	11·9	0·11	1·94	0·98	0·12	0·17	2·9	25	16	19
Clydebank L.B.	50,102	366	1,105	563	542	28	3	23	352	401	503	268	235	22·1	17·6	7·0	10·0	12·1	0·20	1·80	0·82	0·08	0·10	2·5	27	20	20
Dumbarton L.B.	26,306	848	589	302	287	19	13	9	171	234	296	165	131	22·4	22·0	6·5	11·3	12·4	0·15	1·94	1·56	0·15	0·27	3·2	31	19	15
Bearsden S.B.	17,257	69	337	173	164	3	–	4	52	161	184	92	92	19·5	25·3	3·0	10·7	8·8	0·06	2·03	0·87	0·12	0·06	0·9	9	....	12
Cove and Kilcreggan S.B.	846	2	12	5	7	–	–	–	2	12	16	5	11	14·2	19·0	2·4	18·9	9·0	–	5·91	–	–	–	–	–	....	–
Helensburgh S.B.	9,652	824	187	96	91	12	28	3	91	125	141	67	74	19·4	23·0	9·4	14·6	10·8	–	2·80	0·73	–	0·31	6·4	32	....	16
Kirkintilloch S.B.	18,414	143	420	219	201	8	2	7	154	110	176	91	85	22·8	22·3	8·4	9·6	11·6	–	1·09	0·54	–	0·22	1·9	14	....	16
Milngavie S.B.	8,819	43	163	71	92	5	–	3	50	47	107	51	56	18·5	17·9	5·7	12·1	11·0	–	2·38	1·25	0·11	0·23	3·1	6	....	18
Landward	55,264	440	1,113	578	535	40	5	29	329	832	669	335	334	20·1	20·5	6·0	12·1	13·3	0·11	2·04	1·03	0·22	0·18	3·6	31	....	25
East Lothian County	51,664	507	887	464	423	16	3	13	324	613	660	342	318	17·2	16·6	6·3	12·8	12·9	0·08	2·07	0·85	0·19	0·21	1·8	20	15	14
Cockenzie and Port Seton S.B.	3,471	4	50	30	20	3	–	–	17	14	34	17	17	14·4	11·2	4·9	9·8	10·2	–	2·02	1·15	–	–	6·0	–	....	–
Dunbar S.B.	3,932	7	56	28	28	2	–	1	46	60	66	32	34	14·2	14·6	11·7	16·8	14·1	–	2·80	1·02	–	0·25	3·6	–	....	18
East Linton S.B.	902	–	15	7	8	–	–	–	3	5	13	8	5	16·6	19·8	3·3	14·4	8·5	–	1·11	1·11	–	–	–	–	....	–
Haddington S.B.	5,523	400	108	69	39	2	3	–	34	149	69	37	32	19·6	20·6	6·2	12·5	10·2	–	1·99	0·72	0·18	0·18	1·9	9	....	–
North Berwick S.B.	3,729	3	37	19	18	–	–	1	33	55	75	28	47	9·9	11·8	8·8	20·1	14·5	–	2·68	0·54	–	0·54	–	–	....	26
Prestonpans S.B.	3,097	17	75	43	32	2	–	–	47	16	32	18	14	24·2	20·8	15·2	10·3	13·3	0·32	1·61	0·65	–	–	2·7	27	....	–
Tranent S.B.	6,336	8	141	68	73	1	–	5	55	31	68	44	24	22·3	18·8	8·7	10·7	13·3	0·32	1·74	0·95	0·32	0·32	0·7	14	....	34
Landward	24,674	68	405	200	205	6	–	6	89	283	303	158	145	16·4	16·1	3·6	12·3	13·5	0·04	2·07	0·85	0·28	0·20	1·5	32	....	15
Fife County	322,561	5,907	6,112	3,039	3,073	258	116	127	2,249	3,468	3,764	1,945	1,819	18·9	17·1	7·0	11·7	11·9	0·04	1·95	0·75	0·11	0·21	4·2	23	16	20
Dunfermline L.B.	48,045	1,702	933	461	472	38	33	21	402	620	517	248	269	19·4	18·8	8·4	10·8	11·6	–	2·12	0·73	0·12	0·17	4·1	16	14	22
Kirkcaldy L.B.	52,644	1,623	981	462	519	44	49	25	449	789	597	292	305	18·6	16·3	8·5	11·3	11·6	0·06	1·98	0·76	0·09	0·25	4·5	21	14	25
Auchtermuchty S.B.	1,359	4	16	9	7	–	–	1	18	8	18	9	9	11·8	12·1	13·2	13·2	8·5	–	1·47	0·74	–	0·74	–	63	....	59
Buckhaven and Methil S.B.	21,163	159	440	223	217	24	1	6	154	200	296	171	125	20·8	16·8	7·3	14·0	16·4	0·09	1·61	0·61	0·14	0·14	5·5	34	....	13
Burntisland S.B.	6,095	14	118	59	59	4	–	–	52	67	100	57	43	19·4	19·5	8·5	16·4	14·3	0·16	2·95	0·66	0·33	0·82	3·4	17	....	–
Cowdenbeath S.B.	11,923	23	199	108	91	5	–	3	137	82	143	86	57	16·7	14·2	11·5	12·0	13·8	–	1·76	1·09	–	0·08	2·5	35	....	15
Crail S.B.	1,039	4	23	15	8	–	–	–	10	11	15	7	8	22·1	29·2	9·6	14·4	9·1	–	2·89	0·96	–	–	–	–	....	–
Culross S.B.	516	4	9	4	5	–	–	–	19	5	6	4	2	17·4	12·4	36·8	11·6	12·0	–	–	–	–	–	–	–	....	–
Cupar S.B.	5,813	22	93	39	54	3	–	2	57	60	64	32	32	16·0	16·6	9·8	11·0	9·5	–	1·72	0·69	–	–	3·2	11	....	21
Elie and Earlsferry S.B.	945	7	13	4	9	1	–	–	6	25	22	6	16	13·8	25·7	6·3	23·3	11·8	–	5·29	1·06	–	1·06	7·7	–	....	–
Falkland S.B.	1,045	7	15	7	8	1	–	–	2	14	20	10	10	14·4	15·1	1·9	19·1	14·6	–	2·87	1·91	–	–	6·7	–	....	–

Leslie S.B. . .	3,431	35	59	29	30	1	–	1	23	43	47	24	23	17·2	14·7	6·7	13·7	13·8	–	2·62	0·87	–	0·29	1·7	–	....	17
Leven S.B. .	8,909	50	173	79	94	9	–	3	60	62	129	67	62	19·4	18·2	6·7	14·5	13·7	–	3·26	0·67	0·11	0·45	5·2	58	....	17
Lochgelly S.B. .	9,158	54	200	111	89	4	–	3	56	54	93	45	48	21·8	20·1	6·1	10·2	11·2	–	1·75	0·76	0·11	–	2·0	35	....	15
Markinch S.B. .	2,440	7	26	12	14	–	–	2	35	19	41	20	21	10·7	10·6	14·3	16·8	14·9	0·41	2·87	0·82	–	–	–	–	....	71
Newburgh S.B. .	2,350	9	32	14	18	1	–	2	13	18	28	14	14	13·6	14·4	5·5	11·9	10·2	–	0·43	0·43	–	0·43	3·1	31	....	59
Newport-on-Tay S.B. . .	3,301	362	50	21	29	2	1	1	23	42	60	26	34	15·1	18·0	7·0	18·2	10·7	–	2·73	1·21	–	0·61	4·0	20	....	20
Pittenweem S.B. .	1,557	5	20	12	8	2	–	–	15	12	21	12	9	12·8	14·8	9·6	13·5	9·2	–	3·21	0·64	–	–	10·0	–	....	–
St. Andrews S.B. .	10,109	24	150	70	80	14	–	1	91	102	129	59	70	14·8	18·0	9·0	12·8	10·9	0·10	1·78	0·79	–	0·30	9·3	40	....	7
St. Monance S.B.	1,416	5	24	14	10	–	–	–	6	21	25	9	16	16·9	21·8	4·2	17·7	13·6	–	2·12	0·71	–	–	–	–	....	–
Tayport S.B. .	3,152	9	47	23	24	3	–	–	13	29	42	16	26	14·9	16·0	4·1	13·3	10·4	0·32	3·49	–	–	0·32	6·4	–	....	–
Landward . .	115,796	1,744	2,346	1,189	1,157	96	32	50	536	1,105	1,220	657	563	20·3	17·4	4·6	10·5	11·5	0·02	1·65	0·78	0·13	0·19	4·1	22	....	21
Inverness County . .	**82,838**	**1,750**	**1,411**	**739**	**672**	**77**	**47**	**20**	**648**	**1,286**	**1,065**	**588**	**477**	**17·0**	**21·8**	**7·8**	**12·9**	**10·6**	**0·07**	**2·16**	**0·41**	**0·22**	**0·14**	**5·5**	**18**	**10**	**14**
Inverness L.B. .	29,469	1,390	505	281	224	27	45	10	430	597	335	195	140	17·1	17·0	14·6	11·4	10·8	0·07	2·04	0·41	0·17	0·14	5·3	14	8	19
Fort William S.B.	2,750	27	57	35	22	3	–	1	50	33	27	17	10	20·7	24·1	18·2	9·8	10·1	–	2·55	–	0·36	–	5·3	18	....	17
Kingussie S.B. .	1,053	4	11	5	6	2	–	–	8	24	24	12	12	10·4	11·1	7·6	22·8	16·2	–	3·80	0·95		0·95	18·2	–	....	–
Landward . .	49,566	329	838	418	420	45	2	9	160	632	679	364	315	16·9	25·8	3·2	13·7	10·4	0·08	2·18	0·42	0·24	0·14	5·4	21	....	11
Kincardine County . .	**25,577**	**137**	**413**	**215**	**198**	**15**	**2**	**8**	**162**	**234**	**351**	**172**	**179**	**16·1**	**17·5**	**6·3**	**13·7**	**11·6**	**0·08**	**2·74**	**0·82**	**0·16**	**0·27**	**3·6**	**15**	**12**	**19**
Banchory S.B. .	1,892	–	28	13	15	–	–	–	21	18	39	16	23	14·8	17·7	11·1	20·6	14·0	0·53	3·70	1·59	–	0·53	–	71	....	–
Inverbervie S.B. .	935	2	11	4	7	–	–	–	14	10	19	8	11	11·8	13·3	15·0	20·3	15·5	–	3·21	1·07	–	–	–	–	....	–
Laurencekirk S.B.	1,352	–	20	12	8	1	–	–	15	7	23	10	13	14·8	15·3	11·1	17·0	11·4	–	4·44	–	–	–	5·0	–	....	–
Stonehaven S.B. .	4,535	104	61	30	31	1	1	3	44	90	75	33	42	13·5	15·7	9·7	16·5	11·5	–	3·09	1·10	0·22	0·22	1·6	33	....	47
Landward . .	16,863	31	293	156	137	13	1	5	68	109	195	105	90	17·4	18·5	4·0	11·6	10·9	0·06	2·37	0·71	0·18	0·30	4·4	7	....	17
Kinross County . .	**6,641**	**44**	**108**	**50**	**58**	**2**	–	**1**	**34**	**75**	**94**	**34**	**60**	**16·3**	**17·5**	**5·1**	**14·2**	**12·4**	–	**3·46**	**0·75**	–	–	**1·9**	**56**	**56**	**9**
Kinross S.B. .	2,361	13	33	17	16	–	–	–	17	22	44	18	26	14·0	14·4	7·2	18·6	16·2	–	5·93	0·85	–	–	–	30	....	–
Landward . .	4,280	31	75	33	42	2	–	1	17	53	50	16	34	17·5	19·2	4·0	11·7	10·2	–	2·10	0·70	–	–	2·7	67	....	13
Kirkcudbright County	**28,464**	**116**	**520**	**288**	**232**	**24**	–	**12**	**181**	**311**	**394**	**202**	**192**	**18·3**	**19·9**	**6·4**	**13·8**	**12·3**	**0·04**	**2·00**	**0·91**	**0·11**	**0·18**	**4·6**	**15**	**12**	**23**
Castle Douglas S.B.	3,231	11	42	22	20	3	–	1	21	54	38	19	19	13·0	13·2	6·5	11·8	10·5	–	0·93	0·93	–	0·31	7·1	–	....	23
Dalbeattie S.B. .	3,096	28	61	31	30	2	–	1	28	27	41	21	20	19·7	18·3	9·0	13·2	12·1	0·32	2·26	1·29	–	0·65	3·3	–	....	16
Gatehouse S.B. .	831	–	19	10	9	1	–	–	4	4	5	2	3	22·9	25·9	4·8	6·0	4·0	–	–	2·41	–	–	5·3	–	....	–
Kirkcudbright S.B.	2,428	7	52	22	30	5	–	–	24	40	42	18	24	21·4	23·1	9·9	17·3	15·0	–	1·65	1·65	–	–	9·6	19	....	–
New Galloway S.B.	323	–	6	2	4	–	–	–	1	3	3	2	1	18·6	33·4	3·1	9·3	4·5	–	–	–	–	3·10	–	–	....	–
Landward . . .	18,555	70	340	201	139	13	–	10	103	183	265	140	125	18·3	20·5	5·6	14·3	13·0	–	2·32	0·70	0·16	0·05	3·8	21	....	29
Lanark County . .	**1,628,110**	**33,879**	**35,088**	**17,997**	**17,091**	**1,611**	**822**	**808**	**13,773**	**20,055**	**19,921**	**10,592**	**9,329**	**21·6**	**21·2**	**8·5**	**12·2**	**13·8**	**0·16**	**2·13**	**1·21**	**0·14**	**0·20**	**4·6**	**31**	**20**	**23**
Glasgow C. of C..	1,056,008	22,703	22,842	11,667	11,175	1,236	588	546	9,447	14,029	13,366	7,017	6,349	21·6	21·3	8·9	12·7	14·3	0·19	2·29	1·33	0·13	0·22	5·4	31	21	23
Airdrie L.B. .	33,758	1,303	852	442	410	25	12	25	324	242	358	199	159	25·2	23·9	9·6	10·6	12·7	0·21	1·66	0·74	0·09	0·27	2·9	28	15	29
Coatbridge L.B. .	54,262	387	1,381	718	663	44	2	38	404	520	576	344	232	25·5	24·2	7·4	10·6	12·9	0·09	1·73	0·98	0·04	0·07	3·2	27	20	27
Hamilton L.B. .	42,192	1,320	852	430	422	38	10	26	418	256	474	253	221	20·2	19·5	9·9	11·2	13·4	0·07	1·85	0·97·	0·14	0·21	4·5	29	18	30
Motherwell and Wishaw L.B. .	73,192	1,315	1,569	806	763	42	18	26	614	586	815	462	353	21·4	20·7	8·4	11·1	12·8	0·15	1·83	1·11	0·14	0·11	2·7	31	19	16
Rutherglen L.B. .	25,275	108	544	308	236	19	1	14	224	163	339	169	170	21·5	22·1	8·9	13·4	12·9	0·04	2·22	1·46	0·28	0·40	3·5	26	22	25
Biggar S.B. .	1,412	7	23	16	7	–	–	–	14	12	22	8	14	16·3	16·5	9·9	15·6	10·7	–	3·54	0·71	0·71	0·71	–	–	....	–
Lanark S.B. .	8,366	1,160	137	66	71	3	24	2	101	123	132	70	62	16·4	16·2	12·1	15·8	14·4	0·12	1·55	0·60	0·12	0·12	2·2	66	....	14
Landward . .	333,645	5,576	6,888	3,544	3,344	204	167	131	2,227	4,124	3,839	2,070	1,769	20·6	20·3	6·7	11·5	13·1	0·10	1·84	0·97	0·19	0·19	3·0	32	....	19
Midlothian County . .	**587,226**	**11,637**	**10,689**	**5,527**	**5,162**	**556**	**247**	**217**	**4,684**	**7,704**	**7,447**	**3,667**	**3,780**	**18·2**	**18·6**	**8·0**	**12·7**	**12·0**	**0·04**	**2·45**	**1·09**	**0·17**	**0·30**	**5·2**	**22**	**17**	**20**
Edinburgh C. of C.	474,062	10,670	8,373	4,341	4,032	479	240	159	3,956	6,824	6,210	3,019	3,191	17·7	18·6	8·3	13·1	12·1	0·04	2·60	1·16	0·15	0·34	5·7	23	17	19
Bonnyrigg and Lasswade S.B. .	6,510	43	135	66	69	4	–	5	68	49	74	40	34	20·7	20·5	10·4	11·4	11·7	–	1·84	0·77	–	–	3·0	22	....	36
Dalkeith S.B. .	8,987	23	179	93	86	8	1	7	70	89	129	71	58	19·9	17·5	7·8	14·4	15·1	0·33	2·78	0·56	0·11	0·11	4·5	34	....	38
Loanhead S.B. .	5,108	17	77	40	37	1	1	1	33	44	69	42	27	15·1	13·6	6·5	13·5	14·8	–	1·76	1·17	–	0·39	1·3	13	....	13
Musselburgh S.B.	17,598	404	302	153	149	6	2	5	134	118	224	122	102	17·2	16·3	7·6	12·7	13·2	–	2·33	1·08	0·06	0·17	2·0	33	....	16
Penicuik S.B. .	5,912	41	103	57	46	1	–	3	65	32	64	29	35	17·4	14·8	11·0	10·8	11·0	0·17	2·20	0·68	0·17	0·17	1·0	49	....	28
Landward . .	69,049	439	1,520	777	743	57	3	37	358	548	677	344	333	22·0	19·9	5·2	9·8	11·1	0·03	1·58	0·74	0·32	0·19	3·8	15	....	24

Table 7—*continued*

Area	Estimated Population 1961	Numbers												Rates per 1,000 of Population											
		Live Births					Stillbirths		Marriages Registered	Deaths				Birth-Rate			Death-Rate						Illegitimate Births Per Cent. of Live Births	Infant Mortality Per 1,000 Live Births	Neo-Natal Mortality Per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Reg'd. Both Sexes	Corrected for Usual Residence				Registered	Corrected for Usual Residence		Reg'd. Both Sexes	Corrected for Usual Residence			Crude	Standardised Age and Sex	Marriage Rate	Crude	Standardised for Age and Sex	Tuberculosis (001-019)	Malignant Neoplasms (140-205)	Bronchitis and Pneumonia (490-502)	Road Transport Accidents (E810-E845)	Accidents in the Home (Pt. E870-E936)				
			Both Sexes	Males	Fe-males	Illegitimate					Both Sexes	Males	Fe-males													
Moray County	50,143	841	1,009	517	492	50	9	22	380	453	498	266	232	20·1	20·5	7·6	9·9	9·6	0·02	1·60	0·60	0·04	0·22	5·0	20	13	21
Burghead S.B.	1,355	–	41	21	20	1	–	–	5	10	20	11	9	30·3	25·2	3·7	14·8	12·1	–	2·21	0·74	–	–	2·4	24	....	–
Elgin S.B.	12,072	460	238	125	113	13	5	5	169	149	130	55	75	19·7	18·7	14·0	10·8	9·4	–	2·24	0·91	0·08	0·25	5·5	13	....	21
Forres S.B.	4,810	264	75	37	38	6	3	1	58	63	64	33	31	15·6	14·0	12·1	13·3	11·7	0·21	1·87	0·83	–	0·21	8·0	67	....	13
Grantown-on-Spey S.B.	1,601	1	25	18	7	1	–	1	15	5	13	5	8	15·6	24·2	9·4	8·1	6·3	–	0·62	–	–	–	4·0	40	....	38
Lossiemouth and Branderburgh S.B.	5,859	13	159	83	76	9	–	7	49	31	58	33	25	27·1	21·6	8·4	9·9	9·8	–	0·85	0·34	–	0·34	5·7	6	....	42
Rothes S.B.	1,110	–	11	5	6	–	–	–	4	5	13	7	6	9·9	11·8	3·6	11·7	9·9	–	2·70	–	–	–	–	–	....	–
Landward	23,336	103	460	228	232	20	1	8	80	190	200	122	78	19·7	22·2	3·4	8·6	9·2	–	1·37	0·51	0·04	0·21	4·3	20	....	17
Nairn County	8,297	114	129	70	59	8	2	3	67	90	117	55	62	15·5	18·4	8·1	14·1	11·0	–	2·17	0·60	0·24	0·36	6·2	16	16	23
Nairn S.B.	4,841	17	84	44	40	1	–	1	54	35	78	34	44	17·4	19·2	11·2	16·1	12·0	–	2·69	0·83	0·21	0·41	1·2	12	....	12
Landward	3,456	97	45	26	19	7	2	2	13	55	39	21	18	13·0	17·0	3·8	11·3	9·4	–	1·45	0·29	0·29	0·29	15·6	22	....	43
Orkney County	18,636	302	310	164	146	18	9	9	164	265	277	130	147	16·6	17·0	8·8	14·9	10·9	0·05	2·04	0·97	0·05	0·05	5·8	6	3	28
Kirkwall S.B.	4,385	244	64	36	28	5	6	–	61	117	52	27	25	14·6	12·4	13·9	11·9	10·5	–	1·82	0·46	–	–	7·8	–	....	–
Stromness S.B.	1,490	9	25	10	15	3	–	–	22	18	32	14	18	16·8	17·9	14·8	21·5	15·3	–	2·68	0·67	–	–	12·0	40	....	–
Landward	12,761	49	221	118	103	10	3	9	81	130	193	89	104	17·3	18·7	6·3	15·1	10·6	0·08	2·04	1·18	0·08	0·08	4·5	5	....	39
Peebles County	13,465	159	208	98	110	9	1	2	99	166	230	103	127	15·4	17·7	7·4	17·1	13·1	0·07	2·23	0·59	0·15	0·52	4·3	24	24	10
Innerleithen S.B.	2,286	1	41	20	21	–	–	–	13	15	32	15	17	17·9	18·8	5·7	14·0	10·4	–	2·19	–	0·44	0·87	–	49	....	–
Peebles S.B.	5,330	152	75	36	39	4	1	1	50	100	116	55	61	14·1	16·1	9·4	21·8	15·5	0·19	2·63	0·94	–	0·19	5·3	27	....	13
Landward	5,849	6	92	42	50	5	–	1	36	51	82	33	49	15·7	18·8	6·2	14·0	11·8	–	1·88	0·51	0·17	0·68	5·4	11	....	11
Perth County	124,617	1,769	2,017	1,037	980	103	39	44	906	1,753	1,738	845	893	16·2	18·1	7·3	13·9	11·3	0·06	2·35	0·79	0·24	0·33	5·1	16	12	21
Perth L.B.	40,893	1,228	712	361	351	38	34	21	443	590	548	273	275	17·4	16·8	10·8	13·4	12·1	0·07	2·52	1·05	0·27	0·34	5·3	18	13	29
Aberfeldy S.B.	1,427	75	22	10	12	1	–	–	9	22	30	20	10	15·4	19·0	6·3	21·0	15·7	–	4·20	1·40	–	0·70	4·5	–	....	–
Abernethy S.B.	591	1	10	7	3	–	–	1	6	5	8	5	3	16·9	20·1	10·2	13·5	10·8	–	–	1·69	–	1·69	–	100	....	91
Alyth S.B.	1,838	137	32	22	10	1	2	–	18	12	37	17	20	17·4	19·0	9·8	20·1	16·0	–	4·35	0·54	0·54	1·09	3·1	–	....	–
Auchterarder S.B.	2,387	16	52	27	25	2	–	–	20	35	50	21	29	21·8	25·8	8·4	20·9	14·1	–	2·93	1·68	–	0·42	3·8	–	....	–
Blairgowrie and Rattray S.B.	5,117	7	81	58	23	–	–	3	50	81	92	42	50	15·8	18·7	9·8	18·0	12·4	0·20	3·32	1·17	0·39	0·78	–	–	....	36
Callander S.B.	1,582	4	25	11	14	2	–	–	11	15	34	14	20	15·8	19·8	7·0	21·5	15·5	–	3·79	1·26	–	0·63	8·0	–	....	–
Coupar Angus S.B.	2,040	6	32	25	7	1	–	–	14	17	33	15	18	15·7	18·1	6·9	16·2	11·4	0·49	1·96	1·96	–	–	3·1	–	....	–
Crieff S.B.	5,426	27	86	48	38	4	–	2	36	95	104	37	67	15·8	21·7	6·6	19·2	12·7	–	1·84	1·47	0·18	0·37	4·7	47	....	23
Doune S.B.	774	4	19	12	7	–	–	–	13	6	13	10	3	24·5	24·7	16·8	16·8	12·8	–	2·58	–	1·29	–	–	–	....	–
Dunblane S.B.	2,794	8	46	22	24	–	–	–	28	25	48	27	21	16·5	20·8	10·0	17·2	11·4	0·36	2·51	0·72	–	–	–	22	....	–
Pitlochry S.B.	2,361	6	31	13	18	1	–	–	9	29	33	11	22	13·1	13·5	3·8	14·0	10·1	–	2·12	0·85	–	–	3·2	–	....	–
Landward	57,387	250	869	421	448	53	3	17	249	821	708	353	355	15·1	18·4	4·3	12·3	10·1	0·02	2·06	0·42	0·24	0·26	6·1	16	....	19
Renfrew County	340,389	8,486	7,087	3,636	3,451	263	143	136	2,487	4,088	4,140	2,156	1,984	20·8	20·6	7·3	12·2	12·9	0·15	2·25	0·89	0·09	0·24	3·7	27	20	19
Greenock L.B.	74,802	2,013	1,701	863	838	78	41	28	594	1,057	907	490	417	22·7	21·8	7·9	12·1	13·4	0·15	2·27	1·03	0·03	0·27	4·6	27	22	16
														21·5	20·6	8·2	12·6	13·5	0·19	2·49	1·01	0·09	0·30	3·9	24	18	20

Gourock S.B.	9,704	54	168	91	77	4	1	5	64	74	130	66	64	17·3	17·6	6·6	13·4	11·3	0·21	2·99	0·82	0·21	0·10	2·4	24	....	29
Johnstone S.B.	18,639	215	496	253	243	19	5	18	135	95	185	106	79	26·6	22·9	7·2	9·9	12·2	0·11	1·61	0·43	0·16	0·27	3·8	30	....	35
Renfrew S.B.	17,933	203	428	227	201	7	1	9	137	122	208	112	96	23·9	22·0	7·6	11·6	12·8	0·22	2·34	1·17	0·17	0·06	1·6	19	....	21
Landward	85,912	2,805	1,363	733	630	47	69	18	504	1,098	1,102	558	544	15·9	19·1	5·9	12·8	11·8	0·08	2·17	0·77	0·12	0·15	3·4	26	....	13
Ross and Cromarty County	**57,414**	**767**	**915**	**472**	**443**	**33**	**4**	**15**	**231**	**643**	**811**	**404**	**407**	**15·9**	**23·1**	**4·0**	**14·1**	**9·9**	**0·07**	**2·49**	**0·61**	**0·09**	**0·24**	**3·6**	**21**	**19**	**16**
Cromarty S.B.	624	2	13	4	9	–	–	–	2	4	8	6	2	20·8	24·6	3·2	12·8	7·8	–	3·21	1·60	–	–	–	–	....	–
Dingwall S.B.	3,796	307	74	34	40	5	1	1	35	52	47	20	27	19·5	19·0	9·2	12·4	12·2	0·53	1·84	0·53	–	0·26	6·8	54	....	13
Fortrose S.B.	884	1	20	10	10	1	–	–	7	6	15	5	10	22·6	32·5	7·9	17·0	10·8	–	2·26	–	–	–	5·0	–	....	–
Invergordon S.B.	1,667	1	23	14	9	3	–	2	11	5	30	14	16	13·8	15·9	6·6	18·0	13·4	0·60	5·40	0·60	0·60	1·20	13·0	43	....	80
Stornoway S.B.	5,352	260	73	34	39	3	2	–	33	125	74	33	41	13·6	20·2	6·2	13·8	11·8	–	2·80	0·75	–	0·19	4·1	41	....	–
Tain S.B.	1,726	6	23	14	9	1	–	–	24	17	25	15	10	13·3	13·5	13·9	14·5	10·4	–	1·74	–	0·58	0·58	4·3	43	....	–
Landward	43,365	190	689	362	327	20	1	12	119	434	612	311	301	15·9	24·6	2·7	14·1	9·5	0·02	2·42	0·62	0·07	0·21	2·9	15	....	17
Roxburgh County	**42,691**	**513**	**656**	**333**	**323**	**28**	**12**	**19**	**303**	**600**	**679**	**317**	**362**	**15·4**	**17·2**	**7·1**	**15·9**	**12·8**	**0·02**	**2·69**	**0·68**	**0·12**	**0·30**	**4·3**	**27**	**20**	**28**
Hawick S.B.	16,028	329	254	132	122	8	10	10	134	227	271	119	152	15·8	17·7	8·4	16·9	14·0	–	2·56	0·87	–	0·44	3·1	39	....	38
Jedburgh S.B.	3,628	65	64	30	34	1	2	2	38	44	63	28	35	17·6	16·9	10·5	17·4	15·7	0·28	3·31	0·83	0·28	0·28	1·6	16	....	30
Kelso S.B.	3,929	85	67	32	35	3	–	2	40	80	59	26	33	17·1	17·5	10·2	15·0	11·5	–	3·56	0·51	–	0·76	4·5	15	....	29
Melrose S.B.	2,133	3	16	6	10	2	–	1	17	110	45	23	22	7·5	11·8	8·0	21·1	12·3	–	3·75	0·47	–	–	12·5	–	....	59
Landward	16,973	31	255	133	122	14	–	4	74	139	241	121	120	15·0	17·1	4·4	14·2	11·5	–	2·36	0·53	0·24	0·12	5·5	24	....	15
Selkirk County	**20,812**	**365**	**318**	**168**	**150**	**8**	**7**	**11**	**121**	**467**	**327**	**160**	**167**	**15·3**	**16·4**	**5·8**	**15·7**	**12·5**	**–**	**2·26**	**0·96**	**0·14**	**0·29**	**2·5**	**22**	**13**	**33**
Galashiels S.B.	12,279	268	190	96	94	5	4	5	79	185	198	93	105	15·5	16·8	6·4	16·1	12·7	–	2·52	1·22	0·08	0·33	2·6	26	....	26
Selkirk S.B.	5,668	93	76	42	34	3	3	4	29	70	97	46	51	13·4	13·5	5·1	17·1	13·2	–	2·12	0·71	0·18	0·18	3·9	26	....	50
Landward	2,865	4	52	30	22	–	–	2	13	212	32	21	11	18·2	20·7	4·5	11·2	9·9	–	1·40	0·35	0·35	0·35	–	–	....	37
Stirling County	**194,335**	**5,644**	**3,735**	**1,914**	**1,821**	**105**	**103**	**76**	**1,492**	**2,528**	**2,172**	**1,172**	**1,000**	**19·2**	**18·6**	**7·7**	**11·2**	**12·1**	**0·05**	**1·83**	**0·91**	**0·14**	**0·23**	**2·8**	**25**	**17**	**20**
Falkirk L.B.	37,803	1,827	765	434	331	21	44	18	360	665	451	257	194	20·2	20·1	9·5	11·9	12·2	0·13	2·20	1·22	0·13	0·24	2·7	26	17	23
Stirling L.B.	27,627	1,153	553	257	296	20	33	9	216	590	346	182	164	20·0	20·7	7·8	12·5	12·3	0·04	2·43	0·87	0·14	0·40	3·6	24	14	16
Bridge of Allan S.B.	3,325	86	51	26	25	–	–	–	25	21	34	10	24	15·3	18·0	7·5	10·2	7·4	–	1·50	0·60	–	0·30	–	20	....	–
Denny and Dunipace S.B.	7,762	34	142	78	64	5	–	5	56	55	92	56	36	18·3	16·7	7·2	11·9	14·9	0·13	1·16	1·03	0·13	0·52	3·5	28	....	34
Grangemouth S.B.	18,924	104	419	173	246	4	–	7	125	109	182	94	88	22·1	20·6	6·6	9·6	11·7	–	1·80	0·48	0·26	0·16	1·0	21	....	16
Kilsyth S.B.	9,815	55	174	95	79	4	–	4	96	77	116	59	57	17·7	17·4	9·8	11·8	14·2	–	1·53	0·71	0·10	0·20	2·3	23	....	22
Landward	89,079	2,385	1,631	851	780	51	26	33	614	1,011	951	514	437	18·3	17·2	6·9	10·7	11·9	0·02	1·59	0·90	0·13	0·17	3·1	27	....	20
Sutherland County	**13,290**	**116**	**223**	**110**	**113**	**11**	**1**	**5**	**68**	**178**	**199**	**111**	**88**	**16·8**	**23·6**	**5·1**	**15·0**	**9·7**	**–**	**2·03**	**0·60**	**0·15**	**0·53**	**4·9**	**27**	**13**	**22**
Dornoch S.B.	998	5	20	9	11	–	–	–	11	6	13	5	8	20·0	23·8	11·0	13·0	10·3	–	1·00	–	–	–	–	50	....	–
Landward	12,292	111	203	101	102	11	1	5	57	172	186	106	80	16·5	23·5	4·6	15·1	9·7	–	2·12	0·65	0·16	0·57	5·4	25	....	24
West Lothian County	**93,881**	**1,733**	**1,835**	**963**	**872**	**61**	**42**	**38**	**695**	**1,044**	**917**	**522**	**395**	**19·5**	**17·6**	**7·4**	**9·8**	**11·4**	**0·06**	**1·68**	**0·93**	**0·18**	**0·15**	**3·3**	**26**	**17**	**20**
Armadale S.B.	6,231	38	113	64	49	3	–	2	61	26	65	42	23	18·1	14·2	9·8	10·4	13·9	–	1·93	1·12	–	0·16	2·7	9	....	17
Bathgate S.B.	12,726	79	254	125	129	5	2	8	110	49	121	66	55	20·0	18·7	8·6	9·5	10·6	0·16	1·96	0·55	0·16	0·31	2·0	35	....	31
Bo'ness S.B.	10,192	68	196	100	96	8	–	3	86	59	91	57	34	19·2	17·8	8·4	8·9	9·6	0·10	1·86	0·69	0·20	–	4·1	31	....	15
Linlithgow S.B.	4,366	17	82	41	41	3	–	1	47	17	45	23	22	18·8	16·2	10·8	10·3	11·1	0·23	1·15	0·46	–	–	3·7	–	....	12
Queensferry S.B.	2,928	31	71	34	37	2	–	–	25	15	24	16	8	24·2	19·2	8·5	8·2	9·4	–	1·71	0·68	–	0·34	2·8	14	....	–
Whitburn S.B.	5,914	63	138	67	71	4	–	–	67	24	48	26	22	23·3	16·9	11·3	8·1	12·6	–	1·86	0·68	0·17	–	2·9	29	....	–
Landward	51,524	1,437	981	532	449	36	40	24	299	854	523	292	231	19·0	17·9	5·8	10·2	11·8	0·04	1·57	1·13	0·23	0·16	3·7	27	....	24
Wigtown County	**28,978**	**449**	**592**	**289**	**303**	**57**	**6**	**11**	**205**	**370**	**401**	**199**	**202**	**20·4**	**21·7**	**7·1**	**13·8**	**13·8**	**0·10**	**1·59**	**0·45**	**0·10**	**0·07**	**9·6**	**8**	**7**	**18**
Newton Stewart S.B.	1,991	3	23	14	9	–	–	–	28	20	34	13	21	11·6	12·6	14·1	17·1	15·8	–	0·50	1·51	–	–	–	–	....	–
Stranraer S.B.	9,249	386	179	86	93	14	6	5	77	164	124	52	72	19·4	18·5	8·3	13·4	14·5	–	2·05	0·22	–	0·11	7·8	6	....	27
Whithorn S.B.	976	9	29	13	16	3	–	–	18	14	17	8	9	29·7	28·6	18·4	17·4	13·5	–	–	–	–	–	10·3	–	....	–
Wigtown S.B.	1,195	4	18	9	9	1	–	–	10	15	21	11	10	15·1	14·8	8·4	17·6	13·3	0·84	4·18	–	–	–	5·6	–	....	–
Landward	15,567	47	343	167	176	39	–	6	72	157	205	115	90	22·0	25·0	4·6	13·2	13·4	0·13	1·35	0·51	0·19	0·06	11·4	12	....	17
Zetland County	**17,690**	**269**	**279**	**153**	**126**	**11**	**7**	**8**	**130**	**271**	**282**	**134**	**148**	**15·8**	**20·0**	**7·3**	**15·9**	**10·4**	**0·06**	**1·75**	**0·85**	**0·06**	**0·06**	**3·9**	**11**	**4**	**28**
Lerwick S.B.	5,993	241	96	50	46	7	7	2	74	154	78	40	38	16·0	16·7	12·3	13·0	10·8	0·17	1·50	0·33	–	–	7·3	21	....	20
Landward	11,697	28	183	103	80	4	–	6	56	117	204	94	110	15·6	21·7	4·8	17·4	10·4	–	1·88	1·11	0·09	0·09	2·2	5	....	32

Table 8. Birth-rate among Married and Unmarried Women in Scotland in 1961.

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
SCOTLAND	1,047,500	673,300	374,200	101,169	96,521	4,648	96·6	143·4	12·4
COUNTIES OF CITIES	395,900	249,200	146,800	38,159	36,026	2,133	96·4	144·6	14·5
LARGE BURGHS	181,200	118,600	62,500	18,327	17,614	713	101·2	148·5	11·4
COUNTIES (excluding Counties of Cities and Large Burghs)	470,400	305,500	164,900	44,683	42,881	1,802	95·0	140·4	10·9
SMALL BURGHS	177,700	116,600	61,100	16,262	15,644	618	91·5	134·2	10·1
LANDWARD	292,700	188,900	103,800	28,421	27,237	1,184	97·1	144·2	11·4
ABERDEEN COUNTY									
Aberdeen C. of C.	40,000	25,200	14,800	3,263	3,092	171	81·6	122·7	11·6
Remainder of Co.	25,700	16,600	9,100	2,381	2,258	123	92·7	135·9	13·6
ANGUS COUNTY									
Dundee C. of C.	37,700	24,300	13,400	3,681	3,434	247	97·8	141·5	18·4
Arbroath Burgh	4,000	2,700	1,300	353	332	21	87·9	122·2	16·2
Remainder of Co.	14,700	9,400	5,300	1,165	1,125	40	79·3	119·9	7·5
ARGYLL COUNTY	10,500	6,500	4,000	890	822	68	84·8	127·0	16·9
AYR COUNTY									
Ayr Burgh	9,400	5,900	3,400	820	773	47	87·4	130·2	13·6
Kilmarnock Burgh	10,100	6,800	3,300	1,009	967	42	99·6	141·6	12·7
Remainder of Co.	50,300	33,100	17,200	4,754	4,558	196	94·5	137·5	11·4
BANFF COUNTY	8,500	5,300	3,200	838	786	52	99·1	149·3	16·3
BERWICK COUNTY	4,000	2,700	1,300	307	291	16	77·2	108·4	12·4
BUTE COUNTY	2,500	1,600	1,000	191	176	15	75·9	113·1	15·6
CAITHNESS COUNTY	5,000	3,200	1,800	610	573	37	122·5	181·2	20·4
CLACKMANNAN CO.	8,500	5,900	2,600	828	782	46	97·6	132·1	17·9
DUMFRIES COUNTY									
Dumfries Burgh	5,600	3,700	2,000	515	489	26	91·4	132·9	13·3
Remainder of Co.	11,400	7,400	4,000	1,097	1,035	62	96·5	140·0	15·6
DUNBARTON COUNTY									
Clydebank Burgh	10,900	7,600	3,300	1,105	1,077	28	101·1	141·4	8·4
Dumbarton Burgh	5,400	3,400	1,900	589	570	19	109·2	165·3	9·8
Remainder of Co.	21,700	14,100	7,600	2,232	2,164	68	102·9	153·8	8·9
EAST LOTHIAN CO.	10,200	6,900	3,300	887	871	16	86·7	125·9	4·8
FIFE COUNTY									
Dunfermline Burgh	9,300	6,500	2,800	933	895	38	100·4	137·1	13·8
Kirkcaldy Burgh	10,900	7,600	3,300	981	937	44	89·7	123·3	13·2
Remainder of Co.	44,500	30,500	14,000	4,198	4,022	176	94·4	131·9	12·6
INVERNESS COUNTY									
Inverness Burgh	6,100	3,800	2,400	505	478	27	82·4	126·9	11·4
Remainder of Co.	8,600	5,100	3,500	906	856	50	105·7	169·3	14·2

Table 8—*continued*

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
KINCARDINE COUNTY	4,700	3,100	1,600	413	398	15	88·2	129·9	9·2
KINROSS COUNTY	1,300	800	500	108	106	2	84·4	129·3	4·4
KIRKCUDBRIGHT CO.	5,200	3,400	1,800	520	496	24	99·1	145·2	13·1
LANARK COUNTY									
Glasgow C. of C.	221,100	138,900	82,200	22,842	21,606	1,236	103·3	155·6	15·0
Airdrie Burgh	7,100	4,600	2,500	852	827	25	120·2	179·6	10·1
Coatbridge Burgh	11,300	7,200	4,100	1,381	1,337	44	122·3	186·2	10·7
Hamilton Burgh	8,900	5,600	3,300	852	814	38	95·8	144·7	11·6
Motherwell and Wishaw Burgh	15,200	9,900	5,300	1,569	1,527	42	103·0	154·2	7·9
Rutherglen Burgh	5,200	3,300	1,900	544	525	19	104·8	159·8	10·0
Remainder of Co.	70,300	44,600	25,600	7,048	6,841	207	100·3	153·2	8·1
MIDLOTHIAN COUNTY									
Edinburgh C. of C.	97,200	60,800	36,400	8,373	7,894	479	86·1	129·8	13·2
Remainder of Co.	22,900	15,500	7,400	2,316	2,239	77	101·0	144·0	10·4
MORAY COUNTY	9,300	6,000	3,300	1,009	959	50	108·2	159·8	15·0
NAIRN COUNTY	1,500	1,000	600	129	121	8	83·8	123·2	14·4
ORKNEY COUNTY	3,300	2,200	1,000	310	292	18	94·9	131·3	17·3
PEEBLES COUNTY	2,500	1,600	900	208	199	9	83·1	123·1	10·1
PERTH COUNTY									
Perth Burgh	8,400	5,500	2,900	712	674	38	85·1	122·8	13·2
Remainder of Co.	15,600	9,500	6,100	1,305	1,240	65	83·6	130·1	10·7
RENFREW COUNTY									
Greenock Burgh	15,300	9,700	5,600	1,701	1,623	78	111·2	166·9	14·0
Paisley Burgh	19,900	13,000	7,000	2,072	1,991	81	104·0	153·6	11·6
Port Glasgow Burgh	4,700	3,100	1,600	516	501	15	109·2	159·5	9·5
Remainder of Co.	29,600	19,000	10,600	2,798	2,709	89	94·6	142·9	8·4
ROSS AND CROMARTY CO.	9,700	5,700	4,100	915	882	33	94·1	155·7	8·1
ROXBURGH COUNTY	8,000	5,200	2,800	656	628	28	82·0	120·7	10·0
SELKIRK COUNTY	4,100	2,600	1,500	318	310	8	78·5	119·4	5·5
STIRLING COUNTY									
Falkirk Burgh	7,700	5,000	2,700	765	744	21	99·1	147·5	7·8
Stirling Burgh	5,600	3,500	2,100	553	533	20	98·5	150·4	9·7
Remainder of Co.	26,600	17,400	9,200	2,417	2,353	64	91·0	135·2	7·0
SUTHERLAND COUNTY	2,200	1,400	800	223	212	11	101·1	155·2	13·1
WEST LOTHIAN CO.	19,200	13,000	6,300	1,835	1,774	61	95·4	136·9	9·7
WIGTOWN COUNTY	5,300	3,500	1,900	592	535	57	110·9	153·7	30·7
ZETLAND COUNTY	3,100	1,900	1,200	279	268	11	89·7	140·8	9·1

Table 9. Number of Stillbirths and Neonatal Deaths in Counties of Cities, Large Burghs and Counties of Scotland 1961.

Counties of Cities Large Burghs, and Counties	Live Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti-mate		Still-births	Neo-natal Deaths	Com-bined Rates
SCOTLAND	**101,169**	**2,147**	**135**	**1,813**	**20·8**	**17·5**	**38·3**
COUNTIES OF CITIES	38,159	834	69	722	21·4	18·5	39·9
LARGE BURGHS	18,327	410	19	327	21·9	17·5	39·3
COUNTIES (ex. Counties of Cities and Large Burghs)	44,683	903	47	764	19·8	16·8	36·6
SMALL BURGHS	16,262	329	20	295	19·8	17·8	37·6
LANDWARD	28,421	574	27	469	19·8	16·2	36·0
NORTHERN DIVISION	16,505	290	21	233	17·3	13·9	31·1
EAST CENTRAL DIVISION	27,767	567	31	454	20·0	16·0	36·0
WEST CENTRAL DIVISION	52,684	1,191	77	1,067	22·1	19·8	41·9
SOUTHERN DIVISION	4,213	99	6	59	23·0	13·7	36·6
ABERDEEN COUNTY	5,644	84	4	84	15	15	29
Aberdeen County of City	3,263	51	3	50	15	15	30
Remainder of County	2,381	33	1	34	14	14	28
ANGUS COUNTY	5,199	102	7	82	19	15	35
Dundee County of City	3,681	78	5	60	21	16	37
Arbroath Burgh	353	6	1	3	17	8	25
Remainder of County	1,165	18	1	19	15	16	31
ARGYLL COUNTY	890	17	2	10	19	11	30
AYR COUNTY	6,583	169	5	145	25	21	47
Ayr Burgh	820	21	1	14	25	17	42
Kilmarnock Burgh	1,009	23	—	22	22	21	44
Remainder of County	4,754	125	4	109	26	22	48
BANFF COUNTY	838	20	1	20	23	23	47
BERWICK COUNTY	307	4	—	5	13	16	29
BUTE COUNTY	191	3	—	6	15	31	46
CAITHNESS COUNTY	610	7	1	4	11	6	18
CLACKMANNAN COUNTY	828	18	1	11	21	13	34
DUMFRIES COUNTY	1,612	40	2	22	24	13	38
Dumfries Burgh	515	12	—	6	23	11	34
Remainder of County	1,097	28	2	16	25	14	39
DUNBARTON COUNTY	3,926	78	3	64	19	16	35
Clydebank Burgh	1,105	23	1	22	20	20	40
Dumbarton Burgh	589	9	—	11	15	18	33
Remainder of County	2,232	46	2	31	20	14	34
EAST LOTHIAN COUNTY	887	13	2	13	14	14	29

Table 9—*continued.*

Counties of Cities Large Burghs, and Counties	Live Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegiti-mate		Still-births	Neo-natal Deaths	Com-bined Rates
Fife County	6,112	127	6	98	20	16	36
Dunfermline Burgh	933	21	1	13	22	14	36
Kirkcaldy Burgh	981	25	1	14	25	14	39
Remainder of County	4,198	81	4	71	19	17	36
Inverness County	1,411	20	—	14	14	10	24
Inverness Burgh	505	10	—	4	19	8	27
Remainder of County	906	10	—	10	11	11	22
Kincardine County	413	8	1	5	19	12	31
Kinross County	108	1	—	6	9	55	64
Kirkcudbright County	520	12	1	6	23	11	34
Lanark County	35,088	808	63	719	23	20	43
Glasgow County of City	22,842	546	52	470	23	20	43
Airdrie Burgh	852	25	—	13	29	15	43
Coatbridge Burgh	1,381	38	3	27	27	19	46
Hamilton Burgh	852	26	2	15	30	17	47
Motherwell etc. Burgh	1,569	26	—	30	16	19	35
Rutherglen Burgh	544	14	—	12	25	22	47
Remainder of County	7,048	133	6	152	19	21	40
Midlothian County	10,689	217	11	177	20	16	36
Edinburgh County of City	8,373	159	9	142	19	17	35
Remainder of County	2,316	58	2	35	24	15	39
Moray County	1,009	22	2	13	21	13	34
Nairn County	129	3	—	2	23	15	38
Orkney County	310	9	1	1	28	3	31
Peebles County	208	2	—	5	10	24	33
Perth County	2,017	44	5	25	21	12	33
Perth Burgh	712	21	1	9	29	12	41
Remainder of County	1,305	23	4	16	17	12	29
Renfrew County	7,087	136	6	139	19	19	38
Greenock Burgh	1,701	28	2	38	16	22	38
Paisley Burgh	2,072	42	2	38	20	18	38
Port Glasgow Burgh	516	13	1	15	25	28	53
Remainder of County	2,798	53	1	48	19	17	35
Ross and Cromarty Co.	915	15	2	17	16	18	34
Roxburgh County	656	19	1	13	28	19	47
Selkirk County	318	11	1	4	33	12	46
Stirling County	3,735	76	5	64	20	17	37
Falkirk Burgh	765	18	3	13	23	17	40
Stirling Burgh	553	9	—	8	16	14	30
Remainder of County	2,417	49	2	43	20	17	37
Sutherland County	223	5	—	3	22	13	35
West Lothian County	1,835	38	1	31	20	17	37
Wigtown County	592	11	1	4	18	7	25
Zetland County	279	8	—	1	28	3	31

Table 10—Maternities and births by sex, age of mother

Age of Mother	Live Births								
	Total			Legitimate			Illegitimate		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
13	2	2	—	—	—	—	2	2	—
14	18	10	8	—	—	—	18	10	8
15	36	15	21	—	—	—	36	15	21
16	235	124	111	138	70	68	97	54	43
17	988	498	490	780	399	381	208	99	109
18	1,988	1,066	922	1,666	881	785	322	185	137
19	3,065	1,573	1,492	2,746	1,408	1,338	319	165	154
Under 20	6,332	3,288	3,044	5,330	2,758	2,572	1,002	530	472
20	4,252	2,215	2,037	3,958	2,055	1,903	294	160	134
21	5,989	3,095	2,894	5,669	2,940	2,729	320	155	165
22	6,566	3,396	3,170	6,263	3,235	3,028	303	161	142
23	7,020	3,618	3,402	6,744	3,475	3,269	276	143	133
24	7,318	3,751	3,567	7,065	3,618	3,447	253	133	120
20-24	31,145	16,075	15,070	29,699	15,323	14,376	1,446	752	694
25	7,132	3,621	3,511	6,914	3,519	3,395	218	102	116
26	6,800	3,525	3,275	6,590	3,414	3,176	210	111	99
27	6,254	3,202	3,052	6,057	3,088	2,969	197	114	83
28	5,699	2,918	2,781	5,535	2,819	2,716	164	99	65
29	5,436	2,750	2,686	5,263	2,661	2,602	173	89	84
25-29	31,321	16,016	15,305	30,359	15,501	14,858	962	515	447
30	5,064	2,573	2,491	4,931	2,507	2,424	133	66	67
31	4,315	2,218	2,097	4,172	2,140	2,032	143	78	65
32	3,842	2,006	1,836	3,709	1,926	1,783	133	80	53
33	3,239	1,655	1,584	3,120	1,598	1,522	119	57	62
34	3,042	1,542	1,500	2,932	1,491	1,441	110	51	59
30-34	19,502	9,994	9,508	18,864	9,662	9,202	638	332	306
35	2,715	1,415	1,300	2,611	1,361	1,250	104	54	50
36	2,249	1,167	1,082	2,146	1,110	1,036	103	57	46
37	1,895	929	966	1,796	879	917	99	50	49
38	1,654	843	811	1,591	813	778	63	30	33
39	1,459	729	730	1,391	693	698	68	36	32
35-39	9,972	5,083	4,889	9,535	4,856	4,679	437	227	210
40	1,075	542	533	1,009	506	503	66	36	30
41	797	426	371	760	401	359	37	25	12
42	442	219	223	419	206	213	23	13	10
43	249	137	112	239	130	109	10	7	3
44	143	87	56	135	83	52	8	4	4
40-44	2,706	1,411	1,295	2,562	1,326	1,236	144	85	59
45	73	39	34	69	38	31	4	1	3
46	45	21	24	43	20	23	2	1	1
47	20	9	11	20	9	11	—	—	—
48	7	3	4	7	3	4	—	—	—
49	3	2	1	3	2	1	—	—	—
45-49	148	74	74	142	72	70	6	2	4
50 and over	—	—	—	—	—	—	—	—	—
Not Stated	43	23	20	30	15	15	13	8	5
Total	101,169	51,964	49,205	96,521	49,513	47,008	4,648	2,451	2,197

Stillbirths									Maternities			Age of Mother
Total			Legitimate			Illegitimate			Total	Legitimate	Illegitimate	
Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females				
—	—	—	—	—	—	—	—	—	2	—	2	13
—	—	—	—	—	—	—	—	—	18	—	18	14
1	—	1	—	—	—	1	—	1	37	—	37	15
10	7	3	3	2	1	7	5	2	243	140	103	16
10	4	6	7	3	4	3	1	2	996	785	211	17
48	25	23	38	21	17	10	4	6	2,028	1,696	332	18
52	21	31	44	18	26	8	3	5	3,095	2,770	325	19
121	57	64	92	44	48	29	13	16	6,419	5,391	1,028	Under 20
76	43	33	68	38	30	8	5	3	4,303	4,001	302	20
*102	58	42	*92	51	39	10	7	3	6,048	5,723	325	21
112	53	59	102	49	53	10	4	6	6,612	6,303	309	22
117	58	59	112	58	54	5	—	5	7,098	6,820	278	23
130	68	62	126	65	61	4	3	1	7,369	7,114	255	24
*537	280	255	*500	261	237	37	19	18	31,430	29,961	1,469	20-24
118	61	57	116	61	55	2	—	2	7,180	6,960	220	25
118	54	64	114	54	60	4	—	4	6,836	6,625	211	26
108	55	53	108	55	53	—	—	—	6,292	6,096	196	27
*137	73	63	*131	71	59	6	2	4	5,748	5,580	168	28
115	54	61	112	51	61	3	3	—	5,479	5,308	171	29
*596	297	298	*581	292	288	15	5	10	31,535	30,569	966	25-29
109	49	60	99	44	55	10	5	5	5,090	4,951	139	30
106	59	47	104	58	46	2	1	1	4,347	4,205	142	31
91	43	48	86	40	46	5	3	2	3,868	3,735	133	32
71	38	33	68	36	32	3	2	1	3,243	3,124	119	33
75	44	31	74	43	31	1	1	—	3,060	2,951	109	34
452	233	219	431	221	210	21	12	9	19,608	18,966	642	30-34
78	40	38	73	37	36	5	3	2	2,735	2,627	108	35
52	31	21	51	30	21	1	1	—	2,265	2,167	98	36
67	35	32	64	33	31	3	2	1	1,931	1,833	98	37
52	24	28	49	23	26	3	1	2	1,670	1,605	65	38
39	20	19	37	19	18	2	1	1	1,468	1,398	70	39
288	150	138	274	142	132	14	8	6	10,069	9,630	439	35-39
48	20	28	42	17	25	6	3	3	1,104	1,032	72	40
32	16	16	29	14	15	3	2	1	815	777	38	41
25	9	16	23	8	15	2	1	1	461	436	25	42
*21	9	11	*20	9	10	1	—	1	269	258	11	43
7	4	3	7	4	3	—	—	—	150	142	8	44
*133	58	74	*121	52	68	12	6	6	2,799	2,645	154	40–44
3	1	2	3	1	2	—	—	—	76	72	4	45
3	2	1	3	2	1	—	—	—	48	46	2	46
2	1	1	2	1	1	—	—	—	22	22	—	47
—	—	—	—	—	—	—	—	—	7	7	—	48
—	—	—	—	—	—	—	—	—	3	3	—	49
8	4	4	8	4	4	—	—	—	156	150	6	45-49
—	—	—	—	—	—	—	—	—	—	—	—	50 and over
*12	3	8	5	2	3	*7	1	5	55	35	20	Not Stated
*2,147	1,082	1.060	*2,012	1,018	990	*135	64	70	102,071	97,347	4,724	Total

*Stillbirths of unknown sex included.

Table 11. Legitimate live births by sex, age of mother and

Duration of Marriage	Age of																	
	Total		16		17		18		19		20		21		22		23	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Months																		
Under 1	77	*65*	5	*3*	10	*5*	12	*7*	5	*10*	6	*6*	2	*4*	8	*6*	1	*6*
1– 2	236	*200*	7	*12*	30	*17*	33	*20*	26	*33*	20	*29*	25	*18*	14	*20*	12	*6*
3– 5	1442	*1229*	43	*26*	128	*133*	218	*185*	239	*185*	187	*162*	176	*135*	113	*100*	82	*72*
6– 8	2001	*1889*	11	*18*	149	*147*	268	*245*	309	*293*	311	*277*	236	*219*	162	*188*	151	*116*
9–11	2996	*2838*	4	*9*	42	*40*	122	*121*	225	*218*	315	*333*	425	*423*	424	*354*	305	*328*
Years																		
Under 1	6752	*6221*	70	*68*	359	*342*	653	*578*	804	*739*	839	*807*	864	*799*	721	*668*	551	*528*
1	6591	*6298*	–	–	40	*39*	190	*170*	419	*430*	719	*644*	924	*892*	882	*861*	798	*743*
2	5472	*4964*	–	–	–	–	38	*37*	148	*133*	347	*304*	624	*573*	747	*639*	716	*644*
3	5083	*4803*	–	–	–	–	–	–	37	*36*	130	*123*	386	*323*	500	*480*	667	*609*
4	4634	*4439*	–	–	–	–	–	–	–	–	20	*25*	121	*115*	267	*269*	452	*441*
5	3815	*3820*	–	–	–	–	–	–	–	–	–	–	21	*27*	108	*97*	214	*220*
6	3286	*2903*	–	–	–	–	–	–	–	–	–	–	–	–	10	*13*	59	*65*
7	2446	*2542*	–	–	–	–	–	–	–	–	–	–	–	–	–	**1*	18	*19*
8	2156	*1993*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	1798	*1728*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10–14	5346	*5163*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15–19	1667	*1708*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20–24	442	*407*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25 and over	25	*19*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total	49513	*47008*	70	*68*	399	*381*	881	*785*	1408	*1338*	2055	*1903*	2940	*2729*	3235	*3028*	3475	*3269*

*Married in Northern Ireland

Mother																Duration of Marriage
24		25–29		30–34		35–39		40–44		45–49		50 and over		Not Stated		
l.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
2	*2*	10	*9*	5	*3*	8	*3*	3	*1*	–	–	–	–	–	–	Months Under 1
9	*5*	31	*23*	19	*10*	4	*7*	6	–	–	–	–	–	–	–	1– 2
59	*62*	118	*103*	49	*36*	22	*23*	7	*6*	1	*1*	–	–	–	–	3– 5
99	*105*	187	*203*	73	*57*	37	*19*	8	*2*	–	–	–	–	–	–	6– 8
63	*252*	636	*547*	172	*148*	47	*54*	15	*10*	1	*1*	–	–	–	–	9–11
32	*426*	982	*885*	318	*254*	118	*106*	39	*19*	2	*2*	–	–	–	–	Years Under 1
30	*582*	1406	*1374*	387	*383*	159	*146*	34	*33*	3	*1*	–	–	–	–	1
57	*607*	1575	*1511*	412	*376*	169	*115*	35	*22*	2	*2*	–	–	2	*1*	2
83	*661*	1988	*1856*	499	*532*	153	*149*	37	*33*	–	–	–	–	3	*1*	3
06	*555*	2310	*2187*	660	*645*	167	*171*	27	*30*	1	–	–	–	3	*1*	4
73	*382*	2218	*2166*	680	*705*	175	*191*	23	*29*	1	*2*	–	–	2	*1*	5
74	*169*	1928	*1698*	885	*762*	195	*169*	30	*24*	2	–	–	–	3	*3*	6
52	*53*	1232	*1353*	893	*845*	217	*240*	32	*29*	2	*1*	–	–	–	*1*	7
11	*12*	903	*883*	962	*845*	242	*220*	36	*30*	1	*1*	–	–	1	2	8
–	–	556	*522*	909	*903*	293	*262*	37	*38*	3	*3*	–	–	–	–	9
–	–	403	*423*	2885	*2762*	1760	*1698*	289	*271*	8	*6*	–	–	1	*3*	10–14
–	–	–	–	172	*190*	1099	*1114*	382	*390*	14	*13*	–	–	–	*1*	15–19
–	–	–	–	–	–	109	*98*	307	*280*	26	*28*	–	–	–	*1*	20–24
–	–	–	–	–	–	–	–	18	*8*	7	*11*	–	–	–	–	25 and over
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not Stated
18	*3447*	15501	*14858*	9662	*9202*	4856	*4679*	1326	*1236*	72	*70*	–	–	15	*15*	Total

Table 12. Legitimate live births by sex, age of mother and number of previous children by all husbands—Scotland, 1961

Age of Mother	Number of previous children (live and stillborn)																												Age of Mother
	Total		0		1		2		3		4		5		6		7		8		9		10–14		15–19		20 and over		Not Stated		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
16	70	*68*	70	*68*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	399	*381*	381	*367*	18	*14*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	881	*785*	768	*669*	107	*105*	6	*11*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	1408	*1338*	1077	*1039*	287	*263*	41	*33*	2	*3*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	2055	*1903*	1412	*1320*	530	*464*	97	*106*	14	*11*	2	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21	2940	*2729*	1770	*1657*	866	*805*	247	*217*	45	*44*	11	*6*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
22	3235	*3028*	1755	*1646*	1019	*937*	338	*339*	97	*92*	25	*12*	1	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
23	3475	*3269*	1594	*1519*	1219	*1086*	463	*458*	154	*156*	35	*40*	10	*5*	–	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	23
24	3618	*3447*	1459	*1400*	1273	*1167*	598	*603*	206	*207*	65	*60*	14	*10*	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	24
25–29	15501	*14858*	4212	*3977*	5240	*5006*	3288	*3162*	1614	*1569*	677	*701*	297	*275*	104	*110*	48	*39*	12	*14*	5	*4*	3	*1*	–	–	–	–	1	–	25–29
30–34	9662	*9202*	1515	*1436*	2357	*2301*	2344	*2176*	1589	*1439*	871	*858*	471	*460*	251	*251*	139	*161*	80	*72*	27	*22*	16	*23*	–	–	–	–	2	*3*	30–34
35–39	4856	*4679*	584	*519*	827	*809*	1004	*982*	847	*792*	560	*604*	379	*380*	271	*238*	177	*154*	95	*77*	53	*56*	59	*66*	–	*1*	–	–	–	*1*	35–39
40–44	1326	*1236*	126	*107*	152	*137*	211	*210*	202	*192*	164	*181*	141	*143*	108	*88*	67	*57*	60	*43*	33	*32*	58	*46*	4	–	–	–	–	–	40–44
45–49	72	*70*	6	*5*	5	*6*	6	*9*	11	*16*	12	*7*	11	*9*	5	*7*	5	*5*	4	*3*	4	*1*	3	*2*	–	–	–	–	–	–	45–49
50 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50 and over
Not Stated	15	*15*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	*15*	Not Stated
Total	49513	*47008*	16729	*15729*	13900	*13100*	8643	*8306*	4781	*4521*	2423	*2471*	1325	*1283*	741	*699*	437	*416*	251	*209*	122	*115*	139	*138*	4	*1*	–	–	18	*20*	Total

Age of Mother	Number of previous liveborn children																												Age of Mother
	Total		0		1		2		3		4		5		6		7		8		9		10–14		15–19		20 and over		Not Stated		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
16	70	*68*	70	*68*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	399	*381*	381	*367*	18	*14*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	881	*785*	769	*670*	108	*106*	4	*9*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	1408	*1338*	1083	*1042*	286	*264*	37	*29*	2	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	2055	*1903*	1421	*1336*	531	*466*	90	*91*	12	*8*	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21	2940	*2729*	1807	*1665*	850	*816*	236	*204*	41	*40*	6	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
22	3235	*3028*	1777	*1665*	1021	*938*	335	*330*	82	*82*	19	*12*	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
23	3475	*3269*	1625	*1538*	1211	*1089*	454	*455*	143	*148*	33	*33*	9	*3*	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	23
24	3618	*3447*	1492	*1423*	1272	*1182*	595	*586*	193	*196*	51	*53*	13	*7*	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
25–29	15501	*14858*	4311	*4060*	5336	*5101*	3233	*3133*	1559	*1525*	630	*641*	286	*259*	93	*93*	40	*33*	8	*12*	3	*1*	1	–	–	–	–	–	1	–	25–29
30–34	9662	*9202*	1556	*1478*	2430	*2381*	2369	*2178*	1567	*1409*	836	*827*	442	*430*	228	*248*	136	*145*	64	*61*	23	*24*	9	*18*	–	–	–	–	2	*3*	30–34
35–39	4856	*4679*	600	*534*	875	*836*	1021	*1022*	852	*791*	540	*583*	363	*371*	259	*220*	169	*138*	81	*74*	49	*54*	47	*55*	–	–	–	–	–	*1*	35–39
40–44	1326	*1236*	128	*110*	159	*143*	219	*221*	198	*193*	174	*177*	142	*142*	104	*84*	65	*50*	52	*47*	31	*30*	50	*39*	4	–	–	–	–	–	40–44
45–49	72	*70*	6	*5*	5	*6*	6	*11*	14	*15*	11	*8*	9	*8*	7	*7*	3	*4*	4	*3*	6	*1*	1	*2*	–	–	–	–	–	–	45–49
50 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50 and over
Not Stated	15	*15*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	*15*	Not Stated
Total	49513	*47008*	17026	*15961*	14102	*13342*	8599	*8269*	4663	*4410*	2301	*2340*	1265	*1221*	693	*654*	413	*370*	209	*197*	112	*110*	108	*114*	4	–	–	–	18	*20*	Total

Table 13. Legitimate live births by sex, duration of marriage and number of previous children by all husbands—Scotland, 1961

Duration of marriage (years)	Number of previous children (live and stillborn)																										Total number of children	Average number of children by all husbands
	Total		0		1		2		3		4		5		6		7		8		9		10–14		15–19		20 and over		Not Stated			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
0	6752	6221	6541	6039	107	99	53	42	21	23	16	7	5	8	4	–	1	1	2	1	1	–	1	–	–	–	–	–	–	1	13,740	1·06
1	6591	6298	4950	4753	1491	1402	97	91	26	31	19	10	1	6	3	2	2	1	1	2	–	–	1	–	–	–	–	–	–	–	16,565	1·29
2	5472	4964	1884	1792	3107	2711	402	388	46	45	18	13	5	3	5	4	3	4	–	–	–	–	–	3	–	–	–	–	2	1	18,404	1·76
3	5083	4803	1146	1018	2693	2541	1065	1049	132	150	30	27	10	7	3	5	–	3	1	2	–	–	–	–	–	–	–	–	3	1	20,600	2·08
4	4634	4439	696	637	2128	1983	1294	1318	420	405	71	77	10	7	7	5	2	4	3	1	–	–	–	–	–	–	–	–	3	2	21,706	2·39
5	3815	3820	435	441	1431	1418	1200	1214	544	565	163	153	25	20	8	5	3	1	1	–	1	2	2	–	–	–	–	–	2	1	20,289	2·66
6	3286	2903	325	295	967	888	1058	922	620	479	216	240	69	60	17	9	6	4	3	–	2	2	–	1	–	–	–	–	3	3	18,066	2·92
7	2446	2542	188	187	565	623	802	839	496	519	251	240	104	91	29	32	6	10	4	–	1	–	–	–	–	–	–	–	–	1	15,961	3·20
8	2156	1993	134	141	438	397	667	593	463	444	257	241	130	115	39	34	19	19	7	4	1	1	–	1	–	–	–	–	1	3	14,262	3·44
9	1798	1728	108	99	304	317	503	448	442	395	227	244	133	128	58	67	18	19	3	7	1	3	–	1	–	–	–	–	1	–	12,884	3·65
10–14	5346	5163	269	252	601	616	1223	1119	1180	1097	835	867	546	507	317	334	201	197	102	107	39	36	30	27	–	–	–	–	3	4	44,964	4·28
15–19	1667	1708	42	64	60	94	242	246	332	318	264	287	227	253	178	154	131	116	82	61	50	54	58	58	1	1	–	–	–	2	18,151	5·38
20–24	442	407	11	11	8	11	37	36	58	50	56	62	57	73	69	43	41	36	38	24	21	17	44	43	2	–	–	–	–	1	5,500	6·48
25 and over	25	19	–	–	–	–	–	1	1	–	–	3	3	5	4	5	4	1	4	–	5	–	3	4	1	–	–	–	–	–	364	8·27
Not Stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	—	—
Total	49513	47008	16729	15729	13900	13100	8643	8306	4781	4521	2423	2471	1325	1283	741	699	437	416	251	209	122	115	139	138	4	1	–	–	18	20	241,456	2·50

Duration of marriage (years)	Number of previous liveborn children																										Total number of children	Average number of children by all husbands
	Total		0		1		2		3		4		5		6		7		8		9		10–14		15–19		20 and over		Not Stated			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
0	6752	6221	6543	6040	111	99	47	42	23	23	15	6	4	8	4	–	1	1	2	1	1	–	1	–	–	–	–	–	–	1	13,725	1·06
1	6591	6298	4996	4795	1457	1373	88	79	24	30	18	12	1	5	3	2	2	1	1	1	1	–	–	–	–	–	–	–	–	–	16,441	1·28
2	5472	4964	1975	1861	3060	2687	371	351	37	38	14	12	5	3	5	4	3	4	–	–	–	–	–	3	–	–	–	–	2	1	18,129	1·74
3	5083	4803	1211	1054	2711	2580	1012	989	116	142	17	22	10	6	3	5	–	3	–	1	–	–	–	–	–	–	–	–	3	1	20,266	2·05
4	4634	4439	741	666	2165	2041	1260	1292	387	372	59	52	11	6	6	3	1	4	1	1	–	–	–	–	–	–	–	–	3	2	21,294	2·35
5	3815	3820	450	457	1482	1467	1196	1205	516	531	134	136	25	19	5	2	4	1	–	–	1	1	–	–	–	–	–	–	2	1	19,922	2·61
6	3286	2903	334	308	1014	924	1056	915	598	463	189	226	66	50	18	8	4	3	2	–	2	3	–	–	–	–	–	–	3	3	17,758	2·87
7	2446	2542	197	197	594	661	804	855	493	504	233	208	99	81	20	27	5	8	–	–	1	–	–	–	–	–	–	–	–	1	15,598	3·13
8	2156	1993	137	146	464	408	686	613	443	439	239	231	130	103	33	33	18	12	5	5	–	–	–	–	–	–	–	–	1	3	13,996	3·37
9	1798	1728	110	101	326	336	518	458	431	381	222	240	120	131	51	56	16	18	2	5	1	2	–	–	–	–	–	–	1	–	12,642	3·59
10–14	5346	5163	278	260	638	649	1268	1167	1193	1111	827	844	507	480	307	318	192	180	82	94	31	35	20	21	–	–	–	–	3	4	43,988	4·19
15–19	1667	1708	43	65	71	105	254	260	340	324	271	285	227	252	167	150	126	102	73	63	49	50	45	50	1	–	–	–	–	2	17,710	5 25
20–24	442	407	11	11	9	12	39	41	61	52	63	62	57	73	65	42	38	32	37	26	20	19	40	36	2	–	–	–	–	1	5,366	6·32
25 and over	25	19	–	–	–	–	–	2	1	–	–	4	3	4	6	4	3	1	4	–	5	–	2	4	1	–	–	–	–	–	353	8·02
Not Stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	—	—
Total	49513	47008	17026	15961	14102	13342	8599	8269	4663	4410	2301	2340	1265	1221	693	654	413	370	209	197	112	110	108	114	4	–	–	–	18	20	237,188	2·46

Table 14. First Legitimate Births to Women married only once by Age of Mother a

Duration of Marriage	Live Births																
	Total	Age of Mother															
		16	17	18	19	20	21	22	23	24	25–	30–	35–	40–	45–	50 and over	N.S
Months																	
Under 1	121	8	15	18	15	11	6	13	6	3	13	5	6	2	–	–	
1	135	7	15	17	16	16	15	17	1	2	16	9	3	1	–	–	
2	271	12	32	35	43	33	27	16	15	10	32	12	1	3	–	–	
Under 3	527	27	62	70	74	60	48	46	22	15	61	26	10	6	–	–	
3	463	16	51	64	73	55	53	34	27	22	41	17	7	2	1	–	
4	792	23	80	134	141	96	86	54	46	34	71	19	8	–	–	–	
5	1316	30	129	205	209	197	168	115	73	55	90	35	5	5	–	–	
3–5	2571	69	260	403	423	348	307	203	146	111	202	71	20	7	1	–	
6	1731	18	141	263	315	265	210	149	112	71	139	29	16	3	–	–	
7	1323	6	117	190	192	209	150	123	92	59	131	36	15	3	–	–	
8	693	5	36	58	89	106	86	71	56	63	82	33	7	1	–	–	
6–8	3747	29	294	511	596	580	446	343	260	193	352	98	38	7	–	–	
9	1495	3	30	72	143	188	237	196	152	129	271	62	11	1	–	–	
10	2258	7	26	91	172	250	331	309	253	191	454	134	32	7	1	–	
11	1891	3	26	74	120	204	264	264	214	181	413	92	28	7	1	–	
9–11	5644	13	82	237	435	642	832	769	619	501	1138	288	71	15	2	–	
12–14	3860	–	25	122	270	424	578	531	441	367	807	206	76	13	–	–	
15–17	2527	–	21	47	151	259	349	371	315	265	538	143	56	12	–	–	
18–20	1837	–	1	24	69	149	244	259	248	204	473	116	38	12	–	–	
21–23	1404	–	2	10	37	87	192	207	194	157	377	102	33	5	1	–	
Years																	
Under 1	12489	138	698	1221	1528	1630	1633	1361	1047	820	1753	483	139	35	3	–	
1	9628	–	49	203	527	919	1363	1368	1198	993	2195	567	203	42	1	–	
2	3654	–	–	12	51	155	323	448	489	499	1258	289	102	25	3	–	
3	2147	–	–	–	5	19	81	148	254	325	986	246	70	13	–	–	
4	1325	–	–	–	–	1	9	45	81	138	754	230	58	9	–	–	
5	873	–	–	–	–	–	1	13	28	49	517	217	41	6	1	–	
6	616	–	–	–	–	–	–	1	1	15	350	195	46	8	–	–	
7	373	–	–	–	–	–	–	–	–	3	153	162	51	3	1	–	
8	274	–	–	–	–	–	–	–	–	–	78	153	37	6	–	–	
9	204	–	–	–	–	–	–	–	–	–	43	105	49	7	–	–	
10–14	504	–	–	–	–	–	–	–	–	–	19	251	207	25	2	–	
15–19	103	–	–	–	–	–	–	–	–	–	–	8	70	25	–	–	
20 and over	22	–	–	–	–	–	–	–	–	–	–	–	6	16	–	–	
Not Stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Total	32212	138	747	1436	2111	2724	3410	3384	3098	2842	8106	2906	1079	220	11	–	

Duration of Marriage—Scotland, 1961.

Stillbirths																	Duration of Marriage
	Age of Mother																
Total	16	17	18	19	20	21	22	23	24	25–	30–	35	40–	45–	50 and over	N.S.	
																	Months
3	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	Under 1
7	–	1	2	–	–	2	–	–	–	1	1	–	–	–	–	–	1
4	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	–	2
14	–	1	3	–	2	2	2	–	–	1	2	1	–	–	–	–	Under 3
13	1	1	4	1	1	2	1	–	–	2	–	–	–	–	–	–	3
23	1	–	4	6	2	2	–	2	3	1	2	–	–	–	–	–	4
41	–	2	6	4	8	1	4	5	2	5	–	4	–	–	–	–	5
77	2	3	14	11	11	5	5	7	5	8	2	4	–	–	–	–	3–5
25	1	1	4	3	5	4	2	2	1	–	2	–	–	–	–	–	6
21	–	–	3	2	5	1	–	3	2	1	3	1	–	–	–	–	7
23	–	–	–	3	3	2	–	2	4	6	1	1	1	–	–	–	8
69	1	1	7	8	13	7	2	7	7	7	6	2	1	–	–	–	6–8
29	–	–	1	3	5	3	5	–	1	7	3	1	–	–	–	–	9
42	–	1	1	3	4	6	5	4	2	12	2	2	–	–	–	–	10
44	–	–	1	–	5	7	8	4	3	13	3	–	–	–	–	–	11
115	–	1	3	6	14	16	18	8	6	32	8	3	–	–	–	–	9–11
61	–	–	1	2	5	10	8	5	8	13	6	3	–	–	–	–	12–14
48	–	–	3	4	4	5	6	6	2	11	6	1	–	–	–	–	15–17
27	–	1	–	1	1	4	3	3	6	4	3	–	1	–	–	–	18–20
21	–	–	–	1	1	4	2	2	2	7	1	1	–	–	–	–	21–23
																	Years
275	3	6	27	25	40	30	27	22	18	48	18	10	1	–	–	–	Under 1
157	–	1	4	8	11	23	19	16	18	35	16	5	1	–	–	–	1
82	–	–	1	3	2	8	11	8	12	30	4	3	–	–	–	–	2
52	–	–	–	–	1	2	5	5	7	22	10	–	–	–	–	–	3
35	–	–	–	–	–	1	1	2	2	21	7	1	–	–	–	–	4
19	–	–	–	–	–	–	–	–	2	12	4	1	–	–	–	–	5
21	–	–	–	–	–	–	–	–	–	14	4	3	–	–	–	–	6
11	–	–	–	–	–	–	–	–	–	5	6	–	–	–	–	–	7
13	–	–	–	–	–	–	–	–	–	2	7	4	–	–	–	–	8
7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–	9
7	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	10–14
3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	15–19
1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	20 and over
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
683	3	7	32	36	54	64	63	53	59	190	84	35	3	–	–	–	Total

Table 15. Legitimate live births by sex and age of parents—Scotland, 1961

Age of Mother		Total	Age of Father																					
			16	17	18	19	20	21	22	23	24	25	26	27	28	29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65 and over	N.S.
16	M.	70	1	6	14	19	10	6	4	4	3	1	2	–	–	–	–	–	–	–	–	–	–	–
	F.	*68*	*2*	*12*	*12*	*13*	*8*	*7*	*3*	*5*	*2*	*1*	*1*	*1*	–	–	*1*	–	–	–	–	–	–	–
17	M.	399	1	14	59	77	90	58	26	25	16	9	7	4	4	2	6	–	–	–	1	–	–	–
	F.	*381*	–	*9*	*55*	*72*	*73*	*59*	*40*	*26*	*14*	*8*	*7*	*1*	*6*	–	*7*	*2*	–	–	–	–	–	*2*
18	M.	881	2	16	60	122	150	141	79	100	69	48	31	22	13	9	10	6	1	2	–	–	–	–
	F.	*785*	–	*17*	*60*	*103*	*140*	*146*	*90*	*81*	*51*	*36*	*29*	*12*	*5*	*5*	*7*	*2*	*1*	–	–	–	–	–
19	M.	1,408	2	9	34	115	208	264	189	196	137	76	62	35	20	16	33	6	3	–	1	–	–	1
	F.	*1,338*	–	*7*	*35*	*110*	*190*	*228*	*197*	*198*	*133*	*78*	*63*	*32*	*19*	*16*	*21*	*3*	*4*	*1*	–	–	–	*3*
20	M.	2,055	–	3	13	63	166	348	320	312	258	189	124	95	53	34	63	9	2	2	–	–	–	1
	F.	*1,903*	–	*4*	*11*	*50*	*177*	*315*	*306*	*289*	*247*	*176*	*125*	*63*	*46*	*31*	*45*	*7*	*2*	*4*	–	–	–	*4*
21	M.	2,940	–	1	7	25	120	299	428	454	467	356	259	181	111	69	125	25	4	6	–	–	–	3
	F.	*2,729*	–	*1*	*13*	*25*	*105*	*313*	*362*	*473*	*363*	*329*	*241*	*165*	*104*	*86*	*112*	*27*	*4*	*1*	*1*	–	–	–	*4*
22	M.	3,235	–	1	3	21	54	161	371	507	491	433	334	262	178	129	223	49	10	3	1	–	–	–	4
	F.	*3,028*	–	–	*5*	*13*	*38*	*184*	*370*	*452*	*455*	*414*	*312*	*244*	*174*	*111*	*206*	*40*	*7*	*1*	–	–	*1*	–	*1*
23	M.	3,475	–	1	1	9	24	94	237	404	532	526	418	387	264	171	321	52	19	2	2	1	–	–	10
	F.	*3,269*	–	–	–	*10*	*21*	*64*	*183*	*382*	*529*	*525*	*415*	*327*	*254*	*198*	*305*	*40*	*10*	*3*	*1*	–	–	–	*2*
24	M.	3,618	–	–	2	4	20	29	99	252	461	503	486	485	324	316	536	74	19	4	1	–	1	–	2
	F.	*3,447*	–	–	*1*	*5*	*13*	*39*	*107*	*247*	*415*	*510*	*498*	*427*	*374*	*252*	*463*	*71*	*18*	*1*	*4*	–	–	–	*2*
25	M.	3,519	–	–	–	–	6	16	41	119	262	431	481	490	454	369	685	125	28	7	1	–	–	–	4
	F.	*3,395*	–	–	–	*2*	*9*	*13*	*28*	*132*	*261*	*400*	*447*	*463*	*410*	*369*	*702*	*114*	*28*	*10*	*3*	–	*1*	–	*3*
26	M.	3,414	–	–	–	1	2	11	19	54	123	253	453	465	455	393	955	179	36	8	1	–	–	–	6
	F.	*3,176*	–	–	–	*1*	*5*	*14*	*24*	*45*	*108*	*239*	*375*	*461*	*426*	*360*	*911*	*160*	*31*	*7*	*5*	*2*	–	–	*2*
27	M.	3,088	–	–	1	–	3	9	15	31	66	127	252	339	405	433	1109	225	39	20	2	2	–	–	10
	F.	*2,969*	–	–	–	–	*3*	*6*	*10*	*37*	*65*	*100*	*222*	*359*	*396*	*429*	*1080*	*211*	*33*	*8*	*3*	–	–	–	*7*
28	M.	2,819	–	–	–	–	2	4	4	13	33	67	104	200	321	406	1302	286	64	8	3	–	–	–	2
	F.	*2,716*	–	–	–	–	*2*	*5*	*5*	*14*	*28*	*50*	*112*	*221*	*342*	*350*	*1228*	*277*	*53*	*13*	*7*	*1*	–	*1*	*7*
29	M.	2,661	–	–	–	1	1	2	5	9	13	31	48	114	208	335	1382	403	86	*19*	*3*	1	–	–	–
	F.	*2,602*	–	–	–	–	–	*3*	*2*	*6*	*13*	*32*	*49*	*113*	*214*	*315*	*1404*	*354*	*60*	*25*	*6*	*1*	–	*1*	*4*
30–34	M.	9,662	–	1	–	2	1	2	9	16	32	35	81	132	257	418	4525	3,042	822	192	48	6	5	1	35
	F.	*9,202*	–	–	–	2	*1*	*3*	*3*	*9*	*25*	*47*	*76*	*145*	*217*	*374*	*4,335*	*2,939*	*770*	*174*	*53*	*10*	*7*	*4*	*8*
35–39	M.	4,856	–	–	–	–	–	–	2	2	1	2	14	12	29	27	612	2,266	1,340	382	114	32	12	2	7
	F.	*4,679*	–	–	–	*1*	–	*1*	–	*1*	*6*	*3*	*7*	*14*	*16*	*28*	*528*	*2,192*	*1,299*	*422*	*115*	*28*	*10*	*3*	*5*
40–44	M.	1,326	–	–	–	–	–	1	–	2	–	–	–	1	4	2	38	219	604	323	97	29	5	–	1
	F.	*1,236*	–	–	–	–	–	–	–	–	–	*2*	–	–	–	*3*	*36*	*198*	*561*	*313*	*87*	*24*	*8*	*3*	*1*
45–49	M.	72	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	11	9	29	18	2	–	–	1
	F.	*70*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*8*	*11*	*22*	*18*	*6*	*2*	–	*1*
50 and over	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Stated	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15
	F.	*15*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*15*
Total	M.	49,513	6	52	194	459	857	1,445	1,848	2,501	2,964	3,087	3,156	3,224	3,100	3,129	11,926	6,977	3,086	1,007	292	74	23	4	102
	F.	*47,008*	*2*	*50*	*192*	*407*	*785*	*1,400*	*1,730*	*2,397*	*2,715*	*2,950*	*2,979*	*3,048*	*3,003*	*2,928*	*11,392*	*6,645*	*2,892*	*1,005*	*303*	*72*	*30*	*12*	*71*

Table 16. Legitimate stillbirths by sex, age of mother and number of previous children by all husbands—Scotland, 1961

Age of Mother	Number of previous children (live and stillborn)																																		Age of Mother
	Total			0			1		2			3		4		5			6			7		8		9		10–14		15–19		20 and over		N.S.		
	M.	F.	N. K.	M.	F.	N. K.	M.	F.	M.	F.	N. K.	M.	F.	M.	F.	M.	F.	N. K.	M.	F.	N. K.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
16	2	*1*	–	2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	3	*4*	–	3	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	21	*17*	–	19	*14*	–	2	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	18	*26*	–	14	*22*	–	2	*4*	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	38	*30*	–	31	*23*	–	5	*6*	2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21	51	*39*	2	34	*29*	1	12	*6*	3	*4*	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
22	49	*53*	–	32	*32*	–	9	*15*	3	*2*	–	4	*4*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
23	58	*54*	–	25	*28*	–	23	*15*	8	*6*	–	2	*4*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
24	65	*61*	–	28	*31*	–	27	*15*	9	*11*	–	1	*3*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
25–29	292	*288*	1	106	*84*	–	68	*77*	60	*62*	–	29	*42*	17	*15*	4	*5*	1	5	*1*	–	3	*2*	–	–	–	–	–	–	–	–	–	–	–	25–29
30–34	221	*210*	–	49	*37*	–	43	*45*	37	*38*	–	37	*26*	29	*28*	13	*20*	–	6	*8*	–	4	*4*	1	*3*	2	–	–	*1*	–	–	–	–	–	–	30–34
35–39	142	*132*	–	21	*15*	–	21	*11*	16	*29*	–	28	*28*	15	*14*	15	*13*	–	10	*5*	–	10	*6*	1	*7*	2	*2*	2	*2*	1	–	–	–	–	–	35–39
40–44	52	*68*	1	2	*1*	–	5	*5*	10	*14*	–	7	*10*	6	*10*	5	*6*	–	5	*7*	1	5	*7*	3	*5*	3	–	1	*3*	–	–	–	–	–	–	40–44
45–49	4	*4*	–	–	–	–	–	–	–	–	–	–	*1*	1	–	–	*1*	–	–	–	–	1	–	2	*1*	–	*1*	–	–	–	–	–	–	–	–	45–49
50 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50 and over
N.S.	2	*3*	–	2	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N.S.
Total	1018	*990*	4	368	*324*	1	217	*201*	149	*168*	1	110	*118*	70	*68*	37	*46*	1	26	*21*	1	23	*19*	7	*16*	7	*3*	3	*6*	1	–	–	–	–	–	Total

Age of Mother	Number of previous liveborn children																																		Age of Mother
	Total			0			1		2			3		4		5			6			7		8		9		10–14		15–19		20 and over		N.S.		
	M.	F.	N. K	M.	F.	N. K.	M.	F.	M.	F.	N. K	M.	F.	M.	F.	M.	F.	N. K.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
16	2	*1*	–	2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	3	*4*	–	3	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	21	*17*	–	20	*14*	–	1	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	18	*26*	–	14	*22*	–	2	*4*	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	38	*30*	–	32	*24*	–	5	*5*	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21	51	*39*	2	34	*29*	1	12	*6*	3	*4*	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
22	49	*53*	–	32	*33*	–	10	*15*	3	*3*	–	3	*2*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
23	58	*54*	–	25	*29*	–	27	*15*	5	*5*	–	1	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
24	65	*61*	–	28	*33*	–	28	*14*	9	*12*	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
25–29	292	*288*	1	109	*90*	–	75	*83*	56	*65*	–	30	*33*	15	*12*	3	*3*	1	2	–		2	*2*	–	–	–	–	–	–	–	–	–	–	–	25–29
30–34	221	*210*	–	53	*40*	–	44	*48*	42	*36*	–	35	*30*	25	*28*	12	*16*	–	4	*8*		3	*2*	1	*1*	2	–	–	*1*	–	–	–	–	–	–	30–34
35–39	142	*132*	–	22	*15*	–	24	*15*	16	*32*	–	29	*27*	17	*11*	12	*12*	–	8	*6*		8	*5*	2	*5*	1	*2*	3	*2*	–	–	–	–	–	–	35–39
40–44	52	*68*	1	2	*1*	–	5	*6*	11	*15*	–	8	*11*	8	*8*	5	*6*	1	1	*7*		5	*10*	3	*1*	3	–	1	*3*	–	–	–	–	–	–	40–44
45–49	4	*4*	–	–	–	–	–	–	–	–	–	–	*1*	1	–	–	*1*	–	–	–		1	–	2	*1*	–	*1*	–	–	–	–	–	–	–	–	45–49
50 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	50 and over
N.S.	2	*3*	–	2	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	N.S.
Total	1018	*990*	4	378	*338*	1	233	*214*	147	*173*	1	108	*111*	68	*59*	32	*38*	2	15	21	19	*19*	8	*8*	6	*3*	4	*6*	–	–	–	–	–	–	Total

Table 17. Legitimate stillbirths by sex and age of parents—Scotland, 1961

Age of Mother		Age of Father																							
		Total	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65 and over	N.S.
16	M.	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	M.	3	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	F.	*4*	–	–	–	*1*	*1*	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	M.	21	–	–	1	1	5	2	2	4	–	2	–	–	1	–	3	–	–	–	–	–	–	–	–
	F.	*17*	–	–	*1*	*4*	*4*	*5*	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
19	M.	18	–	–	–	1	4	4	2	1	1	3	–	1	–	1	–	–	–	–	–	–	–	–	–
	F.	*26*	–	–	–	–	*3*	*5*	*5*	*5*	*3*	*2*	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–
20	M.	38	–	–	–	3	2	9	2	5	6	3	2	2	–	–	3	1	–	–	–	–	–	–	–
	F.	*30*	–	*1*	–	–	*4*	*4*	*3*	*5*	*3*	*2*	*1*	*3*	*2*	*1*	*1*	–	–	–	–	–	–	–	–
21	M.	51	–	–	1	–	4	8	6	9	5	3	6	3	2	2	1	1	–	–	–	–	–	–	–
	F.	*39*	–	–	–	*1*	*2*	*1*	5	*6*	*7*	*6*	*3*	*2*	*2*	–	*4*	–	–	–	–	–	–	–	–
	N.K.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
22	M.	49	–	–	–	–	–	1	5	7	7	10	10	2	2	1	4	–	–	–	–	–	–	–	–
	F.	*53*	–	–	–	–	*1*	*6*	*8*	*7*	*2*	*11*	*4*	*2*	*4*	*2*	*3*	*1*	*1*	*1*	–	–	–	–	–
23	M.	58	–	–	–	–	–	2	2	11	10	5	6	9	3	3	4	2	–	1	–	–	–	–	–
	F.	*54*	–	–	–	–	*1*	*2*	*4*	*5*	*9*	*10*	*11*	*5*	*2*	*1*	*3*	–	*1*	–	–	–	–	–	–
24	M.	65	–	–	–	–	–	–	4	4	8	9	6	6	6	6	12	4	–	–	–	–	–	–	–
	F.	*61*	–	–	–	–	*1*	*1*	*2*	*10*	*6*	*8*	*6*	*5*	*9*	*4*	*7*	*2*	–	–	–	–	–	–	–
25	M.	61	–	–	–	–	–	–	2	1	6	10	12	4	10	9	6	–	–	1	–	–	–	–	–
	F.	*55*	–	–	–	–	–	–	*3*	–	*2*	*13*	*6*	*5*	*2*	*6*	*16*	–	*1*	–	*1*	–	–	–	–
26	M.	54	–	–	–	–	–	–	–	1	2	3	9	8	5	4	18	3	1	–	–	–	–	–	–
	F.	*60*	–	–	–	–	–	–	*1*	–	*3*	*7*	*6*	*7*	*5*	*9*	*20*	*1*	–	–	–	–	–	–	*1*
27	M.	55	–	–	–	–	–	–	1	–	1	2	6	3	7	4	25	5	–	–	1	–	–	–	–
	F.	*53*	–	–	–	–	–	–	–	*1*	–	*5*	*3*	*5*	*8*	*4*	*21*	*6*	–	–	–	–	–	–	–
28	M.	71	–	–	–	–	–	1	1	–	1	–	3	9	13	7	27	8	1	–	–	–	–	–	–
	F.	*59*	–	–	–	–	–	–	–	–	*1*	*2*	*3*	*4*	*5*	*7*	*31*	*6*	–	–	–	–	–	–	–
	N.K.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
29	M.	51	–	–	–	–	–	–	–	–	1	–	1	4	4	7	27	7	–	–	–	–	–	–	–
	F.	*61*	–	–	–	–	–	–	*1*	*1*	*1*	–	*2*	*5*	*6*	*5*	*29*	*10*	–	*1*	–	–	–	–	–
30–34	M.	221	–	–	–	–	–	–	–	–	1	1	1	5	9	10	98	65	26	4	–	–	–	1	–
	F.	*210*	–	–	–	–	–	–	–	*1*	–	*3*	*1*	*2*	*6*	*7*	*106*	*63*	*18*	*3*	–	–	–	–	–
35–39	M.	142	–	–	–	–	–	–	–	–	–	–	–	1	–	–	21	67	38	11	3	–	–	1	–
	F.	*132*	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*10*	*63*	*38*	*15*	*2*	*1*	–	–	–
40–44	M.	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	20	17	7	2	1	–	–
	F.	*68*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*4*	*37*	*20*	*4*	–	*1*	–	–
	N.K.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
45–49	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–
	F.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*2*	–	–	–	–
50 and over	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Stated	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*
Total	M.	1,018	–	–	2	6	16	27	27	44	50	51	62	57	63	54	251	166	87	34	14	2	1	2	2
	F.	*990*	–	*1*	*1*	*6*	*18*	*24*	*34*	*42*	*38*	*69*	*50*	*45*	*53*	*47*	*253*	*156*	*96*	*42*	*9*	*1*	*1*	–	*4*
	N.K.	4	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1

Table 18. Stillbirths by sex, age of mother and period of gestation—Scotland, 1961

Period of gestation (weeks)	Age of mother																										Period of gestation (weeks)
	Total			–16		16–19		20–24			25–29			30–34		35–39		40–44			45–49		50 and over		Not Stated			
	M.	F.	N.S.	M.	F.	M.	F.	M.	F.	N.S.	M.	F.	N.S.	M.	F.	M.	F.	M.	F.	N.S.	M.	F.	M.	F.	M.	F.	N.S.	
28	25	*34*	–	–	–	*1	§5	†8	*13*	–	‡6	*8*	–	6	*3*	3	*4*	1	*1*	–	–	–	–	–	–	–	–	28
29	26	*29*	1	–	*1*	2	*1*	6	*8*	1	8	*7*	–	7	*6*	3	*4*	–	*2*	–	–	–	–	–	–	–	–	29
30	52	*53*	–	–	–	2	*5*	15	*8*	–	14	*15*	–	11	*13*	5	*6*	4	*5*	–	–	–	–	–	1	*1*	–	30
31	21	*20*	–	–	–	–	*2*	4	*9*	–	7	*4*	–	7	*2*	3	*2*	–	*1*	–	–	–	–	–	–	–	–	31
32	76	*72*	–	–	–	8	*3*	22	*21*	–	18	*15*	–	9	*19*	11	*10*	8	*4*	–	–	–	–	–	–	–	–	32
33	52	*49*	–	–	–	1	*4*	20	*12*	–	11	*21*	–	13	*8*	7	*3*	–	*1*	–	–	–	–	–	–	–	–	33
34	64	*77*	–	–	–	5	*3*	13	*19*	–	16	*18*	–	12	*19*	11	*11*	6	*5*	–	1	*2*	–	–	–	–	–	34
35	48	*53*	–	–	–	–	*4*	18	*14*	–	8	*13*	–	11	*11*	8	*8*	3	*2*	–	–	–	–	–	–	*1*	–	35
36	103	*89*	1	–	–	6	*7*	21	*24*	–	30	*32*	–	29	*12*	13	*8*	3	*6*	1	–	–	–	–	1	–	–	36
37	84	*88*	–	–	–	5	*2*	17	*16*	–	36	*31*	–	13	*20*	10	*8*	3	*11*	–	–	–	–	–	–	–	–	37
38	113	*99*	1	–	–	7	*3*	25	*28*	–	37	*26*	1	25	*17*	13	*17*	5	*7*	–	1	*1*	–	–	–	–	–	38
39	62	*67*	–	–	–	2	–	15	*18*	–	14	*17*	–	15	*15*	11	*11*	4	*6*	–	1	–	–	–	–	–	–	39
40	199	*174*	1	–	–	7	*14*	52	*35*	1	58	*47*	–	40	*36*	26	*26*	15	*15*	–	1	*1*	–	–	–	–	–	40
41	55	*54*	–	–	–	2	*2*	19	*12*	–	11	*22*	–	10	*10*	10	*4*	3	*4*	–	–	–	–	–	–	–	–	41
42	37	*43*	–	–	–	3	*3*	10	*7*	–	7	*13*	–	11	*12*	6	*6*	–	*1*	–	–	–	–	–	–	*1*	–	42
43	14	*17*	–	–	–	1	*2*	3	*4*	–	4	*2*	–	4	*4*	2	*2*	–	*3*	–	–	–	–	–	–	–	–	43
44	5	*2*	–	–	–	–	–	3	–	–	1	–	–	–	*1*	–	*1*	*1*	–	–	–	–	–	–	–	–	–	44
45 and over	1	*2*	–	–	–	–	–	–	–	–	1	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	45 and over
N.S.	45	*38*	1	–	–	5	*3*	9	*7*	–	10	*7*	–	10	*9*	8	*7*	2	–	–	–	–	–	–	*1*	*5*	1	N.S.
Total	1,082	*1,060*	5	–	*1*	57	*63*	280	*255*	2	297	*298*	1	233	*219*	150	*138*	58	*74*	1	4	*4*	–	–	3	*8*	1	Total

*26 weeks gestation.
†Includes 2 of 23 weeks gestation.
‡Includes 1 of 27 weeks gestation.
§Includes 1 of 24 weeks gestation.

Table 19. Stillbirths by sex, age of mother and weight of fœtus—Scotland, 1961

Weight of fœtus (pounds)	Age of mother																									Weight of fœtus (pounds)
	Total			–16		16–19		20–24			25–29			30–34		35–39		40–44			45–49		50 and over		Not Stated			
	M.	F.	N.S.	M.	F.	M.	F.	M.	F.	N.S.	M.	F.	N.S.	M.	F.	M.	F.	M.	F.	N.S.	M.	F.	M.	F.	M.	F.	N.S.	
–1	7	*10*	1	–	–	–	–	1	*2*	1	4	*4*	–	–	*1*	1	*1*	1	*2*	–	–	–	–	–	–	–	–1
1–	22	*22*	–	–	–	–	–	4	*11*	–	6	*6*	–	7	*4*	2	*1*	3	–	–	–	–	–	–	–	–	–	1–
1·5–	34	*46*	–	–	*1*	1	*6*	10	*16*	–	13	*9*	–	7	*11*	2	*1*	–	*2*	–	1	–	–	–	–	–	–	1·5–
2–	39	*57*	–	–	–	4	*4*	11	*15*	–	10	*14*	–	6	*11*	5	*7*	3	*5*	–	–	*1*	–	–	–	–	–	2–
2·5–	58	*79*	–	–	–	4	*4*	13	*19*	–	18	*28*	–	12	*10*	9	*11*	2	*5*	–	–	–	–	–	–	*2*	–	2·5–
3–	71	*81*	–	–	–	5	*9*	20	*20*	–	19	*24*	–	14	*14*	7	*7*	6	*7*	–	–	–	–	–	–	–	–	3–
3·5–	53	*62*	1	–	–	2	*2*	11	*19*	–	22	*16*	1	8	*10*	7	*12*	3	*3*	–	–	–	–	–	–	–	–	3·5–
4–	53	*72*	–	–	–	–	*2*	14	*17*	–	16	*19*	–	14	*19*	8	*8*	1	*6*	–	–	*1*	–	–	–	–	–	4–
4·5–	67	*53*	–	–	–	3	*4*	16	*9*	–	22	*16*	–	17	*16*	8	*5*	1	*3*	–	–	–	–	–	–	–	–	4·5–
5–	67	*65*	–	–	–	3	*5*	22	*12*	–	15	*24*	–	16	*10*	7	*12*	3	*1*	–	–	*1*	–	–	1	–	–	5–
5·5–	50	*45*	–	–	–	2	*3*	21	*13*	–	10	*11*	–	6	*8*	7	*4*	4	*6*	–	–	–	–	–	–	–	–	5·5–
6–	85	*70*	–	–	–	3	*2*	22	*22*	–	29	*12*	–	18	*18*	8	*9*	4	*7*	–	1	–	–	–	–	–	–	6–
6·5–	47	*58*	–	–	–	3	*5*	9	*10*	–	10	*19*	–	13	*8*	7	*8*	5	*8*	–	–	–	–	–	–	–	–	6·5–
7–	84	*59*	–	–	–	6	*1*	22	*12*	–	22	*17*	–	15	*14*	14	*8*	4	*6*	–	1	*1*	–	–	–	–	–	7–
7·5–	47	*40*	–	–	–	4	*1*	14	*12*	–	12	*13*	–	6	*7*	9	*6*	2	*1*	–	–	–	–	–	–	–	–	7·5–
8–	50	*34*	–	–	–	2	*1*	8	*8*	–	12	*11*	–	16	*5*	8	*7*	4	*2*	–	–	–	–	–	–	–	–	8–
8·5–	27	*20*	–	–	–	1	–	9	*3*	–	6	*7*	–	6	*8*	4	*1*	1	*1*	–	–	–	–	–	–	–	–	8·5–
9–	20	*16*	–	–	–	–	–	5	–	–	6	*8*	–	3	*3*	4	*4*	2	*1*	–	–	–	–	–	–	–	–	9–
9·5–	9	*8*	–	–	–	–	–	1	*1*	–	4	*1*	–	3	*2*	1	*2*	–	*2*	–	–	–	–	–	–	–	–	9·5–
10–	8	*4*	–	–	–	1	–	2	–	–	2	–	–	2	*4*	1	–	–	–	–	–	–	–	–	–	–	–	10–
10·5–	1	*2*	–	–	–	–	–	–	–	–	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10·5–
11–	2	*4*	–	–	–	–	–	1	–	–	–	–	–	1	*2*	–	*2*	–	–	–	–	–	–	–	–	–	–	11–
11·5–	1	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	11·5–
12–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	12–
12·5–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	12·5–
13–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13–
13·5–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13·5–
14 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14 and over
Not Stated	179	*151*	3	–	–	13	*14*	44	*34*	1	38	*36*	–	42	*33*	30	*22*	9	*6*	1	1	–	–	–	2	*6*	1	Not Stated
Total	1,082	*1,060*	5	–	*1*	57	*63*	280	*255*	2	297	*298*	1	233	*219*	150	*138*	58	*74*	1	4	*4*	–	–	3	*8*	1	Total

F

Table 20. Stillbirths by sex, period of gestation

Weight of fœtus (pounds)	Period of Gestation (weeks)																					
	Total			28		29			30		31		32		33		34		35		36	
	M.	F.	N.K.	M.	F.	M.	F.	N.K.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
–1	7	*10*	1	1	–	2	*1*	1	1	*4*	–	*1*	3	*1*	–	*1*	–	*1*	–	*1*	–	–
1–	22	*22*	–	*2	*5*	3	*2*	–	4	*2*	3	*2*	4	*5*	1	*1*	2	*2*	1	*1*	–	–
1·5–	34	*46*	–	†5	*3*	5	*6*	–	9	*9*	–	*6*	5	*5*	5	*4*	1	*7*	–	*2*	1	*2*
2–	39	*57*	–	‡1	**7	6	*4*	–	8	*5*	4	*2*	5	*10*	3	*6*	4	*8*	2	*3*	1	*6*
2·5–	58	*79*	–	§4	*6*	3	*3*	–	5	*7*	3	*1*	10	*14*	12	*9*	8	*9*	3	*9*	3	*12*
3–	71	*81*	–	3	*2*	1	*4*	–	9	*12*	3	–	13	*10*	7	*7*	8	*11*	4	*4*	4	*14*
3·5–	53	*62*	1	1	*2*	2	–	–	5	*1*	3	*1*	6	*3*	2	*4*	7	*12*	3	*9*	9	*12*
4–	53	*72*	–	–	–	–	–	–	1	*2*	–	*3*	4	*8*	4	*7*	9	*6*	4	*3*	13	*7*
4·5–	67	*53*	–	–	–	–	*1*	–	2	*1*	–	–	4	*2*	6	*1*	3	*5*	8	*3*	15	*5*
5–	67	*65*	–	–	–	–	–	–	–	*1*	2	*1*	2	*2*	3	–	7	*7*	4	*3*	10	*8*
5·5–	50	*45*	–	–	–	1	–	–	1	–	–	–	2	*2*	–	*2*	2	*1*	4	*4*	7	*4*
6–	85	*70*	–	–	*1*	–	–	–	–	–	–	*1*	1	–	1	–	3	*3*	4	–	13	*1*
6·5–	47	*58*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	5	*5*
7–	84	*59*	–	–	–	–	–	–	1	–	–	*1*	–	*1*	–	–	2	*1*	1	–	6	*1*
7·5–	47	*40*	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	1	–	1	–
8–	50	*34*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	*2*
8·5–	27	*20*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
9–	20	*16*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9·5–	9	*8*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10–	8	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10·5–	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11–	2	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11·5–	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12·5–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13·5–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
N.S.	179	*151*	3	8	*8*	3	*8*	–	6	*9*	3	*1*	17	*9*	8	*5*	7	*4*	6	*11*	11	*10*
Total	1,082	*1,060*	5	25	*34*	26	*29*	1	52	*53*	21	*20*	76	*72*	52	*49*	64	*77*	48	*53*	103	*89*

*includes 1 of 23 weeks gestation.
†includes 1 of 23 weeks gestation.
‡1 of 26 weeks gestation.
§includes 1 of 27 weeks gestation.
**includes 1 of 24 weeks gestation.

Period of Gestation (weeks)																							Weight of fœtus (pounds)
37		38			39		40			41		42		43		44		45 and over		Not stated			
M.	F.	M.	F.	N. K.	M.	F.	M.	F.	N. K.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	N. K.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–1
1	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1–
–	–	1	–	–	–	–	2	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	1·5–
2	*3*	1	*1*	–	–	–	1	*1*	–	–	–	–	–	–	–	–	–	–	–	1	*1*	–	2–
3	*3*	3	*1*	–	1	*3*	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	2·5–
11	*5*	4	*4*	–	–	*2*	1	*3*	–	1	*3*	–	–	–	–	–	–	–	–	2	–	–	3–
6	*2*	4	*5*	1	2	*4*	2	*6*	–	–	*1*	–	–	1	–	–	–	–	–	–	–	–	3·5–
4	*9*	7	*10*	–	1	*6*	5	*9*	–	–	–	–	*2*	–	–	–	–	–	–	1	–	–	4–
5	*9*	13	*12*	–	4	*6*	4	*5*	–	1	*2*	1	*1*	–	–	–	–	–	–	1	–	–	4·5–
7	*12*	11	*7*	–	7	*5*	11	*10*	–	1	*4*	1	*2*	–	1	–	–	–	–	1	*2*	–	5–
10	*11*	7	*6*	–	1	*3*	11	*6*	–	2	*3*	1	*3*	1	–	–	–	–	–	–	–	–	5·5–
9	*10*	17	*17*	–	9	*12*	19	*14*	–	4	*2*	2	*5*	2	*3*	–	*1*	1	–	–	–	–	6–
2	*5*	6	*10*	–	7	*9*	16	*12*	–	3	*8*	4	*5*	–	*3*	–	*1*	–	–	–	–	–	6·5–
7	*4*	11	*3*	–	6	*6*	34	*28*	–	9	*10*	6	*1*	–	*3*	1	–	–	–	–	–	–	7–
3	*2*	3	*5*	–	3	*1*	22	*16*	–	6	*4*	4	*5*	4	*3*	–	–	–	*1*	–	*1*	–	7·5–
1	–	3	*4*	–	9	*1*	19	*18*	–	6	*3*	4	*6*	1	–	3	–	–	–	1	–	–	8–
5	–	2	*2*	–	–	*4*	10	*5*	–	5	*5*	1	*2*	3	*2*	–	–	–	–	–	–	–	8·5–
–	–	2	*1*	–	1	*1*	7	*9*	–	6	*2*	3	*3*	1	–	–	–	–	–	–	–	–	9–
–	–	1	–	–	–	*2*	4	*2*	–	–	*1*	3	*2*	1	–	–	–	–	*1*	–	–	–	9·5–
–	–	–	*1*	–	–	–	2	*1*	–	2	*1*	3	–	–	*1*	1	–	–	–	–	–	–	10–
–	–	–	–	–	1	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	10·5–
–	*1*	1	–	–	–	–	1	*2*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	11–
–	–	–	–	–	–	–	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11·5–
–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12–
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	12·5–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13·5–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14 and over
8	*11*	16	*9*	–	10	*1*	27	*23*	1	8	*5*	4	*2*	–	*1*	–	–	–	–	37	*34*	1	N.S.
34	*88*	113	*99*	1	62	*67*	199	*174*	1	55	*54*	37	*43*	14	*17*	5	*2*	1	*2*	45	*38*	1	Total

Table 21. Stillbirths by sex, weight of fœtus and number of mothers' previous children (live and stillborn) by all husbands—Scotland, 1961

Weight of fœtus (pounds)	Number of previous children (live and stillborn)																																		Weight of fœtus (pounds)
	Total			0			1		2			3		4		5			6			7		8		9		10–14		15–19		20 and over		N.S.		
	M.	F.	N. S.	M.	F.	N. S.	M.	F.	M.	F.	N. S.	M.	F.	M.	F.	M.	F.	N. S.	M.	F.	N. S.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
–1	6	*10*	1	3	*2*	–	–	*3*	1	–	1	2	*3*	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–1
1–	20	*21*	–	9	*12*	–	2	*4*	3	*3*	–	2	*1*	2	–	1	*1*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1–
1·5–	34	*43*	–	16	*23*	–	6	*9*	3	*4*	–	3	*3*	2	*2*	1	*2*	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1·5–
2–	38	*52*	–	17	*16*	–	12	*11*	4	*10*	–	2	*5*	–	*6*	1	–	–	1	*1*	–	–	*1*	–	*2*	–	–	1	–	–	–	–	–	–	–	2–
2·5–	56	*76*	–	24	*24*	–	10	*16*	10	*16*	–	5	*7*	5	*4*	1	*2*	–	–	*1*	–	1	*1*	–	*4*	–	–	–	*1*	–	–	–	–	–	–	2·5–
3–	67	*75*	–	26	*29*	–	19	*15*	6	*13*	–	7	*8*	3	*5*	3	*1*	–	1	*1*	–	1	–	1	*2*	–	–	–	*1*	–	–	–	–	–	–	3–
3·5–	51	*60*	1	23	*23*	–	11	*12*	7	*8*	–	1	*5*	4	*6*	1	*1*	1	1	–	–	1	*2*	1	*1*	–	–	1	*2*	–	–	–	–	–	–	3·5–
4–	51	*69*	–	16	*20*	–	13	*12*	10	*14*	–	5	*9*	3	*6*	1	*4*	–	2	*1*	–	1	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	4–
4·5–	64	*51*	–	23	*11*	–	18	*16*	9	*8*	–	6	*7*	5	–	2	*3*	–	1	*1*	–	–	*4*	–	*1*	–	–	–	–	–	–	–	–	–	–	4·5–
5–	61	*63*	–	28	*27*	–	8	*8*	12	*9*	–	4	*11*	5	*4*	2	*2*	–	1	*2*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	5–
5·5–	47	*42*	–	19	*14*	–	8	*7*	7	*8*	–	5	*5*	1	*3*	3	*3*	–	2	*2*	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	5·5–
6–	83	*64*	–	26	*17*	–	19	*12*	15	*12*	–	9	*6*	6	*5*	5	*5*	–	1	*2*	–	1	*3*	1	*2*	–	–	–	–	–	–	–	–	–	–	6–
6·5–	43	*50*	–	10	*16*	–	10	*9*	9	*10*	–	5	*5*	6	*3*	–	*3*	–	2	*1*	–	–	–	–	*2*	1	–	–	*1*	–	–	–	–	–	–	6·5–
7–	80	*52*	–	29	*12*	–	17	*12*	10	*11*	–	8	*8*	9	*3*	3	*1*	–	1	–	–	2	*2*	1	*1*	–	*1*	–	–	–	–	–	–	–	–	7–
7·5–	46	*39*	–	17	*13*	–	9	*11*	8	*6*	–	5	*4*	3	*1*	1	*1*	–	1	*2*	–	1	*1*	1	–	–	–	–	–	–	–	–	–	–	–	7·5–
8–	46	*32*	–	8	*6*	–	10	*6*	11	*5*	–	8	*5*	–	*2*	4	*6*	–	3	*1*	–	–	–	1	–	1	*1*	–	–	–	–	–	–	–	–	8–
8·5–	27	*19*	–	10	*10*	–	6	*2*	4	*2*	–	2	*1*	2	*2*	1	*1*	–	1	*1*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	8·5–
9–	19	*15*	–	4	*1*	–	3	*3*	3	*5*	–	2	*2*	2	*3*	1	–	–	1	*1*	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	9–
9·5–	8	*8*	–	1	*1*	–	4	*1*	1	–	–	–	*2*	1	*2*	–	–	–	–	–	–	–	*2*	–	–	1	–	–	–	–	–	–	–	–	–	9·5–
10–	7	*4*	–	4	–	–	–	*2*	1	*1*	–	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	10–
10·5–	1	*2*	–	–	–	–	–	–	–	*2*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10·5–
11–	2	*4*	–	1	–	–	1	*1*	–	*1*	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11–
11·5–	1	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11·5–
12–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12–
12·5–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12·5–
13–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13–
13·5–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13·5–
14 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14 and over
N.S.	159	*137*	2	54	*47*	1	31	*29*	15	*20*	–	27	*18*	11	*8*	6	*9*	–	3	*4*	1	10	*2*	–	–	2	–	–	–	–	–	–	–	–	–	–	N.S.
Total	1,018	*990*	4	368	*324*	1	217	*201*	149	*168*	1	110	*118*	70	*68*	37	*46*	1	26	*21*	1	23	*19*	7	*16*	7	*3*	3	*6*	1	–	–	–	–	–	Total

Table 22. Stillbirths by sex, period of gestation and number of mothers' previous children (live and stillborn) by all husbands—Scotland, 1961

Period of gestation (weeks)	Number of previous children (live and stillborn)																																Period of gestation (weeks)
	Total			0			1		2			3		4		5			6			7		8		9		10–14		15–19		20 and over		N.S.		
	M.	F.	N. S.	M.	F.	N. S.	M.	F.	M.	F.	N. S.	M.	F.	M.	F.	M.	F.	N. S.	M.	F.	N. S.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
28	22	*32*	–	*7	§17	–	†6	*5*	‡4	*3*	–	1	*3*	3	*2*	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28
29	26	*27*	1	12	*8*	–	4	*7*	3	*5*	1	4	*2*	1	*1*	1	*3*	–	1	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	29
30	51	*48*	–	25	*22*	–	16	*8*	4	*7*	–	1	*6*	1	*2*	2	*1*	–	1	*1*	–	–	–	–	*1*	–	–	1	–	–	–	–	–	–	30
31	20	*20*	–	8	*7*	–	8	*6*	2	*3*	–	–	*3*	–	–	1	*1*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
32	70	*66*	–	23	*25*	–	18	*13*	12	*10*	–	5	*7*	5	*6*	2	*1*	–	–	*3*	–	4	–	–	*1*	1	–	–	–	–	–	–	–	–	32
33	49	*48*	–	19	*13*	–	15	*11*	5	*10*	–	6	*7*	3	*2*	–	*2*	–	–	–	–	–	*3*	–	–	–	–	–	1	–	–	–	–	–	33
34	62	*70*	–	19	*19*	–	8	*17*	13	*9*	–	6	*9*	5	*5*	4	*4*	–	3	–	–	3	*2*	–	*2*	–	*1*	1	*2*	–	–	–	–	–	34
35	47	*52*	–	13	*23*	–	13	*15*	8	*2*	–	6	*5*	3	*3*	2	–	–	–	*2*	–	1	–	1	*1*	–	–	–	*1*	–	–	–	–	–	35
36	98	*85*	1	24	*26*	–	27	*17*	14	*19*	–	17	*6*	7	*9*	2	*2*	–	2	*1*	1	*2*	*1*	1	*4*	2	–	–	–	–	–	–	–	–	36
37	81	*83*	–	27	*26*	–	16	*20*	14	*17*	–	7	*11*	8	*4*	3	*2*	–	5	*1*	–	1	*1*	–	–	–	–	–	*1*	–	–	–	–	–	37
38	109	*93*	1	43	*26*	–	24	*15*	18	*27*	–	11	*9*	7	*4*	3	*4*	1	1	*3*	–	2	*2*	–	*2*	–	*1*	–	–	–	–	–	–	–	38
39	56	*66*	–	19	*16*	–	8	*8*	13	*13*	–	5	*13*	5	*8*	3	*2*	–	1	*2*	–	–	*2*	1	*2*	1	–	–	–	–	–	–	–	–	39
40	182	*161*	1	62	*49*	1	36	*31*	23	*23*	–	21	*18*	17	*13*	9	*13*	–	5	*5*	–	5	*6*	3	–	1	*1*	–	*2*	–	–	–	–	–	40
41	54	*48*	–	26	*21*	–	7	*10*	9	*7*	–	4	*5*	1	–	2	*5*	–	1	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	41
42	34	*40*	–	15	*11*	–	3	*8*	3	*5*	–	8	*6*	–	*4*	–	*2*	–	2	*2*	–	2	*1*	–	*1*	1	–	–	–	–	–	–	–	–	42
43	14	*17*	–	7	*7*	–	3	*2*	3	*1*	–	–	*2*	1	*2*	–	*2*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	43
44	4	*2*	–	2	–	–	–	–	–	–	–	1	*1*	–	–	–	–	–	–	–	–	–	–	1	*1*	–	–	–	–	–	–	–	–	–	44
45 and over	1	*2*	–	–	*1*	–	1	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45 and over
N.S.	38	*30*	–	17	*7*	–	4	*8*	1	*7*	–	7	*5*	3	*2*	2	–	–	3	*1*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	N.S.
Total	1.018	*990*	4	368	*324*	1	217	*201*	149	*168*	1	110	*118*	70	*68*	37	*46*	1	26	*21*	1	23	*19*	7	*16*	7	*3*	3	*6*	1	–	–	–	–	–	Total

*includes 1 of 23 weeks and 1 of 26 weeks gestation.
†includes 1 of23 weeks gestation.
‡includes 1 of 27 weeks gestation.
§includes 1 of 24 weeks gestation.

Table 23. Birth-rates by Sex, Legitimacy and Age of Mother, Scotland—1961

Age of Mother	Estimated Female Population (thousands)	Maternities per 1,000 Females	Birth-rates per 1,000 Females					
			Live			Still		
			Both Sexes	Males	Females	Both Sexes	Males	Females
Legitimate and Illegitimate								
15–49	1,226·3	83·22	82·48	42·37	40·12	1·75	0·88	0·86
15–	187·0	34·22	33·76	17·52	16·24	0·65	0·30	0·34
20–	177·5	177·03	175·43	90·54	84·88	3·02	1·58	1·44
25–	169·0	186·57	185·30	94·75	90·55	3·53	1·76	1·76
30–	172·7	113·54	112·93	57·87	55·06	2·62	1·35	1·27
35–	175·4	57·40	56·84	28·97	27·87	1·64	0·86	0·79
40–	166·9	16·77	16·21	8·45	7·76	0·80	0·35	0·44
45–	177·7	0·88	0·83	0·42	0·42	0·05	0·02	0·02
Legitimate (Married Women)								
16–49	812·0	119·89	118·87	60·98	57·89	2·48	1·25	1·22
16–	11·7	460·73	455·52	235·71	219·81	7·86	3·76	4·10
20–	95·6	313·35	310·61	160·26	150·35	5·23	2·73	2·48
25–	140·3	217·84	216·35	110·46	105·88	4·14	2·08	2·05
30–	143·5	132·17	131·46	67·33	64·13	3·00	1·54	1·46
35–	145·5	66·17	65·51	33·37	32·15	1·88	0·98	0·91
40–	136·6	19·36	18·75	9·71	9·05	0·89	0·38	0·50
45–	138·7	1·08	1·02	0·52	0·50	0·06	0·03	0·03
Illegitimate (Single, Widowed and Divorced Women)								
15–49	414·3	11·35	11·17	5·89	5·28	0·33	0·15	0·17
15–	175·3	5·75	5·60	2·96	2·65	0·17	0·07	0·09
20–	81·0	17·93	17·65	9·18	8·47	0·45	0·23	0·22
25–	28·7	33·65	33·51	17·94	15·57	0·52	0·17	0·35
30–	29·2	21·99	21·85	11·37	10·48	0·72	0·41	0·31
35–	29·9	14·69	14·62	7·59	7·03	0·47	0·27	0·20
40–	30·3	5·08	4·75	2·81	1·95	0·40	0·20	0·20
45–	39·0	0·15	0·15	0·05	0·10	–	–	–

Table 24. Multiple confinements by Sex, Legitimacy and Age of Mother, Scotland, 1961.

	Live Births		Stillbirths			Total	Legitimate	Illegitimate	Age of Mother								
	Male	Female	Male	Female	Sex not known				Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not Stated
Twin Births	2	—	—	—	—	375	358	17	16	80(6)	115 (3)	107 (4)	48 (3)	9 (1)	—	—	—
	1	1	—	—	—	436	415	21	5 (1)	72 (2)	143 (5)	125 (7)	74 (5)	17 (1)	—	—	—
	—	2	—	—	—	335	318	17	9 (1)	83 (6)	96 (1)	82 (6)	53 (3)	12	—	—	—
	1	—	1	—	—	29	28	1	1 (1)	7	9	9	3	—	—	—	—
	1	—	—	1	—	4	3	1	—	—	1 (1)	1	1	1	—	—	—
	—	1	1	—	—	10	10	—	—	1	1	5	3	—	—	—	—
	—	1	—	1	—	30	29	1	2	6	8	8	5 (1)	1	—	—	—
	—	—	2	—	—	5	5	—	1	1	2	1	—	—	—	—	—
	—	—	1	1	—	3	2	1	—	—	2 (1)	1	—	—	—	—	—
	—	—	—	2	—	2	2	—	—	—	1	1	—	—	—	—	—
	1	—	—	—	1	2	2	—	—	2	—	—	—	—	—	—	—
Triplet Births	2	1	—	—	—	3	3	—	—	—	1	1	1	—	—	—	—
	1	2	—	—	—	2	2	—	—	—	—	1	1	—	—	—	—
	—	2	—	1	—	1	1	—	—	—	—	1	—	—	—	—	—
	—	—	3	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Quadruplet Births	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Confinements						100,833	96,168	4,665	6,385	31,178	31,155	19,265	9,880	2,759	156	—	55
Twin Confinements						1,231	1,172	59	34	252	378	340	187	40	—	—	—
Triplet Confinements						7	7	—	—	—	2	3	2	—	—	—	—
Quadruplet Confinements						—	—	—	—	—	—	—	—	—	—	—	—
Total Confinements						102,071	97,347	4,724	6,419	31,430	31,535	19,608	10,069	2,799	156	—	55
Total Multiple Confinements						1,238	1,179	59	34	252	380	343	189	40	—	—	—
Total Illegitimate Multiple Confinements						59	—	59	3	14	11	17	12	2	—	—	—
Percentage of mothers who had multiple births						1·21	1·21	1·25	0·53	0·80	1·21	1·75	1·88	1·43	—	—	—

Note.—The total in each group includes illegitimate births which are also shown separately in brackets.

Table 25. Live births by sex, social class, age of mother and number of previous children (live and stillborn) by all husbands—Scotland, 1961

Social Class	Number of previous children (live and still)	Total		Age of Mother: Under 20		20–24		25–29		30–34		35–39		40–44		45–49		50 and over		Not stated	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I	0	970	912	28	24	327	319	431	382	135	142	44	35	5	9	–	1	–	–	–	–
	1	792	767	3	1	128	115	368	365	208	217	78	57	6	12	1	–	–	–	–	–
	2	403	404	–	–	19	14	127	144	178	166	70	72	9	8	–	–	–	–	–	–
	3	158	119	–	–	1	–	37	23	68	48	43	34	8	14	1	–	–	–	–	–
	4	51	65	–	–	–	–	7	13	22	27	16	14	5	11	1	–	–	–	–	–
	5	19	15	–	–	–	–	2	–	6	5	10	4	1	6	–	–	–	–	–	–
	6	11	9	–	–	–	–	1	1	3	6	3	2	4	–	–	–	–	–	–	–
	7	2	8	–	–	–	–	–	–	–	1	–	5	2	1	–	1	–	–	–	–
	8	2	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	10 and over	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Not stated	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4
	Total–Legitimate	2411	2306	31	25	475	448	974	928	620	612	266	225	41	62	3	2	–	–	1	4
	Illegitimate	6	8	2	4	2	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–
II	0	1630	1610	66	65	639	638	565	541	233	259	100	85	26	21	1	1	–	–	–	–
	1	1466	1435	10	12	275	299	615	598	384	363	153	136	28	25	1	2	–	–	–	–
	2	951	876	1	2	71	85	306	290	339	318	191	140	43	39	–	2	–	–	–	–
	3	426	435	–	–	15	19	110	105	151	166	120	109	29	31	1	5	–	–	–	–
	4	218	238	–	–	3	5	36	32	87	83	74	88	18	29	–	1	–	–	–	–
	5	99	82	–	–	–	1	16	9	29	27	38	25	14	19	2	1	–	–	–	–
	6	42	39	–	–	–	–	2	3	9	9	21	18	9	9	1	–	–	–	–	–
	7	28	21	–	–	–	–	–	2	7	4	13	11	6	4	2	–	–	–	–	–
	8	15	15	–	–	–	–	–	2	2	2	5	7	8	4	–	–	–	–	–	–
	9	6	5	–	–	–	–	–	–	–	1	4	3	1	1	1	–	–	–	–	–
	10 and over	7	7	–	–	–	–	–	–	–	–	4	2	3	5	–	–	–	–	–	–
	Not stated	4	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	4	4
	Total–Legitimate	4892	4768	77	79	1003	1047	1650	1582	1241	1233	723	624	185	187	9	12	–	–	4	4
	Illegitimate	136	116	30	21	61	52	23	26	11	10	8	4	3	2	–	–	–	–	–	1
III	0	9480	8945	1245	1149	4808	4518	2272	2241	802	713	294	268	56	53	3	3	–	–	–	–
	1	7818	7340	193	178	2825	2548	3011	2897	1294	1224	420	424	75	68	–	1	–	–	–	–
	2	4651	4368	20	26	925	895	1861	1703	1217	1127	517	504	109	109	2	4	–	–	–	–
	3	2464	2307	1	1	241	239	832	811	833	750	442	402	109	98	6	6	–	–	–	–
	4	1171	1260	1	–	56	62	331	377	422	416	262	309	92	94	7	2	–	–	–	–
	5	658	627	–	–	11	6	125	125	239	228	206	194	72	69	5	5	–	–	–	–
	6	368	327	–	–	2	1	50	50	113	112	142	117	59	43	2	4	–	–	–	–
	7	212	178	–	–	–	–	17	10	66	74	92	70	35	23	2	1	–	–	–	–
	8	113	101	–	–	–	–	5	3	38	32	41	40	28	25	1	1	–	–	–	–
	9	58	45	–	–	–	–	3	2	10	7	24	22	18	13	3	1	–	–	–	–
	10 and over	69	64	–	–	–	–	2	–	6	10	34	32	26	20	1	2	–	–	–	–
	Not stated	5	4	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	4	1
	Total–Legitimate	27067	25566	1460	1354	8868	8270	8510	8219	5040	4695	2474	2382	679	615	32	30	–	–	4	1
	Illegitimate	568	494	212	197	205	183	78	63	45	34	19	15	9	1	–	1	–	–	–	–
IV	0	3040	2742	547	480	1458	1354	654	577	253	220	102	93	25	18	1	–	–	–	–	–
	1	2518	2328	115	103	1023	915	876	807	336	345	137	134	29	23	2	1	–	–	–	–
	2	1709	1690	13	6	454	403	645	651	408	395	153	200	33	33	3	2	–	–	–	–
	3	1031	1012	–	–	131	120	364	394	350	296	151	161	33	37	2	4	–	–	–	–
	4	583	549	–	–	42	28	171	156	195	201	138	129	35	31	2	4	–	–	–	–
	5	296	324	–	–	4	4	82	70	99	118	70	103	39	28	2	1	–	–	–	–
	6	187	179	–	–	–	2	23	32	76	67	60	59	26	17	2	2	–	–	–	–
	7	93	110	–	–	1	–	12	17	34	39	33	34	13	17	–	3	–	–	–	–
	8	61	41	–	–	–	–	2	2	20	15	25	15	12	7	2	2	–	–	–	–
	9	30	37	–	–	–	–	1	2	7	6	13	14	9	15	–	–	–	–	–	–
	10 and over	33	30	–	–	–	–	1	–	4	4	13	16	13	10	2	–	–	–	–	–
	Not stated	7	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	5	3
	Total–Legitimate	9588	9045	675	589	3113	2826	2831	2708	1784	1706	895	958	267	236	18	19	–	–	5	3
	Illegitimate	687	654	193	177	258	240	125	124	61	66	37	35	13	10	–	–	–	–	–	2
V	0	1608	1519	410	425	757	712	289	236	93	102	44	38	14	6	1	–	–	–	–	–
	1	1306	1230	91	88	656	582	371	339	134	152	39	58	14	9	1	2	–	–	–	–
	2	929	967	13	10	274	325	349	374	202	170	73	66	17	21	1	1	–	–	–	–
	3	702	648	1	2	128	132	271	236	187	179	91	86	23	12	1	1	–	–	–	–
	4	400	359	–	–	37	25	132	123	145	131	70	64	14	16	2	–	–	–	–	–
	5	253	235	–	–	11	5	72	71	98	82	55	54	15	21	2	2	–	–	–	–
	6	133	145	–	–	–	2	28	24	50	57	45	42	10	19	–	1	–	–	–	–
	7	102	99	–	–	–	–	19	10	32	43	39	34	11	12	1	–	–	–	–	–
	8	60	51	–	–	–	–	4	7	20	23	23	14	12	7	1	–	–	–	–	–
	9	26	28	–	–	–	–	1	–	10	8	11	17	4	3	–	–	–	–	–	–
	10 and over	34	35	–	–	–	–	–	1	6	9	8	16	20	9	–	–	–	–	–	–
	Not stated	1	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	3
	Total–Legitimate	5554	5320	515	525	1863	1783	1536	1421	977	956	498	490	154	135	10	7	–	–	1	3
	Illegitimate	105	81	32	23	38	26	14	19	10	3	10	8	1	2	–	–	–	–	–	–
Not ated	0	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	1	3	–	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Illegitimate	949	844	61	50	188	192	274	212	204	193	153	148	59	44	2	3	–	–	8	–

able 26. Stillbirths by sex, social class, age of mother and number of previous children (live and stillborn) by all husbands—Scotland, 1961

ocial lass	Number of previous children (live and still)	Age of Mother																											
		Total			Under 20		20–24			25–29			30–34		35–39		40–44			45–49		50 and over		Not Stated		
		M.	F.	N. S.	M.	F.	M.	F.	N. S.	M.	F.	N. S.	M.	F.	M.	F.	M.	F.	N. S.	M.	F.	M.	F.	M.	F.	N. S.
I	0	23	7	–	1	–	8	–	–	10	5	–	3	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	1	11	7	–	–	1	–	3	–	4	3	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	4	–	–	–	–	–	–	2	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	4	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–
	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	39	23	–	1	1	8	3	–	16	10	–	11	5	2	3	1	1	–	–	–	–	–	–	–	–	–
	Illegitimate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	0	30	33	–	2	–	9	19	–	9	4	–	8	8	2	1	–	–	–	–	–	–	–	–	1	–
	1	26	17	–	–	–	4	2	–	11	9	–	7	5	4	1	–	–	–	–	–	–	–	–	–	–
	2	10	11	–	–	–	1	–	–	2	4	–	5	2	2	2	–	3	–	–	–	–	–	–	–	–
	3	11	4	–	–	–	–	1	–	3	2	–	3	–	4	1	1	–	–	–	–	–	–	–	–	–
	4	4	5	–	–	–	–	–	–	–	1	–	1	3	1	1	2	–	–	–	–	–	–	–	–	–
	5	–	4	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–
	6	2	1	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	83	77	–	2	–	14	22	–	26	20	–	25	20	13	9	3	4	–	–	1	–	–	–	1	–
	Illegitimate	1	4	–	–	1	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III	0	207	180	1	18	28	86	74	1	64	50	–	26	20	13	7	–	1	–	–	–	–	–	–	–	–	–
	1	113	114	–	2	–	42	34	–	35	46	–	19	26	10	4	5	4	–	–	–	–	–	–	–	–	–
	2	80	83	–	–	–	8	14	–	36	28	–	20	18	10	16	6	7	–	–	–	–	–	–	–	–	–
	3	53	57	–	–	–	2	5	–	17	16	–	19	13	12	15	3	7	–	–	1	–	–	–	–	–	–
	4	30	36	–	–	–	–	1	–	11	7	–	12	13	5	7	2	8	–	–	–	–	–	–	–	–	–
	5	24	25	–	–	–	–	–	–	2	3	–	9	10	10	7	3	5	–	–	–	–	–	–	–	–	–
	6	12	13	1	–	–	–	–	–	–	1	–	3	4	6	3	3	5	1	–	–	–	–	–	–	–	–
	7	15	9	–	–	–	–	–	–	2	–	–	2	2	7	3	4	4	–	–	–	–	–	–	–	–	–
	8	3	9	–	–	–	–	–	–	–	–	–	–	1	–	5	2	3	–	1	–	–	–	–	–	–	–
	9	4	1	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	10 and over	3	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	544	530	2	20	28	138	128	1	167	151	–	112	108	76	67	30	46	1	1	2	–	–	–	–	–	–
	Illegitimate	8	16	–	4	8	2	3	–	–	2	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–
IV	0	70	72	–	10	5	30	32	–	18	21	–	7	6	4	6	–	–	–	–	–	–	–	1	2	–
	1	39	35	–	1	2	16	7	–	13	14	–	6	8	3	3	–	1	–	–	–	–	–	–	–	–
	2	31	45	–	1	–	6	5	–	12	20	–	6	10	2	6	4	4	–	–	–	–	–	–	–	–
	3	29	36	–	1	–	3	2	–	6	15	–	9	9	7	8	3	2	–	–	–	–	–	–	–	–
	4	21	14	–	–	–	–	–	–	4	3	–	10	6	6	5	1	–	–	–	–	–	–	–	–	–
	5	7	11	–	–	–	–	1	–	1	1	–	2	4	3	4	1	1	–	–	–	–	–	–	–	–
	6	3	3	–	–	–	–	–	–	1	–	–	1	2	1	–	–	1	–	–	–	–	–	–	–	–
	7	6	5	–	–	–	–	–	–	1	1	–	2	1	1	1	1	2	–	1	–	–	–	–	–	–
	8	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	207	223	–	13	7	55	47	–	56	75	–	43	47	27	34	10	11	–	2	–	–	–	1	2	–
	Illegitimate	22	23	–	6	6	12	5	–	2	3	–	–	4	2	1	–	3	–	–	–	–	–	–	1	–
V	0	38	32	–	7	8	17	18	–	5	4	–	5	2	2	–	1	–	–	–	–	–	–	1	–	–
	1	28	28	–	1	3	14	11	–	5	5	–	5	6	3	3	–	–	–	–	–	–	–	–	–	–
	2	24	25	1	–	1	10	5	1	8	8	–	5	7	1	4	–	–	–	–	–	–	–	–	–	–
	3	16	17	–	–	–	3	3	–	3	9	–	5	2	5	3	–	–	–	–	–	–	–	–	–	–
	4	15	12	–	–	–	2	–	–	2	4	–	6	5	3	1	1	2	–	1	–	–	–	–	–	–
	5	6	6	1	–	–	–	–	–	1	1	1	2	4	2	1	1	–	–	–	–	–	–	–	–	–
	6	9	4	–	–	–	–	–	–	3	–	–	1	2	3	1	2	1	–	–	–	–	–	–	–	–
	7	2	4	–	–	–	–	–	–	–	1	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–
	8	3	5	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	–	–	1	–	–	–	–	–
	9	3	1	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
	10 and over	1	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	145	137	2	8	12	46	37	1	27	32	1	30	30	24	19	8	6	–	1	1	–	–	1	–	–
	Illegitimate	5	3	–	1	–	3	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not ated	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Illegitimate	28	24	1	2	1	2	5	–	3	5	–	8	4	6	3	6	2	–	–	–	–	–	1	4	1

Table 27. Deaths under 1 week by sex, social class, age of mother and number of previous children (live and stillborn) by all husbands—Scotland, 1961

Social Class	Number of previous children (live and still)	Age of Mother																			
		Total		Under 20		20–24		25–29		30–34		35–39		40–44		45–49		50 and over		Not Stated	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I	0	15	*3*	–	–	2	*1*	8	*1*	5	*1*	–	–	–	–	–	–	–	–	–	–
	1	15	*8*	–	–	2	–	4	*4*	4	*2*	4	*1*	1	*1*	–	–	–	–	–	–
	2	2	*6*	–	–	–	*2*	1	*1*	–	*1*	1	*1*	–	*1*	–	–	–	–	–	–
	3	–	*2*	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*
	Total–Legitimate	33	*21*	–	–	4	*3*	13	*6*	10	*5*	5	*3*	1	*3*	–	–	–	–	–	*1*
	Illegitimate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	0	22	*13*	2	*3*	5	*3*	8	*5*	3	*1*	3	–	1	*1*	–	–	–	–	–	–
	1	18	*9*	–	–	5	–	7	*6*	5	*2*	1	*1*	–	–	–	–	–	–	–	–
	2	16	*5*	–	–	1	–	6	*2*	8	*1*	–	*1*	1	*1*	–	–	–	–	–	–
	3	5	*5*	–	–	1	–	–	*2*	1	*1*	1	*1*	2	*1*	–	–	–	–	–	–
	4	2	*4*	–	–	1	–	–	–	1	*1*	–	*2*	–	*1*	–	–	–	–	–	–
	5	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	6	1	*1*	–	–	–	–	–	–	1	–	–	*1*	–	–	–	–	–	–	–	–
	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*6*
	Total–Legitimate	67	*43*	2	*3*	13	*3*	21	*15*	20	*6*	6	*6*	5	*4*	–	–	–	–	–	*6*
	Illegitimate	3	*1*	1	–	1	–	–	–	–	*1*	1	–	–	–	–	–	–	–	–	–
III	0	188	*106*	34	*16*	85	*44*	40	*24*	18	*14*	9	*5*	2	*2*	–	*1*	–	–	–	–
	1	126	*67*	8	*3*	41	*23*	42	*26*	23	*11*	8	*4*	4	–	–	–	–	–	–	–
	2	75	*53*	1	*2*	19	*9*	26	*23*	21	*8*	7	*9*	1	*1*	–	*1*	–	–	–	–
	3	43	*25*	1	–	8	*1*	15	*10*	7	*10*	10	*3*	2	*1*	–	–	–	–	–	–
	4	17	*16*	–	–	1	–	6	*3*	8	*7*	2	*3*	–	*3*	–	–	–	–	–	–
	5	11	*11*	–	–	–	–	2	*3*	5	*2*	4	*5*	–	*1*	–	–	–	–	–	–
	6	8	*10*	–	–	–	–	–	*2*	1	*5*	4	*2*	2	*1*	1	–	–	–	–	–
	7	4	*4*	–	–	–	–	–	–	–	*3*	4	*1*	–	–	–	–	–	–	–	–
	8	4	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
	9	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
	10 and over	4	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–
	Not stated	17	*11*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	*11*
	Total–Legitimate	500	*303*	44	*21*	154	*77*	132	*91*	84	*60*	54	*32*	14	*9*	1	*2*	–	–	17	*11*
	Illegitimate	19	*12*	6	*3*	7	*2*	1	*4*	2	*1*	2	*2*	–	–	–	–	–	–	1	–
IV	0	54	*35*	12	*4*	17	*13*	11	*11*	12	*4*	1	*3*	1	–	–	–	–	–	–	–
	1	39	*29*	2	–	23	*17*	6	*10*	6	*2*	2	–	–	–	–	–	–	–	–	–
	2	21	*21*	1	–	3	*4*	8	*7*	3	*4*	4	*6*	2	–	–	–	–	–	–	–
	3	19	*13*	–	–	2	*5*	6	*6*	6	*2*	5	–	–	–	–	–	–	–	–	–
	4	10	*13*	–	–	2	*3*	3	*4*	3	*5*	2	–	–	*1*	–	–	–	–	–	–
	5	9	*2*	–	–	–	–	–	*1*	7	*1*	1	–	1	–	–	–	–	–	–	–
	6	4	*3*	–	–	–	*1*	–	–	3	–	1	*1*	–	*1*	–	–	–	–	–	–
	7	3	*1*	–	–	–	–	1	–	1	*1*	1	–	–	–	–	–	–	–	–	–
	8	–	*2*	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–
	9	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10 and over	1	*1*	–	–	–	–	–	–	–	–	–	*1*	1	–	–	–	–	–	–	–
	Not stated	6	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	*4*
	Total–Legitimate	167	*124*	15	*4*	47	*43*	35	*39*	41	*21*	18	*11*	5	*2*	–	–	–	–	6	*4*
	Illegitimate	25	*19*	5	*8*	6	*5*	3	*2*	4	*1*	4	*2*	2	–	–	–	–	–	1	*1*
V	0	40	*22*	9	*6*	14	*11*	9	*2*	5	*3*	2	–	1	–	–	–	–	–	–	–
	1	18	*15*	4	*3*	5	*6*	6	*2*	1	*3*	2	*1*	–	–	–	–	–	–	–	–
	2	20	*14*	–	–	7	*6*	5	*2*	6	*4*	2	*1*	–	*1*	–	–	–	–	–	–
	3	9	*6*	–	*1*	1	–	2	*2*	4	*2*	2	*1*	–	–	–	–	–	–	–	–
	4	9	*8*	–	–	–	*1*	1	*2*	5	*1*	2	*4*	–	–	1	–	–	–	–	–
	5	6	*8*	–	–	–	–	1	*1*	3	*4*	1	*1*	1	*2*	–	–	–	–	–	–
	6	2	*2*	–	–	–	–	1	–	1	–	–	*2*	–	–	–	–	–	–	–	–
	7	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Not stated	4	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	*2*
	Total–Legitimate	113	*77*	13	*10*	27	*24*	25	*11*	28	*17*	13	*10*	2	*3*	1	–	–	–	4	*2*
	Illegitimate	4	*4*	2	–	1	–	1	*1*	–	*2*	–	*1*	–	–	–	–	–	–	–	–
Not stated	0	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	*1*	–	–	1	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–
	3	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	8	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	2	*5*	–	–	1	–	–	*2*	–	*1*	1	*2*	–	–	–	–	–	–	–	–
	Illegitimate	21	*11*	3	*1*	4	*1*	5	*3*	3	–	2	*4*	1	*1*	–	–	–	–	3	*1*

Table 28. Deaths under 4 weeks by sex, social class, age of mother and number of previous children (live and stillborn) by all husbands—Scotland, 1961

Social Class	Number of previous children (live and still)	Age of Mother																			
		Total		Under 20		20–24		25–29		30–34		35–39		40–44		45–49		50 and over		Not Stated	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I	0	17	5	–	–	3	3	8	1	6	1	–	–	–	–	–	–	–	–	–	–
	1	15	8	–	–	2	–	4	4	4	2	4	1	1	1	–	–	–	–	–	–
	2	4	6	–	–	–	2	1	1	2	1	1	1	–	1	–	–	–	–	–	–
	3	1	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1
	Total–Legitimate	40	23	–	–	5	5	13	6	13	5	6	3	1	3	–	–	–	–	2	1
	Illegitimate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	0	25	14	2	3	6	3	9	6	3	1	4	–	1	1	–	–	–	–	–	–
	1	20	10	–	–	5	–	8	6	6	3	1	1	–	–	–	–	–	–	–	–
	2	16	6	–	–	1	–	6	3	8	1	–	1	1	1	–	–	–	–	–	–
	3	6	7	–	–	1	–	–	2	1	2	2	2	2	1	–	–	–	–	–	–
	4	2	4	–	–	1	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–
	5	2	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	6	2	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	7
	Total–Legitimate	77	50	2	3	14	3	23	17	21	9	8	7	6	4	–	–	–	–	3	7
	Illegitimate	3	1	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
III	0	202	122	35	21	93	54	44	25	18	14	10	5	2	2	–	1	–	–	–	–
	1	135	80	8	3	46	27	44	31	25	13	8	4	4	2	–	–	–	–	–	–
	2	82	62	1	2	21	10	29	27	22	10	8	10	1	2	–	1	–	–	–	–
	3	51	29	1	–	8	1	19	12	11	11	10	4	2	1	–	–	–	–	–	–
	4	20	21	–	–	2	–	7	5	8	9	3	4	–	3	–	–	–	–	–	–
	5	14	13	–	–	–	–	3	3	5	4	5	5	1	1	–	–	–	–	–	–
	6	11	10	–	–	–	–	–	2	2	5	5	2	3	1	1	–	–	–	–	–
	7	4	4	–	–	–	–	–	–	–	3	4	1	–	–	–	–	–	–	–	–
	8	4	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
	9	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
	10 and over	4	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–
	Not stated	22	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22	18
	Total–Legitimate	552	359	45	26	170	92	147	105	92	69	59	35	16	12	1	2	–	–	22	18
	Illegitimate	22	15	7	4	8	4	1	4	2	1	2	2	–	–	–	–	–	–	2	–
IV	0	63	42	13	5	22	18	13	12	13	4	1	3	1	–	–	–	–	–	–	–
	1	41	34	2	1	23	20	7	11	7	2	2	–	–	–	–	–	–	–	–	–
	2	24	23	1	–	4	6	8	7	4	4	4	6	3	–	–	–	–	–	–	–
	3	24	16	–	–	4	5	7	9	8	2	5	–	–	–	–	–	–	–	–	–
	4	10	14	–	–	2	3	3	4	3	5	2	1	–	1	–	–	–	–	–	–
	5	9	2	–	–	–	–	–	1	7	1	1	–	1	–	–	–	–	–	–	–
	6	4	4	–	–	–	1	–	–	3	–	1	2	–	1	–	–	–	–	–	–
	7	3	1	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
	8	1	4	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–
	9	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10 and over	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Not stated	9	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	11
	Total–Legitimate	190	152	16	6	55	53	39	44	46	22	19	14	6	2	–	–	–	–	9	11
	Illegitimate	26	22	6	9	6	6	3	3	4	1	4	2	2	–	–	–	–	–	1	1
V	0	48	26	10	7	18	13	11	3	5	3	3	–	1	–	–	–	–	–	–	–
	1	23	15	5	3	5	6	10	2	1	3	2	1	–	–	–	–	–	–	–	–
	2	23	15	–	–	9	7	6	2	6	4	2	1	–	1	–	–	–	–	–	–
	3	10	9	–	1	2	1	2	2	4	3	2	2	–	–	–	–	–	–	–	–
	4	11	11	–	–	–	1	2	4	6	1	2	4	–	1	1	–	–	–	–	–
	5	7	9	–	–	–	–	1	1	4	5	1	1	–	2	1	–	–	–	–	–
	6	4	2	–	–	–	–	2	–	1	–	1	2	–	–	–	–	–	–	–	–
	7	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Not stated	6	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	7
	Total–Legitimate	137	94	15	11	34	28	34	14	30	19	15	11	1	4	2	–	–	–	6	7
	Illegitimate	4	4	2	–	1	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–
Not stated	0	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	3	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	8	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Total–Legitimate	3	5	–	–	1	–	1	2	–	1	1	2	–	–	–	–	–	–	–	–
	Illegitimate	23	11	3	1	4	1	5	3	4	–	2	4	1	1	–	–	–	–	4	1

Table 29. Legitimate live births by month of registration, age of mother and number of previous children (live and stillborn) by all husbands—Scotland, 1961

Number of Previous Children (live and still)	Age of Mother									Number of Previous Children (live and still)
	Total	under 20	20–24	25–29	30–34	35–39	40–44	45 and over	N.S.	
	January									
0	2,759	381	1,331	667	263	95	22	–	–	0
1	2,249	57	835	823	376	127	31	–	–	1
2	1,448	6	312	545	372	173	37	3	–	2
3	728	–	87	277	197	133	33	1	–	3
4 and over	988	1	32	227	305	295	112	16	–	4 and over
Not Stated	2	–	–	–	–	–	–	–	2	Not Stated
Total	8,174	445	2,597	2,539	1,513	823	235	20	2	Total
	February									
0	2,540	339	1,192	664	230	99	16	–	–	0
1	2,152	66	753	787	391	129	25	1	–	1
2	1,357	11	254	553	347	163	28	1	–	2
3	736	1	71	250	248	123	41	2	–	3
4 and over	870	–	29	189	290	254	102	6	–	4 and over
Not Stated	–	–	–	–	–	–	–	–	–	Not Stated
Total	7,655	417	2,299	2,443	1,506	768	212	10	–	Total
	March									
0	2,771	347	1,294	702	291	111	25	1	–	0
1	2,500	58	827	986	462	143	24	–	–	1
2	1,520	11	281	575	409	209	33	2	–	2
3	871	1	62	299	300	168	39	2	–	3
4 and over	987	–	30	194	335	303	118	7	–	4 and over
Not Stated	1	–	–	–	–	–	–	–	1	Not Stated
Total	8,650	417	2,494	2,756	1,797	934	239	12	1	Total
	April									
0	2,622	334	1,219	711	243	85	26	4	–	0
1	2,334	56	799	885	421	150	20	3	–	1
2	1,414	5	272	527	428	150	31	1	–	2
3	769	1	86	263	247	129	39	4	–	3
4 and over	957	–	27	217	327	268	109	9	–	4 and over
Not Stated	4	–	1	–	1	–	–	–	2	Not Stated
Total	8,100	396	2,404	2,603	1,667	782	225	21	2	Total
	May									
0	2,833	401	1,334	731	252	88	27	–	–	0
1	2,487	60	801	996	442	158	28	2	–	1
2	1,525	12	292	597	408	179	37	–	–	2
3	808	–	98	243	275	160	29	3	–	3
4 and over	953	–	33	177	331	301	106	5	–	4 and over
Not Stated	8	–	–	–	–	1	–	–	7	Not Stated
Total	8,614	473	2,558	2,744	1,708	887	227	10	7	Total
	June									
0	2,738	354	1,310	726	241	96	10	1	–	0
1	2,200	73	761	832	373	134	26	1	–	1
2	1,420	8	258	571	355	185	42	1	–	2
3	712	–	82	240	221	140	27	2	–	3
4 and over	909	–	17	193	297	270	127	5	–	4 and over
Not Stated	3	–	–	1	–	–	–	–	2	Not Stated
Total	7,982	435	2,428	2,563	1,487	825	232	10	2	Total
	July									
0	2,848	376	1,395	718	242	101	15	1	–	0
1	2,247	55	767	876	381	143	25	–	–	1
2	1,347	6	298	506	356	143	37	1	–	2
3	748	–	73	273	258	121	20	3	–	3
4 and over	826	–	22	154	328	241	78	3	–	4 and over
Not Stated	2	–	–	–	–	–	–	–	2	Not Stated
Total	8,018	437	2,555	2,527	1,565	749	175	8	2	Total
	August									
0	2,870	367	1,393	736	240	107	26	1	–	0
1	2,146	72	731	801	388	132	21	1	–	1
2	1,397	5	316	503	371	160	40	2	–	2
3	796	–	107	270	256	125	37	1	–	3
4 and over	880	–	21	190	302	268	95	4	–	4 and over
Not Stated	2	–	–	–	–	–	–	–	2	Not Stated
Total	8,091	444	2,568	2,500	1,557	792	219	9	2	Total
	September									
0	2,676	361	1,325	644	251	77	17	1	–	0
1	2,108	61	770	770	355	131	21	–	–	1
2	1,392	9	266	545	373	164	34	1	–	2
3	797	1	102	271	257	138	25	3	–	3
4 and over	884	–	26	174	310	252	116	6	–	4 and over
Not Stated	3	–	–	–	1	–	–	–	2	Not Stated
Total	7,860	432	2,489	2,404	1,547	762	213	11	2	Total
	October									
0	2,776	407	1,343	686	243	85	11	1	–	0
1	2,341	91	818	888	379	140	23	2	–	1
2	1,478	5	311	568	396	157	39	2	–	2
3	843	1	82	274	281	164	39	2	–	3
4 and over	892	–	32	189	310	248	105	8	–	4 and over
Not Stated	5	–	–	–	1	–	–	–	4	Not Stated
Total	8,335	504	2,586	2,605	1,610	794	217	15	4	Total
	November									
0	2,431	376	1,142	585	228	78	22	–	–	0
1	2,183	79	771	821	347	141	24	–	–	1
2	1,306	9	315	457	346	143	36	–	–	2
3	727	–	86	257	239	115	28	2	–	3
4 and over	778	–	18	180	274	233	68	5	–	4 and over
Not Stated	4	–	–	–	2	–	–	–	2	Not Stated
Total	7,429	464	2,332	2,300	1,436	710	178	7	2	Total
	December									
0	2,594	396	1,254	618	228	81	16	1	–	0
1	2,053	66	733	782	342	108	21	1	–	1
2	1,345	4	291	503	359	160	27	1	–	2
3	767	–	90	266	249	123	37	2	–	3
4 and over	850	–	21	206	293	237	89	4	–	4 and over
Not Stated	4	–	–	–	–	–	–	–	4	Not Stated
Total	7,613	466	2,389	2,375	1,471	709	190	9	4	Total

Table 30. Causes of Stillbirth by Sex and Age of Mother and of Father, Scotland, 1961

International Nos. (Y30-Y39)	Cause of Death	Sex	Age of Mother									Age of Father									International Nos. (Y30-Y39)
			All Ages	under 20	20–	25–	30–	35–	40–	45–	50 and over	Not Stated	All Ages	under 20	20–	25–	30–	35–	40–	45–	50 and over	Not Stated	
	ALL CAUSES—Both Sexes		2,147	121	537	596	452	288	133	8	–	12	2,147	17	326	558	508	326	189	80	32	111	
	Males		1,082	57	280	297	233	150	58	4	–	3	1,082	8	167	288	254	167	89	36	20	53	
	Females		*1,060*	*64*	*255*	*298*	*219*	*138*	*74*	*4*	–	*8*	*1,060*	*9*	*158*	*268*	*254*	*159*	*100*	*44*	*12*	*56*	
	Sex Not Known		5	–	2	1	–	–	1	–	–	1	5	–	1	2	–	–	–	–	–	2	
	Chronic Disease in Mother	M.	37	2	4	10	10	6	4	–	–	1	37	–	–	9	10	5	6	3	2	2	
		F.	*23*	*1*	*4*	*5*	*7*	*4*	*2*	–	–	–	*23*	*1*	*1*	*2*	*9*	*6*	*1*	*2*	–	*1*	
30.0	Syphilis	M.	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	30.0
		F.	*1*	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	
30.1	Tuberculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30.2	Diabetes	M.	12	1	2	2	3	3	–	–	–	1	12	–	–	4	2	2	1	1	1	1	30.2
		F.	*12*	–	*2*	*2*	*5*	*2*	*1*	–	–	–	*12*	–	–	*2*	*4*	*3*	*1*	*2*	–	–	
30.3	Chronic disease of circulatory system	M.	20	–	2	7	5	3	3	–	–	–	20	–	–	5	7	2	4	1	1	–	30.3
		F.	*7*	–	–	*2*	*2*	*2*	*1*	–	–	–	*7*	–	–	–	*4*	*3*	–	–	–	–	
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.4
		F.	*1*	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	
30.5	Other chronic disease	M.	4	1	–	1	1	–	1	–	–	–	4	–	–	–	1	1	–	1	–	1	30.5
		F.	*2*	*1*	*1*	–	–	–	–	–	–	–	*2*	*1*	*1*	–	–	–	–	–	–	–	
	Acute Disease in Mother	M.	7	–	–	2	3	2	–	–	–	–	7	–	–	1	2	2	2	–	–	–	
		F.	*1*	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	
31.1	Influenza	M.	4	–	–	1	1	2	–	–	–	–	4	–	–	1	–	1	2	–	–	–	31.1
		F.	*1*	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	
31.2	Pneumonia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.2
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31.3	Other acute respiratory disease	M.	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	31.3
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31.0, 31.4	Other acute disease or condition	M.	2	–	–	1	1	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	31.0, 31.4
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Diseases and Conditions of Pregnancy and Childbirth	M.	97	5	29	29	18	13	2	1	–	–	97	2	13	28	21	20	4	4	2	3	
		F.	*89*	*2*	*25*	*24*	*18*	*13*	*7*	–	–	–	*89*	–	*12*	*26*	*26*	*9*	*8*	*4*	*1*	*3*	
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.3	Eclampsia	M.	6	1	3	–	1	1	–	–	–	–	6	–	2	–	1	1	–	1	–	1	32.3
		F.	*7*	–	*1*	*2*	*3*	*1*	–	–	–	–	*7*	–	*1*	–	*5*	–	*1*	–	–	–	
32.4*a*	Pre-eclampsia	M.	84	4	24	26	17	10	2	1	–	–	84	2	11	23	20	18	3	3	2	2	32.4*a*
		F.	*74*	*2*	*21*	*20*	*13*	*12*	*6*	–	–	–	*74*	–	*10*	*24*	*18*	*8*	*7*	*3*	*1*	*3*	
32.4*b*	Nephritic toxæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*b*
		F.	*1*	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	
32.4*c*	Toxæmia not stated	M.	4	–	1	1	–	2	–	–	–	–	4	–	–	2	–	1	1	–	–	–	32.4*c*
		F.	*4*	–	*2*	*1*	–	–	*1*	–	–	–	*4*	–	*1*	*2*	–	–	–	*1*	–	–	

Table 30.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	Age of Mother										Age of Father										International Nos. (Y30-Y39)
			All Ages	under 20	20–	25–	30–	35–	40–	45–	50 and over	Not Stated	All Ages	under 20	20–	25–	30–	35–	40–	45–	50 and over	Not Stated	
32.4*d*	Acute yellow atrophy of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*d*
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.4*e*	Hyperemesis gravidarum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*e*
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.5*a*	Pyelitis	M.	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	32.5*a*
		F.	*1*	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	
32.5*b*	Infection	M.	2	–	–	2	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	32.5*b*
		F.	*2*	–	–	*1*	*1*	–	–	–	–	–	*2*	–	–	–	*2*	–	–	–	–	–	
33	**Absorption of toxic substance from Mother**	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Difficult Labour	M.	76	5	12	27	21	8	3	–	–	–	76	–	6	24	22	12	2	4	1	5	
		F.	*73*	*5*	*15*	*18*	*11*	*19*	*4*	*1*	–	–	*73*	*1*	*12*	*13*	*15*	*16*	*8*	*3*	*3*	*2*	
34.0*a*	Abnormality of bones of pelvis with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*a*
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.0*b*	Abnormality of bones of pelvis without immaturity	M.	1	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	34.0*b*
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.1*a*	Disproportion with immaturity	M.	3	–	1	–	1	1	–	–	–	–	3	–	1	–	1	1	–	–	–	–	34.1*a*
		F.	*2*	–	*1*	–	*1*	–	–	–	–	–	*2*	–	*1*	*1*	–	–	–	–	–	–	
34.1*b*	Disproportion without immaturity	M.	10	–	–	7	2	–	1	–	–	–	10	–	–	3	6	1	–	–	–	–	34.1*b*
		F.	*13*	*1*	*3*	*2*	*3*	*4*	–	–	–	–	*13*	–	*3*	*2*	*3*	*4*	*1*	–	–	–	
34.2*a*	Malposition of fœtus, with immaturity	M.	6	–	1	4	1	–	–	–	–	–	6	–	1	3	2	–	–	–	–	–	34.2*a*
		F.	*4*	–	*1*	–	–	*2*	*1*	–	–	–	*4*	–	*1*	–	–	*1*	–	–	*2*	–	
34.2*b*	Malposition of fœtus, without immaturity	M.	31	3	7	7	11	3	–	–	–	–	31	–	3	13	6	4	2	1	–	2	34.2*b*
		F.	*25*	*1*	*8*	*8*	*1*	*6*	*1*	–	–	–	*25*	–	*6*	*5*	*4*	*4*	*3*	*2*	–	*1*	
34.3*a*	Abnormality of forces of labour, with immaturity	M.	1	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	34.3*a*
		F.	*1*	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	*1*	–	
34.3*b*	Abnormality of forces of labour, without immaturity	M.	6	1	–	1	1	2	1	–	–	–	6	–	–	–	–	4	–	1	–	1	34.3*b*
		F.	*4*	*1*	–	–	–	*3*	–	–	–	–	*4*	–	–	*1*	–	*2*	*1*	–	–	–	
34.4*a*	Operative delivery, with immaturity	M.	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	34.4*a*
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.4*b*	Operative delivery, without immaturity	M.	2	–	1	–	1	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	34.4*b*
		F.	*2*	–	–	–	*1*	–	*1*	–	–	–	*2*	–	–	–	–	–	*2*	–	–	–	
34.5*a*	Abnormality of organs or tissues of pelvis, with immaturity	M.	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	34.5*a*
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	M.	1	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	34.5*b*
		F.	*3*	–	–	*1*	*2*	–	–	–	–	–	*3*	–	–	*1*	*1*	*1*	–	–	–	–	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
34.6*a*	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.6*a*
		F.	2	–	*1*	–	–	*1*	–	–	–	–	*2*	–	–	–	–	*1*	–	–	–	*1*	
34.6*b*	Difficult labour without mention of condition, and without immaturity	M.	13	1	2	5	3	1	1	–	–	–	13	–	1	2	4	1	–	2	1	2	34.6*b*
		F.	*17*	*2*	*1*	*7*	*3*	*3*	*1*	–	–	–	*17*	*1*	*1*	*3*	*7*	*3*	*1*	*1*	–	–	
	Other Causes in Mother	M.	3	–	2	–	1	–	–	–	–	–	3	–	–	2	1	–	–	–	–	–	
		F.	*6*	–	*3*	–	*2*	–	*1*	–	–	–	*6*	–	*1*	*1*	–	*1*	*1*	–	–	*2*	
35.0	Fall	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.0
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.0, 35.1	Other accident or violence	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.0, 35.1
		F.	*1*	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	
35.2	Over-exertion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.2
		F.	*1*	–	*1*	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	
35.3	Other and ill-defined causes in mother	M.	3	–	2	–	1	–	–	–	–	–	3	–	–	2	1	–	–	–	–	–	35.3
		F.	*4*	–	*1*	–	*2*	–	*1*	–	–	–	*4*	–	*1*	–	–	*1*	*1*	–	–	*1*	
	Placental and Cord Conditions	M.	396	22	103	88	89	66	27	1	–	–	396	3	64	98	87	63	42	16	9	14	
		F.	*297*	*14*	*64*	*84*	*68*	*35*	*29*	*2*	–	*1*	*297*	*4*	*34*	*79*	*65*	*45*	*32*	*17*	*4*	*17*	
36.0*a*	Prolapse of cord	M.	42	1	19	7	6	5	4	–	–	–	42	–	8	13	8	6	1	1	4	1	36.0*a*
		F.	*25*	*1*	*2*	*8*	*7*	*3*	*4*	–	–	–	*25*	–	*1*	*3*	*10*	*1*	*6*	–	*2*	*2*	
36.0*b*	Torsion of cord	M.	48	–	12	12	13	7	3	1	–	–	48	–	10	6	12	7	7	3	–	3	36.0*b*
		F.	*49*	*2*	*12*	*14*	*13*	*6*	*2*	–	–	–	*49*	–	*8*	*13*	*9*	*11*	*3*	*2*	–	*3*	
36.1, 36.3	Placenta prævia	M.	21	–	7	4	5	5	–	–	–	–	21	–	–	7	8	3	3	–	–	–	36.1, 36.3
		F.	*8*	–	–	*4*	–	*2*	*2*	–	–	–	*8*	*1*	–	*1*	*2*	*2*	*2*	–	–	–	
32.2	Accidental hæmorrhage without mention of placental condition	M.	164	15	45	33	29	32	10	–	–	–	164	3	28	41	29	33	12	6	4	8	32.2
		F.	*110*	*4*	*28*	*32*	*20*	*11*	*13*	*1*	–	*1*	*110*	*2*	*13*	*32*	*21*	*16*	*9*	*11*	*1*	*5*	
36.2, 36.4	Other hæmorrhage	M.	23	1	6	6	7	2	1	–	–	–	23	–	5	7	6	2	2	1	–	–	36.2, 36.4
		F.	*22*	*2*	*5*	*3*	*5*	*5*	*2*	–	–	–	*22*	–	*3*	*5*	*3*	*4*	*4*	*2*	–	*1*	
36.5	Placental infarct	M.	29	1	4	5	10	7	2	–	–	–	29	–	3	5	7	5	8	1	–	–	36.5
		F.	*28*	*1*	*7*	*11*	*6*	*1*	*2*	–	–	–	*28*	*1*	*5*	*9*	*6*	*4*	*2*	–	–	*1*	
36.6	Others of placenta and cord	M.	69	4	10	21	19	8	7	–	–	–	69	–	10	19	17	7	9	4	1	2	36.6
		F.	*55*	*4*	*10*	*12*	*17*	*7*	*4*	*1*	–	–	*55*	–	*4*	*16*	*14*	*7*	*6*	*2*	*1*	*5*	
	Birth Injury	M.	31	2	6	10	6	6	–	1	–	–	31	2	2	11	6	6	1	–	1	2	
		F.	*19*	*1*	*4*	*4*	*3*	*5*	*2*	–	–	–	*19*	–	*4*	*4*	*2*	*4*	*2*	*2*	–	*1*	
37*a*	Birth injury with immaturity	M.	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	37*a*
		F.	*2*	–	–	–	*1*	–	*1*	–	–	–	*2*	–	–	*1*	–	–	*1*	–	–	–	
37*b*	Birth injury without immaturity	M.	30	2	6	9	6	6	–	1	–	–	30	2	2	11	6	5	1	–	1	2	37*b*
		F.	*17*	*1*	*4*	*4*	*2*	*5*	*1*	–	–	–	*17*	–	*4*	*3*	*2*	*4*	*1*	*2*	–	*1*	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 30—*continued.*

International Nos. (Y30-Y39)	Cause of Death	Sex	Age of Mother										Age of Father										International Nos. (Y30-Y39)
			All Ages	under 20	20–	25–	30–	35–	40–	45–	50 and over	Not Stated	All Ages	under 20	20–	25–	30–	35–	40–	45–	50 and over	Not Stated	
	Congenital malformation of fœtus	M.	204	12	64	56	39	22	10	1	–	–	204	–	38	62	46	24	12	6	3	13	
		F.	*358*	*29*	*93*	*112*	*68*	*40*	*14*	–	–	*2*	*358*	*3*	*70*	*95*	*88*	*53*	*26*	*8*	*1*	*14*	
		N.K	2	–	1	1	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	
38.0	Anencephalus	M.	90	5	27	24	20	10	3	1	–	–	90	–	14	30	21	11	4	2	1	7	38.0
		F.	*258*	*19*	*69*	*80*	*51*	*29*	*9*	–	–	*1*	*258*	*2*	*49*	*70*	*66*	*38*	*18*	*5*	–	*10*	
38.1	Hydrocephalus	M.	60	4	19	16	10	8	3	–	–	–	60	–	11	14	15	6	4	4	1	5	38.1
		F.	*51*	*6*	*15*	*16*	*7*	*6*	*1*	–	–	–	*51*	*1*	*12*	*12*	*14*	*4*	*4*	*2*	–	*2*	
38.2	Spina bifida	M.	9	1	4	3	–	1	–	–	–	–	9	–	3	4	1	–	1	–	–	–	38.2
		F.	*15*	*2*	*2*	*3*	*4*	*1*	*2*	–	–	*1*	*15*	–	*3*	*4*	*2*	*3*	*1*	–	*1*	*1*	
38.3	Other malformations of the central nervous system	M.	7	–	2	1	1	2	1	–	–	–	7	–	1	2	1	2	1	–	–	–	38.3
		F.	*9*	–	*2*	*3*	*2*	*2*	–	–	–	–	*9*	–	–	*5*	–	*4*	–	–	–	–	
38.4	Malformation of the cardio-vascular system	M.	2	–	1	1	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	38.4
		F.	*7*	–	*1*	*2*	*2*	*1*	*1*	–	–	–	*7*	–	–	*1*	–	*4*	*2*	–	–	–	
38.5	Malformation of other specified system	M.	22	1	5	7	6	1	2	–	–	–	22	–	4	7	6	4	1	–	–	–	38.5
		F.	*11*	*1*	*1*	*6*	*2*	–	*1*	–	–	–	*11*	–	*1*	*2*	*6*	–	–	*1*	–	*1*	
		N.K	2	–	1	1	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	
38.6	Monster	M.	1	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	38.6
		F.	*2*	–	*1*	*1*	–	–	–	–	–	–	*2*	–	*2*	–	–	–	–	–	–	–	
38.7	Other and unspecified malformations	M.	13	1	6	4	1	–	1	–	–	–	13	–	4	4	2	–	1	–	1	1	38.7
		F.	*5*	*1*	*2*	*1*	–	*1*	–	–	–	–	*5*	–	*3*	*1*	–	–	*1*	–	–	–	
	Diseases of fœtus and ill-defined causes	M.	231	9	60	75	46	27	12	–	–	2	231	1	44	53	59	35	20	3	2	14	
		F.	*194*	*12*	*47*	*51*	*42*	*22*	*14*	*1*	–	*5*	*194*	–	*24*	*48*	*49*	*25*	*22*	*7*	*3*	*16*	
		N.K	3	–	1	–	–	–	1	–	–	1	3	–	–	1	–	–	–	–	–	2	
39.2	Erythroblastosis (Rhesus Factor)	M.	64	–	10	30	14	7	3	–	–	–	64	–	6	18	21	14	3	1	1	–	39.2
		F.	*38*	*1*	*7*	*10*	*14*	*5*	*1*	–	–	–	*38*	–	*3*	*12*	*10*	*7*	*4*	–	–	*2*	
39.0	Other diseases of fœtus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.0
39.1, 39.3		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.1, 39.3
39.4	Maceration	M.	44	2	7	18	10	4	3	–	–	–	44	–	5	12	12	9	3	–	–	3	
		F.	*31*	*3*	*5*	*10*	*5*	*1*	*6*	*1*	–	–	*31*	–	*1*	*7*	*8*	*4*	*2*	*5*	–	*4*	39.4
		N.K	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	
39.5*a*	Premature birth (cause not stated)	M.	20	3	6	6	2	1	1	–	–	1	20	–	7	4	2	1	2	1	–	3	39.5*a*
		F.	*12*	*2*	*4*	*2*	*2*	*1*	*1*	–	–	–	*12*	–	*4*	*3*	*1*	*2*	*2*	–	–	–	
39.5*b*	Debility	M.	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	39.5*b*
		F.	*2*	–	–	–	*1*	*1*	–	–	–	–	*2*	–	–	–	–	*1*	*1*	–	–	–	
		M.	56	4	24	8	12	5	3	–	–	–	56	1	17	6	17	5	5	1	–	4	
39.5*c*	Asphyxia	F.	*64*	*3*	*19*	*16*	*14*	*8*	*3*	–	–	*1*	*64*	–	*10*	*15*	*16*	*7*	*9*	*1*	*2*	*4*	39.5*c*
		N.K	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
39.5*d*	Atelectasis	M.	16	–	5	4	2	5	–	–	–	–	16	–	2	5	4	1	1	–	1	2	39.5*d*
		F.	*14*	*1*	*3*	*4*	*4*	*2*	–	–	–	–	*14*	–	*1*	*4*	*6*	*2*	–	–	–	*1*	
39.5*e*	Other ill-defined	M.	4	–	–	1	2	–	1	–	–	–	4	–	–	1	1	1	1	–	–	–	39.5*e*
		F.	*10*	*2*	*2*	*3*	–	*1*	*2*	–	–	–	*10*	–	*2*	*3*	*2*	*1*	*2*	–	–	–	
		M.	26	–	7	8	4	5	1	–	–	1	26	–	6	7	2	4	5	–	–	2	
39.6	Cause unknown	F.	*23*	–	*7*	*6*	*2*	*3*	*1*	–	–	*4*	*23*	–	*3*	*4*	*6*	*1*	*2*	*1*	*1*	*5*	39.6
		N.K	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	

NOTE:—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 31. Stillbirths by Cause of Death and Sex, 1951 to 1961—Scotland.

International Nos. (Y30-Y39)	Cause of Death.	Sex	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
	ALL CAUSES	B.S.	2,117	2,252	2,252	2,324	2,378	2,329	2,330	2,401	2,308	2,430	2,479
		M.	1 082	1,141	1,120	1,176	1,195	1.170	1,229	1,243	1,197	1,249	1,292
		F.	*1,060*	*1,111*	*1,130*	*1,147*	*1,183*	*1,156*	*1,098*	*1,157*	*1,107*	*1,180*	*1,186*
		N.K.	5	–	2	1	–	3	3	1	4	1	1
	Chronic disease in mother	M.	37	30	38	22	29	27	41	28	26	35	45
		F.	*23*	*31*	*25*	*18*	*27*	*29*	*23*	*16*	*20*	*30*	*19*
30.0	Syphilis	M.	1	–	–	–	–	–	2	2	2	5	5
		F.	*1*	*1*	*1*	*1*	–	*1*	–	*1*	–	*3*	*1*
30.1	Tuberculosis	M.	–	–	1	–	–	1	2	–	2	–	–
		F.	–	–	–	–	*3*	*1*	–	*1*	*2*	–	*2*
30.2	Diabetes	M.	12	8	9	4	4	6	12	6	7	6	5
		F.	*12*	*7*	*3*	*4*	*5*	*5*	*4*	*3*	*5*	*7*	*2*
30.3	Chronic disease of circulatory system	M.	20	11	19	11	20	16	18	12	9	17	19
		F.	*7*	*18*	*17*	*12*	*15*	*15*	*14*	*10*	*8*	*7*	*9*
30.4	Chronic disease of genito-urinary system	M.	–	4	–	–	–	–	–	2	5	2	5
		F.	*1*	*1*	*2*	*1*	*1*	*1*	*1*	–	*1*	*4*	*4*
30.5	Other chronic disease	M.	4	7	9	7	5	4	7	6	1	5	11
		F.	*2*	*4*	*2*	–	*3*	*6*	*4*	*1*	*4*	*9*	*1*
	Acute disease in mother	M.	7	4	3	7	5	9	7	7	12	5	11
		F.	*1*	*3*	*4*	*2*	*12*	*9*	*4*	–	*10*	*7*	*4*
31.1	Influenza	M.	4	–	2	3	2	4	2	–	4	1	2
		F.	*1*	*1*	*2*	–	*5*	*1*	*1*	–	*4*	*2*	*3*
31.2	Pneumonia	M.	–	–	1	1	–	–	2	4	1	2	4
		F.	–	*1*	*1*	–	*4*	*5*	–	–	*3*	*2*	–
31.3	Other acute respiratory disease	M.	1	1	–	–	1	–	–	–	1	1	2
		F.	–	–	–	*1*	*1*	–	*1*	–	*1*	–	–
31.0 31.4	Other acute disease or condition	M.	2	3	–	3	2	5	3	3	6	1	3
		F.	–	*1*	*1*	*1*	*2*	*3*	*2*	–	*2*	*3*	*1*
	Diseases and conditions of pregnancy and childbirth	M.	97	101	94	110	113	100	87	116	121	109	142
		F.	*89*	*84*	*94*	*100*	*105*	*107*	*83*	*116*	*96*	*90*	*113*
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–	1
		F.	–	*1*	–	–	*1*	–	–	–	*1*	–	*1*
32.3	Eclampsia	M.	6										
		F.	*7*	M91	84	97	102	86	75	106	96	100	118
32.4*a*	Pre-eclampsia	M.	84	F 76	*88*	*93*	*87*	*93*	*69*	*99*	*80*	*73*	*94*
		F.	*74*										
32.4*b*	Nephritic toxæmia	M.	–	3	3	2	2	–	2	1	8	2	7
		F.	*1*	–	–	*2*	*2*	*4*	*5*	*6*	*6*	*7*	*5*
32.4*c*	Toxæmia not stated	M	4	4	2	8	4	6	7	6	10	7	10
		F.	*4*	*1*	*3*	*5*	*11*	*3*	*4*	*7*	*6*	*4*	*8*
32.4*d*	Acute yellow atrophy of liver	M.	–	–	–	–	–	1	2	–	2	–	–
		F.	–	–	–	–	–	–	*1*	*1*	*2*	*1*	–
32.4*e*	Hyperemesis gravidarum	M.	–	–	–	1	1	1	–	–	–	–	–
		F.	–	*2*	*1*	–	–	–	*1*	–	–	*1*	*2*
32.5*a*	Pyelitis	M.	1	1	–	1	1	–	–	2	1	–	–
		F.	*1*	*1*	*1*	–	*4*	*1*	*1*	*2*	–	*3*	*2*
32.5*b*	Infection	M.	2	2	5	1	3	6	1	1	4	–	6
		F.	*2*	*3*	*1*	–	–	*6*	*2*	*1*	*1*	*1*	*1*
33	Absorption of toxic substance from mother	M.	–	1	–	–	–	–	1	–	1	–	1
		F.	–	–	–	–	–	–	*2*	*2*	–	–	–
	Difficult Labour	M.	76	98	111	99	134	127	136	169	140	158	203
		F.	*73*	*71*	*98*	*73*	*85*	*100*	*93*	*110*	*108*	*130*	*141*
		N.K.	–	–	–	–	–	–	–	–	1	–	–
34.0*a*	Abnormality of bones of pelvis with immaturity	M.	–	–	–	–	–	–	1	1	1	–	–
		F.	–	–	–	–	–	–	–	–	–	1	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 31—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
	Difficult Labour—*continued*												
34.0*b*	Abnormality of bones of pelvis without immaturity	M.	1	–	1	–	1	4	5	8	9	4	3
		F.	–	*3*	*2*	*4*	*3*	*2*	*3*	*4*	*6*	*1*	*2*
		N.K.	–	–	–	–	–	–	–	–	1	–	–
34.1*a*	Disproportion with immaturity	M.	3	21	11	4	15	10	10	12	2	4	9
		F.	*2*	*9*	*13*	*5*	*9*	*13*	*5*	*7*	*4*	*7*	*5*
34.1*b*	Disproportion without immaturity	M.	10	18	20	16	20	24	21	30	17	19	29
		F.	*13*	*7*	*14*	*17*	*8*	*7*	*20*	*18*	*16*	*10*	*16*
34.2*a*	Malposition of fœtus, with immaturity	M.	6	6	9	4	5	6	8	10	7	6	10
		F.	*4*	*4*	*6*	*6*	*1*	*9*	*7*	*9*	*7*	*10*	*3*
34.2*b*	Malposition of fœtus, without immaturity	M.	31	22	35	38	50	39	46	53	54	68	79
		F.	*25*	*31*	*33*	*21*	*36*	*38*	*27*	*44*	*38*	*51*	*53*
34.3*a*	Abnormality of forces of labour, with immaturity	M.	1	2	2	3	–	1	1	1	–	6	2
		F.	*1*	–	*1*	*2*	*4*	*1*	–	*1*	*1*	*5*	*2*
34.3*b*	Abnormality of forces of labour, without immaturity	M.	6	7	14	15	13	14	9	24	22	33	36
		F.	*4*	*4*	*9*	*4*	*9*	*12*	*7*	*8*	*23*	*35*	*31*
34.4*a*	Operative delivery, with immaturity	M.	1	–	–	1	–	–	–	1	–	–	1
		F.	–	–	–	–	–	–	–	*1*	–	*1*	–
34.4*b*	Operative delivery, without immaturity	M.	2	1	3	1	2	4	9	1	5	3	13
		F.	*2*	–	*3*	*2*	*3*	*1*	*7*	*5*	*2*	*2*	*10*
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	M.	1	–	–	–	–	–	–	–	–	1	–
		F.	–	*1*	–	–	–	–	*1*	*1*	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	M.	1	1	1	–	2	2	7	5	3	5	5
		F.	*3*	–	*3*	*1*	*1*	*2*	*1*	–	–	*3*	*5*
34.6*a*	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	–	–	–	1	2	1	–
		F.	*2*	–	–	–	*1*	–	–	–	*1*	–	*4*
34.6*b*	Difficult labour without mention of condition, and without immaturity	M.	13	20	15	17	26	23	19	22	18	8	16
		F.	*17*	*12*	*14*	*11*	*10*	*15*	*15*	*12*	*10*	*4*	*10*
	Other Causes in Mother	M.	3	5	5	3	7	12	13	16	25	9	12
		F.	*6*	*8*	*5*	*11*	*8*	*6*	*7*	*16*	*6*	*10*	*16*
		N.K.	–	–	–	–	–	1	–	–	–	–	–
35.0	Fall	M.	–	1	1	1	2	2	3	2	7	2	3
		F.	–	*1*	*2*	*4*	*1*	*2*	–	*4*	–	*1*	*4*
32.0, 35.1	Other accident or violence	M.	–	1	1	–	1	2	–	3	3	–	1
		F.	*1*	*1*	–	*1*	*1*	–	–	*2*	*1*	*1*	*1*
35.2	Over-exertion	M.	–	–	–	–	–	–	3	1	–	–	1
		F.	*1*	–	–	*1*	–	*1*	*1*	*3*	–	*2*	*1*
35.3	Other and ill-defined causes in mother	M.	3	3	3	2	4	8	7	10	15	7	7
		F.	*4*	*6*	*3*	*5*	*6*	*3*	*6*	*7*	*5*	*6*	*10*
		N.K.	–	–	–	–	–	1	–	–	–	–	–
	Placental and cord conditions	M.	396	428	434	438	452	421	463	451	411	442	409
		F.	*297*	*336*	*358*	*339*	*374*	*353*	*328*	*332*	*350*	*358*	*314*
36.0*a*	Prolapse of cord	M.	42	44	55	60	55	58	71	71	74	79	65
		F.	*25*	*42*	*42*	*41*	*39*	*49*	*51*	*43*	*53*	*51*	*45*
36.0*b*	Torsion of cord	M.	48	55	55	55	56	49	65	63	65	73	62
		F.	*49*	*50*	*57*	*52*	*62*	*59*	*56*	*53*	*62*	*62*	*46*
36.1, 36.3	Placenta prævia	M.	21	8	13	12	11	4	18	19	17	33	38
		F.	*8*	*12*	*10*	*3*	*8*	*14*	*19*	*13*	*14*	*29*	*34*
32.2	Accidental hæmorrhage	M.	164	189	206	176	M218	192	203	197	158	161	169
		F.	*110*	*125*	*145*	*119*							
36.2, 36.4	Other hæmorrhage	M.	23	15	15	14	F *161*	*129*	*120*	*141*	*124*	*130*	*117*
		F.	*22*	*11*	*12*	*19*							
36.5	Placental infarct	M.	29	53	36	55	53	57	52	61	69	66	47
		F.	*28*	*42*	*44*	*47*	*48*	*57*	*46*	*46*	*58*	*57*	*43*
36.6	Others of placenta and cord	M.	69	64	54	66	59	61	54	40	28	30	28
		F	*55*	*54*	*48*	*58*	*56*	*45*	*36*	*36*	*39*	*29*	*29*

Table 31—*continued*

International Nos (Y30-Y39)	Cause of Death	Sex	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
	Birth injury	**M.**	**31**	**36**	**45**	**51**	**47**	**55**	**55**	**57**	**43**	**47**	**62**
		F.	*19*	*29*	*19*	*16*	*18*	*38*	*34*	*39*	*30*	*31*	*42*
37*a*	Birth injury with immaturity	M.	1	2	2	2	2	3	3	1	–	5	4
		F.	*2*	*1*	*1*	*2*	*2*	*2*	*2*	*6*	–	*1*	*3*
37*b*	Birth injury without immaturity	M.	30	34	43	49	45	52	52	56	43	42	58
		F.	*17*	*28*	*18*	*14*	*16*	*36*	*32*	*33*	*30*	*30*	*39*
	Congenital malformation of fœtus	**M.**	**204**	**192**	**176**	**178**	**171**	**170**	**193**	**172**	**181**	**191**	**167**
		F.	*358*	*334*	*318*	*359*	*342*	*331*	*306*	*309*	*295*	*327*	*309*
		N.K.	2	–	1	1	–	2	3	1	3	1	–
38.0	Anencephalus	M.	90	86	92	93	70	71	77	69	70	68	61
		F.	*258*	*219*	*215*	*237*	*219*	*205*	*189*	*207*	*181*	*193*	*181*
38.1	Hydrocephalus	M.	60	60	53	43	63	55	72	52	70	73	71
		F.	*51*	*58*	*43*	*71*	*61*	*71*	*69*	*54*	*64*	*60*	*66*
		N.K.	–	–	–	–	–	–	1	–	–	–	–
38.2	Spina bifida	M.	9	15	5	6	9	7	9	11	8	7	10
		F.	*15*	*11*	*20*	*19*	*26*	*18*	*15*	*11*	*17*	*28*	*22*
		N.K.	–	–	–	–	–	–	–	–	1	–	–
38.3	Other malformations of the central nervous system	M.	7	1	5	4	8	11	6	7	9	12	6
		F.	*9*	*13*	*16*	*9*	*10*	*12*	*10*	*9*	*8*	*12*	*7*
38.4	Malformation of the cardiovascular system	M.	2	5	5	3	–	5	3	5	6	3	3
		F.	*7*	*3*	*4*	*2*	*4*	*1*	*1*	*4*	*1*	*4*	*2*
38.5	Malformation of other specified system	M.	22	8	4	16	7	9	10	11	7	8	8
		F.	*11*	*15*	*7*	*5*	*11*	*9*	*8*	*11*	*3*	*13*	*11*
		N.K.	2	–	1	–	–	–	1	–	–	–	–
38.6	Monster	M.	1	2	1	2	1	–	1	1	1	2	–
		F.	*2*	–	*2*	*1*	*1*	*1*	–	*4*	*4*	*1*	*2*
		N.K.	–	–	–	–	–	2	–	–	1	–	–
38.7	Other and unspecified malformations	M.	13	15	11	11	13	12	15	16	10	18	8
		F.	*5*	*15*	*11*	*15*	*10*	*14*	*14*	*9*	*17*	*16*	*18*
		N.K.	–	–	–	1	–	–	1	1	1	1	–
	Diseases of fœtus and ill-defined causes	**M.**	**231**	**246**	**214**	**268**	**237**	**249**	**233**	**227**	**237**	**253**	**240**
		F.	*194*	*215*	*209*	*229*	*212*	*183*	*218*	*217*	*192*	*197*	*228*
		N.K.	3	–	1	–	–	–	–	–	–	–	1
39.2	Erythroblastosis (Rhesus factor)	M.	64	51	49	57	48	54	35	46	44	40	38
		F.	*38*	*43*	*46*	*43*	*38*	*34*	*31*	*45*	*37*	*36*	*38*
39.0 39.1, 39.3	Other diseases of fœtus	M.	–	–	–	–	–	1	–	2	1	2	2
		F.	–	*1*	*1*	–	*2*	–	–	*1*	*1*	*6*	*1*
39.4	Maceration	M.	44	54	41	35	63	37	53	41	47	38	42
		F.	*31*	*34*	*34*	*42*	*34*	*42*	*58*	*50*	*45*	*39*	*48*
		N.K.	1	–	–	–	–	–	–	–	–	–	1
39.5*a*	Premature birth (cause not stated)	M.	20	19	17	22	15	30	21	22	24	35	16
		F.	*12*	*16*	*13*	*25*	*19*	*14*	*21*	*17*	*17*	*16*	*25*
39.5*b*	Debility	M.	1	2	1	1	1	2	4	1	9	7	11
		F.	*2*	–	*2*	*3*	*1*	*1*	*2*	*3*	*5*	*8*	*4*
39.5*c*	Asphyxia	M.	56	61	63	61	47	24	36	24	40	50	38
		F.	*64*	*66*	*58*	*54*	*58*	*18*	*22*	*15*	*21*	*31*	*45*
		N.K.	1	–	–	–	–	–	–	–	–	–	–
39.5*d*	Atelectasis*	M.	16	18	11	31	–	–	–	–	–	–	–
		F.	*14*	*11*	*11*	*27*	–	–	–	–	–	–	–
39.5*e*	Other ill-defined†	M.	4	5	4	8	53	90	77	71	53	40	46
		F.	*10*	*9*	*6*	*6*	*45*	*68*	*75*	*73*	*53*	*38*	*40*
39.6	Cause unknown	M.	26	36	28	53	10	11	7	20	19	41	47
		F.	*23*	*35*	*38*	*29*	*15*	*6*	*9*	*13*	*13*	*23*	*27*
		N.K.	1	–	1	–	–	–	–	–	–	–	–

*During the period 1950-1957 "Atelectasis" (unqualified) was classified to "Other ill-defined".
†During the period 1950-1957 "Death in utero"was classified to "Other ill-defined", but is now allocated to "Cause unknown."

Table 32. Causes of Stillbirth (legitimate children) by sex and number of mother's previous children (live and stillborn)by all husbands—Scotland, 1961.

International Nos. (Y30-Y39)	Cause of Death	Legitimate Births		Number of Previous Children (Live and Still)																						Illegitimate Births		International Nos. (Y30-Y39)
				0		1		2		3		4		5		6		7		8		9		10 and over		N.S.				
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	ALL CAUSES	1,018	(4) 990	368	(1) 324	217	201	149	(1) 168	110	118	70	68	37	(1) 46	26	(1) 21	23	19	7	16	7	3	4	6	–	–	64	(1) 70	
	Chronic Disease in Mother	36	22	12	4	7	5	6	5	2	3	4	2	2	2	1	1	1	–	–	–	1	–	–	–	–	–	1	1	
30.0	Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	30.0
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.1
30.2	Diabetes	12	12	3	3	2	1	2	3	1	2	2	2	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	30.2
30.3	Chronic disease of circulatory system	20	7	8	1	4	2	3	1	1	1	1	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	30.3
30.4	Chronic disease of genito-urinary system	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.4
30.5	Other chronic disease	3	2	1	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	30.5
	Acute Disease in Mother	7	1	1	–	1	–	–	–	1	–	1	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	
31.1	Influenza	4	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	31.1
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.2
31.3	Other acute respiratory disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.3
31.0, 31.4	Other acute disease or condition	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	31.0, 31.4
	Diseases and Conditions of Pregnancy and Childbirth	93	86	54	39	11	15	6	13	8	6	3	5	2	2	4	2	4	2	–	–	–	1	1	1	–	–	4	3	
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.1
32.3	Eclampsia	5	7	4	4	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	32.3
32.4*a*	Pre-eclampsia	81	71	45	31	10	13	6	13	7	2	3	4	2	2	3	2	4	2	–	–	–	1	1	1	–	–	3	3	32.4*a*
32.4*b*	Nephritic toxæmia	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*b*
32.4*c*	Toxæmia not stated	4	4	2	2	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*c*
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*d*
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*e*
32.5*a*	Pyelitis	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*a*
32.5*b*	Infection	2	2	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*b*
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
	Difficult Labour	70	70	16	21	20	13	12	11	10	11	5	7	3	1	1	–	2	3	–	3	1	–	–	–	–	–	6	3	
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*a*
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*b*
34.1*a*	Disproportion with immaturity	3	2	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.1*a*
34.1*b*	Disproportion without immaturity	10	13	4	4	1	1	1	3	2	3	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.1*b*
34.2*a*	Malposition of fœtus, with immaturity	6	3	1	–	3	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	34.2*a*
34.2*b*	Malposition of fœtus, without immaturity	28	24	7	8	6	5	4	4	5	2	2	2	2	–	1	–	–	2	–	1	1	–	–	–	–	–	3	1	34.2*b*
34.3*a*	Abnormality of forces of labour, with immaturity	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.3*a*
34.3*b*	Abnormality of forces of labour, without immaturity	5	4	–	1	2	–	–	1	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	34.3*b*

(a) (b)

34.4*a*	Operative delivery, with immaturity	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.4*b*
34.4*b*	Operative delivery, without immaturity	2	*2*	–	–	2	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.5*a*	Abnormality of organs or tissues of pelvis, with immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	34.5*a*
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	*3*	–	–	–	*2*	1	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.5*b*
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	34.6*a*
34.6*b*	Difficult labour without mention of condition, and without immaturity	11	*17*	4	7	2	*2*	3	–	1	*3*	–	*4*	–	–	–	1	*1*	–	–	–	–	–	–	–	2	–		34.6*b*
	Other Causes in Mother	**3**	***4***	**2**	***1***	–	–	**1**	***1***	–	***1***	–	***1***	–	–	–	–	–	–	–	–	–	–	–	–	–	**2**		
35.0	Fall	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.0
32.0, 35.1	Other accident or violence	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	32.0, 35.1
35.2	Over-exertion	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.2
35.3	Other and ill-defined causes in mother	3	*3*	2	*1*	–	–	1	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	35.3
	Placental and Cord Conditions	**376**	***276***	**144**	***85***	**75**	***51***	**51**	***45***	**35**	***38***	**23**	***18***	**18**	***19***	**12**	***7***	**10**	***6***	**3**	***4***	**3**	–	**2**	***3***	–	–	**20**	**21**	
36.0*a*	Prolapse of cord	40	*23*	16	*3*	7	*7*	6	*4*	3	*1*	5	*2*	1	*4*	1	–	–	–	1	*2*	–	–	–	–	–	–	2	*2*	36.0*a*
36.0*b*	Torsion of cord	42	*47*	15	*16*	8	*12*	8	*4*	5	*5*	3	*1*	1	*4*	1	*4*	–	*1*	1	–	–	–	–	–	–	–	6	*2*	36.0*b*
36.1, 36.3	Placenta prævia	21	*7*	3	*2*	6	–	4	*1*	2	*4*	3	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	*1*	36.1, 36.3
32.2	Accidental hæmorrhage without mention of placental condition	155	*102*	60	*30*	32	*18*	18	*19*	11	*12*	8	*8*	11	*6*	6	*1*	7	*4*	–	*1*	2	–	–	*3*	–	–	9	*8*	32.2
36.2, 36.4	Other hæmorrhage	23	*21*	8	*3*	3	*2*	5	*7*	5	*4*	1	*2*	1	*2*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	36.2, 36.4
36.5	Placental infarct	29	*26*	9	*10*	5	*6*	2	*3*	3	*5*	2	*1*	2	–	2	*1*	3	–	–	–	–	–	1	–	–	–	–	*2*	36.5
36.6	Others of placenta and cord	66	*50*	33	*21*	14	*6*	8	*7*	6	*7*	1	*4*	–	*3*	2	*1*	–	–	1	*1*	1	–	–	–	–	–	3	*5*	36.6
	Birth Injury	**29**	***18***	**13**	***10***	**6**	***1***	**2**	***2***	**2**	–	**4**	***1***	**1**	**2**	–	***1***	–	–	**1**	***1***	–	–	–	–	–	–	**2**	***1***	
37*a*	Birth injury with immaturity	1	*2*	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	37*a*
37*b*	Birth injury without immaturity	28	*16*	12	*9*	6	*1*	2	*2*	2	–	4	*1*	1	*2*	–	*1*	–	–	1	–	–	–	–	–	–	–	2	*1*	37*b*
			(2)		(1)										(1)														
	Congenital Malformation of Fœtus	**188**	***341***	**71**	***117***	**41**	***72***	**30**	***64***	**19**	***40***	**14**	***22***	**4**	***12***	**1**	***5***	**5**	***4***	**1**	***4***	**1**	–	**1**	***1***	–	–	**16**	***17***	
38.0	Anencephalus	83	*245*	29	*84*	21	*52*	14	*46*	10	*31*	5	*15*	3	*7*	–	*5*	–	*2*	–	*2*	–	–	1	*1*	–	–	7	*13*	38.0
38.1	Hydrocephalus	55	*49*	22	*19*	10	*11*	10	*9*	3	*4*	6	*3*	1	*2*	–	–	2	–	1	*1*	–	–	–	–	–	–	5	*2*	38.1
38.2	Spina bifida	9	*15*	4	*6*	1	*1*	2	*1*	1	*3*	1	*1*	–	*1*	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	38.2
38.3	Other malformations of the central nervous system	7	*9*	1	*4*	–	*1*	1	*1*	1	*1*	1	*1*	–	*1*	–	–	3	–	–	–	–	–	–	–	–	–	–	–	38.3
38.4	Malformation of the cardiovascular system	2	*7*	1	*1*	–	*1*	–	*1*	–	*1*	1	*1*	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	38.4
			(2)		(1)										(1)														
38.5	Malformation of other specified system	19	*9*	7	*1*	5	*4*	3	*3*	3	–	–	*1*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	*2*	38.5
38.6	Monster	1	*2*	–	–	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.6
38.7	Other and unspecified malformations	12	*5*	7	*2*	3	–	–	*3*	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	38.7
	Diseases of Fœtus and Ill-Defined Causes	**216**	(2) ***172***	**55**	***47***	**56**	***44***	**41**	(1) ***27***	**33**	***19***	**16**	***12***	**7**	***8***	**7**	(1) ***5***	–	***3***	**1**	***4***	–	**2**	–	***1***	–	–	**15**	(1) ***22***	
39.2	Erythroblastosis (Rhesus factor)	63	*35*	2	*2*	11	*11*	18	*4*	15	*9*	7	*2*	5	*3*	5	*1*	–	*1*	–	*1*	–	*1*	–	–	–	–	1	*3*	39.2
39.0, 39.1 39.3	Other diseases of fœtus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	39.0 / 39.1 39.3
			(1)														(1)													
39.4	Maceration	41	*27*	9	*8*	17	*6*	6	*2*	5	*5*	4	*2*	–	*1*	–	*1*	–	*1*	–	–	–	*1*	–	–	–	–	3	*4*	39.4
39.5*a*	Premature birth (cause not stated)	17	*11*	7	*4*	5	*3*	–	*2*	2	–	2	*2*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	*1*	39.5*a*
39.5*b*	Debility	1	*2*	–	–	1	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		39.5*b*
			(1)						(1)																				
39.5*c*	Asphyxia	52	*57*	26	*22*	12	*12*	6	*11*	4	*2*	2	*3*	–	*3*	1	*1*	–	*1*	1	*1*	–	–	–	*1*	–	–	4	*7*	39.5*c*
39.5*d*	Atelectasis	14	*13*	3	*4*	5	*4*	3	*2*	2	*2*	–	–	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	2	*1*	39.5*d*
39.5*e*	Other ill-defined	4	*9*	–	*3*	–	*4*	2	–	2	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	*1*	39.5*e*
																													(1)	
39.6	Cause unknown	24	*18*	8	*4*	5	*4*	6	*5*	3	*1*	1	*2*	1	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	2	*5*	39.6

Numbers in brackets indicate sex unknown.

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 33. Causes of stillbirth (legitimate children) by sex and number of previous stillborn children by all husbands, Scotland, 1961.

International Nos. (Y30-Y39)	Cause of Death	Number of previous stillborn children																								International Nos. (Y30-Y39)
		Total		0		1		2		3		4		5		6		7		8		9		10 and over		N.S.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	ALL CAUSES	1,018	(4) *990*	922	(3) *876*	72	(1) *95*	19	*14*	5	*4*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Chronic Disease in Mother	36	*22*	33	*19*	1	*2*	–	–	2	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30.0	Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.0
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.1
30.2	Diabetes	12	*12*	9	*11*	1	*1*	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.2
30.3	Chronic disease of circulatory system	20	*7*	20	*5*	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.3
30.4	Chronic disease of genito-urinary system	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.4
30.5	Other chronic disease	3	*2*	3	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.5
	Acute Disease in Mother	7	*1*	7	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31.1	Influenza	4	*1*	4	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.1
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.2
31.3	Other acute respiratory disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.3
31.0, 31.4	Other acute disease or condition	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.0, 31.4
	Diseases and Conditions of Pregnancy and Childbirth	93	*86*	83	*73*	6	*12*	3	*1*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.1
32.3	Eclampsia	5	*7*	5	*7*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.3
32.4*a*	Pre-eclampsia	81	*71*	73	*58*	5	*12*	2	*1*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*a*
32.4*b*	Nephritic toxæmia	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*b*
32.4*c*	Toxæmia not stated	4	*4*	2	*4*	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*c*
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*d*
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*e*
32.5*a*	Pyelitis	1	*1*	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*a*
32.5*b*	Infection	2	*2*	2	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*b*
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
	Difficult Labour	70	*70*	64	*67*	3	*3*	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*a*
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*b*
34.1*a*	Disproportion with immaturity	3	*2*	3	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.1*a*
34.1*b*	Disproportion without immaturity	10	*13*	9	*11*	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.1*b*
34.2*a*	Malposition of fœtus, with immaturity	6	*3*	5	*3*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.2*a*
34.2*b*	Malposition of fœtus, without immaturity	28	*24*	26	*23*	2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.2*b*
34.3*a*	Abnormality of forces of labour, with immaturity	1	*1*	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.3*a*
34.3*b*	Abnormality of forces of labour, without immaturity	5	*4*	4	*4*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.3*b*

34.4*a*	Operative delivery, with immaturity	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.4*b*
34.4*b*	Operative delivery, without immaturity	2	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.5*a*
34.5*a*	Abnormality of organs or tissues of pelvis, with immaturity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.5*b*
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.6*a*
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.6*b*
34.6*b*	Difficult labour without mention of condition, and without immaturity	11	17	11	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Other Causes in Mother	3	4	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.0
35.0	Fall	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.0, 35.1
32.0, 35.1	Other accident or violence	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.2
35.2	Over-exertion	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.3
35.3	Other and ill-defined causes in mother	3	3	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Placental and Cord Conditions	376	276	345	242	25	29	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36.0*a*
36.0*a*	Prolapse of cord	40	23	37	21	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36.0*b*
36.0*b*	Torsion of cord	42	47	40	44	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36.1, 36.3
36.1, 36.3	Placenta prævia	21	7	19	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.2
32.2	Accidental hæmorrhage without mention of placental condition	155	102	142	87	10	13	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36.2, 36.4
36.2, 36.4	Other hæmorrhage	23	21	21	16	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36.5
36.5	Placental infarct	29	26	26	21	1	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36.6
36.6	Others of placenta and cord	66	50	60	47	5	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Birth Injury	29	18	25	17	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37*a*
37*a*	Birth injury with immaturity	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37*b*
37*b*	Birth injury without immaturity	28	16	24	16	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Congenital Malformation of Fœtus	188	341 (2)	178	306 (2)	9	30	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.0
38.0	Anencephalus	83	245	77	217	5	24	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.1
38.1	Hydrocephalus	55	49	53	46	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.2
38.2	Spina bifida	9	15	7	13	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.3
38.3	Other malformations of the central nervous system	7	9	7	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.4
38.4	Malformation of the cardiovascular system	2	7 (2)	2	6 (2)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.5
38.5	Malformation of other specified system	19	9	19	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.6
38.6	Monster	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.7
38.7	Other and unspecified malformations	12	5	12	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Diseases of Fœtus and Ill-Defined Causes	216	172 (2)	185	148 (1)	24	17 (1)	5	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.2
39.2	Erythroblastosis (Rhesus factor)	63	35	42	24	17	6	2	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.0
39.0, 39.1, 39.3	Other diseases of fœtus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.1, 39.3
39.4	Maceration	41	27 (1)	40	24	–	3 (1)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.4
39.5*a*	Premature birth (cause not stated)	17	11	14	10	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.5*a*
39.5*b*	Debility	1	2 (1)	1	2 (1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.5*b*
39.5*c*	Asphyxia	52	57	51	49	1	6	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.5*c*
39.5*d*	Atelectasis	14	13	13	13	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.5*d*
39.5*e*	Other ill-defined	4	9	4	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.5*e*
39.6	Cause unknown	24	18	20	18	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.6

Numbers in brackets indicate sex unknown.

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

International Nos. (Y30-Y39)	Cause of Death	Period of gestation (weeks)															
		Total		28		29		30		31		32		33		34	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F
	ALL CAUSES	1,082	(5) 1,060	25	34	26	(1) 29	52	53	21	20	76	72	52	49	64	7
	Chronic Disease in Mother	37	23	1	1	1	–	1	–	–	–	1	–	4	2	1	
30.0	Syphilis	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30.2	Diabetes	12	12	–	–	–	–	–	–	–	–	–	–	2	–	–	
30.3	Chronic disease of circulatory system	20	7	–	–	1	–	–	–	–	–	1	–	2	2	1	
30.4	Chronic disease of genito-urinary system	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
30.5	Other chronic disease	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	
	Acute Disease in Mother	7	1	–	–	1	–	–	–	1	–	–	–	–	–	–	
31.1	Influenza	4	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31.3	Other acute respiratory disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31.0, 31.4	Other acute disease or condition	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Diseases and Conditions of Pregnancy and Childbirth	97	89	2	4	1	1	4	7	4	2	6	12	8	2	8	
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.3	Eclampsia	6	7	–	–	1	–	1	1	1	–	1	3	1	–	–	
32.4*a*	Pre-eclampsia	84	74	2	3	–	1	3	6	2	1	5	9	5	2	8	
32.4*b*	Nephritic toxæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.4*c*	Toxæmia not stated	4	4	–	–	–	–	–	–	1	1	–	–	1	–	–	
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.5*a*	Pyelitis	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	
32.5*b*	Infection	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Difficult Labour	76	73	2	1	1	–	5	3	1	–	1	1	2	–	2	
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.1*a*	Disproportion with immaturity	3	2	*1	–	–	–	–	–	–	–	–	1	1	–	–	
34.1*b*	Disproportion without immaturity	10	13	–	–	–	–	3	1	–	–	–	–	–	–	–	
34.2*a*	Malposition of fœtus, with immaturity	6	4	†1	1	–	–	2	2	1	–	1	–	–	–	–	
34.2*b*	Malposition of fœtus, without immaturity	31	25	–	–	–	–	–	–	–	–	–	–	1	–	1	
34.3*a*	Abnormality of forces of labour, with immaturity	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
34.3*b*	Abnormality of forces of labour, without immaturity	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.4*a*	Operative delivery, with immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
34.4*b*	Operative delivery, without immaturity	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.5*a*	Abnormality of organs or tissues of pelvis, with immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.6*b*	Difficult labour without mention of condition, and without immaturity	13	17	–	–	–	–	–	–	–	–	–	–	–	–	–	

ıd period of gestation, Scotland, 1961

Period of gestation (weeks)																										International Nos. (Y30-Y39)
35		36		37		38		39		40		41		42		43		44		45 and over		N.S.			
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
3	53	103	(1) 89	84	88	113	(1) 99	62	67	199	(1) 174	55	54	37	43	14	17	5	2	1	2	45	(1) 38		
5	2	5	2	2	4	3	2	1	1	6	3	2	1	2	–	–	1	1	–	–	–	1	–		
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–		30.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		30.1
1	1	3	1	1	1	–	2	1	1	1	2	2	1	1	–	–	–	–	–	–	–	–	–		30.2
4	1	2	–	1	3	1	–	–	–	4	–	–	–	1	–	–	1	1	–	–	–	1	–		30.3
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		30.4
–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–		30.5
–	–	1	–	–	–	–	–	–	–	3	–	1	–	–	–	–	1	–	–	–	–	–	–		
–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–		31.1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		31.2
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–		31.3
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		31.0, 31.4
3	8	13	4	12	8	10	12	6	6	11	11	5	2	2	–	1	2	–	–	–	–	1	2		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		32.1
–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		32.3
2	5	13	3	11	8	9	10	6	5	10	9	5	2	2	–	1	2	–	–	–	–	–	2		32.4*a*
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		32.4*b*
1	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–		32.4*c*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		32.4*d*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		32.4*e*
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		32.5*a*
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–		32.5*b*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		33
3	–	2	3	1	3	3	5	7	5	28	23	3	2	3	13	5	3	2	–	–	–	5	4		
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		34.0*a*
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–		34.0*b*
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		34.1*a*
–	–	–	2	–	–	1	–	1	1	3	3	1	–	–	4	1	–	–	–	–	–	–	2		34.1*b*
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		34.2*a*
1	–	2	1	1	2	1	3	3	2	17	11	1	1	1	1	–	–	–	–	–	–	2	2		34.2*b*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		34.3*a*
–	–	–	–	–	1	–	–	2	1	1	2	–	–	1	–	–	–	–	–	–	–	2	–		34.3*b*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		34.4*a*
–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–		34.4*b*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–		34.5*a*
–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–		34.5*b*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		34.6*a*
1	–	–	–	–	–	–	1	–	–	4	6	1	–	1	7	4	3	2	–	–	–	–	–		34.6*b*

International Nos. (Y30-Y39)	Cause of Death	Period of gestation (weeks)													
		Total		28		29		30		31		32		33	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Other Causes in Mother	3	*6*	–	–	–	–	–	–	–	–	1	–	–	–
35.0	Fall	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	3	*4*	–	–	–	–	–	–	–	–	1	–	–	–
	Placental and Cord Conditions	396	*297*	8	*5*	13	*11*	18	*15*	3	*6*	30	*15*	19	*10*
36.0*a*	Prolapse of cord	42	*25*	1	–	1	*1*	–	–	–	*1*	1	*1*	1	–
36.0*b*	Torsion of cord	48	*49*	–	*1*	–	*1*	2	–	–	*1*	1	*1*	–	*1*
36.1, 36.3	Placenta prævia	21	*8*	1	–	1	–	3	*1*	–	–	4	*1*	–	–
32.2	Accidental hæmorrhage without mention of placental condition	164	*110*	‡3	*2*	6	*8*	10	*9*	3	*4*	17	*8*	10	*8*
36.2, 36.4	Other hæmorrhage	23	*22*	–	–	–	–	2	–	–	–	3	*1*	3	–
36.5	Placental infarct	29	*28*	1	–	–	–	–	–	–	–	2	–	2	*1*
36.6	Others of placenta and cord	69	*55*	2	*2*	5	*1*	1	*5*	–	–	2	*3*	3	–
	Birth Injury	31	*19*	–	–	–	*1*	2	–	–	–	1	–	1	–
37*a*	Birth injury with immaturity	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity	30	*17*	–	–	–	*1*	2	–	–	–	1	–	1	–
	Congenital Malformation of Fœtus	204	*(2) 358*	4	*16*	2	*9*	11	*14*	6	*8*	24	*30*	10	*30*
38.0	Anencephalus	90	*258*	3	*15*	2	*7*	5	*12*	2	*8*	12	*24*	8	*22*
38.1	Hydrocephalus	60	*51*	–	–	–	*1*	1	–	–	–	6	*2*	–	*3*
38.2	Spina bifida	9	*15*	–	–	–	–	–	*1*	–	–	2	*1*	–	–
38.3	Other malformations of the central nervous system	7	*9*	–	*1*	–	–	–	*1*	2	–	1	*2*	1	–
38.4	Malformation of the cardiovascular system	2	*7*	–	–	–	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	22	*(2) 11*	–	–	–	–	3	–	1	–	–	*1*	1	*3*
38.6	Monster	1	*2*	–	–	–	*1*	1	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	13	*5*	1	–	–	–	1	–	1	–	3	–	–	*2*
	Diseases of Fœtus and Ill-Defined Causes	231	*(3) 194*	8	*7*	7	*(1) 7*	11	*14*	6	*4*	12	*14*	8	*5*
39.2	Erythroblastosis (Rhesus factor)	64	*38*	2	–	1	*2*	2	*3*	3	*2*	4	*6*	3	*2*
39.0 } 39.1, 39.3 }	Other diseases of fœtus	–	*(1) –*	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	44	*31*	2	*1*	3	*2*	1	*3*	1	*1*	2	*3*	3	*1*
39.5*a*	Premature birth (cause not stated)	20	*12*	2	***4*	3	*1*	5	*2*	2	–	3	–	–	*1*
39.5*b*	Debility	1	*2*	–	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	56	*(1) 64*	§1	–	–	*(1) 1*	–	*2*	–	*1*	1	*1*	–	–
39.5*d*	Atelectasis	16	*14*	1	*1*	–	*1*	2	–	–	–	–	*2*	–	–
39.5*e*	Other ill-defined	4	*10*	–	*1*	–	–	–	*2*	–	–	–	*1*	–	–
39.6	Cause unknown	26	*(1) 23*	–	–	–	–	1	*2*	–	–	2	*1*	2	*1*

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

ntinued.

Period of gestation (weeks)																									International Nos. (Y30-Y39)
34		35		36		37		38		39		40		41		42		43		44		45 and over		N.S.		
.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	1	–	–	–	*1*	–	*2*	**1**	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.0
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.0, 35.1
	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.2
	–	–	–	–	*1*	–	*2*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	35.3
	16	16	*7*	39	*19*	34	*36*	39	*36*	20	*24*	70	*48*	26	*23*	16	*8*	3	*6*	1	–	–	*1*	21	*11*	
	–	–	–	2	*3*	2	*1*	7	*3*	2	*1*	11	*9*	8	*4*	2	–	–	*1*	1	–	–	–	2	–	36.0*a*
	2	–	–	2	*2*	1	*5*	2	*4*	7	*4*	18	*16*	4	*7*	5	*2*	–	–	–	–	–	–	3	*2*	36.0*b*
	1	–	–	2	*1*	1	–	2	*1*	–	–	2	*1*	1	*1*	–	–	–	–	–	–	–	–	2	*1*	36.1, 36.3
	7	9	*5*	21	*6*	19	*15*	16	*15*	7	*7*	20	*8*	4	*4*	2	*2*	–	–	–	–	–	–	6	*2*	32.2
	3	–	–	2	*1*	3	*5*	4	*5*	1	*2*	3	*4*	–	–	–	–	–	–	–	–	–	–	1	*1*	36.2, 36.4
	2	2	*1*	3	*1*	4	*7*	2	*1*	1	*2*	4	*5*	2	*4*	2	*1*	–	–	–	–	–	–	3	*3*	36.5
	1	5	*1*	7	*5*	4	*3*	6	*7*	2	*8*	12	*5*	7	*3*	5	*3*	3	*5*	–	–	–	*1*	4	*2*	36.6
–	*1*	1	–	–	*2*	1	*2*	6	*1*	4	*1*	8	*6*	3	*4*	2	*1*	1	–	–	–	–	–	1	–	
	–	–	–	–	*1*	–	*1*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37*a*
–	*1*	1	–	–	*1*	1	*1*	5	*1*	4	*1*	8	*6*	3	*4*	2	*1*	1	–	–	–	–	–	1	–	37*b*
5	*30*	11	*27*	18	*42*	17	*23*	21	(1) *28*	14	*15*	33	(1) *49*	6	*11*	6	*10*	1	*3*	–	*1*	1	*1*	4	*11*	
4	*23*	7	*23*	8	*34*	6	*19*	9	*22*	6	*10*	8	*21*	3	*5*	2	*4*	1	*2*	–	–	1	–	3	*7*	38.0
5	*4*	2	–	5	*5*	6	*2*	5	*3*	6	*1*	18	*17*	3	*5*	2	*4*	–	*1*	–	–	–	–	1	*3*	38.1
1	*1*	–	*1*	1	*1*	1	–	2	–	–	*2*	1	*5*	–	–	1	*2*	–	–	–	–	–	–	–	*1*	38.2
1	–	–	–	1	–	1	–	–	*2*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	38.3
–	*1*	–	*1*	–	–	1	*1*	1	*1*	–	*1*	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	38.4
3	*1*	2	*1*	2	*2*	1	*1*	3	(1) –	2	–	4	(1) *2*	–	–	–	–	–	–	–	–	–	–	–	–	38.5
–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38.6
1	–	–	–	1	–	1	–	1	–	–	–	2	*3*	–	–	1	–	–	–	–	–	–	–	–	–	38.7
17	*12*	9	*9*	25	(1) *16*	17	*10*	30	*15*	10	*14*	40	*34*	9	*11*	6	*11*	3	*1*	1	*1*	–	–	12	(1) *9*	
7	*4*	6	*1*	11	*5*	7	*4*	10	*4*	1	*2*	3	*2*	–	–	1	*1*	1	–	–	–	–	–	2	–	39.2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.0
					(1)																					39.1, 39.3
2	*3*	1	*3*	4	–	7	–	6	*4*	1	*3*	7	*5*	1	–	–	*1*	1	–	–	–	–	–	2	*1*	39.4
1	*1*	–	–	1	*3*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	39.5*a*
–	–	–	–	–	–	–	–	–	–	–	*1*	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	39.5*b*
4	*2*	1	*2*	6	*5*	2	*4*	7	*4*	5	*4*	15	*19*	6	*8*	4	*7*	1	*1*	–	–	–	–	3	*3*	39.5*c*
1	*1*	1	*1*	2	*1*	–	–	1	*1*	2	–	4	*2*	–	*2*	–	–	–	–	1	*1*	–	–	1	*1*	39.5*d*
–	*1*	–	*1*	–	*1*	–	*1*	–	–	1	*1*	1	–	–	*1*	1	–	–	–	–	–	–	–	1	–	39.5*e*
2	–	–	*1*	1	*1*	–	*1*	6	*2*	–	*3*	9	*5*	2	–	–	*2*	–	–	–	–	–	–	1	(1) *4*	39.6

* 23 weeks gestation. † 27 weeks gestation. ‡ includes 1 of 26 weeks gestation. ‖ 23 weeks gestation.
** includes 1 of 24 weeks gestation.

Numbers in brackets indicate sex unknown.

Table 35. Causes of stillbirth, by sex and weight of fœtus, Scotland, 1961

International Nos. (Y30-Y39)	Cause of Death	Weight of fœtus (pounds)																												International Nos. (Y30-Y39)
		Total		Under 1		1–		1·5–		2–		2·5–		3–		3·5–		4–		4·5–		5–		5·5–		6–		6·5–		7–		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	ALL CAUSES	1082	(5) *1060*	7	(1) *10*	22	*22*	34	*46*	39	*57*	58	*79*	71	*81*	53	(1) *62*	53	*72*	67	*53*	67	*65*	50	*45*	85	*70*	47	*58*	84	*59*	
	Chronic Disease in Mother	37	*23*	–	–	–	*1*	1	–	3	*1*	4	*1*	1	–	1	–	1	*3*	4	*1*	2	*4*	1	*1*	4	*1*	1	–	3	*1*	
30.0	Syphilis	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	30.0
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.1
30.2	Diabetes	12	*12*	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	*1*	–	–	1	*4*	–	–	2	*1*	1	–	–	–	30.2
30.3	Chronic disease of circulatory system	20	*7*	–	–	*1*	1	–	3	*1*	3	*1*	–	–	1	–	1	*1*	2	–	–	–	1	*1*	2	–	–	–	3	*1*	30.3
30.4	Chronic disease of genito-urinary system	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	30.4
30.5	Other chronic disease	4	*2*	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	*1*	1	–	–	–	–	–	–	–	–	–	30.5
	Acute Disease in Mother	7	*1*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	
31.1	Influenza	4	*1*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	31.1
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.2
31.3	Other acute respiratory disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	31.3
31.0, 31.4	Other acute disease or condition	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	31.0, 31.4
	Diseases and Conditions of Pregnancy and Childbirth	97	*89*	–	*1*	2	*4*	5	*2*	8	*3*	6	*8*	8	*8*	5	*9*	9	*10*	8	*5*	3	*4*	5	*3*	5	*1*	–	*4*	8	*4*	
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.1
32.3	Eclampsia	6	*7*	–	–	–	–	–	2	–	2	–	1	*1*	1	*2*	–	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	32.3
32.4*a*	Pre-eclampsia	84	*74*	–	–	1	*3*	5	*2*	6	*3*	2	*8*	7	*7*	4	*6*	9	*7*	6	*4*	3	*4*	5	*3*	5	*1*	–	*3*	8	*4*	32.4*a*
32.4*b*	Nephritic toxæmia	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*b*
32.4*c*	Toxæmia not stated	4	*4*	–	*1*	1	*1*	–	–	–	–	2	–	–	–	–	–	–	*1*	1	–	–	–	–	–	–	–	–	*1*	–	–	32.4*c*
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*d*
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*e*
32.5*a*	Pyelitis	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	32.5*a*
32.5*b*	Infection	2	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*b*
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
	Difficult Labour	76	*73*	–	*1*	1	–	3	–	1	*1*	1	–	–	*3*	4	*5*	2	*3*	2	*1*	6	*5*	3	*1*	2	*9*	3	*6*	6	*5*	
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*a*
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*b*
34.1*a*	Disproportion with immaturity	3	*2*	–	*1*	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	34.1*a*
34.1*b*	Disproportion without immaturity	10	*13*	–	–	1	–	2	–	–	*1*	–	–	–	–	–	*2*	–	*1*	–	*1*	2	*1*	–	–	–	–	–	–	–	–	34.1*b*
34.2*a*	Malposition of fœtus, with immaturity	6	*4*	–	–	–	–	–	1	–	1	–	–	*2*	3	*2*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.2*a*
34.2*b*	Malposition of fœtus, without immaturity	31	*25*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	2	–	3	*3*	2	–	–	*5*	2	*2*	5	*3*	34.2*b*
34.3*a*	Abnormality of forces of labour, with immaturity	1	*1*	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	34.3*a*
34.3*b*	Abnormality of forces of labour, without immaturity	6	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	*1*	–	–	–	–	34.3*b*

34.4*b*	Operative delivery, without immaturity	2	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.5*a*
34.5*a*	Abnormality of organs or tissues of pelvis, with immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.5*b*
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	1	–	–	*1*	34.6*a*
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	34.6*b*
34.6*b*	Difficult labour without mention of condition, and without immaturity	13	*17*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	*3*	–	*4*	1	*1*		
	Other Causes in Mother	3	*6*	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	1	–	–	–	2	1	*1*	–	–	–	–	–	–	35.0	
35.0	Fall	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.0, 35.1	
32.0, 35.1	Other accident or violence	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	35.2	
35.2	Over-exertion	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.3	
35.3	Other and ill-defined causes in mother	3	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	*1*	–	–	–	–	–	–		
	Placental and Cord Conditions	396	*297*	1	–	3	*5*	9	*5*	10	*14*	20	*16*	25	*22*	21	*13*	21	*17*	24	*12*	31	*23*	21	*20*	33	*29*	19	*21*	36	*26*	
36.0*a*	Prolapse of cord	42	*25*	–	–	–	–	–	–	–	–	1	*2*	–	*1*	1	–	–	*1*	2	*2*	4	*1*	1	–	6	*1*	4	*5*	8	*5*	36.0*a*
36.0*b*	Torsion of cord	48	*49*	–	–	–	–	1	*1*	2	–	–	*1*	–	*1*	2	–	–	*3*	1	–	3	*5*	4	*3*	4	*7*	3	*2*	6	*5*	36.0*b*
36.1, 36.3	Placenta prævia	21	*8*	–	–	–	–	–	–	1	*1*	2	–	2	*1*	2	–	5	*1*	1	–	1	–	–	*1*	3	–	–	*2*	1	–	36.1, 36.3
32.2	Accidental hæmorrhage without mention of placental condition	164	*110*	–	–	1	*3*	3	*3*	5	*6*	9	*8*	11	*14*	11	*6*	8	*9*	12	*5*	16	*10*	11	*8*	14	*10*	9	*6*	11	*6*	32.2
36.2, 36.4	Other hæmorrhage	23	*22*	–	–	–	*1*	1	–	–	*1*	3	–	2	*1*	–	–	1	*1*	2	*3*	2	*1*	1	*3*	–	*3*	1	*2*	4	*2*	36.2, 36.4
36.5	Placental infarct	29	*28*	1	–	–	–	–	–	–	–	1	*2*	4	–	2	*4*	2	*1*	3	*1*	2	*2*	3	*1*	3	*2*	–	*2*	1	*4*	36.5
36.6	Others of placenta and cord	69	*55*	–	–	2	*1*	4	*1*	2	*6*	4	*3*	6	*4*	3	*3*	5	*1*	3	*1*	3	*4*	1	*4*	3	*6*	2	*2*	5	*4*	36.6
	Birth Injury	31	*19*	–	–	–	–	–	–	1	–	–	*2*	2	–	1	–	1	–	1	–	–	*2*	–	–	2	*3*	4	*3*	4	*2*	
37*a*	Birth injury with immaturity	1	*2*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	37*a*
37*b*	Birth injury without immaturity	30	*17* (2)	–	–	–	–	–	–	1	–	–	*1*	2	–	1	– (1)	–	–	1	–	–	*2*	–	–	2	*3*	4	*3*	4	*2*	37*b*
	Congenital Malformation of Fœtus	204	*358*	1	*3*	9	*9*	8	*28*	12	*28*	16	*46*	24	*37*	14	*30*	9	*29*	11	*22*	13	*13*	6	*8*	12	*14*	13	*8*	9	*8*	
38.0	Anencephalus	90	*258*	1	*2*	4	*9*	6	*23*	10	*27*	9	*38*	15	*31*	8	*25*	5	*24*	6	*16*	3	*7*	–	*3*	5	*6*	3	*1*	1	*2*	38.0
38.1	Hydrocephalus	60	*51*	–	*1*	2	–	1	*3*	–	–	3	*2*	1	*2*	3	*1*	1	*2*	1	*2*	5	*3*	5	*4*	3	*5*	9	*6*	5	*2*	38.1
38.2	Spina bifida	9	*15*	–	–	–	–	–	–	–	–	–	*1*	2	*1*	1	*2*	1	–	–	*1*	–	*1*	–	–	–	*1*	1	–	1	*1*	38.2
38.3	Other malformations of the central nervous system	7	*9*	–	–	–	–	–	*1*	1	*1*	2	*2*	–	–	1	–	–	–	–	*2*	1	*1*	–	–	1	–	–	–	–	–	38.3
38.4	Malformation of the cardiovascular system	2	*7* (2)	–	–	–	–	–	–	–	–	–	*1*	–	–	–	– (1)	–	*1*	–	*1*	–	–	1	*1*	1	*1*	–	*1*	–	*1*	38.4
38.5	Malformation of other specified system	22	*11*	–	–	2	–	1	*1*	–	–	1	*2*	4	*1*	1	*1*	2	*1*	3	–	2	–	–	–	2	*1*	–	–	–	–	38.5
38.6	Monster	1	*2*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	1	–	38.6
38.7	Other and unspecified malformations	13	*5*	–	–	1	–	–	–	1	–	1	–	2	*1*	–	*1*	–	*1*	1	–	2	–	–	–	–	–	–	–	1	*2*	38.7
	Diseases of Fœtus and Ill-Defined Causes	231	*194* (3)	4	(1) *5*	7	*2*	8	*11*	4	*10*	11	*6*	11	*11*	7	*4*	9	*10*	17	*12*	11	*12*	13	*11*	26	*13*	6	*16*	18	*13*	
39.2	Erythroblastosis (Rhesus factor)	64	*38*	1	*1*	2	*1*	2	*1*	2	*1*	5	*1*	4	*1*	2	*1*	4	*3*	4	*4*	4	*5*	3	*3*	8	*4*	2	*2*	6	*4*	39.2
39.0, 39.1, 39.3	Other diseases of fœtus	–	– (1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.0, 39.1, 39.3
39.4	Maceration	44	*31*	2	*1*	1	*1*	2	*2*	1	*3*	–	*2*	5	*1*	2	–	1	*3*	9	*4*	3	*1*	3	*2*	4	*1*	–	*2*	2	*1*	39.4
39.5*a*	Premature birth (cause not stated)	20	*12*	1	*1*	1	–	2	–	1	*3*	2	–	1	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.5*a*
39.5*b*	Debility	1	*2* (1)	–	(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	1	*1*	39.5*b*
39.5*c*	Asphyxia	56	*64*	–	–	1	–	–	*3*	–	–	2	–	–	*1*	–	*3*	3	*2*	1	*2*	2	*2*	4	*5*	9	*6*	2	*9*	5	*5*	39.5*c*
39.5*d*	Atelectasis	16	*14*	–	–	–	–	1	*1*	–	*1*	–	*1*	–	–	2	–	1	–	1	*1*	2	*3*	1	*1*	2	*1*	–	*1*	–	*2*	39.5*d*
39.5*e*	Other ill-defined	4	*10* (1)	–	*1*	–	–	–	*2*	–	*1*	–	–	–	*2*	–	–	–	*1*	–	–	–	–	–	–	–	–	1	–	1	–	39.5*e*
39.6	Cause unknown	26	*23*	–	*1*	2	–	1	*2*	–	*1*	2	*2*	1	*3*	1	–	–	*1*	2	*1*	–	*1*	2	–	3	–	1	*2*	3	–	39.6

Numbers in brackets indicate sex unknown.

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 35—*continued*

International Nos. (Y30-Y39)	Cause of Death	Weight of fœtus (pounds)																												International Nos. (Y30-Y39)
		7·5–		8–		8·5–		9–		9·5–		10–		10·5–		11–		11·5–		12–		12·5–		13–		13·5–		14 and over		N.S.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	ALL CAUSES	47	*40*	50	*34*	27	*20*	20	*16*	9	*8*	8	*4*	1	*2*	2	*4*	1	*1*	–	*1*	1	–	–	–	–	–	–	–	179	(3) *151*	
	Chronic Disease in Mother	1	*2*	2	–	1	*1*	–	*1*	1	–	2	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	4	*3*	
30.0	Syphilis	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.0
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.1
30.2	Diabetes	–	*1*	1	–	1	*1*	–	*1*	1	–	1	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	3	*1*	30.2
30.3	Chronic disease of circulatory system	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	*1*	30.3
30.4	Chronic disease of genito-urinary system	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.4
30.5	Other chronic disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	30.5
	Acute Disease in Mother	2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
31.1	Influenza	2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.1
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.2
31.3	Other acute respiratory disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.3
31.0, 31.4	Other acute disease or condition	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	31.0, 31.4
	Diseases and Conditions of Pregnancy and Childbirth	3	*5*	4	*2*	2	*1*	1	–	1	–	1	*1*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	12	*14*	
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.1
32.3	Eclampsia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	32.3
32.4*a*	Pre-eclampsia	3	*4*	3	*1*	2	*1*	1	–	1	–	1	*1*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	11	*12*	32.4*a*
32.4*b*	Nephritic toxæmia	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*b*
32.4*c*	Toxæmia not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*c*
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*d*
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*e*
32.5*a*	Pyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*a*
32.5*b*	Infection	–	*1*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	*1*	32.5*b*
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
	Difficult Labour	9	*4*	3	*6*	3	*1*	5	*6*	5	*2*	2	–	1	*1*	–	*2*	1	*1*	–	–	–	–	–	–	–	–	–	–	13	*10*	
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*a*
34.0*b*	Abnormality of bones of pelvis without immaturity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*b*
34.1*a*	Disproportion with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	*1*	34.1*a*
34.1*b*	Disproportion without immaturity	–	*1*	–	–	–	–	1	*1*	1	–	–	–	1	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	2	*3*	34.1*b*
34.2*a*	Malposition of fœtus, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.2*a*
34.2*b*	Malposition of fœtus, without immaturity	5	*2*	1	*1*	1	–	1	*1*	2	*1*	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	5	*5*	34.2*b*
34.3*a*	Abnormality of forces of labour, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.3*a*
34.3*b*	Abnormality of forces of labour, without immaturity	1	–	–	*1*	1	–	–	*1*	1	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	2	–	34.3*b*

| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | (i) | (j) | (k) | (l) | (m) | (n) | (o) | (p) | (q) | (r) | (s) | (t) | (u) | (v) | (w) | (x) | (y) | (z) | (aa) | (bb) | (cc) | (dd) | (ee) | (ff) | (gg) | (hh) | (ii) | (jj) | (kk) | (ll) | (mm) | (nn) | (oo) | (pp) | (qq) | (rr) | (ss) | (tt) | (uu) | (vv) | (ww) | (xx) | (yy) | (zz) | (aaa) | (bbb) | (ccc) | (ddd) | (eee) | (fff) | (ggg) | (hhh) | (iii) | (jjj) | (kkk) | (lll) | (mmm) | (nnn) | (ooo) | (ppp) | (qqq) | (rrr) | (sss) | (ttt) | (uuu) | (vvv) | (www) | (xxx) | (yyy) | (zzz) | (aaaa) | (bbbb) | (cccc) | (dddd) | (eeee) | (ffff) | (gggg) | (hhhh) | (iiii) | (jjjj) | (kkkk) | (llll) | (mmmm) | (nnnn) | (oooo) | (pppp) | (qqqq) | (rrrr) | (ssss) | (tttt) | (uuuu) | (vvvv) | (wwww) | (xxxx) | (yyyy) | (zzzz) | (aaaaa) | (bbbbb) | (ccccc) | (ddddd) | (eeeee) | (fffff) | (ggggg) | (hhhhh) | (iiiii) | (jjjjj) | (kkkkk) | (lllll) | (mmmmm) | (nnnnn) | (ooooo) | (ppppp) | (qqqqq) | (rrrrr) | (sssss) | (ttttt) | (uuuuu) | (vvvvv) | (wwwww) | (xxxxx) | (yyyyy) | (zzzzz) | (aaaaaa) | (bbbbbb) | (cccccc) | (dddddd) | (eeeeee) | (ffffff) | (gggggg) | (hhhhhh) | (iiiiii) | (jjjjjj) | (kkkkkk) | (llllll) | (mmmmmm) | (nnnnnn) | (oooooo) | (pppppp) | (qqqqqq) | (rrrrrr) | (ssssss) | (tttttt) | (uuuuuu) | (vvvvvv) | (wwwwww) | (xxxxxx) | (yyyyyy) | (zzzzzz) | (aaaaaaa) | (bbbbbbb) | (ccccccc) | (ddddddd) | (eeeeeee) | (fffffff) | (ggggggg) | (hhhhhhh) | (iiiiiii) | (jjjjjjj) | (kkkkkkk) | (lllllll) | (mmmmmmm) | (nnnnnnn) | (ooooooo) | (ppppppp) | (qqqqqqq) | (rrrrrrr) | (sssssss) | (ttttttt) | (uuuuuuu) | (vvvvvvv) | (wwwwwww) | (xxxxxxx) | (yyyyyyy) | (zzzzzzz) | (aaaaaaaa) | (bbbbbbbb) | (cccccccc) | (dddddddd) | (eeeeeeee) | (ffffffff) | (gggggggg) | (hhhhhhhh) | (iiiiiiii) | (jjjjjjjj) | (kkkkkkkk) | (llllllll) | (mmmmmmmm) | (nnnnnnnn) | (oooooooo) | (pppppppp) | (qqqqqqqq) | (rrrrrrrr) | (ssssssss) | (tttttttt) | (uuuuuuuu) | (vvvvvvvv) | (wwwwwwww) | (xxxxxxxx) | (yyyyyyyy) | (zzzzzzzz) | (aaaaaaaaa) | (bbbbbbbbb) | (ccccccccc) | (ddddddddd) | (eeeeeeeee) | (fffffffff) | (ggggggggg) | (hhhhhhhhh) | (iiiiiiiii) | (jjjjjjjjj) | (kkkkkkkkk) | (lllllllll) | (mmmmmmmmm) | (nnnnnnnnn) | (ooooooooo) | (ppppppppp) | (qqqqqqqqq) | (rrrrrrrrr) | (sssssssss) | (ttttttttt) | (uuuuuuuuu) | (vvvvvvvvv) | (wwwwwwwww) | (xxxxxxxxx) | (yyyyyyyyy) | (zzzzzzzzz) | (aaaaaaaaaa) | (bbbbbbbbbb) | (cccccccccc) | (dddddddddd) | (eeeeeeeeee) | (ffffffffff) | (gggggggggg) | (hhhhhhhhhh) | (iiiiiiiiii) | (jjjjjjjjjj) | (kkkkkkkkkk) | (llllllllll) | (mmmmmmmmmm) | (nnnnnnnnnn) | (oooooooooo) | (pppppppppp) | (qqqqqqqqqq) | (rrrrrrrrrr) | (ssssssssss) | (tttttttttt) | (uuuuuuuuuu) | (vvvvvvvvvv) | (wwwwwwwwww) | (xxxxxxxxxx) | (yyyyyyyyyy) | (zzzzzzzzzz) | (aaaaaaaaaaa) | (bbbbbbbbbbb) | (ccccccccccc) | (ddddddddddd) | (eeeeeeeeeee) | (fffffffffff) | (ggggggggggg) | (hhhhhhhhhhh) | (iiiiiiiiiii) | (jjjjjjjjjjj) | (kkkkkkkkkkk) | (lllllllllll) | (mmmmmmmmmmm) | (nnnnnnnnnnn) | (ooooooooooo) | (ppppppppppp) | (qqqqqqqqqqq) | (rrrrrrrrrrr) | (sssssssssss) | (ttttttttttt) | (uuuuuuuuuuu) | (vvvvvvvvvvv) | (wwwwwwwwwww) | (xxxxxxxxxxx) | (yyyyyyyyyyy) | (zzzzzzzzzzz) | (aaaaaaaaaaaa) | (bbbbbbbbbbbb) | (cccccccccccc) | (dddddddddddd) | (eeeeeeeeeeee) | (ffffffffffff) | (gggggggggggg) | (hhhhhhhhhhhh) | (iiiiiiiiiiii) | (jjjjjjjjjjjj) | (kkkkkkkkkkkk) | (llllllllllll) | (mmmmmmmmmmmm) | (nnnnnnnnnnnn) | (oooooooooooo) | (pppppppppppp) | (qqqqqqqqqqqq) | (rrrrrrrrrrrr) | (ssssssssssss) | (tttttttttttt) | (uuuuuuuuuuuu) | (vvvvvvvvvvvv) | (wwwwwwwwwwww) | (xxxxxxxxxxxx) | (yyyyyyyyyyyy) | (zzzzzzzzzzzz) | (aaaaaaaaaaaaa) | (bbbbbbbbbbbbb) | (ccccccccccccc) | (ddddddddddddd) | (eeeeeeeeeeeee) | (fffffffffffff) | (ggggggggggggg) | (hhhhhhhhhhhhh) | (iiiiiiiiiiiii) | (jjjjjjjjjjjjj) | (kkkkkkkkkkkkk) | (lllllllllllll) | (mmmmmmmmmmmmm) | (nnnnnnnnnnnnn) | (ooooooooooooo) | (ppppppppppppp) | (qqqqqqqqqqqqq) | (rrrrrrrrrrrrr) | (sssssssssssss) | (ttttttttttttt) | (uuuuuuuuuuuuu) | (vvvvvvvvvvvvv) | (wwwwwwwwwwwww) | (xxxxxxxxxxxxx) | (yyyyyyyyyyyyy) | (zzzzzzzzzzzzz) | (aaaaaaaaaaaaaa) | (bbbbbbbbbbbbbb) | (cccccccccccccc) | (dddddddddddddd) | (eeeeeeeeeeeeee) | (ffffffffffffff) | (gggggggggggggg) | (hhhhhhhhhhhhhh) | (iiiiiiiiiiiiii) | (jjjjjjjjjjjjjj) | (kkkkkkkkkkkkkk) | (llllllllllllll) | (mmmmmmmmmmmmmm) | (nnnnnnnnnnnnnn) | (oooooooooooooo) | (pppppppppppppp) | (qqqqqqqqqqqqqq) | (rrrrrrrrrrrrrr) | (ssssssssssssss) | (tttttttttttttt) | (uuuuuuuuuuuuuu) | (vvvvvvvvvvvvvv) | (wwwwwwwwwwwwww) | (xxxxxxxxxxxxxx) | (yyyyyyyyyyyyyy) | (zzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbb) | (ccccccccccccccc) | (ddddddddddddddd) | (eeeeeeeeeeeeeee) | (fffffffffffffff) | (ggggggggggggggg) | (hhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkk) | (lllllllllllllll) | (mmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnn) | (ooooooooooooooo) | (ppppppppppppppp) | (qqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrr) | (sssssssssssssss) | (ttttttttttttttt) | (uuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbb) | (cccccccccccccccc) | (dddddddddddddddd) | (eeeeeeeeeeeeeeee) | (ffffffffffffffff) | (gggggggggggggggg) | (hhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkk) | (llllllllllllllll) | (mmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnn) | (oooooooooooooooo) | (pppppppppppppppp) | (qqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrr) | (ssssssssssssssss) | (tttttttttttttttt) | (uuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbb) | (ccccccccccccccccc) | (ddddddddddddddddd) | (eeeeeeeeeeeeeeeee) | (fffffffffffffffff) | (ggggggggggggggggg) | (hhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkk) | (lllllllllllllllll) | (mmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnn) | (ooooooooooooooooo) | (ppppppppppppppppp) | (qqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrr) | (sssssssssssssssss) | (ttttttttttttttttt) | (uuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbb) | (cccccccccccccccccc) | (dddddddddddddddddd) | (eeeeeeeeeeeeeeeeee) | (ffffffffffffffffff) | (gggggggggggggggggg) | (hhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkk) | (llllllllllllllllll) | (mmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnn) | (oooooooooooooooooo) | (pppppppppppppppppp) | (qqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrr) | (ssssssssssssssssss) | (tttttttttttttttttt) | (uuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbb) | (ccccccccccccccccccc) | (ddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeee) | (fffffffffffffffffff) | (ggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkk) | (lllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnn) | (ooooooooooooooooooo) | (ppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrr) | (sssssssssssssssssss) | (ttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbb) | (cccccccccccccccccccc) | (dddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeee) | (ffffffffffffffffffff) | (gggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkk) | (llllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnn) | (oooooooooooooooooooo) | (pppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrr) | (ssssssssssssssssssss) | (tttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbb) | (ccccccccccccccccccccc) | (ddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeee) | (fffffffffffffffffffff) | (ggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkk) | (lllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnn) | (ooooooooooooooooooooo) | (ppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrr) | (sssssssssssssssssssss) | (ttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbb) | (cccccccccccccccccccccc) | (dddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeee) | (ffffffffffffffffffffff) | (gggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkk) | (llllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnn) | (oooooooooooooooooooooo) | (pppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrr) | (ssssssssssssssssssssss) | (tttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbbb) | (ccccccccccccccccccccccc) | (ddddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeeee) | (fffffffffffffffffffffff) | (ggggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkkk) | (lllllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnnn) | (ooooooooooooooooooooooo) | (ppppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrrr) | (sssssssssssssssssssssss) | (ttttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbbbb) | (cccccccccccccccccccccccc) | (dddddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeeeee) | (ffffffffffffffffffffffff) | (gggggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkkkk) | (llllllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnnnn) | (oooooooooooooooooooooooo) | (pppppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrrrr) | (ssssssssssssssssssssssss) | (tttttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbbbbb) | (ccccccccccccccccccccccccc) | (ddddddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeeeeee) | (fffffffffffffffffffffffff) | (ggggggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkkkkk) | (lllllllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnnnnn) | (ooooooooooooooooooooooooo) | (ppppppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrrrrr) | (sssssssssssssssssssssssss) | (ttttttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbbbbbb) | (cccccccccccccccccccccccccc) | (dddddddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeeeeeee) | (ffffffffffffffffffffffffff) | (gggggggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkkkkkk) | (llllllllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnnnnnn) | (oooooooooooooooooooooooooo) | (pppppppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrrrrrr) | (ssssssssssssssssssssssssss) | (tttttttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbbbbbbb) | (ccccccccccccccccccccccccccc) | (ddddddddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeeeeeeee) | (fffffffffffffffffffffffffff) | (ggggggggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkkkkkkk) | (lllllllllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnnnnnnn) | (ooooooooooooooooooooooooooo) | (ppppppppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrrrrrrr) | (sssssssssssssssssssssssssss) | (ttttttttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbbbbbbbb) | (cccccccccccccccccccccccccccc) | (dddddddddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeeeeeeeee) | (ffffffffffffffffffffffffffff) | (gggggggggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkkkkkkkk) | (llllllllllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnnnnnnnn) | (oooooooooooooooooooooooooooo) | (pppppppppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrrrrrrrr) | (ssssssssssssssssssssssssssss) | (tttttttttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaaaaaaaa) | (bbbbbbbbbbbbbbbbbbbbbbbbbbbbb) | (ccccccccccccccccccccccccccccc) | (ddddddddddddddddddddddddddddd) | (eeeeeeeeeeeeeeeeeeeeeeeeeeeee) | (fffffffffffffffffffffffffffff) | (ggggggggggggggggggggggggggggg) | (hhhhhhhhhhhhhhhhhhhhhhhhhhhhh) | (iiiiiiiiiiiiiiiiiiiiiiiiiiiii) | (jjjjjjjjjjjjjjjjjjjjjjjjjjjjj) | (kkkkkkkkkkkkkkkkkkkkkkkkkkkkk) | (lllllllllllllllllllllllllllll) | (mmmmmmmmmmmmmmmmmmmmmmmmmmmmm) | (nnnnnnnnnnnnnnnnnnnnnnnnnnnnn) | (ooooooooooooooooooooooooooooo) | (ppppppppppppppppppppppppppppp) | (qqqqqqqqqqqqqqqqqqqqqqqqqqqqq) | (rrrrrrrrrrrrrrrrrrrrrrrrrrrrr) | (sssssssssssssssssssssssssssss) | (ttttttttttttttttttttttttttttt) | (uuuuuuuuuuuuuuuuuuuuuuuuuuuuu) | (vvvvvvvvvvvvvvvvvvvvvvvvvvvvv) | (wwwwwwwwwwwwwwwwwwwwwwwwwwwww) | (xxxxxxxxxxxxxxxxxxxxxxxxxxxxx) | (yyyyyyyyyyyyyyyyyyyyyyyyyyyyy) | (zzzzzzzzzzzzzzzzzzzzzzzzzzzzz) | (aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa) | (bb

Table 36. Causes of Stillbirth (legitimate children) by sex and social class—Scotland, 1961.

International Nos. (Y30-Y39)	Cause of Death	Social Class														International Nos. (Y30-Y39)
		Total		I		II		III		IV		V		N.S.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	ALL CAUSES	1018	(4) *990*	39	*23*	83	*77*	544	(2) *530*	207	*223*	145	(2) *137*	–	–	
	Chronic Disease in Mother	**36**	***22***	**2**	***1***	**4**	***1***	**14**	***17***	**14**	***2***	**2**	***1***	–	–	
30.0	Syphilis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	30.0
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.1
30.2	Diabetes	12	*12*	–	–	2	*1*	5	*8*	4	*2*	1	*1*	–	–	30.2
30.3	Chronic disease of circulatory system	20	*7*	2	–	2	–	6	*7*	9	–	1	–	–	–	30.3
30.4	Chronic disease of genito-urinary system	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	30.4
30.5	Other chronic disease	3	*2*	–	*1*	–	–	2	*1*	1	–	–	–	–	–	30.5
	Acute Disease in Mother	**7**	***1***	**1**	–	–	–	**4**	***1***	**1**	–	**1**	–	–	–	
31.1	Influenza	4	*1*	1	–	–	–	2	*1*	–	–	1	–	–	–	31.1
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.2
31.3	Other acute respiratory disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	31.3
31.0, 31.4	Other acute disease or condition	2	–	–	–	–	–	2	–	–	–	–	–	–	–	31 0, 31.4
	Diseases and Conditions of Pregnancy and Childbirth	**93**	***86***	**2**	***4***	**7**	***5***	**55**	***40***	**19**	***29***	**10**	***8***	–	–	
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.1
32.3	Eclampsia	5	*7*	–	–	–	*1*	3	*4*	2	*1*	–	*1*	–	–	32.3
32.4*a*	Pre-eclampsia	81	*71*	1	*3*	6	*4*	48	*31*	17	*26*	9	*7*	–	–	32.4*a*
32.4*b*	Nephritic toxæmia	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	32.4*b*
32.4*c*	Toxæmia not stated	4	*4*	1	–	1	–	1	*2*	–	*2*	1	–	–	–	32.4*c*
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*d*
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*e*
32.5*a*	Pyelitis	1	*1*	–	–	–	–	1	*1*	–	–	–	–	–	–	32.5*a*
32.5*b*	Infection	2	*2*	–	*1*	–	–	2	*1*	–	–	–	–	–	–	32.5*b*
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
	Difficult Labour	**70**	***70***	**4**	–	**6**	***9***	**39**	***31***	**12**	***16***	**9**	***14***	–	–	
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*a*
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	34.0*b*
34.1*a*	Disproportion with immaturity	3	*2*	–	–	1	–	2	*2*	–	–	–	–	–	–	34.1*a*
34.1*b*	Disproportion without immaturity	10	*13*	3	–	–	*2*	7	*4*	–	*2*	–	*5*	–	–	34.1*b*
34.2*a*	Malposition of fœtus, with immaturity	6	*3*	–	–	1	–	3	*1*	1	*1*	1	*1*	–	–	34.2*a*
34.2*b*	Malposition of fœtus, without immaturity	28	*24*	1	–	2	*5*	14	*7*	5	*7*	6	*5*	–	–	34.2*b*
34.3*a*	Abnormality of forces of labour, with immaturity	1	*1*	–	–	–	–	1	*1*	–	–	–	–	–	–	34.3*a*
34.3*b*	Abnormality of forces of labour, without immaturity	5	*4*	–	–	1	–	1	*3*	2	*1*	1	–	–	–	34.3*b*
34.4*a*	Operative delivery, with immaturity	1	–	–	–	–	–	–	–	–	–	1	–	–	–	34.4*a*
34.4*b*	Operative delivery, without immaturity	2	*2*	–	–	1	–	–	*2*	1	–	–	–	–	–	34.4*b*
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*c*)

	pelvis, with immaturity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	*3*	–	–	–	*2*	1	*1*	–	–	–	–	–	–	34.5*b*
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	34.6*a*
34.6*b*	Difficult labour without mention of condition, and without immaturity	11	*17*	–	–	–	–	8	*9*	3	*5*	–	*3*	–	–	34.6*b*
	Other Causes in Mother	**3**	*4*	–	–	–	–	–	*2*	**1**	*1*	**2**	*1*	–	–	
35.0	Fall	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.0
32.0, 35.1	Other accident or violence	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.0, 35.1
35.2	Over-exertion	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	35.2
35.3	Other and ill-defined causes in mother	3	*3*	–	–	–	–	–	*2*	1	*1*	2	–	–	–	35.3
	Placental and Cord Conditions	**376**	*276*	**13**	*5*	**32**	*23*	**201**	*156*	**71**	*48*	**59**	*44*	–	–	
36.0*a*	Prolapse of cord	40	*23*	2	–	3	*3*	16	*12*	9	*4*	10	*4*	–	–	36.0*a*
36.0*b*	Torsion of cord	42	*47*	1	*1*	3	*6*	26	*24*	10	*8*	2	*8*	–	–	36.0*b*
36.1, 36.3	Placenta prævia	21	*7*	–	–	3	–	8	*6*	4	*1*	6	–	–	–	36.1, 36.3
32.2	Accidental hæmorrhage without mention of placental condition	155	*102*	2	*1*	13	*2*	86	*62*	31	*19*	23	*18*	–	–	32.2
36.2, 36.4	Other hæmorrhage	23	*21*	3	–	1	*2*	13	*14*	2	*2*	4	*3*	–	–	36.2, 36.4
36.5	Placental infarct	29	*26*	2	*1*	2	*1*	18	*16*	3	*5*	4	*3*	–	–	36.5
36.6	Others of placenta and cord	66	*50*	3	*2*	7	*9*	34	*22*	12	*9*	10	*8*	–	–	36.6
	Birth Injury	**29**	*18*	**3**	–	**3**	*1*	**12**	*13*	**5**	*2*	**6**	*2*	–	–	
37*a*	Birth injury with immaturity	1	*2*	–	–	–	–	–	*1*	1	*1*	–	–	–	–	37*a*
37*b*	Birth injury without immaturity	28	*16* (2)	3	–	3	*1*	12	*12* (1)	4	*1*	6	*2* (1)	–	–	37*b*
	Congenital Malformation of Fœtus	**188**	*341*	**6**	*9*	**12**	*23*	**102**	*176*	**39**	*87*	**29**	*46*	–	–	
38.0	Anencephalus	83	*245*	1	*6*	5	*18*	50	*130*	15	*61*	12	*30*	–	–	38.0
38.1	Hydrocephalus	55	*49*	2	*2*	6	–	23	*24*	14	*17*	10	*6*	–	–	38.1
38.2	Spina bifida	9	*15*	–	*1*	–	–	7	*7*	–	*5*	2	*2*	–	–	38.2
38.3	Other malformations of the central nervous system	7	*9*	–	–	–	*1*	4	*4*	2	*1*	1	*3*	–	–	38.3
38.4	Malformation of the cardiovascular system	2	*7* (2)	1	–	–	*3*	1	*2* (1)	–	–	–	*2* (1)	–	–	38.4
38.5	Malformation of other specified system	19	*9*	1	–	1	*1*	11	*5*	5	*3*	1	–	–	–	38.5
38.6	Monster	1	*2*	1	–	–	–	–	*2*	–	–	–	–	–	–	38.6
38.7	Other and unspecified malformations	12	*5*	–	–	–	–	6	*2*	3	–	3	*3*	–	–	38.7
	Diseases of Fœtus and Ill-Defined Causes	**216**	*172* (2)	**8**	*4*	**19**	*15*	**117**	*94* (1)	**45**	*38*	**27**	*21* (1)	–	–	
39.2	Erythroblastosis (Rhesus factor)	63	*35*	–	*1*	6	*5*	36	*18*	16	*6*	5	*5*	–	–	39.2
39.0, 39.1, 39.3	Other diseases of fœtus	–	– (1)	–	–	–	–	–	– (1)	–	–	–	–	–	–	39.0 / 39.1, 39.3
39.4	Maceration	41	*27*	3	*2*	3	–	26	*14*	4	*10*	5	*1*	–	–	39.4
39.5*a*	Premature birth (cause not stated)	17	*11*	–	–	2	*1*	8	*5*	3	*1*	4	*4*	–	–	39.5*a*
39.5*b*	Debility	1	*2* (1)	–	–	–	–	–	*2*	1	–	–	– (1)	–	–	39.5*b*
39.5*c*	Asphyxia	52	*57*	1	*1*	4	*4*	27	*35*	13	*11*	7	*6*	–	–	39.5*c*
39.5*d*	Atelectasis	14	*13*	2	–	1	*1*	6	*8*	4	*4*	1	–	–	–	39.5*d*
39.5*e*	Other ill-defined	4	*9*	–	–	–	–	2	*5*	1	*2*	1	*2*	–	–	39.5*e*
39.6	Cause unknown	24	*18*	2	–	3	*4*	12	*7*	3	*4*	4	*3*	–	–	39.6

Numbers in brackets indicate sex unknown.

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 37. Causes of Stillbirth, by sex and place of occurrence—Scotland 1961.

International Nos. (Y30-Y39)	Cause of Death	Place of Occurrence					
		Total		In Institution		At Home	
		M.	F.	M.	F.	M.	F.
	ALL CAUSES	1,082	(5) *1,060*	949	(3) *924*	133	(2) *136*
	Chronic Disease in Mother	**37**	***23***	**34**	***19***	**3**	***4***
30.0	Syphilis	1	*1*	–	–	1	*1*
30.1	Tuberculosis	–	–	–	–	–	–
30.2	Diabetes	12	*12*	11	*11*	1	*1*
30.3	Chronic disease of circulatory system	20	*7*	19	*6*	1	*1*
30.4	Chronic disease of genito-urinary system	–	*1*	–	–	–	*1*
30.5	Other chronic disease	4	*2*	4	*2*	–	–
	Acute Disease in Mother	**7**	***1***	**3**	***1***	**4**	–
31.1	Influenza	4	*1*	1	*1*	3	–
31.2	Pneumonia	–	–	–	–	–	–
31.3	Other acute respiratory disease	1	–	1	–	–	–
31.0, 31.4	Other acute disease or condition	2	–	1	–	1	–
	Diseases and Conditions of Pregnancy and Childbirth	**97**	***89***	**97**	***83***	–	***6***
32.1	Ectopic gestation	–	–	–	–	–	–
32.3	Eclampsia	6	*7*	6	*7*	–	–
32.4*a*	Pre-eclampsia	84	*74*	84	*69*	–	*5*
32.4*b*	Nephritic toxæmia	–	*1*	–	–	–	*1*
32.4*c*	Toxæmia not stated	4	*4*	4	*4*	–	–
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–
32.5*a*	Pyelitis	1	*1*	1	*1*	–	–
32.5*b*	Infection	2	*2*	2	*2*	–	–
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–
	Difficult Labour	**76**	***73***	**56**	***54***	**20**	***19***
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	1	–	–	–
34.1*a*	Disproportion with immaturity	3	*2*	3	*2*	–	–
34.1*b*	Disproportion without immaturity	10	*13*	7	*10*	3	*3*
34.2*a*	Malposition of fœtus, with immaturity	6	*4*	6	*3*	–	*1*
34.2*b*	Malposition of fœtus, without immaturity	31	*25*	21	*15*	10	*10*
34.3*a*	Abnormality of forces of labour, with immaturity	1	*1*	–	–	1	*1*
34.3*b*	Abnormality of forces of labour, without immaturity	6	*4*	3	*3*	3	*1*
34.4*a*	Operative delivery, with immaturity	1	–	1	–	–	–
34.4*b*	Operative delivery, without immaturity	2	*2*	2	*2*	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with immaturity	1	–	–	–	1	–
34.5*b*	Abnormality of organs or tissues of pelvis, without						

	with immaturity	–	*2*	–	*1*	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	13	*17*	12	*16*	1	*1*
	Other Causes in Mother	**3**	***6***	**3**	***5***	**–**	***1***
35.0	Fall	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	–	*1*	–	–	–	*1*
35.2	Over-exertion	–	*1*	–	*1*	–	–
35.3	Other and ill-defined causes in mother	3	*4*	3	*4*	–	–
	Placental and Cord Conditions	**396**	***297***	**349**	***263***	**47**	***34***
36.0*a*	Prolapse of cord	42	*25*	33	*20*	9	*5*
36.0*b*	Torsion of cord	48	*49*	35	*37*	13	*12*
36.1, 36.3	Placenta prævia	21	*8*	19	*6*	2	*2*
32.2	Accidental hæmorrhage without mention of placental condition	164	*110*	158	*105*	6	*5*
36.2, 36.4	Other hæmorrhage	23	*22*	22	*20*	1	*2*
36.5	Placental infarct	29	*28*	18	*21*	11	*7*
36.6	Others of placenta and cord	69	*55*	64	*54*	5	*1*
	Birth Injury	**31**	***19***	**28**	***18***	**3**	***1***
37*a*	Birth injury with immaturity	1	*2*	1	*2*	–	–
37*b*	Birth injury without immaturity	30	*17*	27	*16*	3	*1*
	Congenital Malformation of Fœtus	**204**	***(2) 358***	**181**	***(2) 318***	**23**	***40***
38.0	Anencephalus	90	*258*	87	*238*	3	*20*
38.1	Hydrocephalus	60	*51*	49	*43*	11	*8*
38.2	Spina bifida	9	*15*	6	*10*	3	*5*
38.3	Other malformations of the central nervous system	7	*9*	6	*8*	1	*1*
38.4	Malformation of the cardiovascular system	2	*7*	2	*5*	–	*2*
38.5	Malformation of other specified system	22	*(2) 11*	20	*(2) 9*	2	*2*
38.6	Monster	1	*2*	1	*1*	–	*1*
38.7	Other and unspecified malformations	13	*5*	10	*4*	3	*1*
	Diseases of Fœtus and Ill-Defined Causes	**231**	***(3) 194***	**198**	***(1) 163***	**33**	***(2) 31***
39.2	Erythroblastosis (Rhesus factor)	64	*38*	64	*37*	–	*1*
39.0	Other diseases of fœtus	–	–	–	–	–	–
39.1, 39.3			*(1)*				*(1)*
39.4	Maceration	44	*31*	37	*27*	7	*4*
39.5*a*	Premature birth (cause not stated)	20	*12*	11	*5*	9	*7*
39.5*b*	Debility	1	*2*	–	*1*	1	*1*
			(1)		*(1)*		
39.5*c*	Asphyxia	56	*64*	50	*58*	6	*6*
39.5*d*	Atelectasis	16	*14*	12	*10*	4	*4*
39.5*e*	Other ill-defined	4	*10*	3	*9*	1	*1*
			(1)				*(1)*
39.6	Cause unknown	26	*23*	21	*16*	5	*7*

Numbers in brackets indicate sex unknown.

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 38. Causes of stillbirth, by sex and month of registration, Scotland, 1961.

International Nos. (Y30-Y39)	Cause of Death	Month of Registration																								International Nos. (Y30-Y39)
		Total		Jan.		Feb.		Mar.		Apr.		May		June		July		Aug.		Sept.		Oct.		Nov.		Dec.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
	ALL CAUSES	1082	(5) *1060*	77	*93*	86	*79*	105	*80*	89	(1) *95*	110	(1) *99*	72	*98*	114	(2) *93*	88	(1) *90*	89	*78*	87	*83*	79	*93*	86	*79*	
	Chronic Disease in Mother	37	*23*	2	*1*	4	*2*	1	*2*	2	*3*	4	*1*	2	*2*	4	*1*	2	*4*	2	*2*	4	*3*	3	*2*	7	–	
30.0	Syphilis	1	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	30.0
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.1
30.2	Diabetes	12	*12*	2	–	1	*2*	–	–	–	*2*	1	*1*	1	*1*	2	*1*	–	*2*	2	–	1	*2*	1	*1*	1	–	30.2
30.3	Chronic disease of circulatory system	20	*7*	–	–	2	–	1	*1*	2	–	2	–	1	*1*	2	–	1	*2*	–	*2*	3	–	2	*1*	4	–	30.3
30.4	Chronic disease of genito-urinary system	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30.4
30.5	Other chronic disease	4	*2*	–	–	1	–	–	*1*	–	–	1	–	–	–	–	–	1	–	–	–	–	*1*	–	–	1	–	30.5
	Acute Disease in Mother	7	*1*	–	–	1	–	–	–	1	–	1	–	1	–	–	*1*	–	–	2	–	–	–	–	–	1	–	
31.1	Influenza	4	*1*	–	–	1	–	–	–	1	–	1	–	–	–	–	*1*	–	–	1	–	–	–	–	–	–	–	31.1
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31.2
31.3	Other acute respiratory disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	31.3
31.0, 31.4	Other acute disease or condition	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	31.0, 31.4
	Diseases and Conditions of Pregnancy and Childbirth	97	*89*	13	*13*	9	*6*	9	*10*	10	*7*	6	*10*	5	*6*	15	*6*	7	*11*	7	*5*	2	*6*	6	*7*	8	*2*	
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.1
32.3	Eclampsia	6	*7*	1	*2*	–	–	1	–	1	–	–	–	–	–	1	*1*	1	*2*	–	*1*	–	*1*	–	–	–	–	32.3
32.4*a*	Pre-eclampsia	84	*74*	12	*9*	8	*4*	8	*9*	6	*6*	6	*9*	4	*6*	14	*4*	6	*9*	7	*4*	2	*5*	5	*7*	6	*2*	32.4*a*
32.4*b*	Nephritic toxæmia	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*b*
32.4*c*	Toxæmia not stated	4	*4*	–	–	–	*1*	–	*1*	2	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	2	–	32.4*c*
32.4*d*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*d*
32.4*e*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.4*e*
32.5*a*	Pyelitis	1	*1*	–	–	1	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*a*
32.5*b*	Infection	2	*2*	–	*1*	–	–	–	–	1	*1*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	32.5*b*
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
	Difficult Labour	76	*73*	4	*4*	5	*12*	14	*4*	4	*4*	8	*9*	5	*6*	2	*6*	8	*4*	8	*8*	6	*6*	3	*4*	9	*6*	
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*a*
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	34.0*b*
34.1*a*	Disproportion with immaturity	3	*2*	–	–	–	–	–	–	–	–	1	*1*	–	–	–	–	–	–	2	*1*	–	–	–	–	–	–	34.1*a*
34.1*b*	Disproportion without immaturity	10	*13*	–	*2*	1	*2*	2	*1*	–	–	1	*1*	1	*2*	–	–	4	–	1	–	–	*2*	–	*2*	–	*1*	34.1*b*
34.2*a*	Malposition of fœtus, with immaturity	6	*4*	–	–	–	–	3	–	–	–	–	–	1	–	1	*3*	–	*1*	–	–	–	–	–	–	1	–	34.2*a*
34.2*b*	Malposition of fœtus, without immaturity	31	*25*	1	*1*	2	*6*	5	*2*	1	–	3	*4*	1	*3*	1	*1*	2	*1*	3	*3*	4	*1*	3	*1*	5	*2*	34.2*b*
34.3*a*	Abnormality of forces of labour, with immaturity	1	*1*	1	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.3*a*
34.3*b*	Abnormality of forces of labour, without immaturity	6	*4*	–	–	1	*1*	1	–	1	–	1	*1*	–	*1*	–	–	–	–	*1*	–	–	–	–	–	1	*1*	34.3*b*
34.4*a*	Operative delivery, with immaturity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.4*a*
34.4*b*	Operative delivery, without immaturity	2	*2*	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	1	–	–	–	–	–	–	–	1	–	34.4*b*

34.5*a*	Abnormality of organs or tissues of pelvis, with immaturity	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34.5*a*
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	*3*	–	–	–	–	–	–	1	–	–	–	–	–	–	*1*	–	*1*	–	*1*	–	–	–	–	–	–	34.5*b*
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	*2*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	34.6*a*
34.6*b*	Difficult labour without mention of condition, and without immaturity	13	*17*	2	*1*	1	*3*	2	–	1	*2*	1	*1*	1	–	–	*1*	1	*1*	1	*2*	2	*3*	–	*1*	1	*2*	34.6*b*
	Other Causes in Mother	**3**	*6*	–	*1*	**2**	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	**2**	**1**	–	–	*1*	–	–	
35.0	Fall	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35.0
32.0, 35.1	Other accident or violence	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32.0, 35.1
35.2	Over-exertion	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	35.2
35.3	Other and ill-defined causes in mother	3	*4*	–	*1*	2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	1	–	–	*1*	–	–	35.3
	Placental and Cord Conditions	**396**	*297*	**26**	*26*	**25**	*23*	**35**	*20*	**36**	*27*	**38**	*19*	**26**	*32*	**46**	*28*	**35**	*23*	**26**	*23*	**36**	*21*	**33**	*29*	**34**	*26*	
36.0*a*	Prolapse of cord	42	*25*	1	*5*	4	*2*	5	*1*	3	*3*	4	–	2	*5*	6	*6*	10	*1*	1	–	1	–	3	*1*	2	*1*	36.0*a*
36.0*b*	Torsion of cord	48	*49*	4	*3*	6	*3*	3	*1*	1	*8*	3	*4*	3	*7*	4	*4*	5	*4*	7	*1*	3	*2*	5	*7*	4	*5*	36.0*b*
36.1, 36.3	Placenta prævia	21	*8*	2	*1*	1	–	1	*2*	1	–	1	*2*	2	*1*	3	*1*	–	–	2	–	2	–	2	*1*	4	–	36.1, 36.3
32.2	Accidental hæmorrhage without mention of placental condition	164	*110*	10	*11*	8	*10*	12	*6*	21	*8*	17	*6*	14	*14*	17	*7*	12	*5*	10	*10*	17	*8*	16	*11*	10	*14*	32.2
36.2, 36.4	Other hæmorrhage	23	*22*	2	*1*	1	–	1	*2*	2	*2*	1	*2*	1	–	5	*2*	–	*1*	1	*4*	3	*3*	2	*2*	4	*3*	36.2, 36.4
36.5	Placental infarct	29	*28*	2	*3*	2	*2*	4	*4*	4	–	5	*2*	3	*3*	2	*3*	2	*5*	2	*2*	1	*1*	1	*1*	1	*2*	36.5
36.6	Others of placenta and cord	69	*55*	5	*2*	3	*6*	9	*4*	4	*6*	7	*3*	1	*2*	9	*5*	6	*7*	3	*6*	9	*7*	4	*6*	9	*1*	36.6
	Birth Injury	**31**	*19*	**2**	–	**3**	*2*	**2**	–	**3**	*1*	**5**	*3*	**1**	*2*	**2**	*3*	**2**	–	**6**	*1*	**1**	*2*	**3**	*3*	**1**	**2**	
37*a*	Birth injury with immaturity	1	*2*	–	–	–	–	1	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	37*a*
37*b*	Birth injury without immaturity	30	*17*	2	–	3	*2*	1	–	3	*1*	5	*2*	1	*2*	2	*3*	2	–	6	*1*	1	*2*	3	*2*	1	*2*	37*b*
	Congenital Malformation of Fœtus	**204**	(2) *358*	**14**	*29*	**15**	*18*	**18**	*31*	**11**	*39*	**26**	*34*	**21**	*33*	**18**	(1) *30*	**14**	(1) *31*	**20**	*23*	**17**	*28*	**16**	*31*	**14**	*31*	
38.0	Anencephalus	90	*258*	6	*20*	8	*13*	8	*20*	4	*29*	11	*24*	8	*25*	12	*21*	7	*22*	9	*16*	7	*23*	6	*27*	4	*18*	38.0
38.1	Hydrocephalus	60	*51*	3	*5*	3	*3*	7	*5*	5	*6*	8	*8*	7	*2*	4	*5*	1	*5*	7	*3*	5	*4*	5	–	5	*5*	38.1
38.2	Spina bifida	9	*15*	1	*2*	1	*1*	1	*3*	–	–	–	–	–	*2*	–	*1*	2	–	2	*3*	1	–	–	*1*	1	*2*	38.2
38.3	Other malformations of the central nervous system	7	*9*	–	*1*	–	*1*	1	*1*	–	–	1	*1*	2	–	–	*1*	1	*1*	1	–	–	–	–	*1*	1	*2*	38.3
38.4	Malformation of the cardiovascular system	2	(2) *7*	–	–	–	–	–	*1*	–	*3*	–	*1*	–	–	–	(1) *2*	–	(1) –	1	–	1	–	–	–	–	–	38.4
38.5	Malformation of other specified system	22	*11*	3	*1*	–	–	–	*1*	1	*1*	4	–	3	*2*	2	–	3	*2*	–	*1*	2	*1*	3	*1*	1	*1*	38.5
38.6	Monster	1	*2*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	1	*1*	38.6
38.7	Other and unspecified malformations	13	*5*	1	–	3	–	1	–	1	–	2	–	1	*1*	–	–	–	*1*	–	–	1	–	2	*1*	1	*2*	38.7
	Diseases of Fœtus and Ill-Defined Causes	**231**	(3) *194*	**16**	*19*	**22**	*15*	**26**	*12*	**22**	(1) *14*	**22**	(1) *23*	**11**	*17*	**27**	(1) *18*	**20**	*17*	**18**	*14*	**20**	*17*	**15**	*16*	**12**	*12*	
39.2	Erythroblastosis (Rhesus factor)	64	*38*	5	*3*	7	*4*	8	*1*	6	*4*	10	*3*	1	*2*	5	*3*	5	*8*	8	*1*	4	*4*	4	*2*	1	*3*	39.2
39.0, 39.1 39.3	Other diseases of fœtus	–	(1) –	–	–	–	–	–	–	–	–	–	(1) –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39.0, 39.1 39.3
39.4	Maceration	44	*31*	6	*4*	4	*3*	4	*3*	5	*1*	3	*5*	1	*2*	3	*2*	2	*1*	6	*2*	5	*2*	4	*4*	1	*2*	39.4
39.5*a*	Premature birth (cause not stated)	20	*12*	1	*1*	1	–	5	*1*	1	*1*	1	–	1	*1*	–	*1*	4	*1*	1	*2*	4	*1*	–	*1*	1	*2*	39.5*a*
39.5*b*	Debility	1	*2*	–	–	–	–	–	–	–	–	1	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	39.5*b*
39.5*c*	Asphyxia	56	(1) *64*	2	*4*	5	*6*	5	*4*	7	(1) *5*	4	*8*	3	*5*	11	*8*	5	*4*	1	*7*	5	*4*	3	*6*	5	*3*	39.5*c*
39.5*d*	Atelectasis	16	*14*	–	*2*	3	*1*	1	*1*	3	–	1	*1*	1	*3*	–	*1*	2	–	1	*1*	1	*3*	2	*1*	1	–	39.5*d*
39.5*e*	Other ill-defined	4	*10*	–	*1*	–	*1*	2	*1*	–	*1*	–	*1*	–	*1*	–	*2*	1	–	–	*1*	–	*1*	1	–	–	–	39.5*e*
39.6	Cause unknown	26	(1) *23*	2	*4*	2	–	1	*1*	–	*2*	2	*4*	4	*2*	8	(1) *1*	1	*3*	1	–	1	*2*	1	*2*	3	*2*	39.6

Numbers in brackets indicate sex unknown.

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 39. Causes of Stillbirth by sex in the Public Health Districts of Scotland, 1961

International Nos. (Y30-Y39)	Cause of Death	Sex	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunbarton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	ALL CAUSES—Both Sexes		2147	51	33	78	6	18	17	21	23	125	20	4	3	7	18	12	28	23	9	46	13	21	25	81	10	10	8	1	12
	Males		1082	26	19	39	1	7	6	10	11	63	9	1	1	4	13	3	8	10	3	23	7	13	16	47	5	4	3	–	5
	Females		*1060*	*25*	*14*	*39*	*5*	*11*	*11*	*11*	*12*	*62*	*11*	*3*	*2*	*3*	*5*	*9*	*20*	*13*	*6*	*23*	*6*	*8*	*9*	*34*	*5*	*6*	*5*	*1*	*7*
	Not known		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chronic Disease in Mother	M.	37	2	1	1	–	–	–	2	1	–	1	–	–	–	2	–	–	–	1	–	–	1	–	1	–	–	–	–	1
		F.	*23*	*1*	–	*1*	–	*2*	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	–	–	–	–	*1*
30.0	Syphilis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	M.	12	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1
		F.	*12*	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	*1*
30.3	Chronic disease of circulatory system	M.	20	1	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	*7*	*1*	–	*1*	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	M.	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Acute Disease in Mother	M.	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.1	Influenza	M.	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	M.	97	7	2	2	–	1	1	1	–	4	1	–	–	–	1	–	–	–	–	3	–	–	1	6	–	–	1	–	–
		F.	*89*	*1*	*3*	*2*	*1*	*1*	*3*	–	*1*	*4*	*4*	*1*	*1*	–	–	–	*1*	*1*	–	–	–	*1*	*1*	*5*	*1*	*2*	–	–	–
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3	Eclampsia	M.	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*7*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*a*	Pre-eclampsia	M.	84	5	2	2	–	1	1	1	–	4	1	–	–	–	1	–	–	–	–	3	–	–	1	6	–	–	1	–	–
		F.	*74*	*1*	*2*	*2*	*1*	*1*	*2*	–	*1*	*4*	*3*	*1*	*1*	–	–	–	–	*1*	–	–	–	*1*	–	*4*	*1*	*2*	–	–	–

International Nos. (Y30-Y39)	Cause of Death	Sex	Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	East Kilbride New Town*
	ALL CAUSES—Both Sexes		546	25	38	26	26	14	133	159	58	22	3	9	2	21	23	28	42	13	53	15	19	11	18	9	49	5	38	11	8	13
	Males		259	9	20	13	9	4	75	93	24	13	1	4	–	8	13	14	21	6	35	7	11	9	9	6	29	1	23	4	5	5
	Females		*284*	*16*	*18*	*13*	*17*	*10*	*57*	*66*	*34*	*9*	*2*	*5*	*2*	*13*	*10*	*14*	*21*	*7*	*18*	*8*	*8*	*2*	*9*	*3*	*20*	*4*	*14*	*7*	*3*	*6*
	Not known		3	–	–	–	–	–	1																				1			
	Chronic Disease in Mother	M.	10	–	–	–	–	–	–	2	1	1	–	1	–	–	1	1	–	–	2	–	–	2	1	–	1	–	–	–	–	–
		F.	*6*	*2*	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	*2*	–	–	–	–	*1*	–	–	–	–	–	–
30.0	Syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	M.	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*3*	*1*	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	M.	5	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	2	–	–	2	1	–	1	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–
	Acute Disease in Mother	M.	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
31.1	Influenza	M.	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
31.2	Pneumonia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	M.	28	–	2	–	2	1	4	10	4	1	–	1	–	1	1	1	–	1	–	–	1	–	1	–	3	–	2	–	2	–
		F.	*26*	*1*	–	–	*1*	–	*3*	*3*	–	–	–	–	*1*	*3*	–	*3*	*2*	*4*	*1*	*1*	*1*	–	*2*	–	*1*	–	*1*	–	*1*	*1*
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3	Eclampsia	M.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	*3*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*
32.4*a*	Pre-eclampsia	M.	22	–	2	–	2	1	4	8	4	1	–	1	–	1	1	1	–	–	–	–	1	–	1	–	3	–	1	–	1	–
		F.	*22*	*1*	–	–	*1*	–	*2*	*3*	–	–	–	–	*1*	*3*	–	*2*	*1*	*3*	*1*	*1*	*1*	–	*2*	–	*1*	–	*1*	–	–	–

*Included with figures for remainder of Lanark County

Table 39—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
32.4*b*	Nephritic toxæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–
32.4*c*	Toxæmia not stated	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
		F.	*4*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*d*	Acute yellow atrophy of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*e*	Hyperemesis gravidarum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from Mother	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	M.	76	–	2	–	–	–	–	–	–	5	1	–	–	–	1	1	–	1	–	–	–	1	1	4	–	–	1	–	–
		F.	*73*	*2*	*2*	*4*	–	*3*	–	–	*1*	*1*	*1*	–	–	–	–	*1*	*2*	–	–	*3*	–	–	*1*	*2*	–	–	–	–	–
34.0*a*	Abnormality of bones of pelvis with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*b*	Disproportion without immaturity	M.	10	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
		F.	*13*	–	–	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	M.	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
		F.	*4*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity	M.	31	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	*25*	–	*1*	–	–	*1*	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
34.3*a*	Abnormality of forces of labour, with immaturity	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	M.	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*4*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–
34.4*a*	Operative delivery, with immaturity	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

International Nos. (Y30-Y39)	Cause of Death	Sex	Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling B.	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	East Kilbride New Town*
32.4*b*	Nephritic toxæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*c*	Toxæmia not stated	M.	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*d*	Acute yellow atrophy of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*e*	Hyperemesis gravidarum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from Mother	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	M.	15	1	1	1	1	–	1	9	–	–	–	1	–	–	2	1	1	2	8	1	2	1	–	–	4	–	5	–	1	–
		F.	*19*	–	–	*1*	*2*	–	*5*	*4*	*2*	*3*	–	*1*	–	–	*1*	*1*	*2*	–	*1*	–	*1*	–	*1*	–	*1*	*1*	*4*	–	–	–
34.0*a*	Abnormality of bones of pelvis with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity	M.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–
34.1*b*	Disproportion without immaturity	M.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	*4*	–	–	–	–	–	–	*1*	*1*	*2*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	M.	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity	M.	8	1	–	1	1	–	1	2	–	–	–	1	–	–	1	–	1	–	5	–	–	1	–	–	3	–	1	–	–	–
		F.	*7*	–	–	–	*2*	–	*2*	*2*	*1*	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	*1*	–	–	–	*3*	–	–	–
34.3*a*	Abnormality of forces of labour, with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	M.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–
34.4*a*	Operative delivery, with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–

Table 39—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*3*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*17*	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–
	Other Causes in Mother	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*6*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.0	Fall	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Placental and Cord Conditions	M.	396	4	7	17	–	4	3	3	4	28	2	–	–	2	4	1	4	4	1	5	4	3	7	14	2	3	1	–	3
		F.	*297*	*4*	*3*	*13*	*3*	*2*	*3*	*4*	*6*	*18*	*2*	–	–	*2*	*3*	*3*	*3*	*5*	*1*	*5*	*2*	*1*	*3*	*8*	*2*	–	*1*	–	*2*
36.0*a*	Prolapse of cord	M.	42	–	1	1	–	–	1	–	1	–	–	–	–	1	–	–	2	1	–	–	–	1	–	–	–	1	–	–	–	1
		F.	*25*	–	*1*	–	–	*1*	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36.0*b*	Torsion of cord	M.	48	1	–	3	–	1	–	–	–	4	–	–	–	–	2	–	–	1	–	–	–	–	1	2	–	–	–	–	–
		F.	*49*	–	–	*2*	*2*	*1*	–	*1*	–	*5*	*1*	–	–	–	–	*1*	–	–	–	*2*	–	–	–	*2*	–	–	–	–	–
36.1, 36.3	Placenta prævia	M.	21	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2
		F.	*8*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.2	Accidental hæmorrhage without mention of placental condition	M.	164	1	4	5	–	1	3	2	1	10	–	–	–	1	1	1	1	1	–	5	2	2	4	5	1	1	1	–	–
		F.	*110*	*1*	*2*	*3*	–	–	*1*	–	*2*	*4*	–	–	–	*2*	*1*	–	*2*	*1*	–	*2*	*1*	*1*	*3*	*2*	*2*	–	–	–	–
36.2, 36.4	Other hæmorrhage	M.	23	–	–	1	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
		F.	*22*	–	–	–	*1*	–	*1*	*1*	*2*	*2*	–	–	–	–	–	*1*	–	–	*1*	*1*	–	–	–	*1*	–	–	*1*	–	–
36.5	Placental infarct	M.	29	1	1	1	–	–	–	–	1	4	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*28*	*1*	–	*2*	–	–	–	–	–	*4*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–
36.6	Others of placenta and cord	M.	69	1	1	6	–	2	–	–	–	3	–	–	–	–	–	–	1	–	1	–	1	–	1	6	1	1	–	–	–
		F.	*55*	*1*	–	*6*	–	–	*1*	*1*	*1*	*2*	*1*	–	–	–	*1*	*1*	*1*	*2*	–	*1*	*1*	–	–	*2*	–	–	–	–	*2*
	Birth Injury	M.	31	1	1	1	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	1	–	–	–	–	1	–	–	–	–
		F.	*19*	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*1*	–	–	–	–	*1*
37*a*	Birth injury with immaturity	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity	M.	30	1	1	1	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	1	–	–	–	–	1	–	–	–	–

International Nos. (Y30-Y39)	Cause of Death	Sex	Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling B.	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	East Kilbride New Town*
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	M.	3	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	2	–	–	–
		F.	*5*	–	–	–	–	–	*1*	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–
	Other Causes in Mother	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	*2*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.0	Fall	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Placental and Cord Conditions	M.	104	2	10	3	2	1	24	35	8	6	–	–	–	4	4	7	8	3	10	4	5	3	3	4	7	1	5	2	1	1
		F.	*86*	*6*	*2*	*1*	*3*	*1*	*17*	*16*	*10*	*1*	–	*2*	–	*4*	*5*	*1*	*9*	*1*	*2*	*4*	*5*	–	*1*	*1*	*9*	*2*	*6*	*2*	*1*	–
36.0*a*	Prolapse of cord	M.	14	–	–	–	–	–	1	4	3	3	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	1	1	–	–
		F.	*10*	–	*1*	–	*1*	–	*2*	*1*	*1*	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	*1*	–	–	–	*1*	–	–	–
36.0*b*	Torsion of cord	M.	13	–	1	1	1	–	3	3	2	–	–	–	–	–	1	–	2	–	2	–	–	1	1	1	1	–	–	–	–	–
		F.	*12*	*1*	–	–	*1*	–	*4*	*1*	*2*	–	–	*1*	–	*1*	*2*	–	*2*	–	–	–	*2*	–	–	–	*2*	–	–	*1*	–	–
36.1, 36.3	Placenta prævia	M.	5	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–	–	–	–	1	–
		F.	*5*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.2	Accidental hæmorrhage without mention of placental condition	M.	46	1	4	2	1	1	9	17	2	1	–	–	–	2	–	4	4	2	7	1	2	–	1	–	1	–	3	–	–	1
		F.	*30*	*2*	*1*	*1*	*1*	–	*7*	*4*	*5*	*1*	–	*1*	–	*2*	*2*	–	*7*	–	*2*	*1*	*2*	–	–	*1*	*4*	*2*	*4*	–	–	–
36.2, 36.4	Other hæmorrhage	M.	4	–	1	–	–	–	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–
		F.	*9*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–
36.5	Placental infarct	M.	5	1	2	–	–	–	3	2	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
		F.	*5*	*3*	–	–	–	–	*3*	*2*	*1*	–	–	–	–	*1*	–	–	–	–	–	*1*	*1*	–	–	–	*1*	–	*1*	–	–	–
36.6	Others of placenta and cord	M.	17	–	1	–	–	–	1	8	1	2	–	–	–	–	1	1	1	–	1	2	–	1	–	2	4	–	–	1	–	–
		F.	*15*	–	–	–	–	*1*	*1*	*7*	*1*	–	–	–	–	–	*1*	–	–	*1*	–	*1*	–	–	–	–	*2*	–	–	*1*	–	–
	Birth Injury	M.	10	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–	2	–	–	–	–	–
		F.	*7*	–	–	–	*1*	–	*1*	–	*1*	–	–	–	–	*1*	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*a*	Birth injury with immaturity	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity	M.	9	–	–	–	–	–	3	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	2	–	–	–	–	–
		F.	*7*	–	–	–	*1*	–	*1*	–	*1*	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 39—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	Congenital malformation of fœtus	M.	204	4	3	10	1	—	1	2	4	13	2	1	1	—	1	1	1	1	1	8	1	1	4	9	1	1	—	—	1
		F.	*358*	*10*	*5*	*16*	*1*	*3*	*3*	*3*	*3*	*27*	*1*	*1*	*1*	*1*	*1*	*4*	*9*	*5*	*3*	*10*	*2*	*5*	*4*	*8*	—	*2*	*2*	*1*	*1*
		N.K.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.0	Anencephalus	M.	90	2	2	3	—	—	—	—	—	7	1	—	—	—	1	1	1	—	—	3	1	—	1	5	1	1	—	—	—
		F.	*258*	*9*	*4*	*8*	*1*	*3*	*1*	*2*	*3*	*23*	*1*	—	*1*	*1*	*1*	*3*	*6*	*4*	*1*	*8*	*1*	*3*	*3*	*4*	*1*	*2*	*1*	*1*	—
38.1	Hydrocephalus	M.	60	—	1	1	—	—	1	1	4	2	1	1	1	—	—	—	—	—	1	1	2	—	—	2	1	—	—	—	1
		F.	*51*	*1*	*1*	*3*	—	—	*1*	*1*	—	*2*	—	—	*1*	—	—	—	*2*	—	—	*1*	—	*1*	*1*	*1*	*2*	—	—	*1*	—
38.2	Spina bifida	M.	9	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
		F.	*15*	—	—	*2*	—	—	—	—	—	—	—	*1*	—	—	—	*1*	—	—	*1*	*2*	—	—	—	*1*	—	—	—	—	*1*
38.3	Other malformations of the central nervous system	M.	7	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
		F.	*9*	—	—	*2*	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—
38.4	Malformation of the cardiovascular system	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F.	*7*	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.5	Malformation of other specified system	M.	22	2	—	4	1	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
		F.	*11*	—	—	*1*	—	—	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	*1*	—	—	—	—	—
		N.K.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.6	Monster	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38.7	Other and unspecified malformations	M.	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
		F.	*5*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of fœtus and ill-defined causes	M.	231	8	2	8	—	2	1	2	2	13	2	—	—	1	2	—	2	2	—	6	2	6	3	11	1	—	—	—	—
		F.	*194*	*7*	*1*	*3*	—	—	*2*	*3*	—	*11*	*1*	*1*	—	—	*1*	*1*	*2*	*2*	*1*	*4*	*1*	—	—	*9*	*1*	*2*	*2*	—	*2*
		N.K.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.2	Erythroblastosis (Rhesus Factor)	M.	64	—	—	2	—	—	—	1	1	4	2	—	—	—	1	—	—	1	—	1	—	1	1	3	—	—	—	—	—
		F.	*38*	*2*	—	*2*	—	—	*2*	*2*	—	—	*1*	—	—	—	—	—	*1*	*1*	—	*1*	—	—	—	*4*	—	—	—	—	—
39.0	Other diseases of fœtus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.1, 39.3		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M.	44	2	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	3	1	—	1	—	1	—	—	—	—
39.4	Maceration	F.	*31*	*1*	—	—	—	—	—	—	—	*1*	—	*1*	—	—	—	—	*1*	—	—	*1*	—	—	—	*1*	*1*	—	*1*	—	—
		N.K.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5*a*	Premature birth (cause not stated)	M.	20	1	1	2	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F.	*12*	*1*	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—
39.5*b*	Debility	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		M.	56	2	1	2	—	1	—	1	1	6	—	—	—	—	—	—	1	—	—	1	1	3	1	7	—	—	—	—	—
39.5*c*	Asphyxia	F.	*64*	—	*1*	—	—	—	—	*1*	—	*7*	—	—	—	—	—	*1*	*3*	*1*	—	*1*	—	—	—	*4*	—	*1*	*1*	—	*1*
		N.K.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
39.5*d*	Atelectasis	M.	16	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F.	*14*	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—
49.5*e*	Other ill-defined	M.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
		F.	*10*	—	—	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—
		M.	26	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
39.6	Cause unknown	F.	*23*	*2*	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*1*	—	—	*1*

International Nos. (Y30-Y39)	Cause of Death	Sex	Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling B.	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	East Kilbride New Town*
	Congenital malformation of fœtus	M.	40	4	2	4	1	–	18	18	6	2	1	1	–	–	2	–	2	–	7	2	1	1	3	1	7	–	6	1	1	3
		F.	*90*	*6*	*7*	*5*	*5*	*5*	*18*	*22*	*16*	*4*	*2*	*1*	*1*	*3*	*2*	*4*	*4*	*1*	*8*	*2*	*1*	*2*	*2*	*1*	*7*	–	*2*	*3*	*1*	*1*
		N.K.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
38.0	Anencephalus	M.	14	3	1	1	–	–	8	7	3	1	1	1	–	–	2	–	4	–	4	1	1	–	2	1	5	–	3	1	–	1
		F.	*64*	*4*	*7*	*5*	*2*	*5*	*16*	*17*	*10*	*3*	*2*	*1*	–	*3*	–	*4*	*4*	*1*	*6*	*1*	–	–	*1*	–	*5*	–	–	*1*	–	2
38.1	Hydrocephalus	M.	14	–	–	2	–	–	6	4	2	1	–	–	–	–	–	–	2	–	3	1	–	1	1	–	1	–	1	1	–	–
		F.	*9*	*2*	–	–	*3*	–	*1*	*1*	*5*	*1*	–	–	*1*	–	*1*	–	–	–	*2*	*1*	*1*	*1*	*1*	–	–	–	–	*1*	–	–
38.2	Spina bifida	M.	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	*4*	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.3	Other malformations of the central nervous system	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*3*	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	M.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*5*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	M.	2	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
		F.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	–
		N.K.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
38.6	Monster	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–
38.7	Other and unspecified malformations	M.	5	–	–	1	1	–	2	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
	Diseases of fœtus and ill-defined causes	M.	49	2	5	5	2	2	25	19	5	3	–	–	–	2	3	4	8	–	5	–	1	2	1	1	5	–	5	1	–	3
		F.	*48*	*1*	*9*	*6*	*3*	*4*	*12*	*20*	*5*	*1*	–	–	–	*2*	*2*	*3*	*4*	*1*	*4*	*1*	–	–	*3*	–	*1*	*1*	*1*	*2*	–	*4*
		N.K.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.2	Erythroblastosis (Rhesus Factor)	M.	20	1	2	–	–	1	5	2	–	2	–	–	–	–	2	1	1	–	3	–	1	1	–	–	3	–	–	1	–	1
		F.	*9*	–	*3*	–	–	–	*1*	*4*	*1*	–	–	–	–	*1*	–	–	–	–	*3*	–	–	–	–	–	–	–	–	–	–	*1*
39.0	Other diseases of fœtus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.1, 39.3		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	M.	9	–	1	–	1	1	5	5	–	1	–	–	–	–	–	3	1	–	2	–	–	–	–	1	1	–	1	–	–	–
		F.	*8*	–	–	–	–	*2*	*1*	*4*	*2*	*1*	–	–	–	–	*1*	*3*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
		N.K.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*a*	Premature birth (cause not stated)	M.	3	–	1	–	–	–	3	–	2	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	*6*	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*b*	Debility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	M.	6	–	–	3	–	–	4	8	3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1
		F.	*13*	–	*1*	*4*	*3*	*1*	*5*	*6*	*2*	–	–	–	–	–	–	*1*	–	–	*1*	*1*	–	–	*1*	–	–	*1*	–	*1*	–	*2*
		N.K.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*d*	Atelectasis	M.	7	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*5*	–	*3*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–
39.5*e*	Other ill-defined	M.	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	*2*	–	*1*	*1*	–	–	–	*1*	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–
39.6	Cause unknown	M.	3	–	–	1	1	–	5	3	–	–	–	–	–	1	1	–	3	–	–	–	–	–	1	–	–	–	1	–	–	1
		F.	*5*	–	*1*	*1*	–	*1*	*3*	*4*	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*
		N.K.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 40. Perinatal Deaths—1961

International Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days
	ALL CAUSES—BOTH SEXES		3,960	2,147	929	645	131	58	50
	Males		2,159	1,082	564	390	67	34	22
	Females		*1,796*	*1,060*	*365*	*255*	*64*	*24*	*28*
	Sex not known		5	5					
	Chronic Disease in Mother	M.	38	37	1	–	–	–	–
		F.	*24*	*23*	*1*	–	–	–	–
30.0	Syphilis	M.	1	1	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
30.1	Tuberculosis	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
30.2	Diabetes	M.	13	12	1	–	–	–	–
		F.	*13*	*12*	*1*	–	–	–	–
30.3	Chronic disease of circulatory system	M.	20	20	–	–	–	–	–
		F.	*7*	*7*	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
30.5	Other chronic disease	M.	4	4	–	–	–	–	–
		F.	*2*	*2*	–	–	–	–	–
	Acute Disease in Mother	M.	7	7	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
31.1	Influenza	M.	4	4	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
31.2	Pneumonia	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	M.	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	M.	2	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	M.	102	97	1	3	–	1	–
		F.	*96*	*89*	*3*	*3*	*1*	–	–
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
32.3	Eclampsia	M.	6	6	–	–	–	–	–
		F.	*8*	*7*	*1*	–	–	–	–
32.4a	Pre-eclampsia	M.	88	84	1	2	–	1	–
		F.	*77*	*74*	–	*2*	*1*	–	–
32.4b	Nephritic toxæmia	M.	–	–	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
32.4c	Toxæmia not stated	M.	4	4	–	–	–	–	–
		F.	*4*	*4*	–	–	–	–	–
32.4d	Acute yellow atrophy of liver	M	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
32.4e	Hyperemesis gravidarum	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
32.5a	Pyelitis	M.	1	1	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
32.5b	Infection	M.	3	2	–	1	–	–	–
		F.	*5*	*2*	*2*	*1*	–	–	–
33	Absorption of Toxic Substance from Mother	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
	Difficult Labour	M.	86	76	7	3	–	–	–
		F.	*79*	*73*	*4*	*1*	*1*	–	–
34.0a	Abnormality of bones of pelvis with immaturity	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table 40—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days
	Difficult Labour—*continued.*								
34.0b	Abnormality of bones of pelvis without immaturity	M.	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–
34.1a	Disproportion with immaturity	M.	7	3	3	1	–	–	–
		F.	*6*	*2*	*3*	*1*	–	–	–
34.1b	Disproportion without immaturity	M.	11	10	–	1	–	–	–
		F.	*13*	*13*	–	–	–	–	–
34.2a	Malposition of fœtus, with immaturity	M.	10	6	4	–	–	–	–
		F.	*4*	*4*	–	–	–	–	–
34.2b	Malposition of fœtus, without immaturity	M.	31	31	–	–	–	–	–
		F.	*27*	*25*	*1*	–	*1*	–	–
34.3a	Abnormality of forces of labour, with immaturity	M.	1	1	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
34.3b	Abnormality of forces of labour, without immaturity	M.	7	6	–	1	–	–	–
		F.	*4*	*4*	–	–	–	–	–
34.4a	Operative delivery, with immaturity	M.	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–
34.4b	Operative delivery, without immaturity	M.	2	2	–	–	–	–	–
		F.	*2*	*2*	–	–	–	–	–
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M.	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–
34.5b	Abnormality of organs or tissues of pelvis without immaturity	M.	1	1	–	–	–	–	–
		F.	*3*	*3*	–	–	–	–	–
34.6a	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	–	–	–
		F.	*2*	*2*	–	–	–	–	–
34.6b	Difficult labour without mention of condition, and without immaturity	M.	13	13	–	–	–	–	–
		F.	*17*	*17*	–	–	–	–	–
	Other Causes in Mother	M.	3	3	–	–	–	–	–
		F.	*6*	*6*	–	–	–	–	–
35.0	Fall	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	M.	–	–	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
35.2	Over-exertion	M.	–	–	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	3	3	–	–	–	–	–
		F.	*4*	*4*	–	–	–	–	–
	Placental and Cord Conditions	M.	425	396	25	4	–	–	–
		F.	*314*	*297*	*10*	*7*	–	–	–
36.0a	Prolapse of cord	M.	45	42	3	–	–	–	–
		F.	*27*	*25*	*2*	–	–	–	–
36.0b	Torsion of cord	M.	51	48	2	1	–	–	–
		F.	*50*	49	*1*	–	–	–	–
36.1, 36.3	Placenta prævia	M.	26	21	5	–	–	–	–
		F.	*12*	*8*	*1*	*3*	–	–	–
32.2	Accidental hæmorrhage	M.	174	164	8	2	–	–	–
		F.	*117*	*110*	*5*	*2*	–	–	–
36.2, 36.4	Other hæmorrhage	M.	29	23	5	1	–	–	–
		F	*24*	*22*	–	*2*	–	–	–
36.5	Placental infarct	M.	29	29	–	–	–	–	–
		F.	*29*	*28*	*1*	–	–	–	–
36.6	Others of placenta and cord	M.	71	69	2	–	–	–	–
		F.	*55*	*55*	–	–	–	–	–

Table 40—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death				
					Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days
	Birth Injury	M.	140	31	49	55	4	–	1
		F.	*96*	*19*	*44*	*28*	*3*	–	*2*
37a	Birth injury with immaturity	M.	41	1	18	21	1	–	–
		F.	*36*	*2*	*20*	*13*	–	–	*1*
37b	Birth injury without immaturity	M.	99	30	31	34	3	–	1
		F.	*60*	*17*	*24*	*15*	*3*	–	*1*
	Congenital Malformation of Fœtus	M.	419	204	65	86	39	17	8
		F.	*541*	*358*	*62*	*65*	*31*	*13*	*12*
		N.K.	2	2					
38.0	Anencephalus	M.	101	90	8	3	–	–	–
		F.	*274*	*258*	*13*	*3*	–	–	–
38.1	Hydrocephalus	M.	77	60	9	5	3	–	–
		F.	*68*	*51*	*9*	*6*	*1*	*1*	–
38.2	Spina bifida	M.	47	9	10	10	10	7	1
		F.	*57*	*15*	*6*	*14*	*11*	*5*	*6*
38.3	Other malformations of the central nervous system	M.	14	7	2	2	2	1	–
		F.	*17*	*9*	*5*	–	*2*	–	*1*
38.4	Malformation of the cardiovascular system	M.	61	2	9	30	11	5	4
		F.	*52*	*7*	*4*	*22*	*10*	*5*	*4*
38.5	Malformation of other specified system	M.	95	22	21	33	12	4	3
		F.	*49*	*11*	*14*	*15*	*7*	*1*	*1*
		N.K.	2	2					
38.6	Monster	M.	2	1	1	–	–	–	–
		F.	*2*	*2*	–	–	–	–	–
38.7	Other and unspecified malformations	M.	22	13	5	3	1	–	–
		F.	*22*	*5*	*11*	*5*	–	*1*	–
	Diseases of Fœtus and Ill-Defined Causes	M.	939	231	416	239	24	16	13
		F.	*639*	*194*	*241*	*151*	*28*	*11*	*14*
		N.K.	3	3					
39.2	Erythroblastosis (Rhesus Factor)	M.	91	64	17	9	–	1	–
		F.	*61*	*38*	*12*	*10*	*1*	–	–
39.0 39.1, 39.3	Other diseases of fœtus	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
39.4	Maceration	M.	44	44	–	–	–	–	–
		F.	*31*	*31*	–	–	–	–	–
		N.K.	1	1					
39.5a	Premature Birth (cause not stated)	M.	271	20	178	60	11	1	1
		F.	*177*	*12*	*100*	*53*	*7*	*3*	*2*
39.5b	Debility	M.	6	1	4	1	–	–	–
		F.	*5*	*2*	*3*	–	–	–	–
39.5c	Asphyxia	M.	205	56	84	60	3	2	–
		F.	*137*	*64*	*42*	*29*	*2*	–	–
		N.K.	1	1					
39.5d	Atelectasis	M.	213	16	125	71	–	1	–
		F.	*128*	*14*	*72*	*37*	*4*	–	*1*
39.5e	Other ill-defined	M.	5	4	1	–	–	–	–
		F.	*12*	*10*	*2*	–	–	–	–
39.6	Cause unknown	M.	27	26	1	–	–	–	–
		F.	*23*	*23*	–	–	–	–	–
		N.K.	1	1					
—	No comparable stillbirth cause	M.	77	–	6	38	10	11	12
		F	*65*	–	*10*	*22*	*14*	*8*	*11*

Table 41. Deaths from Selected Causes among Children aged under One Year, by Sex and Age Periods, Scotland, 1961.

International Detailed List Nos.	Cause of Death		Total (All Ages)	Illegitimate only	Age: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days –2 mths.	3–5 months	6–8 months	9–11 months
001-019	Tuberculosis	M.	1	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
020-138	Other infective and parasitic diseases	M.	19	1	–	–	–	–	–	6	6	5	2
		F.	*14*	–	–	–	–	–	–	*7*	*2*	*4*	*1*
340	Meningitis, not meningococcal or tuberculous	M.	8	3	–	1	–	–	1	2	1	2	1
		F.	*12*	*1*	–	*2*	*3*	*1*	–	*3*	*2*	–	*1*
490-493	Pneumonia (excluding newborn)	M.	129	4	–	–	–	–	–	58	46	11	14
		F.	*108*	*6*	–	–	–	–	–	*43*	*39*	*15*	*11*
500-502	Bronchitis	M.	12	1	–	–	–	–	–	4	5	–	3
		F.	*14*	*4*	–	–	–	–	–	*3*	*8*	*3*	–
470-483 510-527	Other respiratory diseases	M.	19	2	–	–	–	–	–	6	7	4	2
		F.	*8*	–	–	–	–	–	–	*3*	*3*	*1*	*1*
543, 571, 572	Diarrhœa (excluding newborn), gastritis and duodenitis	M.	25	1	–	–	–	–	–	11	9	4	1
		F.	*27*	*3*	–	–	–	–	–	*11*	*12*	*2*	*2*
530-542 544-570 573-587	Other digestive diseases	M.	28	1	4	3	2	–	3	8	6	1	1
		F.	*17*	–	*3*	*4*	*2*	*1*	–	*5*	*2*	–	–
750	Monstrosity	M.	12	1	9	3	–	–	–	–	–	–	–
		F.	*16*	–	*13*	*3*	–	–	–	–	–	–	–
751	Spina bifida and meningocele	M.	67	6	10	11	10	7	1	16	5	4	3
		F.	*63*	*4*	*6*	*13*	*11*	*4*	*6*	*15*	*5*	*3*	–
752	Congenital hydrocephalus	M.	31	2	9	5	3	–	–	6	4	4	–
		F.	*31*	–	*9*	*6*	*1*	*1*	–	*2*	*7*	*3*	*2*
754	Congenital malformations of circulatory system	M.	93	7	9	29	11	5	4	17	10	6	2
		F.	*88*	*5*	*4*	*24*	*10*	*5*	*4*	*16*	*15*	*5*	*5*
756	Congenital malformations of digestive system	M.	55	–	3	25	4	3	–	13	5	1	1
		F.	*22*	–	*2*	*10*	*4*	*1*	*1*	*2*	*2*	–	–
757	Congenital malformations of genito-urinary system	M.	24	2	8	1	6	1	2	6	–	–	–
		F.	*5*	–	*3*	–	*1*	–	–	–	*1*	–	–
753, 755, 758, 759	Other and unspecified congenital malformations	M.	33	1	13	9	3	1	–	3	1	1	2
		F.	*32*	*4*	*20*	*6*	*3*	*1*	*1*	–	*1*	–	–
760-761	Birth injuries	M.	139	14	75	59	4	–	1	–	–	–	–
		F.	*92*	*7*	*54*	*33*	*3*	–	*2*	–	–	–	–
762	Asphyxia and atelectasis	M.	348	21	209	132	2	2	–	2	–	1	–
		F.	*188*	*13*	*117*	*63*	*6*	–	*1*	–	*1*	–	–
763	Pneumonia of newborn	M.	44	4	3	17	11	8	5	–	–	–	–
		F.	*38*	*1*	*4*	*17*	*6*	*6*	*5*	–	–	–	–
764	Diarrhœa of newborn	M.	6	1	–	–	2	–	4	–	–	–	–
		F.	*3*	*1*	–	–	*1*	*1*	*1*	–	–	–	–
770	Hæmolytic disease of newborn	M.	28	2	17	9	–	1	–	1	–	–	–
		F.	*23*	–	*12*	*10*	*1*	–	–	–	–	–	–
776	Immaturity, unqualified	M.	222	20	176	40	5	–	–	1	–	–	–
		F.	*153*	*15*	*100*	*47*	*3*	*1*	*1*	*1*	–	–	–
Rem. 765-774	Other diseases peculiar to early infancy	M.	64	2	13	38	4	5	–	2	2	–	–
		F.	*44*	*5*	*12*	*14*	*8*	*2*	*3*	*3*	*1*	*1*	–
Rem. 140-795	All other natural causes	M.	45	4	2	2	–	1	–	16	10	11	3
		F.	*39*	*3*	*2*	*1*	*1*	–	–	*12*	*9*	*9*	*5*
E921, E922, E924, E925	Accidental mechanical suffocation	M.	61	2	–	5	–	–	1	19	30	4	2
		F.	*50*	–	–	*1*	–	–	*3*	*21*	*17*	*7*	*1*
Rem. E800-E999	Other violence	M.	7	3	4	1	–	–	–	–	–	2	–
		F.	*8*	*3*	*4*	*1*	–	–	–	–	–	*1*	*2*
001-E999	ALL CAUSES—Both Sexes		2,615	–	929	645	131	58	50	344	275	115	68
	Males		1,520	–	564	390	67	34	22	197	148	61	37
	Females		*1,095*	–	*365*	*255*	*64*	*24*	*28*	*147*	*127*	*54*	*31*
	Illegitimate only—Both Sexes		–	180	82	37	8	2	2	25	15	6	3
	Males		–	105	49	23	4	1	1	15	6	5	1
	Females		–	*75*	*33*	*14*	*4*	*1*	*1*	*10*	*9*	*1*	*2*

Table 42. Deaths from Selected causes among Children aged under 1 year, by sex and month of Registration. Scotland, 1961.

International Detailed List Nos.	Cause of Death		Total	Month of registration											
				Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
001-019	Tuberculosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–
020-138	Other infective and parasitic diseases	M.	19	4	2	1	3	1	1	1	1	3	2	–	–
		F.	*14*	*2*	*1*	*1*	*1*	*1*	*1*	*1*	*1*	*2*	–	*3*	–
340	Meningitis, not meningococcal or tuberculous	M.	8	1	2	–	–	–	–	1	1	–	1	–	2
		F.	*12*	*3*	*2*	–	*1*	*3*	*1*	*1*	–	*1*	–	–	–
490-493	Pneumonia (excluding newborn)	M.	129	23	10	8	12	10	8	5	9	4	7	11	22
		F.	*108*	*21*	*17*	*9*	*10*	*4*	*9*	*5*	*3*	*3*	*7*	*12*	*8*
500-502	Bronchitis	M.	12	4	1	2	1	1	–	–	1	–	–	1	1
		F.	*14*	*5*	*2*	–	–	–	–	*1*	*1*	*3*	*1*	–	*1*
470-483 510-527	Other respiratory diseases	M.	19	3	8	1	2	2	–	–	1	1	–	–	1
		F.	*8*	–	*5*	*2*	–	–	–	–	–	–	–	*1*	–
543, 571, 572	Diarrhœa (excluding newborn), gastritis and duodenitis	M.	25	2	3	2	1	2	–	3	3	3	2	2	2
		F.	*27*	*3*	–	*4*	*4*	*1*	*5*	*2*	–	*3*	*2*	*2*	*1*
530-542 544-570 573-587	Other digestive diseases	M.	28	4	2	2	3	–	4	3	2	4	2	1	1
		F.	*17*	*4*	–	*2*	*2*	*2*	*1*	*1*	*1*	*1*	*1*	–	*2*
750	Monstrosity	M.	12	–	2	1	3	–	–	–	–	1	1	2	2
		F.	*16*	–	*1*	*1*	–	*1*	–	*2*	*3*	*3*	*1*	*2*	*2*
751	Spina bifida and meningocele	M	67	6	6	7	6	9	3	8	5	3	4	4	6
		F.	*63*	*2*	*8*	*7*	*1*	*4*	*4*	*3*	*9*	*8*	*7*	*4*	*6*
752	Congenital hydrocephalus	M.	31	2	2	5	–	2	2	1	3	2	1	4	7
		F.	*31*	*1*	*5*	*2*	*4*	*3*	*2*	*2*	–	*3*	*6*	*3*	–
754	Congenital malformations of circulatory system	M.	93	10	14	8	12	5	6	9	9	4	6	6	4
		F.	*88*	*10*	*8*	*4*	*16*	*6*	*7*	*8*	*8*	*5*	*5*	*6*	*5*
756	Congenital malformations of digestive system	M.	55	10	3	9	8	4	3	2	2	5	4	2	3
		F.	*22*	*3*	*1*	*1*	*2*	*1*	*2*	*2*	*4*	*2*	*2*	–	*2*
757	Congenital malformations of genito-urinary system	M.	24	1	2	2	2	1	4	5	2	–	1	4	–
		F.	*5*	–	–	–	*2*	*1*	–	–	–	–	*2*	–	–
753, 755, 758, 759	Other and unspecified congenital malformations	M.	33	1	4	7	4	2	3	2	1	2	3	2	2
		F.	*32*	*2*	*2*	*1*	*3*	*3*	*1*	*3*	*4*	*4*	*3*	*3*	*3*
760-761	Birth injuries	M.	139	17	10	9	8	13	14	10	5	14	15	11	13
		F.	*92*	*6*	*1*	*9*	*9*	*10*	*7*	*5*	*11*	*11*	*5*	*8*	*10*
762	Asphyxia and atelectasis	M.	348	26	28	37	29	39	28	30	33	22	33	22	21
		F.	*188*	*13*	*19*	*18*	*20*	*19*	*27*	*16*	*8*	*6*	*9*	*16*	*17*
763	Pneumonia of newborn	M.	44	6	6	1	3	6	2	1	3	1	5	5	5
		F.	*38*	*9*	*2*	*2*	*3*	*2*	*3*	*1*	*2*	*3*	*3*	*3*	*5*
764	Diarrhœa of newborn	M.	6	2	1	1	–	1	–	1	–	–	–	–	–
		F.	*3*	–	–	*1*	–	–	–	–	–	*1*	–	–	*1*
770	Hæmolytic disease of newborn	M.	28	–	4	–	–	3	3	–	3	3	6	2	4
		F.	*23*	*2*	*3*	*1*	*3*	*3*	*1*	–	*2*	*3*	*1*	*1*	*3*
776	Immaturity, unqualified	M.	222	14	19	14	11	31	20	22	18	20	19	15	19
		F.	*153*	*15*	*12*	*20*	*9*	*15*	*6*	*10*	*17*	*11*	*7*	*15*	*16*
Rem. 765-774	Other diseases peculiar to early infancy	M.	64	7	4	6	3	7	3	6	4	1	8	5	10
		F.	*44*	*4*	*4*	*5*	*3*	*2*	*1*	*4*	*3*	*4*	*1*	*6*	*7*
Rem. 140-795	All other natural causes	M.	45	6	5	1	4	–	6	2	4	4	3	4	6
		F.	*39*	*7*	–	*4*	*3*	*4*	*4*	*1*	*3*	*5*	*4*	*2*	*2*
E921, E922, E924, E925	Accidental mechanical suffocation	M.	61	10	8	6	3	8	6	4	5	1	2	2	6
		F.	*50*	*5*	*4*	*6*	*6*	*4*	*3*	*3*	*3*	*2*	*2*	*7*	*5*
Rem. E800-E999	Other violence	M.	7	–	2	–	–	–	2	–	–	–	–	–	3
		F.	*8*	*4*	*1*	*1*	–	–	–	–	–	*1*	–	–	*1*
001-E999	ALL CAUSES—Both Sexes		2,615	280	246	231	220	236	203	187	198	183	194	199	238
	Males		1,520	159	148	130	118	147	118	116	115	98	125	105	141
	Females		*1,095*	*121*	*98*	*101*	*102*	*89*	*85*	*71*	*83*	*85*	*69*	*94*	*97*
	Illegitimate only—Both Sexes		180	16	17	13	15	18	18	19	10	12	11	14	17
	Males		105	6	13	8	5	10	11	11	7	10	7	8	9
	Females		*75*	*10*	*4*	*5*	*10*	*8*	*7*	*8*	*3*	*2*	*4*	*6*	*8*

Table 43. Deaths from selected causes among legitimate children aged under 1 year, by sex and social classification, Scotland, 1961

International Detailed List Nos.	Cause of Death		All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
001-019	Tuberculosis	M.	1	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–
020-138	Other infective and parasitic diseases	M.	18	–	1	5	8	3	1
		F.	*14*	–	*1*	*6*	–	*7*	–
340	Meningitis, not meningococcal or tuberculous	M.	5	–	–	4	1	–	–
		F.	*11*	–	*2*	*6*	*1*	*2*	–
490-493	Pneumonia (excluding newborn)	M.	125	1	4	67	27	23	3
		F.	*102*	*1*	*4*	*50*	*20*	*20*	*7*
500-502	Bronchitis	M.	11	–	–	3	3	5	–
		F.	*10*	–	*2*	*5*	*3*	–	–
470-483, 510-527	Other respiratory diseases	M.	17	–	2	13	1	1	–
		F.	*8*	–	*1*	*5*	*1*	*1*	–
543, 571, 572	Diarrhœa (excluding newborn), gastritis and duodenitis	M.	24	–	–	11	3	9	1
		F.	*24*	–	*2*	*14*	*3*	*5*	–
530-542, 544-570, 573-587	Other digestive diseases	M.	27	1	4	13	6	3	–
		F.	*17*	*3*	*3*	*6*	*2*	*3*	–
750	Monstrosity	M.	11	–	1	5	2	3	–
		F.	*16*	–	–	*10*	*4*	*2*	–
751	Spina bifida and meningocele	M.	61	2	1	38	10	9	1
		F.	*59*	*2*	*1*	*33*	*15*	*6*	*2*
752	Congenital hydrocephalus	M.	29	2	1	13	9	3	1
		F.	*31*	*2*	–	*21*	*4*	*4*	–
754	Congenital malformations of circulatory system	M.	86	7	8	42	19	9	1
		F.	*83*	*2*	*5*	*46*	*15*	*13*	*2*
756	Congenital malformations of digestive system	M.	55	3	8	26	11	7	–
		F.	*22*	*1*	*1*	*11*	*6*	*2*	*1*
757	Congenital malformations of genito-urinary system	M.	22	1	3	12	3	3	–
		F.	*5*	–	*1*	*3*	*1*	–	–
753, 755, 758, 759	Other and unspecified congenital malformations	M.	32	4	3	22	3	–	–
		F.	*28*	*2*	–	*14*	*11*	*1*	–
760-761	Birth injuries	M.	125	7	5	66	27	19	1
		F.	*85*	*2*	*5*	*43*	*22*	*13*	–
762	Asphyxia and atelectasis	M.	327	8	21	192	63	42	1
		F.	*175*	*3*	*15*	*91*	*34*	*30*	*2*
763	Pneumonia of newborn	M.	40	3	3	17	8	9	–
		F.	*37*	*1*	*2*	*20*	*10*	*4*	–
764	Diarrhœa of newborn	M.	5	–	2	1	–	2	–
		F.	*2*	–	–	–	–	*2*	–
770	Hæmolytic disease of newborn	M.	26	–	4	16	3	3	–
		F.	*23*	*1*	*2*	*11*	*4*	*5*	–
776	Immaturity, unqualified	M.	202	7	16	115	37	27	–
		F.	*138*	*5*	*13*	*72*	*30*	*17*	*1*
Rem. 765-774	Other diseases peculiar to early infancy	M.	62	3	6	28	16	8	1
		F.	*39*	*2*	*5*	*24*	*4*	*4*	–
Rem. 140-795	All other natural causes	M.	41	1	3	23	3	11	–
		F.	*36*	*1*	–	*20*	*8*	*7*	–
E921, E922, E924, E925	Accidental mechanical suffocation	M.	59	2	1	27	15	13	1
		F.	*50*	*3*	*1*	*25*	*10*	*10*	*1*
Rem. E800-E999	Other violence	M.	4	–	1	1	1	1	–
		F.	*5*	*1*	*1*	*1*	*1*	*1*	–
001-E999	ALL CAUSES	Both Sexes	2,435	84	165	1,298	488	372	28
		Males	1,415	52	98	761	279	213	12
		Females	*1,020*	*32*	*67*	*537*	*209*	*159*	*16*

Table 44. Births, Deaths under one year by Age-periods, and Death-rates per 1,000 Births in Scotland, 1961

	Number of Births (Living Children)	Numbers												Rates										
		Under 1 yr. Total	Under 1 yr. Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months	Under 1 yr.	Under 1 yr.* Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months
SCOTLAND	101,169	2,615	—	1,813	929	645	131	58	50	344	275	115	68	25·8	—	17·9	9·2	6·4	1·3	0·6	0·5	3·4	2·7	1·1	0·7
Counties of Cities	38,159	1,055	—	722	371	257	46	30	18	164	107	41	21	27·6	—	18·9	9·7	6·7	1·2	0·8	0·5	4·3	2·8	1·1	0·6
Large Burghs	18,327	454	—	327	168	104	26	15	14	51	50	16	10	24·8	—	17·8	9·2	5·7	1·4	0·8	0·8	2·8	2·7	0·9	0·5
Counties (*ex.* Co. of C. and L.B.)	44,683	1,106	—	764	390	284	59	13	18	129	118	58	37	24·8	—	17·1	8·7	6·4	1·3	0·3	0·4	2·9	2·6	1·3	0·8
LEGITIMATE BIRTHS																									
Scotland	96,521	2,435	—	1,682	847	608	123	56	48	319	260	109	65	25·2	—	17·4	8·8	6·3	1·3	0·6	0·5	3·3	2·7	1·1	0·7
Counties of Cities	36,026	967	—	659	333	239	41	29	17	150	100	39	19	26·8	—	18·3	9·2	6·6	1·1	0·8	0·5	4·2	2·8	1·1	0·5
Large Burghs	17,614	431	—	306	158	95	25	15	13	51	48	16	10	24·5	—	17·4	9·0	5·4	1·4	0·9	0·7	2·9	2·7	0·9	0·6
Counties (*ex* Co. of C. and L.B.)	42,881	1,037	—	717	356	274	57	12	18	118	112	54	36	24·2	—	16·7	8·3	6·4	1·3	0·3	0·4	2·8	2·6	1·3	0·8
ILLEGITIMATE BIRTHS																									
Scotland	*4,648*	—	*180*	*131*	*82*	*37*	*8*	*2*	*2*	*25*	*15*	*6*	*3*	—	*38·7*	*28·2*	*17·6*	*8·0*	*1·7*	*0·4*	*0·4*	*5·4*	*3·2*	*1·3*	*0·6*
Counties of Cities	*2,133*	—	*88*	*63*	*38*	*18*	*5*	*1*	*1*	*14*	*7*	*2*	*2*	—	*41·3*	*29·5*	*17·8*	*8·4*	*2·3*	*0·5*	*0·5*	*6·6*	*3·3*	*0·9*	*0·9*
Large Burghs	*713*	—	*23*	*21*	*10*	*9*	*1*	—	*1*	—	*2*	—	*1*	—	*32·3*	*29·5*	*14·0*	*12·6*	*1·4*	—	*1·4*	—	*2·8*	—	—
Counties (ex. Co. of C. and L.B.)	*1,802*	—	*69*	*47*	*34*	*10*	*2*	*1*	—	*11*	*6*	*4*	*1*	—	*38·3*	*26·1*	*18·9*	*5·5*	*1·1*	*0·6*	—	*6·1*	*3·3*	*2·2*	*0·6*
ABERDEEN COUNTY	5,644	119	9	84	36	35	8	4	1	21	10	2	2	21·1	30·6	14·9	6·4	6·2	1·4	0·7	0·2	3·7	1·8	0·4	0·4
Aberdeen County of City	3,263	72	3	50	18	22	5	4	1	14	5	2	1	22·1	17·5	15·3	5·5	6·7	1·5	1·2	0·3	4·3	1·5	0·6	0·3
Remainder of County	2,381	47	6	34	18	13	3	—	—	7	5	—	1	19·7	48·8	14·3	7·6	5·5	1·3	—	—	2·9	2·1	—	0·4
ANGUS COUNTY	5,199	122	10	82	33	35	6	5	3	22	12	4	2	23·5	32·5	15·8	6·3	6·7	1·2	1·0	0·6	4·2	2·3	0·8	0·4
Dundee County of City	3,681	89	7	60	28	21	5	4	2	15	9	3	2	24·2	28·3	16·3	7·6	5·7	1·4	1·1	0·5	4·1	2·4	0·8	0·5
Arbroath Burgh	353	4	—	3	1	1	—	—	1	—	1	—	—	11·3	—	8·5	2·8	2·8	—	—	2·8	—	2·8	—	—
Remainder of County	1,165	29	3	19	4	13	1	1	—	7	2	1	—	24·9	75·0	16·3	3·4	11·2	0·9	0·9	—	6·0	1·7	0·9	—
ARGYLL COUNTY	890	20	3	10	8	1	1	—	—	3	3	2	2	22·5	44·1	11·2	9·0	1·1	1·1	—	—	3·4	3·4	2·2	2·2
AYR COUNTY	6,583	189	11	145	72	52	15	3	3	21	12	5	6	28·7	38·6	22·0	10·9	7·9	2·3	0·5	0·5	3·2	1·8	0·8	0·9
Ayr Burgh	820	15	2	14	5	5	3	1	—	—	—	1	—	18·3	42·6	17·1	6·1	6·1	3·7	1·2	—	—	—	1·2	—
Kilmarnock Burgh	1,009	28	1	22	10	9	1	—	2	3	1	2	—	27·8	23·8	21·8	9·9	8·9	1·0	—	2·0	3·0	1·0	2·0	—
Remainder of County	4,754	146	8	109	57	38	11	2	1	18	11	2	6	30·7	40·8	22·9	12·0	8·0	2·3	0·4	0·2	3·8	2·3	0·4	1·3
BANFF COUNTY	838	24	4	20	5	12	1	—	2	1	3	—	—	28·6	76·9	23·9	6·0	14·3	1·2	—	2·4	1·2	3·6	—	—
BERWICK COUNTY	307	6	—	5	3	1	1	—	—	—	—	—	1	19·5	—	16·3	9·8	3·3	3·3	—	—	—	—	—	3·3
BUTE COUNTY	191	8	3	6	4	1	1	—	—	1	—	1	—	41·9	200·0	31·4	20·9	5·2	5·2	—	—	5·2	—	5·2	—
CAITHNESS COUNTY	610	7	—	4	2	1	1	—	—	2	—	—	1	11·5	—	6·6	3·3	1·6	1·6	—	—	3·3	—	—	1·6
CLACKMANNAN COUNTY	828	18	1	11	5	6	—	—	—	2	3	2	—	21·7	21·7	13·3	6·0	7·2	—	—	—	2·4	3·6	2·4	—
DUMFRIES COUNTY	1,612	29	1	22	12	8	1	—	1	5	—	2	—	18·0	11·4	13·6	7·4	5·0	0·6	—	0·6	3·1	—	1·2	—
Dumfries Burgh	515	7	—	6	4	1	1	—	—	1	—	—	—	13·6	—	11·7	7·8	1·9	1·9	—	—	1·9	—	—	—
Remainder of County	1,097	22	1	16	8	7	—	—	1	4	—	2	—	20·1	16·1	14·6	7·3	6·4	—	—	0·9	3·6	—	1·8	—
DUNBARTON COUNTY	3,926	99	6	64	28	22	2	9	3	15	11	5	4	25·2	52·2	16·3	7·1	5·6	0·5	2·3	0·8	3·8	2·8	1·3	1·0
Clydebank Burgh	1,105	30	1	22	11	5	1	3	2	5	3	—	—	27·1	35·7	19·9	10·0	4·5	0·9	2·7	1·8	4·5	2·7	—	—
Dumbarton Burgh	589	18	2	11	5	4	—	2	—	3	2	—	2	30·6	105·3	18·7	8·5	6·8	—	3·4	—	5·1	3·4	—	3·4
Remainder of County	2,232	51	3	31	12	13	1	4	1	7	6	5	2	22·8	44·1	13·9	5·4	5·8	0·4	1·8	0·4	3·1	2·7	2·2	0·9

Dunfermline Burgh	981	21	2	14	8	5	1	—	—	2	5	—	—	21·4	45·5	14·3	8·2	5·1	1·0	—	—	2·0	5·1	—	—
Kirkcaldy Burgh	4,198	104	5	71	41	25	5	—	—	17	9	5	2	24·8	28·4	16·9	9·8	6·0	1·2	—	—	4·0	2·1	1·2	0·5
Remainder of County																									
INVERNESS COUNTY	1,411	26	1	14	8	5	1	—	—	2	6	1	3	18·4	13·0	9·9	5·7	3·5	0·7	—	—	1·4	4·3	0·7	2·1
Inverness Burgh	505	7	—	4	3	1	—	—	—	2	—	—	1	13·9	—	7·9	5·9	2·0	—	—	—	4·0	—	—	2·0
Remainder of County	906	19	1	10	5	4	1	—	—	—	6	1	2	21·0	20·0	11·0	5·5	4·4	1·1	—	—	—	6·6	1·1	2·2
KINCARDINE COUNTY	413	6	1	5	3	2	—	—	—	—	1	—	—	14·5	66·7	12·1	7·3	4·8	—	—	—	—	2·4	—	—
KINROSS COUNTY	108	6	—	6	3	1	2	—	—	—	—	—	—	55·6	—	55·6	27·8	9·3	18·5	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY	520	8	1	6	4	—	2	—	—	1	1	—	—	15·4	41·7	11·5	7·7	—	3·8	—	—	1·9	1·9	—	—
LANARK COUNTY	35,088	1,079	75	719	379	247	45	26	22	159	127	51	23	30·8	46·6	20·5	10·8	7·0	1·3	0·7	0·6	4·5	3·6	1·5	0·7
Glasgow County of City	22,842	704	59	470	250	161	28	18	13	112	79	28	15	30·8	47·7	20·6	10·9	7·0	1·2	0·8	0·6	4·9	3·5	1·2	0·7
Airdrie Burgh	852	24	2	13	8	5	—	—	—	3	6	1	1	28·2	80·0	15·3	9·4	5·9	—	—	—	3·5	7·0	1·2	1·2
Coatbridge Burgh	1,381	37	1	27	12	12	1	1	1	5	3	—	2	26·8	22·7	19·6	8·7	8·7	0·7	0·7	0·7	3·6	2·2	—	1·4
Hamilton Burgh	852	25	2	15	5	6	2	1	1	4	6	—	—	29·3	52·6	17·6	5·9	7·0	2·3	1·2	1·2	4·7	7·0	—	—
Motherwell and Wishaw Burgh	1,569	49	—	30	17	7	5	1	—	8	7	4	—	31·2	—	19·1	10·8	4·5	3·2	0·6	—	5·1	4·5	2·5	—
Rutherglen Burgh	544	14	1	12	9	1	—	1	1	2	—	—	—	25·7	52·6	22·1	16·5	1·8	—	1·8	1·8	3·7	—	—	—
Remainder of County	7,048	226	10	152	78	55	9	4	6	25	26	18	5	32·1	48·3	21·6	11·1	7·8	1·3	0·6	0·9	3·5	3·7	2·6	0·7
MIDLOTHIAN COUNTY	10,689	238	21	177	98	62	11	4	2	27	20	10	4	22·3	37·8	16·6	9·2	5·8	1·0	0·4	0·2	2·5	1·9	0·9	0·4
Edinburgh County of City	8,373	190	19	142	75	53	8	4	2	23	14	8	3	22·7	39·7	17·0	9·0	6·3	1·0	0·5	0·2	2·7	1·7	1·0	0·4
Remainder of County	2,316	48	2	35	23	9	3	—	—	4	6	2	1	20·7	26·0	15·1	9·9	3·9	1·3	—	—	1·7	2·6	0·9	0·4
MORAY COUNTY	1,009	20	2	13	8	3	1	1	—	2	2	2	1	19·8	40·0	12·9	7·9	3·0	1·0	1·0	—	2·0	2·0	2·0	1·0
NAIRN COUNTY	129	2	—	2	1	—	1	—	—	—	—	—	—	15·5	—	15·5	7·8	—	7·8	—	—	—	—	—	—
ORKNEY COUNTY	310	2	—	1	—	1	—	—	—	—	—	—	1	6·5	—	3·2	—	3·2	—	—	—	—	—	—	3·2
PEEBLES COUNTY	208	5	—	5	3	1	1	—	—	—	—	—	—	24·0	—	24·0	14·4	4·8	4·8	—	—	—	—	—	—
PERTH COUNTY	2,017	33	3	25	16	7	—	1	1	6	1	—	1	16·4	29·1	12·4	7·9	3·5	—	0·5	0·5	3·0	0·5	—	0·5
Perth Burgh	712	13	1	9	5	3	—	—	1	2	1	—	1	18·3	26·3	12·6	7·0	4·2	—	—	1·4	2·8	1·4	—	1·4
Remainder of County	1,305	20	2	16	11	4	—	1	—	4	—	—	—	15·3	30·8	12·3	8·4	3·1	—	0·8	—	3·1	—	—	—
RENFREW COUNTY	7,087	191	13	139	68	50	12	4	5	16	22	7	7	27·0	49·4	19·6	9·6	7·1	1·7	0·6	0·7	2·3	3·1	1·0	1·0
Greenock Burgh	1,701	46	6	38	17	12	5	3	1	1	5	2	—	27·0	76·9	22·3	10·0	7·1	2·9	1·8	0·6	0·6	2·9	1·2	—
Paisley Burgh	2,072	50	2	38	21	14	1	1	1	2	5	3	2	24·1	24·7	18·3	10·1	6·8	0·5	0·5	0·5	1·0	2·4	1·4	1·0
Port Glasgow Burgh	516	18	—	15	7	5	1	—	2	1	2	—	—	34·9	—	29·1	13·6	9·7	1·9	—	3·9	1·9	3·9	—	—
Remainder of County	2,798	77	5	48	23	19	5	—	1	12	10	2	5	27·5	56·2	17·2	8·2	6·8	1·8	—	0·4	4·3	3·6	0·7	1·8
ROSS AND CROMARTY COUNTY	915	19	1	17	8	5	1	—	3	—	1	1	—	20·8	30·3	18·6	8·7	5·5	1·1	—	3·3	—	1·1	1·1	—
ROXBURGH COUNTY	656	18	—	13	7	6	—	—	—	1	3	—	1	27·4	—	19·8	10·7	9·1	—	—	—	1·5	4·6	—	1·5
SELKIRK COUNTY	318	7	1	4	4	—	—	—	—	1	1	1	—	22·0	125·0	12·6	12·6	—	—	—	—	3·1	3·1	3·1	—
STIRLING COUNTY	3,735	95	2	64	27	27	7	—	3	9	12	8	2	25·4	19·0	17·1	7·2	7·2	1·9	—	0·8	2·4	3·2	2·1	0·5
Falkirk Burgh	765	20	—	13	4	5	4	—	—	4	—	3	—	26·1	—	17·0	5·2	6·5	5·2	—	—	5·2	—	3·9	—
Stirling Burgh	553	13	—	8	6	1	—	—	1	3	1	—	1	23·5	—	14·5	10·8	1·8	—	—	1·8	5·4	1·8	—	1·8
Remainder of County	2,417	62	2	43	17	21	3	—	2	2	11	5	1	25·7	31·3	17·8	7·0	8·7	1·2	—	0·8	0·8	4·6	2·1	0·4
SUTHERLAND COUNTY	223	6	—	3	1	2	—	—	—	1	2	—	—	26·9	—	13·5	4·5	9·0	—	—	—	4·5	9·0	—	—
WEST LOTHIAN COUNTY	1,835	47	2	31	12	16	3	—	—	4	4	4	4	25·6	32·8	16·9	6·5	8·7	1·6	—	—	2·2	2·2	2·2	2·2
WIGTOWN COUNTY	592	5	—	4	3	1	—	—	—	1	—	—	—	8·4	—	6·8	5·1	1·7	—	—	—	1·7	—	—	—
ZETLAND COUNTY	279	3	1	1	1	—	—	—	—	1	—	1	—	10·8	90·9	3·6	3·6	—	—	—	—	3·6	—	3·6	—

NOTE.—Some of the above rates are based on very few observations and are therefore of limited value.

* Per 1,000 illegitimate births.

Table 45. Deaths and death-rates of children aged under one year by age-periods, sex and legitimacy, Scotland, 1961

Age	Numbers						Rates per 1,000 live births					
	Total		Legitimate		Illegitimate		Total		Legitimate		Illegitimate	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Under 1 day	564	*365*	515	*332*	49	*33*	10·8	*7·4*	10·4	*7·1*	20·0	*15·0*
1 day	181	*111*	171	*105*	10	*6*	3·5	*2·3*	3·5	*2·2*	4·1	*2·7*
2 days	96	*52*	90	*48*	6	*4*	1·8	*1·1*	1·8	*1·0*	2·4	*1·8*
3 „	38	*28*	35	*28*	3	–	0·7	*0·6*	0·7	*0·6*	1·2	–
4 „	27	*24*	25	*23*	2	*1*	0·5	*0·5*	0·5	*0·5*	0·8	*0·5*
5 „	28	*18*	27	*16*	1	*2*	0·5	*0·4*	0·5	*0·3*	0·4	*0·9*
6 „	20	*22*	19	*21*	1	*1*	0·4	*0·4*	0·4	*0·4*	0·4	*0·5*
7–13 „	67	*64*	63	*60*	4	*4*	1·3	*1·3*	1·3	*1·3*	1·6	*1·8*
14–20 „	34	*24*	33	*23*	1	*1*	0·7	*0·5*	0·7	*0·5*	0·4	*0·5*
21–27 „	22	*28*	21	*27*	1	*1*	0·4	*0·6*	0·4	*0·6*	0·4	*0·5*
28 days—Under 2 months	100	*72*	94	*67*	6	*5*	1·9	*1·5*	1·9	*1·4*	2·4	*2·3*
2 months	97	*75*	88	*70*	9	*5*	1·9	*1·5*	1·8	*1·5*	3·7	*2·3*
3 „	59	*51*	56	*45*	3	*6*	1·1	*1·0*	1·1	*1·0*	1·2	*2·7*
4 „	44	*46*	43	*45*	1	*1*	0·8	*0·9*	0·9	*1·0*	0·4	*0·5*
5 „	45	*30*	43	*28*	2	*2*	0·9	*0·6*	0·9	*0·6*	0·8	*0·9*
6 „	20	*25*	19	*24*	1	*1*	0·4	*0·5*	0·4	*0·5*	0·4	*0·5*
7 „	22	*15*	21	*15*	1	–	0·4	*0·3*	0·4	*0·3*	0·4	–
8 „	19	*14*	16	*14*	3	–	0·4	*0·3*	0·3	*0·3*	1·2	–
9 „	16	*9*	15	*9*	1	–	0·3	*0·2*	0·3	*0·2*	0·4	–
10 „	9	*14*	9	*13*	–	*1*	0·2	*0·3*	0·2	*0·3*	–	*0·5*
11 „	12	*8*	12	*7*	–	*1*	0·2	*0·2*	0·2	*0·1*	–	*0·5*
TOTAL	1,520	*1,095*	1,415	*1,020*	105	*75*	29·3	*22·3*	28·6	*21·7*	42·8	*34·1*

Table 46. Deaths, Male and Female, at each year of age, and by condition as to Marriage, Scotland, 1961.

MALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
0	1,520	1,520	–	–	–	–	50	306	59	232	8	5	2
1	92	92	–	–	–	–	51	337	41	281	11	3	1
2	65	65	–	–	–	–	52	381	68	293	11	8	1
3	46	46	–	–	–	–	53	418	58	333	19	8	–
4	32	32	–	–	–	–	54	460	60	378	14	8	–
0–4	*1,755*	*1,755*	–	–	–	–	*50–54*	*1,902*	*286*	*1,517*	*63*	*32*	*4*
5	26	26	–	–	–	–	55	481	70	384	25	2	–
6	23	23	–	–	–	–	56	549	75	439	29	5	1
7	26	26	–	–	–	–	57	613	83	483	40	6	1
8	24	24	–	–	–	–	58	655	96	506	46	7	–
9	23	23	–	–	–	–	59	658	111	487	58	2	–
5–9	*122*	*122*	–	–	–	–	*55–59*	*2,956*	*435*	*2,299*	*198*	*22*	*2*
10	16	16	–	–	–	–	60	786	122	585	70	6	3
11	10	10	–	–	–	–	61	831	122	614	85	10	–
12	20	20	–	–	–	–	62	733	102	548	78	5	–
13	19	19	–	–	–	–	63	722	94	541	79	8	–
14	20	20	–	–	–	–	64	805	101	592	105	6	1
10–14	*85*	*85*	–	–	–	–	*60–64*	*3,877*	*541*	*2,880*	*417*	*35*	*4*
15	22	22	–	–	–	–	65	786	93	586	101	6	–
16	29	29	–	–	–	–	66	839	95	593	140	11	–
17	31	31	–	–	–	–	67	852	117	602	129	4	–
18	32	32	–	–	–	–	68	848	98	587	160	2	1
19	30	29	1	–	–	–	69	861	92	593	170	5	1
15–19	*144*	*143*	*1*	–	–	–	*65–69*	*4,186*	*495*	*2,961*	*700*	*28*	*2*
20	40	39	1	–	–	–	70	894	112	593	182	4	3
21	40	36	4	–	–	–	71	856	94	540	219	2	1
22	42	34	8	–	–	–	72	858	109	512	232	4	1
23	38	26	12	–	–	–	73	876	105	513	255	2	1
24	29	21	8	–	–	–	74	886	103	509	272	2	–
20–24	*189*	*156*	*33*	–	–	–	*70–74*	*4,370*	*523*	*2,667*	*1,160*	*14*	*6*
25	29	19	9	–	1	–	75	913	108	502	298	3	2
26	34	20	13	1	–	–	76	931	128	463	335	4	1
27	35	14	21	–	–	–	77	882	110	432	339	–	1
28	32	14	18	–	–	–	78	816	104	374	337	1	–
29	46	15	31	–	–	–	79	871	96	385	387	2	1
25–29	*176*	*82*	*92*	*1*	*1*	–	*75–79*	*4,413*	*546*	*2,156*	*1,696*	*10*	*5*
30	50	15	35	–	–	–	80	866	117	381	366	2	–
31	47	14	32	1	–	–	81	814	103	301	408	2	–
32	55	18	37	–	–	–	82	698	90	237	371	–	–
33	50	11	39	–	–	–	83	730	90	251	389	–	–
34	65	21	44	–	–	–	84	626	72	166	386	–	2
30–34	*267*	*79*	*187*	*1*	–	–	*80–84*	*3,734*	*472*	*1,336*	*1,920*	*4*	*2*
35	73	17	52	1	2	1	85	551	66	165	318	1	1
36	82	27	55	–	–	–	86	473	49	130	294	–	–
37	77	14	62	1	–	–	87	377	40	96	239	1	1
38	79	28	50	–	1	–	88	290	38	66	185	–	1
39	107	25	77	3	2	–	89	225	16	57	152	–	–
35–39	*418*	*111*	*296*	*5*	*5*	*1*	*85–89*	*1,916*	*209*	*514*	*1,188*	*2*	*3*
40	113	25	84	3	1	–	90	191	22	37	132	–	–
41	133	24	105	3	1	–	91	127	13	20	94	–	–
42	117	33	82	–	2	–	92	94	13	17	64	–	–
43	106	16	86	3	1	–	93	82	7	11	64	–	–
44	134	31	97	2	4	–	94	51	6	7	38	–	–
40–44	*603*	*129*	*454*	*11*	*9*	–	*90–94*	*545*	*61*	*92*	*392*	–	–
45	149	35	105	7	2	–	95	34	3	2	29	–	–
46	183	37	140	3	3	–	96	15	–	2	13	–	–
47	219	33	178	4	4	–	97	10	2	1	7	–	–
48	234	30	193	5	6	–	98	11	–	–	11	–	–
49	300	45	229	15	11	–	99	2	–	–	2	–	–
45–49	*1,085*	*180*	*845*	*34*	*26*	–	*95–99*	*72*	*5*	*5*	*62*	–	–
							100 and over	*4*	*1*	*1*	*2*	–	–
							Not Stated	–	–	–	–	–	–
							All Ages	32,819	6,416	18,336	7,850	188	29

FEMALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
0 . .	1,095	1,095	–	–	–	–
1 . .	74	74	–	–	–	–
2 . .	38	38	–	–	–	–
3 . .	35	35	–	–	–	–
4 . .	24	24	–	–	–	–
0–4 .	*1,266*	*1,266*	–	–	–	–
5 . .	16	16	–	–	–	–
6 . .	15	15	–	–	–	–
7 . .	14	14	–	–	–	–
8 . .	9	9	–	–	–	–
9 . .	13	13	–	–	–	–
5–9 .	*67*	*67*	–	–	–	–
10 . .	12	12	–	–	–	–
11 . .	10	10	–	–	–	–
12 . .	17	17	–	–	–	–
13 . .	17	17	–	–	–	–
14 . .	14	14	–	–	–	–
10–14 .	*70*	*70*	–	–	–	–
15 . .	10	10	–	–	–	–
16 . .	12	12	–	–	–	–
17 . .	22	21	1	–	–	–
18 . .	15	14	1	–	–	–
19 . .	11	11	–	–	–	–
15–19 .	*70*	*68*	*2*	–	–	–
20 . .	16	14	2	–	–	–
21 . .	12	7	5	–	–	–
22 . .	15	10	5	–	–	–
23 . .	21	8	13	–	–	–
24 . .	15	11	4	–	–	–
20–24 .	*79*	*50*	*29*	–	–	–
25 . .	18	7	10	1	–	–
26 . .	20	8	12	–	–	–
27 . .	24	7	16	–	1	–
28 . .	23	7	15	1	–	–
29 . .	23	6	17	–	–	–
25–29 .	*108*	*35*	*70*	*2*	*1*	–
30 . .	27	4	23	–	–	–
31 . .	30	9	20	–	1	–
32 . .	24	6	18	–	–	–
33 . .	40	9	30	1	–	–
34 . .	41	9	28	2	2	–
30–34 .	*162*	*37*	*119*	*3*	*3*	–
35 . .	47	11	36	–	–	–
36 . .	47	7	39	1	–	–
37 . .	53	21	32	–	–	–
38 . .	70	6	57	3	4	–
39 . .	79	12	60	3	4	–
35–39 .	*296*	*57*	*224*	*7*	*8*	–
40 . .	87	19	61	6	1	–
41 . .	106	23	81	1	1	–
42 . .	83	16	61	5	1	–
43 . .	86	16	67	3	–	–
44 . .	99	20	71	6	2	–
40–44 .	*461*	*94*	*341*	*21*	*5*	–
45 . .	110	24	74	8	4	–
46 . .	141	24	106	10	1	–
47 . .	140	25	104	10	1	–
48 . .	176	40	125	11	–	–
49 . .	187	39	124	22	2	–
45–49 .	*754*	*152*	*533*	*61*	*8*	–

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
50 . .	208	43	133	26	6	–
51 . .	204	31	143	27	3	–
52 . .	246	51	170	22	3	–
53 . .	264	47	182	31	4	–
54 . .	264	57	168	38	1	–
50–54 .	*1,186*	*229*	*796*	*144*	*17*	–
55 . .	274	65	160	48	1	–
56 . .	318	66	196	51	5	–
57 . .	350	73	209	65	3	–
58 . .	387	68	232	82	5	–
59 . .	401	74	228	95	4	–
55–59 .	*1,730*	*346*	*1,025*	*341*	*18*	–
60 . .	412	89	224	97	2	–
61 . .	442	82	261	96	3	–
62 . .	477	88	255	131	3	–
63 . .	569	130	269	165	5	–
64 . .	559	121	251	185	2	–
60–64 .	*2,459*	*510*	*1,260*	*674*	*15*	–
65 . .	598	109	272	213	4	–
66 . .	613	113	271	226	3	–
67 . .	676	151	282	243	–	–
68 . .	767	128	332	305	2	–
69 . .	745	145	262	332	6	–
65–69 .	*3,399*	*646*	*1,419*	*1,319*	*15*	–
70 . .	811	148	297	363	3	–
71 . .	835	177	266	388	4	–
72 . .	926	187	267	469	3	–
73 . .	944	174	266	502	2	–
74 . .	993	220	255	514	4	–
70–74 .	*4,509*	*906*	*1,351*	*2,236*	*16*	–
75 . .	971	204	228	536	3	–
76 . .	1,088	255	230	601	2	–
77 . .	1,066	247	205	611	2	1
78 . .	1,062	217	180	664	1	–
79 . .	1,094	241	170	683	–	–
75–79 .	*5,281*	*1,164*	*1,013*	*3,095*	*8*	*1*
80 . .	1,109	256	153	700	–	–
81 . .	1,055	242	110	698	5	–
82 . .	980	195	97	686	2	–
83 . .	900	206	76	615	3	–
84 . .	885	199	65	619	2	–
80–84 .	*4,929*	*1,098*	*501*	*3,318*	*12*	–
85 . .	802	189	53	559	1	–
86 . .	654	159	30	465	–	–
87 . .	606	138	28	439	1	–
88 . .	512	125	22	364	1	–
89 . .	423	103	13	307	–	–
85–89 .	*2,997*	*714*	*146*	*2,134*	*3*	–
90 . .	314	80	6	228	–	–
91 . .	249	66	3	180	–	–
92 . .	206	41	7	158	–	–
93 . .	152	33	1	118	–	–
94 . .	120	28	1	91	–	–
90–94 .	*1,041*	*248*	*18*	*775*	–	–
95 . .	83	22	–	61	–	–
96 . .	59	11	–	48	–	–
97 . .	40	10	–	30	–	–
98 . .	23	4	–	19	–	–
99 . .	11	4	–	7	–	–
95–99 .	*216*	*51*	–	*165*	–	–
100 and over	*29*	*11*	–	*18*	–	–
Not Stated	–	–	–	–	–	–
All Ages .	31,109	7,819	8,847	14,313	129	1

Table 47. Deaths of married men and women by age in combination with ages of surviving widows and widowers; Ages of surviving widows and widowers by single year of age, Scotland, 1961

Deceased Married Man's Age	Surviving Widow's Age													
	Total	Under 25	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over	N.S.
16-19	1	1	–	–	–	–	–	–	–	–	–	–	–	–
20-24	33	28	3	1	–	–	–	–	–	–	–	–	–	1
25-29	92	30	56	4	1	–	1	–	–	–	–	–	–	–
30-34	187	11	69	89	14	1	–	–	–	–	–	–	–	3
35-39	296	3	22	97	141	25	3	–	1	–	–	–	–	4
40-44	454	1	5	40	172	176	47	4	1	1	1	–	–	6
45-49	845	1	5	12	77	283	355	88	10	2	1	1	–	10
50-54	1517	–	5	8	41	145	496	633	147	22	2	1	–	17
55-59	2299	1	–	1	20	63	252	778	926	200	25	4	2	27
60-64	2880	–	1	4	9	26	100	333	895	1191	251	31	7	32
65-69	2961	1	–	2	5	15	46	115	361	967	1140	234	28	47
70-74	2667	–	–	1	3	11	19	72	142	388	912	899	179	41
75 and over	4104	–	–	–	3	5	20	28	103	268	548	1029	2002	98
Total	18336	77	166	259	486	750	1339	2051	2586	3039	2880	2199	2218	286

Deceased Married Woman's Age	Surviving Widower's Age													
	Total	under 25	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over	N.S.
16-19	2	2	–	–	–	–	–	–	–	–	–	–	–	–
20-24	29	12	14	3	–	–	–	–	–	–	–	–	–	–
25-29	70	4	31	26	8	1	–	–	–	–	–	–	–	–
30-34	119	–	7	50	44	14	3	1	–	–	–	–	–	–
35-39	224	1	1	15	95	71	22	12	1	2	1	–	–	3
40-44	341	–	2	3	27	129	111	43	13	6	–	2	–	5
45-49	533	–	–	2	7	28	230	174	62	14	4	1	2	9
50-54	796	–	–	1	5	4	61	303	310	77	16	9	3	7
55-59	1025	–	–	–	1	2	26	93	425	333	92	33	12	8
60-64	1260	–	–	–	–	–	7	30	139	590	343	104	32	15
65-69	1419	–	–	–	–	1	1	8	37	201	590	420	146	15
70-74	1351	–	–	–	–	–	–	2	9	57	188	596	477	22
75 and over	1678	–	1	–	–	–	–	1	7	17	45	200	1375	32
Total	8847	19	56	100	187	250	461	667	1003	1297	1279	1365	2047	116

Surviving Widows and Widowers by Single Year of Age

Age	Widows	Widowers	Age	Widows	Widowers	Age	Widows	Widowers	Age	Widows	Widowers	Age	Widows	Widowers
–	–	–	30	30	19	45	197	82	60	661	241	75	345	257
16	–	–	31	51	17	46	244	85	61	624	283	76	336	253
17	–	–	32	53	25	47	292	92	62	558	255	77	272	201
18	2	1	33	72	17	48	286	106	63	591	254	78	254	224
19	6	1	34	53	22	49	320	96	64	605	264	79	219	200
20	9	2	35	62	25	50	364	123	65	614	228	80	170	179
21	11	–	36	82	29	51	342	125	66	596	239	81	145	148
22	14	7	37	93	35	52	429	130	67	598	267	82	119	136
23	20	2	38	115	49	53	436	124	68	567	276	83	97	99
24	15	6	39	134	49	54	480	165	69	505	269	84	72	107
25	24	9	40	159	63	55	457	173	70	519	283	85	47	80
26	36	14	41	148	40	56	465	194	71	415	263	86	51	60
27	31	11	42	141	48	57	521	208	72	449	273	87	32	42
28	22	11	43	130	40	58	565	212	73	431	281	88	28	22
29	53	11	44	172	59	59	578	216	74	385	265	89	11	15
												90 and over	20	24
												N.S.	286	116
												Total	18336	8847

Table 48. Causes of Death by Sex—Scotland, 1951-1961

NOTES: (1) Deaths registered during 1950-57 have been classified in accordance with the Sixth Revision of the International Statistical Classification of Causes of Death (1948) and those from 1958 with the Seventh Revision (1955). In a number of instances fourth digit subdivisions are also given; International Classification subdivisions by numbers (0, 1, 2, etc.) Scottish subdivisions by letters (a, b, c, etc.).

(2) A separate line has not been devoted to a number of those rubrics to which very few deaths are assigned each year and the practice has been to amalgamate them, for example, 004-008. In order to have the record complete, details of any deaths regis-

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961
	ALL CAUSES—Both Sexes		65778	61510	58878	61380	61645	61792	61143	62065	63061	61764	6392
		Males	33116	31401	30326	31493	31329	31651	31622	31765	32454	31682	3281
		Females	*32662*	*30109*	*28552*	*29887*	*30316*	*30141*	*29521*	*30300*	*30607*	*30082*	*3110*
001-138	I. INFECTIVE AND PARASITIC DISEASES	M.	1544	1162	1017	889	802	687	650	588	518	465	478
		F.	*1176*	*836*	*685*	*576*	*491*	*377*	*352*	*327*	*311*	*260*	*249*
001-019	TUBERCULOSIS, all forms	M.	1256	941	811	688	619	525	484	459	379	354	344
		F.	*923*	*671*	*530*	*440*	*363*	*276*	*239*	*228*	*197*	*155*	*137*
001-008	*Tuberculosis of respiratory system*	M.	1106	847	724	617	555	478	452	431	344	337	316
		F.	*780*	*562*	*435*	*393*	*305*	*237*	*212*	*207*	*169*	*136*	*117*
001	Respiratory tuberculosis with mention of occupational disease of lung	M.	14	17	31	21	17	9	25	26	19	12	18
		F.	–	–	–	–	–	–	–	–	–	–	–
002	Pulmonary tuberculosis	M.	1086	821	691	595	533	467	426	403	324	324	296
		F.	*778*	*555*	*433*	*393*	*302*	*237*	*211*	*205*	*169*	*133*	*116*
003	Pleural tuberculosis	M.	3	6	2	1	4	–	1	1	–	1	2
		F.	*2*	*4*	*2*	–	*2*	–	*1*	–	–	*2*	*1*
004-008	Other respiratory tuberculosis and tuberculosis, unspecified site	M.	3	3	–	–	1	2	–	1	1	–	–
		F.	–	*3*	–	–	*1*	–	–	*2*	–	*1*	–
010-019	*Tuberculosis, other forms*	M.	150	94	87	71	64	47	32	28	35	17	28
		F.	*143*	*109*	*95*	*47*	*58*	*39*	*27*	*21*	*28*	*19*	*20*
010	Tuberculosis of meninges and central nervous system	M.	78	47	30	26	20	12	8	7	9	7	6
		F	*83*	*53*	*34*	*18*	*17*	*10*	*7*	*6*	*2*	*3*	*1*
011	Tuberculosis of intestines, peritoneum and mesenteric glands	M.	12	8	3	10	6	3	4	4	1	3	3
		F.	*16*	*12*	*14*	*7*	*5*	*4*	*7*	*3*	*12*	*5*	*3*
012	Tuberculosis of bones and joints, active or unspecified	M.	23	13	12	8	15	12	6	5	6	2	5
		F.	*15*	*18*	*13*	*2*	*10*	*7*	*4*	*1*	*3*	*3*	*3*
012.0	Vertebral column	M.	20	9	8	7	12	5	5	4	6	2	5
		F.	*12*	*15*	*12*	*2*	*6*	*4*	*4*	*1*	*3*	*2*	*2*
012.1-3	Other bones and joints	M.	3	4	4	1	3	7	1	1	–	–	–
		F.	*3*	*3*	*1*	–	*4*	*3*	–	–	–	*1*	*1*
013	Tuberculosis of bones and joints, late effects	M.	2	1	3	–	2	1	1	–	2	–	1
		F.	*2*	*1*	*1*	*2*	–	*1*	–	–	*1*	–	*2*
013.0	Vertebral column	M.	2	1	1	–	2	1	1	–	2	–	–
		F.	*2*	*1*	–	*2*	–	*1*	–	–	–	–	*1*
013.1-3	Other bones and joints	M.	–	–	2	–	–	–	–	–	–	–	1
		F.	–	–	*1*	–	–	–	–	–	*1*	–	*1*
014	Tuberculosis of skin and subcutaneous cellular tissue	M.	3	1	1	–	–	–	–	–	–	–	1
		F.	*2*	–	–	–	–	–	–	–	*1*	–	–
015	Tuberculosis of lymphatic system	M.	2	1	3	–	2	2	1	–	1	–	–
		F.	–	*4*	*3*	*2*	*7*	*2*	*2*	*1*	*2*	*1*	*4*
016	Tuberculosis of genito-urinary system	M.	13	15	25	11	17	15	10	10	12	3	6
		F.	*7*	*12*	*16*	*7*	*9*	*8*	*6*	*7*	*4*	*4*	*4*
017	Tuberculosis of adrenal glands	M.	2	2	6	2	–	–	2	–	–	1	1
		F.	–	*1*	*4*	*3*	*3*	*1*	–	*2*	*1*	*1*	*2*
018	Tuberculosis of other organs	M.	1	–	–	2	1	–	–	1	3	–	2
		F.	*1*	*2*	–	*1*	*1*	*1*	–	–	–	–	–
019	Disseminated tuberculosis	M.	14	6	4	12	1	2	–	1	1	1	3
		F.	*17*	*6*	*10*	*5*	*6*	*5*	*1*	*1*	*2*	*2*	*1*
020-029	*Syphilis and its sequelæ*	M.	100	76	72	71	70	71	72	40	54	41	44
		F.	*49*	*34*	*24*	*38*	*27*	*17*	*22*	*18*	*25*	*23*	*17*
020	Congenital syphilis	M.	3	1	1	–	–	1	–	–	1	–	1
		F.	*1*	*2*	*1*	*3*	*2*	–	*1*	–	*3*	–	–
021	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
022	Aneurysm of aorta	M.	41	34	23	18	22	20	22	9	17	9	12
		F.	*29*	*11*	*4*	*9*	*4*	*5*	*10*	*7*	*6*	*6*	*7*
023	Other cardiovascular syphilis	M.	18	8	14	14	23	21	17	10	16	12	7
		F.	*2*	*1*	*4*	*8*	*4*	*3*	*3*	*3*	*6*	*9*	*3*
024	Tabes dorsalis	M.	11	6	12	14	7	9	10	5	4	7	6
		F.	*4*	*6*	*2*	–	*3*	*1*	*1*	*2*	*2*	*1*	*2*
025	General paralysis of insane	M.	19	17	17	15	12	16	15	14	14	9	12
		F.	*9*	*5*	*10*	*12*	*9*	*4*	*2*	*5*	*6*	*5*	*3*
026	Other syphilis of central nervous system	M.	7	8	4	5	3	4	4	1	2	2	4
		F.	*2*	*7*	*2*	*2*	*5*	*3*	*5*	*1*	–	*1*	*2*
027	Other forms of late syphilis	M.	–	1	1	2	1	–	1	1	–	1	1
		F.	*1*	–	–	*2*	–	*1*	–	–	*1*	–	–
028	Latent syphilis	M.	–	–	–	1	1	–	–	–	–	–	–
		F.	–	–	–	*1*	–	–	–	–	–	–	–
029	Syphilis, unqualified	M.	1	1	–	2	1	–	3	–	–	1	1
		F.	*1*	*2*	*1*	*1*	–	–	–	–	*1*	*1*	–

tered from these causes are shown on page 226, figures in roman type indicating the number of male deaths while those in italics the female deaths. The ages are also given for those which occurred during 1961. Thus "008, Tuberculosis, unspecified site, 1955, *1*; 1956 1", denotes 1 female death in 1955 and 1 male death in 1956.

(3) In accordance with the Sixth and Seventh Revisions of the International Statistical Classification of Causes of Death, rubrics 306, 308, 649 and 775 have been omitted from this table as they are not applicable to primary death classification.

1961 Ages																					International Detailed List Numbers
-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
615	166	103	81	56	189	155	214	268	284	429	714	1064	1839	3088	4686	6336	7585	8879	9694	8663	6820	
520	92	65	46	32	122	85	144	189	176	267	418	603	1085	1902	2956	3877	4186	4370	4413	3734	2537	
995	*74*	*38*	*35*	*24*	*67*	*70*	*70*	*79*	*108*	*162*	*296*	*461*	*754*	*1186*	*1730*	*2459*	*3399*	*4509*	*5281*	*4929*	*4283*	
20	9	7	1	1	3	1	2	1	4	10	26	22	36	51	52	61	65	44	40	15	7	M. 001-138
14	*6*	*2*	*1*	*2*	*3*	*6*	–	*1*	*9*	*21*	*15*	*18*	*21*	*16*	*21*	*17*	*24*	*16*	*17*	*11*	*8*	F.
1	3	1	1	–	1	–	1	–	2	9	23	16	31	42	43	47	48	32	29	10	4	M. 001-019
–	–	–	–	–	–	–	–	–	*8*	*17*	*12*	*13*	*18*	*8*	*11*	*11*	*11*	*9*	*8*	*6*	*5*	F.
–	–	–	–	–	1	–	1	–	2	7	18	14	29	40	40	46	47	31	28	9	3	M. 001-008
–	–	–	–	–	–	–	–	–	*6*	*17*	*10*	*12*	*17*	*7*	*11*	*9*	*10*	*6*	*4*	*5*	*3*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	2	1	2	4	2	–	M. 001
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	1	–	1	–	2	7	18	14	26	39	37	43	46	28	24	7	3	M. 002
–	–	–	–	–	–	–	–	–	*6*	*17*	*10*	*11*	*17*	*7*	*11*	*9*	*10*	*6*	*4*	*5*	*3*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	M. 003
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 004-008
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	3	1	1	–	–	–	–	–	–	2	5	2	2	2	3	1	1	1	1	1	1	M. 010-019
–	–	–	–	–	–	–	–	–	*2*	–	*2*	*1*	*1*	*1*	–	*2*	*1*	*3*	*4*	*1*	*2*	F.
–	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	M. 010
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	M. 011
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	1	–	–	M. 012
–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	1	–	–	M. 012.0
–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 012.1-3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	M. 013
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 013.0
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	M. 013.1-3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	M. 014
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 015
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	*2*	F.
–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–	1	M. 016
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*2*	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	M. 017
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	M. 018
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	M. 019
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	3	1	4	3	4	9	8	5	6	1	–	M. 020-029
–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	*2*	*1*	–	*6*	*2*	*2*	*2*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 020
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 021
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	2	1	–	M. 022
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*2*	*2*	–	*2*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	1	–	–	M. 023
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	–	–	M. 024
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	2	1	1	1	–	–	M. 025
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	M. 026
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	M. 027
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 028
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 029
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	196
001-138	I. INFECTIVE AND PARASITIC DISEASES—*continued*												
	Gonococcal infection and other venereal	M.	–	–	–	–	–	–	1	–	1	1	
030-039	*diseases*	F.	–	–	–	*1*	–	*1*	–	*1*	–	–	
		M.	–	–	–	–	–	–	1	–	1	1	
030-035	Gonococcal infection	F.	–	–	–	*1*	–	–	–	*1*	–	–	
		M.	–	–	–	–	–	–	–	–	–	–	
036-039	Other venereal diseases	F.	–	–	–	–	–	*1*	–	–	–	–	
	Infectious diseases commonly arising in	M.	17	3	14	4	13	2	5	2	5	6	
040-049	*intestinal tract*	F.	*10*	*8*	*11*	*9*	*11*	*4*	*7*	*5*	*11*	*4*	
		M.	1	1	1	–	1	1	–	–	–	–	
040	Typhoid fever	F.	–	–	*1*	*1*	–	*1*	–	*1*	–	–	
		M.	–	1	1	–	2	–	–	–	–	–	
041	Paratyphoid fever	F.	–	*1*	–	*1*	*1*	–	–	–	–	–	
		M.	5	–	4	2	2	–	1	–	2	4	
042	Other Salmonella infections	F.	*4*	*2*	*5*	*2*	*2*	–	*2*	*4*	*3*	*1*	
		M.	–	–	–	–	–	–	–	–	–	–	
043	Cholera	F.	–	–	–	–	–	–	–	–	–	–	
		M.	–	–	–	–	–	–	1	–	–	1	
044	Brucellosis (undulant fever)	F.	–	–	–	–	–	*1*	–	–	–	–	
		M.	4	–	4	1	4	1	2	2	1	–	
045	Bacillary dysentery	F.	*2*	*4*	*4*	*4*	*7*	–	*3*	–	*5*	*1*	
		M.	1	1	–	–	1	–	–	–	–	–	
046	Amœbiasis	F.	–	–	–	–	–	–	–	–	–	–	
		M.	–	–	–	–	–	–	–	–	–	–	
047	Other protozoal dysentery	F.	–	–	–	–	–	–	–	–	–	–	
		M.	4	–	4	1	2	–	1	–	2	1	
048	Unspecified forms of dysentery	F.	*4*	*1*	*1*	*1*	*1*	*2*	*2*	–	*3*	*2*	
	Food poisoning (infection and intoxi-	M.	2	–	–	–	1	–	–	–	–	–	
049	cation)	F.	–	–	–	–	–	–	–	–	–	–	
		M.	100	72	56	67	35	42	42	27	31	22	2
050-064	*Other bacterial diseases*	F.	*95*	*67*	*59*	*35*	*32*	*26*	*27*	*28*	*22*	*27*	*1*
		M.	–	–	–	–	–	–	–	–	–	–	
050	Scarlet fever	F.	*1*	*1*	–	–	*1*	*1*	–	–	–	–	
		M.	–	1	2	–	–	–	1	–	–	–	
051	Streptococcal sore throat	F.	–	*3*	*2*	*1*	*2*	*1*	*1*	–	*1*	*1*	
		M.	1	–	1	1	–	–	–	–	–	–	
052	Erysipelas	F.	*4*	*1*	*1*	*2*	–	*1*	–	*1*	–	–	
		M.	19	25	9	17	8	11	14	12	10	9	1
053	Septicæmia and pyæmia	F.	*14*	*16*	*7*	*8*	*11*	*4*	*6*	*8*	*7*	*8*	
		M.	–	–	–	–	–	1	–	–	–	–	
054	Bacterial toxæmia	F.	–	–	–	–	–	–	–	–	–	–	
		M.	3	5	1	–	–	1	–	–	1	–	
055	Diphtheria	F.	*2*	*3*	*1*	*1*	–	*1*	–	–	–	–	
		M.	50	10	15	14	3	7	10	1	3	5	
056	Whooping cough	F.	*48*	*16*	*26*	*11*	*7*	*7*	*11*	*3*	*5*	*5*	
		M.	23	20	20	29	18	17	14	13	14	7	1
057	Meningococcal infections	F.	*21*	*25*	*17*	*12*	*11*	*10*	*7*	*12*	*9*	*12*	
		M.	–	–	–	–	–	–	–	–	–	–	
058	Plague	F.	–	–	–	–	–	–	–	–	–	–	
		M.	–	–	–	–	–	–	–	–	–	–	
059	Tularæmia	F.	–	–	–	–	–	–	–	–	–	–	
		M.	–	–	–	–	–	–	–	–	–	–	
060	Leprosy	F.	–	–	–	–	–	–	–	–	–	–	
		M.	4	10	8	4	6	5	2	1	1	–	
061	Tetanus	F.	*5*	*2*	*3*	–	–	*1*	*2*	*3*	–	*1*	
		M.	–	1	–	–	–	–	–	–	–	–	
062	Anthrax	F.	–	–	–	–	–	–	–	–	–	–	
		M.	–	–	–	2	–	–	1	–	1	1	
063	Gas gangrene	F.	–	–	*1*	–	–	–	–	*1*	–	–	
		M.	–	–	–	–	–	–	–	–	1	–	
064	Other bacterial diseases	F.	–	–	*1*	–	–	–	–	–	–	–	
		M.	9	7	4	3	–	–	3	3	–	3	
070-074	*Spirochætal diseases, except syphilis*	F.	*1*	–	–	–	–	*1*	*1*	–	–	–	
		M	–	–	–	–	–	–	–	–	–	–	
070	Vincent's infection	F.	–	–	–	–	–	–	–	–	–	–	
		M.	–	–	–	–	–	–	–	–	–	–	
071	Relapsing fever	F.	–	–	–	–	–	–	–	–	–	–	
		M.	9	7	4	3	–	–	2	3	–	3	
072	Leptospirosis	F.	*1*	–	–	–	–	*1*	–	–	–	–	
		M.	–	–	–	–	–	–	–	–	–	–	
073	Yaws	F.	–	–	–	–	–	–	–	–	–	–	
		M.	–	–	–	–	–	–	1	–	–	–	
074	Other spirochætal infections	F.	–	–	–	–	–	–	*1*	–	–	–	
		M.	56	57	54	52	59	42	41	51	43	36	49
080-096	*Diseases attributable to viruses*	F.	*96*	*51*	*61*	*51*	*55*	*46*	*51*	*44*	*51*	*43*	*61*
		M.	11	8	6	14	17	8	7	13	–	–	
080	Acute poliomyelitis	F.	*13*	*4*	*7*	*7*	*5*	*1*	*4*	*3*	*1*	–	
		M.	–	3	1	2	–	–	1	2	1	–	1
081	Late effects of acute poliomyelitis	F.	*1*	–	–	*1*	–	*1*	–	*1*	*1*	–	
		M.	5	5	3	4	3	3	5	3	6	5	7
082	Acute infectious encephalitis	F.	*9*	*5*	*3*	*1*	*2*	*3*	*6*	*5*	*7*	*6*	*4*
	Late effects of acute infectious ence-	M.	17	15	21	13	19	16	13	10	19	12	15
083	phalitis	F.	*29*	*15*	*20*	*16*	*19*	*16*	*14*	*15*	*16*	*12*	*20*
		M.	–	–	–	–	–	–	–	–	–	–	
084	Smallpox	F.	–	–	–	–	–	–	–	–	–	–	
		M.	8	11	11	4	8	4	6	3	9	2	9
085	Measles	F.	*17*	*11*	*18*	*4*	*12*	*6*	*10*	*1*	*9*	–	*9*
		M.	–	–	1	–	–	–	–	–	–	–	
086	Rubella (German measles)	F.	–	–	–	–	–	–	–	–	–	–	*1*
		M.	1	1	1	1	–	–	–	2	–	1	1
087	Chickenpox	F.	–	*1*	–	*1*	–	–	*1*	–	*1*	*1*	*1*

Table 48—*continued*

1961 Ages																					International Detailed List Numbers
-1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																						001-138
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 030-039
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 030-035
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 036-039
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	F.
–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	–	M. 040-049
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 040
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 041
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	M. 042
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. 043
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	M. 044
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 045
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 046
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 047
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	M. 048
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. 049
2	4	1	–	–	1	–	1	–	–	–	–	2	–	1	–	1	1	–	3	1	–	F.
9	*2*	*1*	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	*2*	*1*	–	–	–	*1*	M. 050-064
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 050
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	M. 051
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 052
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	F.
5	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	1	–	M. 053
4	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 054
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 055
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 056
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
5	2	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	M. 057
3	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 058
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 059
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 060
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	M. 061
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 062
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M 063
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 064
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	M. 070-074
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 070
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 071
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	M. 072
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 073
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 074
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
7	2	5	–	1	1	1	–	1	2	–	–	1	–	3	5	4	4	6	1	2	3	M. 080-096
5	*4*	*1*	–	*2*	*3*	*5*	–	–	–	*3*	*2*	*3*	*3*	*4*	*7*	*3*	*5*	*3*	*3*	*3*	*2*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 080
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M. 081
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
3	–	1	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	M. 082
1	–	–	–	–	*1*	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	4	1	4	–	–	–	M. 083
–	–	–	–	–	–	–	–	–	–	*2*	–	*2*	*2*	*2*	*5*	*3*	*1*	*2*	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 084
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
2	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 085
–	*3*	*1*	–	*2*	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 086
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 087
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	19
001-138	**I. INFECTIVE AND PARASITIC DISEASES**—*continued*												
080-096	*Diseases attributable to viruses continued*—												
088	Herpes zoster	M.	5	3	–	2	3	2	1	4	2	1	
		F.	*11*	*5*	*4*	*5*	*5*	*3*	*3*	*2*	*4*	*1*	
089	Mumps	M.	–	–	–	1	1	–	–	–	–	–	
		F.	*1*	–	–	*1*	–	*1*	–	–	–	–	
090	Dengue	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
091	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
092	Infectious hepatitis	M.	9	11	10	9	7	9	8	13	6	12	
		F.	*14*	*10*	*9*	*15*	*12*	*15*	*13*	*13*	*11*	*23*	
093	Glandular fever (infectious mononucleosis)	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
094	Rabies	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
095	Trachoma	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
096	Other diseases attributable to viruses	M.	–	–	–	2	1	–	–	–	–	3	
		F.	*1*	–	–	–	–	–	–	*4*	*1*	–	
100-108	*Typhus and other rickettsial diseases*	M.	–	–	–	–	–	1	–	–	–	1	
		F.	–	*1*	–	–	–	–	–	–	–	–	
110-117	*Malaria*	M.	1	–	1	–	–	1	–	1	–	–	
		F.	–	–	–	–	–	–	–	–	*1*	–	
120-138	*Other infective and parasitic diseases*	M.	5	6	5	4	6	3	2	5	5	1	
		F.	*2*	*4*	–	*2*	*3*	*6*	*5*	*3*	*4*	*8*	
140-239	**II. NEOPLASMS**	M.	4988	5233	5348	5528	5503	5646	5691	5859	5941	5856	60
		F.	*5021*	*5031*	*4883*	*5100*	*5196*	*5254*	*5189*	*5066*	*5224*	*5288*	*52*
140-205	MALIGNANT NEOPLASMS	M.	4925	5172	5310	5478	5462	5591	5632	5821	5878	5815	60
		F.	*4915*	*4947*	*4815*	*5027*	*5123*	*5163*	*5115*	*5010*	*5154*	*5218*	*52*
140-148	*Malignant neoplasm of buccal cavity and pharynx*	M.	179	220	187	226	178	162	175	154	148	131	
		F.	*65*	*75*	*71*	*85*	*90*	*72*	*81*	*80*	*87*	*68*	
140	Lip	M.	14	18	23	23	10	9	13	4	4	6	
		F.	*3*	*2*	*4*	*4*	*1*	*2*	*2*	*2*	*1*	*1*	
141	Tongue	M.	47	61	65	56	46	51	42	37	36	34	
		F.	*18*	*23*	*13*	*23*	*20*	*19*	*22*	*17*	*18*	*17*	
142	Salivary gland	M.	10	7	3	16	7	11	11	6	7	8	
		F.	*7*	*12*	*10*	*9*	*14*	*6*	*7*	*7*	*10*	*3*	
143	Floor of mouth	M.	22	32	19	34	24	15	23	12	26	11	
		F.	*6*	*5*	*7*	*7*	*7*	*7*	*6*	*6*	*7*	*6*	
144	Other parts of mouth, and of mouth unspecified	M.	25	31	25	23	23	21	29	26	24	17	
		F.	*8*	*9*	*4*	*8*	*7*	*3*	*7*	*14*	*11*	*9*	
144a	Palate upper alveoli	M.	19	22	19	16	16	16	14	18	11	12	
		F.	*7*	*7*	*3*	*6*	*6*	*1*	*3*	*12*	*8*	*5*	
144b	Cheek internal	M.	6	9	6	7	7	5	15	8	13	5	
		F.	*1*	*2*	*1*	*2*	*1*	*2*	*4*	*2*	*3*	*4*	
145	Oral mesopharynx	M.	16	15	14	18	17	15	14	22	20	17	
		F.	*2*	*4*	*2*	*5*	*4*	*5*	–	*2*	*3*	*5*	
146	Nasopharynx	M.	6	8	5	8	13	4	6	10	9	4	
		F.	*4*	*2*	*4*	*2*	*4*	*4*	*7*	*3*	*5*	*7*	
147	Hypopharynx	M.	5	8	3	5	7	9	5	5	1	1	
		F.	*5*	*5*	*12*	*10*	*17*	*13*	*13*	*11*	*14*	*7*	
148	Pharynx, unspecified	M.	34	40	30	43	31	27	32	32	21	33	
		F.	*12*	*13*	*15*	*17*	*16*	*13*	*17*	*18*	*18*	*13*	
148a	Pharynx	M.	24	29	23	30	21	23	23	22	14	24	
		F.	*10*	*10*	*12*	*10*	*12*	*11*	*11*	*16*	*15*	*12*	
148b	Throat	M.	10	11	7	13	10	4	9	10	7	9	
		F.	*2*	*3*	*3*	*7*	*4*	*2*	*6*	*2*	*3*	*1*	
150-159	*Malignant neoplasm of digestive organs and peritoneum*	M.	2352	2435	2337	2357	2406	2308	2290	2331	2307	2134	2
		F.	*2380*	*2380*	*2241*	*2283*	*2407*	*2431*	*2313*	*2223*	*2276*	*2244*	2
150	Œsophagus	M.	176	190	158	175	178	168	171	178	179	164	
		F.	*121*	*148*	*135*	*160*	*147*	*130*	*142*	*136*	*136*	*124*	
151	Stomach	M.	910	982	891	919	926	912	874	887	944	826	
		F.	*881*	*831*	*824*	*774*	*847*	*845*	*820*	*774*	*746*	*753*	
152	Small intestine, including duodenum	M.	22	17	17	19	11	18	19	17	16	16	
		F.	*9*	*17*	*13*	*15*	*17*	*11*	*21*	*12*	*20*	*16*	
152.0	Duodenum	M.	2	4	2	5	3	6	3	6	2	1	
		F.	*2*	*1*	*2*	*3*	*2*	*2*	*9*	*4*	*3*	*3*	
152.7-9	Other specified, multiple† and unspecified parts	M.	20	13	15	14	8	12	16	11	14	15	
		F.	*7*	*16*	*11*	*12*	*15*	*9*	*12*	*8*	*17*	*13*	
153	Large intestine, except rectum*	M.	560	597	591	596	615	554	489	518	486	473	
		F.	*752*	*773*	*714*	*724*	*788*	*771*	*673*	*695*	*695*	*686*	
153.0	Cæcum, appendix and ascending colon	M.								113	97	83	
		F.								*185*	*182*	*167*	
153.1	Transverse colon, including hepatic and splenic flexures	M.								96	82	92	
		F.								*133*	*124*	*123*	
153.2	Descending colon	M.								79	44	54	
		F.	M. 457	503	519	505	540	493	475	*86*	*67*	*74*	
153.3	Sigmoid colon	M.	F. *603*	*646*	*610*	*620*	*689*	*664*	*640*	158	202	197	
		F.								*205*	*238*	*240*	
153.7	Multiple† parts of large intestine	M.								–	–	–	
		F.								*2*	–	*1*	
153.8	Large intestine (including colon), part unspecified	M.								54	46	39	
		F.								*64*	*63*	*70*	
153.9	Intestinal tract, part unspecified	M.	103	94	72	91	75	61	14	18	15	8	
		F.	*149*	*127*	*104*	*104*	*99*	*107*	*33*	*20*	*21*	*11*	

*During 1950 to 1957 this rubric was subdivided: a. malignant neoplasm of large intestine; b. malignant neoplasm of undefined intestine.

†During 1950 to 1957 any "multiple sites" cases would have been classified to site first named on death certificate.

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					001-138
																					080-096
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	M. 088
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*3*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 089
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 090
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 091
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	3	2	–	–	1	M. 092
–	–	–	–	–	*2*	–	–	–	*1*	*1*	*1*	*1*	*2*	*2*	–	*3*	–	*1*	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 093
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 094
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 095
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 096
–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 100-108
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	M. 110-117
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	1	–	1	–	M. 120-138
–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	*2*	*2*	*1*	*1*	*1*	*2*	–	–	F.
5	7	4	4	22	11	18	23	30	42	66	121	260	517	794	983	929	835	740	444	196	M. 140-239
3	*8*	*6*	*11*	*11*	*12*	*18*	*26*	*43*	*109*	*175*	*301*	*457*	*563*	*673*	*696*	*754*	*679*	*445*	*288*	F.	
4	6	4	3	21	10	18	21	28	41	65	120	257	507	789	977	922	833	736	443	195	M. 140-205
3	*7*	*6*	*10*	*10*	*10*	*18*	*25*	*43*	*105*	*171*	*296*	*454*	*553*	*665*	*689*	*746*	*674*	*443*	*283*	F.	
–	–	–	1	–	–	–	–	1	–	1	2	5	9	17	13	24	29	21	5	M. 140-148	
–	–	–	–	*1*	–	–	–	*2*	*1*	*2*	*4*	*7*	*9*	*9*	*12*	*13*	*13*	*11*	*4*	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	M. 140	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	7	7	6	1	M. 141
–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*1*	*3*	*2*	*1*	*1*	*5*	*2*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	2	–	M. 142
–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	–	*2*	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	3	6	2	M. 143
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*1*	*1*	*2*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	6	4	1	M. 144
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*3*	*1*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	2	1	M. 144a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*2*	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	M. 144b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	5	3	1	1	M. 145
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*2*	–	*1*	–	F.
–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	2	1	1	2	–	–	M. 146
–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	*2*	–	*1*	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–	M. 147
–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*3*	*4*	*3*	*2*	*4*	–	*2*	–	F.
–	–	–	–	–	–	–	–	–	1	–	–	–	1	5	5	4	1	5	1	–	M. 148
–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	*2*	*4*	*2*	*2*	*2*	*1*	F.
–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	4	4	1	3	1	–	M. 148a
–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	*2*	*3*	*2*	*2*	*2*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	M. 148b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	1	1	2	7	8	15	36	80	169	246	298	301	336	338	229	103	M. 150-159	
1	–	–	–	–	–	*5*	*6*	*7*	*20*	*34*	*69*	*121*	*188*	*269*	*298*	*387*	*359*	*251*	*172*	F	
–	–	–	–	–	–	–	–	–	1	3	5	2	14	22	19	24	27	26	4	M. 150	
–	–	–	–	–	–	–	*1*	–	*2*	*3*	*3*	*10*	*10*	*16*	*15*	*34*	*21*	*13*	*15*	F.	
–	–	–	–	–	–	–	–	1	4	6	15	39	83	112	123	123	125	135	72	28	M. 151
–	–	–	–	–	–	–	–	–	*1*	*8*	*4*	*22*	*35*	*57*	*87*	*84*	*126*	*127*	*83*	*60*	F.
–	–	–	–	–	–	–	–	1	1	–	–	–	5	3	1	1	2	2	2	–	M. 152
–	–	–	–	–	–	–	–	*1*	–	*2*	–	*1*	*3*	*2*	*2*	*7*	*1*	*1*	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	M. 152.0
–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	*1*	*2*	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	1	1	–	–	–	3	2	1	1	2	2	2	–	M. 152.7-9
–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*3*	*1*	*1*	*5*	–	*1*	–	*1*	F.
–	–	–	–	–	–	–	1	1	1	1	7	15	24	45	65	61	78	92	61	43	M. 153
–	–	–	–	–	–	–	*2*	*3*	*4*	*3*	*18*	*20*	*29*	*55*	*83*	*83*	*102*	*113*	*91*	*65*	F.
–	–	–	–	–	–	–	1	–	–	–	3	2	2	13	14	9	12	19	13	6	M. 153.0
–	–	–	–	–	–	–	–	–	–	–	*6*	*3*	*2*	*11*	*12*	*26*	*30*	*35*	*27*	*20*	F
–	–	–	–	–	–	–	–	–	–	1	–	5	5	9	13	8	17	20	9	8	M. 153.1
–	–	–	–	–	–	–	–	*2*	*1*	*1*	*2*	*4*	*9*	*16*	*17*	*19*	*24*	*23*	*20*	*9*	F.
–	–	–	–	–	–	–	–	–	1	–	–	2	4	4	10	7	7	8	7	7	M. 153.2
–	–	–	–	–	–	–	–	*1*	–	–	*1*	*2*	*5*	*8*	*12*	*8*	*5*	*10*	*9*	*10*	F.
–	–	–	–	–	–	–	–	–	–	–	3	4	11	16	23	30	35	27	25	19	M. 153.3
–	–	–	–	–	–	–	–	–	*1*	*2*	*6*	*6*	*8*	*17*	*32*	*25*	*32*	*30*	*25*	*22*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 153.7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	5	7	5	16	7	3	M 153.8
–	–	–	–	–	–	–	–	–	–	–	2	5	5	3	*10*	*4*	*8*	*10*	*8*	*3*	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	2	–	–	M. 153.9
–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	1	3	5	2	1	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
140-239	**II. NEOPLASMS**—*continued*											
154	Rectum	M.	348	334	332	323	335	311	352	331	293	317
		F.	*237*	*228*	*207*	*242*	*202*	*251*	*267*	*239*	*256*	*257*
155	Biliary passages and of liver (stated to be primary site)	M.	115	86	75	74	89	90	91	85	90	86
		F.	*173*	*130*	*100*	*124*	*138*	*129*	*104*	*100*	*129*	*107*
155.0	Liver	M.	84	51	36	33	48	49	50	41	44	47
		F.	*79*	*53*	*34*	*32*	*41*	*33*	*21*	*30*	*31*	*36*
155.1a	Gallbladder	M.	17	18	22	19	16	19	21	25	24	21
		F.	*70*	*56*	*44*	*74*	*76*	*69*	*64*	*53*	*76*	*50*
155.1b	Bile ducts	M.	14	17	17	22	25	22	20	18	22	18
		F.	*24*	*21*	*22*	*18*	*21*	*27*	*19*	*17*	*22*	*21*
155.8	Multiple sites*	M.								1	–	–
		F.								–	–	–
156	Liver (secondary and unspecified)	M.	19	21	51	36	35	45	38	43	37	29
		F.	*24*	*40*	*36*	*36*	*39*	*29*	*58*	*41*	*41*	*34*
157	Pancreas	M.	178	197	197	190	197	189	228	251	233	211
		F.	*156*	*188*	*175*	*176*	*193*	*216*	*193*	*205*	*224*	*235*
158	Peritoneum	M.	20	11	23	23	18	17	19	15	20	8
		F.	*25*	*23*	*35*	*31*	*32*	*44*	*28*	*15*	*20*	*27*
159	Unspecified digestive organs	M.	4	–	2	2	2	4	9	6	9	4
		F.	*2*	*2*	*2*	*1*	*4*	*5*	*7*	*6*	*9*	*5*
160-165	*Malignant neoplasm of respiratory system*	M.	1240	1374	1580	1626	1612	1780	1880	1989	2042	2160
		F.	*316*	*290*	*347*	*339*	*336*	*349*	*340*	*384*	*409*	*389*
160	Nose, nasal cavities, middle ear, and accessory sinuses	M.	14	9	14	12	11	13	13	11	8	11
		F.	*12*	*7*	*15*	*5*	*12*	*12*	*12*	*12*	*11*	*6*
161	Larynx	M.	55	79	75	74	64	70	67	70	61	55
		F.	*15*	*23*	*21*	*21*	*27*	*24*	*17*	*24*	*16*	*24*
162	Bronchus and trachea, and of lung specified as primary	M.	1101	1233	1468	1517	1515	1677	1777	1887	1958	2078
		F.	*268*	*242*	*301*	*295*	*287*	*306*	*304*	*339*	*372*	*344*
162.0	Trachea	M.	2	3	2	3	–	1	–	1	4	3
		F.	*1*	–	*1*	–	*1*	–	–	*1*	–	–
162.1	Bronchus and lung	M.	1098	1228	1463	1514	1514	1674	1775	1879	1952	2072
		F.	*266*	*241*	*299*	*295*	*285*	*304*	*303*	*335*	*372*	*344*
162.2	Pleura	M.	1	2	3	–	1	2	2	5	2	3
		F.	*1*	*1*	*1*	–	*1*	*2*	*1*	*2*	–	–
162.8	Multiple sites*	M.								2	–	–
		F.								*1*	–	–
163	Lung, unspecified as to whether primary or secondary	M.	48	42	4	–	–	–	–	–	–	–
		F.	*10*	*4*	–	–	–	–	–	–	–	–
164	Mediastinum	M.	21	10	18	19	20	12	15	13	8	11
		F.	*11*	*14*	*10*	*10*	*6*	*4*	*5*	*1*	*4*	*7*
165	Thoracic organs (secondary)	M.	1	1	1	4	2	8	8	8	7	5
		F.	–	–	–	*8*	*4*	*3*	*2*	*8*	*6*	*8*
170-181	*Malignant neoplasm of breast and genito-urinary organs*	M.	594	591	638	658	636	739	719	718	760	746
		F.	*1650*	*1701*	*1695*	*1827*	*1802*	*1802*	*1841*	*1766*	*1798*	*1926*
170	Breast	M.	6	8	6	6	6	7	4	6	8	5
		F.	*800*	*823*	*822*	*883*	*838*	*896*	*940*	*869*	*892*	*954*
171	Cervix uteri	F.	*187*	*228*	*245*	*229*	*229*	*254*	*232*	*218*	*220*	*261*
172	Corpus uteri	F.	*26*	*27*	*22*	*31*	*39*	*32*	*30*	*41*	*39*	*38*
173	Other parts of uterus, including chorion-epithelioma	F.	*11*	*14*	*4*	*3*	*3*	*2*	*1*	*1*	–	*3*
174	Uterus, unspecified	F.	*228*	*206*	*205*	*213*	*220*	*199*	*159*	*152*	*157*	*165*
175	Ovary, Fallopian tube, and broad ligament	F.	*215*	*226*	*216*	*261*	*254*	*251*	*290*	*279*	*273*	*271*
175.0	Ovary	F.								*278*	*268*	*270*
175.1	Fallopian tube and broad ligament	F.	Fourth digit sub-division of rubric 175 introduced in Seventh Revision							–	*4*	*1*
175.8.9	Multiple* and unspecified sites	F.								*1*	*1*	–
176	Other and unspecified female genital organs	F.	*55*	*49*	*35*	*37*	*54*	*42*	*41*	*52*	*55*	*58*
177	Prostate	M.	314	304	341	343	328	418	373	376	363	371
178	Testis	M.	23	24	34	18	14	27	22	26	21	27
179	Other and unspecified male genital organs	M.	17	18	14	26	15	15	12	10	20	10
179.0	Penis	M.	12	15	9	20	10	11	11	3	12	6
179.1	Scrotum	M.	5	2	5	5	5	3	1	7	8	4
179.7-9	Other specified, multiple* and unspecified sites	M.	–	1	–	1	–	1	–	–	–	–
180	Kidney	M.	82	66	91	79	107	116	110	109	126	110
		F.	*58*	*56*	*63*	*78*	*74*	*51*	*63*	*64*	*60*	*75*
181	Bladder and other urinary organs	M.	152	171	152	186	166	156	198	191	222	223
		F.	*70*	*72*	*83*	*92*	*91*	*75*	*85*	*90*	*102*	*101*
181.0	Bladder	M.	149	168	151	186	161	153	198	191	218	222
		F.	*65*	*70*	*81*	*92*	*90*	*73*	*82*	*90*	*100*	*98*
181.7	Other urinary organs	M.	3	3	1	–	5	3	–	–	4	1
		F.	*5*	*2*	*2*	–	*1*	*2*	*3*	–	*2*	*3*
181.8	Multiple sites*	M.								–	–	–
		F.								–	–	–
190-199	*Malignant neoplasms of other and unspecified sites*	M.	322	290	304	319	323	304	284	323	317	342
		F.	*296*	*300*	*265*	*283*	*265*	*265*	*293*	*303*	*304*	*318*
190	Malignant melanoma of skin	M.	7	16	22	13	22	21	19	22	21	27
		F.	*10*	*9*	*14*	*21*	*19*	*21*	*22*	*27*	*28*	*18*
191	Other malignant neoplasms of skin	M.	48	39	46	58	36	37	40	50	42	39
		F.	*48*	*38*	*28*	*36*	*40*	*33*	*29*	*41*	*25*	*39*
191.0-3	Face	M.	26	14	22	34	12	14	20	34	20	24
		F.	*15*	*10*	*12*	*13*	*17*	*16*	*9*	*12*	*7*	*17*
191.4-9	Other specified, multiple* and unspecified sites	M.	22	25	24	24	24	23	20	16	22	15
		F.	*33*	*28*	*16*	*23*	*23*	*17*	*20*	*29*	*18*	*22*
192	Eye	M.	5	9	8	6	10	3	7	4	7	14
		F.	*7*	*6*	*3*	*6*	*7*	*9*	*9*	*5*	*6*	*4*

*During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

Table 48 —*continued*

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					140-239
–	–	–	–	–	–	–	1	2	–	5	8	7	23	28	39	35	57	38	40	14	M. 154
–	–	–	–	–	–	–	*2*	*1*	*1*	*1*	*5*	*10*	*17*	*32*	*28*	*28*	*42*	*46*	*19*	*13*	F.
–	–	–	–	–	1	1	–	1	–	–	1	3	6	9	8	12	9	14	6	5	M. 155
1	–	–	–	–	–	–	–	*1*	*1*	–	–	*3*	*8*	*6*	*18*	*25*	*17*	*13*	*13*	*5*	F.
–	–	–	–	–	1	1	–	–	–	–	–	1	3	5	5	9	6	7	2	1	M. 155.0
1	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*2*	*1*	*4*	*4*	*5*	*6*	*1*	*3*	F.
–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	2	3	3	2	M. 155.1a
–	–	–	–	–	–	–	–	–	–	–	–	*1*	*3*	*3*	*10*	*15*	*8*	*5*	*8*	*2*	F
–	–	–	–	–	–	–	–	1	–	–	–	1	3	3	1	–	1	4	1	2	M. 155.1b
–	–	–	–	–	–	–	–	–	–	–	–	*2*	*3*	*1*	*4*	*6*	*4*	*2*	*4*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 155.8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	9	7	6	2	2	1	M. 156
–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*3*	*7*	*8*	*11*	*10*	*5*	*3*	F.
–	–	–	–	–	–	–	–	1	1	1	2	7	20	28	29	41	33	26	19	8	M. 157
–	–	–	–	–	–	–	–	–	–	*4*	*3*	*7*	*15*	*21*	*23*	*44*	*51*	*26*	*26*	*9*	F
–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	2	2	2	1	1	–	M. 158
–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*4*	*4*	*3*	*2*	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	M. 159
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	–	*1*	F.
–	–	–	–	–	–	–	–	2	5	20	48	111	229	394	480	410	261	150	66	21	M. 160-165
1	–	–	–	–	–	–	*1*	*3*	*3*	*6*	*11*	*33*	*40*	*46*	*71*	*64*	*56*	*43*	*24*	*10*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–	–	M. 160
–	–	–	–	–	–	–	–	–	–	–	–	*3*	*1*	*3*	*1*	*1*	–	*2*	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	3	10	6	10	15	6	7	4	M. 161
–	–	–	–	–	–	–	–	–	–	–	–	*5*	*2*	*3*	*2*	*2*	–	*3*	*2*	*2*	F.
–	–	–	–	–	–	–	–	2	5	18	47	108	225	382	469	395	246	143	59	17	M. 162
–	–	–	–	–	–	–	*1*	*3*	*3*	*6*	*11*	*25*	*36*	*38*	*66*	*58*	*52*	*36*	*20*	*7*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	M. 162.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	2	5	18	47	108	224	382	469	394	246	143	59	17	M. 162.1
–	–	–	–	–	–	–	*1*	*3*	*3*	*6*	*11*	*25*	*36*	*38*	*65*	*57*	*52*	*36*	*20*	*7*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 162.2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 162.8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		M. 163
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	1	–	–	M. 164
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*1*	*1*	*2*	–	F.
–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	2	–	–	–	–	M. 165
1	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*2*	*3*	*1*	–	–	F.
–	1	1	–	4	–	–	2	7	6	4	6	17	32	63	95	120	140	159	96	50	M. 170-181
–	–	–	*1*	*1*	–	*2*	*2*	*6*	*19*	*48*	*101*	*153*	*235*	*249*	*234*	*251*	*217*	*200*	*117*	*73*	F.
–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	–	1	–	M. 170
–	–	–	–	–	–	–	*1*	*2*	*11*	*26*	*55*	*77*	*134*	*117*	*117*	*122*	*109*	*104*	*60*	*42*	F.
–	–	–	–	–	–	–	*1*	–	*5*	*13*	*19*	*34*	*32*	*36*	*26*	*34*	*24*	*11*	*9*	*6*	F. 171
–	–	–	–	–	–	–	–	–	–	–	–	*2*	*2*	*1*	*5*	*4*	*6*	*5*	*8*	–	F. 172
–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	F. 173
–	–	–	–	–	–	–	–	–	*1*	*2*	*7*	*10*	*20*	*21*	*25*	*26*	*15*	*16*	*11*	*9*	F. 174
–	–	–	–	–	–	*2*	–	*3*	*2*	*3*	*14*	*26*	*34*	*59*	*36*	*32*	*26*	*31*	*8*	*4*	F. 175
–	–	–	–	–	–	*2*	–	*3*	*2*	*3*	*14*	*26*	*33*	*59*	*36*	*32*	*26*	*31*	*8*	*4*	F. 175.0
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	F. 175.1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 175.8.9
–	–	–	–	–	–	–	–	–	–	–	*1*	–	*3*	*2*	*8*	*11*	*11*	*12*	*6*	*2*	F. 176
–	–	–	–	–	–	–	–	–	–	–	–	–	3	17	37	46	82	105	65	37	M. 177
–	–	–	–	1	–	–	2	4	6	2	–	2	3	–	–	2	1	1	2	–	M. 178
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	4	2	2	1	M. 179
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	4	2	2	1	M. 179.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 179.1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 179.7-9
–	1	1	–	3	–	–	–	3	–	1	3	6	17	20	18	19	16	12	1	4	M. 180
–	–	–	*1*	*1*	–	–	–	–	–	*1*	*1*	*2*	*8*	*5*	*7*	*10*	*8*	*8*	*4*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	3	8	9	26	35	53	36	39	25	8	M.
–	–	–	–	–	–	–	–	*1*	–	*2*	*4*	*1*	*2*	*8*	*10*	*12*	*18*	*13*	*11*	*9*	F. 181
–	–	–	–	–	–	–	–	–	–	–	3	7	9	26	35	53	36	38	25	8	M.
–	–	–	–	–	–	–	–	*1*	–	*2*	*4*	*1*	*2*	*8*	*10*	*12*	*18*	*11*	*11*	*9*	F. 181.0
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	F. 181.7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 181.8
3	3	–	1	6	3	8	4	6	7	12	16	24	33	44	31	41	32	38	16	14	M.
1	*2*	*4*	–	*3*	*3*	*4*	*4*	*3*	*7*	*16*	*15*	*26*	*31*	*28*	*33*	*31*	*40*	*29*	*27*	*18*	F. 190-199
–	–	–	–	–	–	–	–	1	–	2	1	2	4	–	2	2	5	8	–	–	M. 190
–	–	–	–	–	–	–	*1*	*1*	*2*	*6*	*3*	*5*	*3*	*2*	*1*	*1*	*2*	*3*	*3*	*2*	F.
–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	3	2	7	10	6	6	M. 191
–	–	–	–	–	–	–	–	–	–	–	1	1	–	*2*	*1*	*4*	*5*	*4*	*5*	*12*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	5	8	5	5	M. 191.0-3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*2*	*2*	–	*1*	*5*	F.
–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	2	2	2	1	1	M. 191.4-9
–	–	–	–	–	–	–	–	–	–	–	1	1	–	*1*	*1*	*2*	*3*	*4*	*4*	*7*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	M. 192
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*1*	–	–	F.

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
140-239	**II. NEOPLASMS**—*continued*											
190-199	*Malignant neoplasms of other and unspecified sites—continued*											
193	Brain and other parts of nervous system	M.	87	86	93	122	111	110	90	109	117	119
		F.	*48*	*83*	*79*	*62*	*64*	*77*	*89*	*75*	*83*	*72*
193.0	Brain	M.	81	78	85	117	99	100	83	91	92	100
		F.	*44*	*77*	*70*	*58*	*59*	*70*	*87*	*63*	*68*	*63*
193.1.2	Spinal cord and meninges†	M.	4	6	5	3	4	–	–	4	6	5
		F.	*3*	*5*	*8*	*3*	*1*	*1*	*1*	*1*	*1*	–
193.3.4.8.9	Other specified, multiple* and unspecified sites	M.	2	2	3	2	8	10	7	14	19	14
		F.	*1*	*1*	*1*	*1*	*4*	*6*	*1*	*11*	*14*	*9*
194	Thyroid gland	M.	13	11	13	10	10	22	11	11	11	16
		F.	*42*	*43*	*36*	*36*	*35*	*39*	*45*	*39*	*31*	*31*
195	Other endocrine glands	M.	8	7	11	3	5	4	9	3	5	8
		F.	*5*	*10*	*6*	*5*	*8*	*5*	*7*	*9*	*3*	*4*
196	Bone (including jaw bone)	M.	86	60	55	62	90	67	61	56	47	44
		F.	*56*	*53*	*42*	*63*	*50*	*40*	*42*	*43*	*34*	*39*
196a	Skull and face (excluding maxilla superior)**	M.	–	–	–	–	–	–	–	5	8	7
		F.	–	–	–	–	–	–	–	*4*	*6*	*5*
196b	Jaw	M.	26	11	12	11	19	14	12	10	12	13
		F.	*6*	*2*	*6*	*13*	*8*	*2*	*3*	*5*	*7*	*4*
196.2	Vertebral column (excluding sacrum and coccyx)	M.	14	11	9	12	8	16	12	5	8	7
		F.	*17*	*11*	*10*	*13*	*8*	*11*	*11*	*9*	*8*	*4*
196.3-9	Other specified, multiple* and unspecified sites	M.	46	38	34	39	63	37	37	36	19	17
		F.	*33*	*40*	*26*	*37*	*34*	*27*	*28*	*25*	*13*	*26*
197	Connective tissue	M.	8	12	17	12	8	14	17	13	12	21
		F.	*8*	*11*	*11*	*12*	*6*	*14*	*15*	*6*	*10*	*20*
198	Secondary and unspecified of lymph nodes	M.	9	5	7	5	5	8	3	11	11	5
		F.	*7*	*4*	*5*	*8*	*2*	*6*	*3*	*4*	*4*	*6*
199	Other and unspecified sites	M.	51	45	32	28	26	18	27	44	44	49
		F.	*65*	*43*	*41*	*34*	*34*	*21*	*32*	*54*	*80*	*85*
199a	Other sites	M.	42	34	25	23	23	12	20	18	6	7
		F.	*54*	*35*	*34*	*28*	*28*	*19*	*23*	*19*	*30*	*18*
199b	Unspecified site	M	9	11	7	5	3	6	7	26	38	42
		F.	*11*	*8*	*7*	*6*	*6*	*2*	*9*	*35*	*50*	*67*
200-205	*Neoplasms of lymphatic and hæmatopoietic tissues*	M.	238	262	264	292	307	298	284	306	304	302
		F.	*208*	*201*	*196*	*210*	*223*	*244*	*247*	*254*	*280*	*273*
200	Lymphosarcoma and reticulosarcoma	M.	41	50	58	51	67	47	47	66	55	61
		F.	*28*	*30*	*37*	*46*	*36*	*49*	*49*	*50*	*61*	*53*
201	Hodgkin's disease	M.	47	68	51	45	60	61	50	60	53	56
		F.	*40*	*46*	*38*	*27*	*44*	*43*	*32*	*36*	*33*	*36*
202	Other forms of lymphoma (reticulosis)	M.	17	15	17	16	16	19	17	14	17	15
		F.	*10*	*7*	*11*	*11*	*10*	*14*	*14*	*15*	*12*	*19*
203	Multiple myeloma (plasmocytoma)	M.	24	17	20	28	25	39	24	27	40	37
		F.	*17*	*13*	*29*	*27*	*24*	*27*	*39*	*28*	*46*	*35*
204	Leukæmia and aleukæmia	M.	109	108	118	149	138	130	142	137	137	128
		F.	*111*	*104*	*78*	*98*	*109*	*111*	*109*	*122*	*127*	*128*
204.0	Lymphatic leukæmia	M.	47	41	43	59	50	62	56	34	35	32
		F.	*36*	*27*	*23*	*32*	*31*	*41*	*40*	*23*	*17*	*22*
204.1	Myeloid leukæmia	M.	24	25	39	31	43	28	42	26	18	15
		F.	*34*	*32*	*27*	*30*	*40*	*36*	*23*	*29*	*31*	*27*
204.2	Monocytic leukæmia	M.								13	6	11
		F.							††	*5*	*9*	*6*
204.3	Acute leukæmia	M.	38	42	36	59	45	40	44	50	58	55
		F.	*41*	*45*	*28*	*36*	*38*	*34*	*46*	*45*	*48*	*48*
204.4	Other and unspecified leukæmia	M.								14	20	15
		F.								20	22	25
205	Mycosis fungoides	M.	–	4	–	3	1	2	4	2	2	5
		F.	*2*	*1*	*3*	*1*	–	–	*4*	*3*	*1*	*2*
210-229	*Benign neoplasm*	M.	32	43	24	34	26	45	40	26	41	23
		F.	*66*	*61*	*50*	*52*	*55*	*72*	*55*	*39*	*47*	*49*
210	Buccal cavity and pharynx	M.	–	1	–	–	–	–	–	–	–	–
		F.	–	–	*1*	–	*1*	–	–	–	–	–
211	Other parts of digestive system	M.	1	5	–	3	2	3	3	1	5	4
		F.	*2*	*6*	*4*	*3*	*6*	*1*	*2*	–	*2*	*3*
212	Respiratory system	M.	3	1	3	4	–	1	3	2	–	2
		F.	*2*	*3*	–	*2*	–	*1*	*2*	*3*	*2*	–
213	Breast	M.	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	*1*	–	–	–	–	–	–	–
214	Uterine fibromyoma	F.	*8*	*6*	*12*	*8*	*11*	*10*	*8*	*3*	*4*	*4*
215	Other uterus	F.	*1*	*1*	*1*	*3*	–	–	*2*	*1*	*1*	*2*
216	Ovary	F.	*21*	*19*	*10*	*11*	*13*	*21*	*12*	*10*	*6*	*11*
217	Other female genital organs	F.	–	–	–	–	–	–	–	*1*	–	–
218	Male genital organs	M.	2	–	–	–	1	–	1	–	–	–
219	Kidney and other urinary organs	M.	14	9	6	6	10	10	8	6	12	5
		F.	*5*	*5*	*1*	*4*	*3*	*4*	*4*	*1*	*5*	–
219a	Bladder	M.	14	9	6	5	9	8	6	6	11	5
		F.	*5*	*4*	*1*	*3*	*3*	*3*	*3*	*1*	*4*	–
219b	Kidney and other urinary organs	M.	–	–	–	1	1	2	2	–	1	–
		F.	–	*1*	–	*1*	–	*1*	*1*	–	*1*	–
220	Benign melanoma of skin	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
221	Pilonidal cyst	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
222	Other skin	M.	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
223	Brain and other parts of nervous system	M.	9	16	9	14	6	20	17	12	14	8
		F.	*14*	*15*	*16*	*15*	*14*	*24*	*20*	*15*	*15*	*20*
224	Endocrine glands	M.	2	3	4	3	4	6	2	3	3	2
		F.	*7*	*3*	*3*	*3*	*3*	*3*	*2*	*2*	*2*	*8*
225	Bone and cartilage	M.	–	1	1	–	–	2	1	–	1	–
		F.	*2*	*1*	*1*	*1*	–	*3*	*1*	–	*2*	–
226	Lipoma	M.	–	1	1	1	1	–	1	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–

†During 1950-1957 malignant neoplasm of meninges was allocated to "193c other parts of nervous system."
*During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.
††During 1950-1957 rubrics 204.2.3.4 were amalgamated and designated "204.4(2.3) Other and unspecified leukaemia."

1961 Ages																				International Detailed List Numbers
-	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					140-239 190-199
3	3	–	–	4	2	4	3	5	3	2	7	12	17	18	11	9	3	–	–	–	M.
1	*2*	*4*	–	*1*	*1*	*1*	*1*	*1*	*3*	*5*	*8*	*12*	*9*	*14*	*13*	*5*	*3*	*2*	–	–	F. 193
1	2	–	–	3	1	3	1	3	3	1	6	10	13	17	9	8	3	–	–	–	M.
–	–	*4*	–	*1*	*1*	*1*	–	*1*	*3*	*4*	*7*	*9*	*9*	*14*	*13*	*5*	*1*	*2*	–	–	F. 193.0
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	–	–	–	–	F. 193.1, 2
2	1	–	–	1	1	–	1	2	–	1	1	2	4	1	2	1	–	–	–	–	M. 193.3, 4
1	*2*	–	–	–	–	*1*	–	–	–	*1*	*1*	–	–	–	–	–	*2*	–	–	–	F. 8, 9
–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	4	–	–	–	1	M.
–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	2	–	2	*8*	*9*	*8*	*5*	*1*	F. 194
–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	–	–	2	–	–	–	M
–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	*2*	–	–	–	–	–	–	–	F. 195
–	–	–	–	1	–	3	1	–	–	1	1	1	6	6	8	10	6	5	3	2	M.
–	–	–	–	–	*1*	*2*	*2*	*1*	–	*1*	–	*1*	*6*	*2*	*3*	*2*	*6*	*2*	*2*	*1*	F. 196
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	1	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*2*	*1*	–	–	F. 196a
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	1	1	4	2	1	1	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	F. 196b
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	M.
–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	*1*	–	*1*	–	–	–	F. 196.2
–	–	–	–	1	–	3	1	–	–	1	1	–	4	5	5	3	3	3	1	1	M.
–	–	–	–	–	*1*	*2*	*2*	–	–	*1*	–	–	*5*	*1*	*1*	*2*	*2*	*1*	*1*	*1*	F. 196.3-9
–	–	–	–	1	1	1	–	–	–	2	2	2	1	1	1	2	–	3	3	–	M.
–	–	–	–	*2*	–	*1*	–	–	–	*1*	–	*1*	*1*	*1*	*1*	*2*	*3*	*3*	*1*	–	F. 197
–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	–	1	–	2	–	1	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	*3*	–	F. 198
–	–	–	1	–	–	–	–	–	1	1	3	3	3	9	6	11	9	9	4	4	M.
–	–	–	–	–	–	–	–	–	*1*	*3*	*1*	*5*	*7*	*6*	*10*	*9*	*11*	*6*	*8*	*2*	F. 199
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	3	–	1	M.
–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*2*	–	*3*	–	*4*	–	*3*	*1*	F. 199a
–	–	–	1	–	–	–	–	–	1	1	3	2	3	9	4	9	7	6	4	3	M.
–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*4*	*5*	*6*	*7*	*9*	*7*	*6*	*5*	*1*	F. 199b
1	2	3	2	10	6	9	13	6	14	14	13	23	39	33	56	37	40	22	15	2	M.
1	*1*	*3*	*5*	*6*	*6*	*4*	*6*	*7*	*5*	*14*	*8*	*11*	*20*	*33*	*49*	*33*	*33*	*30*	*13*	*6*	F. 200-205
–	–	–	–	1	1	1	–	–	4	1	3	6	6	13	13	10	4	2	7	–	M.
–	–	–	–	–	*1*	*1*	–	*2*	*2*	*1*	*5*	*2*	*6*	*7*	*15*	*10*	*5*	*8*	*4*	*2*	F. 200
–	–	–	–	–	–	2	9	4	4	4	8	9	8	4	9	4	6	1	–	–	M.
–	–	–	–	*1*	–	*2*	*4*	–	*3*	*6*	*2*	*1*	*1*	*8*	*3*	*3*	*3*	–	*2*	–	F. 201
–	–	–	1	1	–	–	–	–	–	–	1	–	3	1	1	1	3	1	–	1	M.
–	–	*1*	–	–	–	–	–	*2*	*1*	–	–	*2*	*1*	*4*	*1*	*1*	*3*	*1*	*1*	–	F. 202
–	–	–	–	–	–	–	–	–	1	–	–	2	8	4	10	6	5	2	2	–	M.
–	–	–	–	–	–	–	–	–	–	*1*	–	*2*	*2*	*4*	*8*	*9*	*10*	*7*	*1*	–	F. 203
1	2	3	1	8	5	6	4	2	5	9	1	6	13	11	23	16	22	16	6	1	M.
1	*1*	*2*	*5*	*5*	*5*	*1*	–	*4*	–	*5*	*1*	*4*	*9*	*10*	*22*	*10*	*12*	*14*	*5*	*4*	F. 204
–	–	–	–	–	1	–	–	–	1	1	–	2	3	4	4	5	9	6	3	1	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*3*	*5*	*2*	*4*	*5*	*2*	–	F. 204.0
–	–	–	–	–	–	1	1	–	–	1	–	1	3	5	1	2	2	4	–	–	M.
–	–	–	–	–	*2*	–	–	–	–	*1*	–	*1*	*3*	*2*	*7*	*3*	*2*	*3*	*2*	*1*	F. 204.1
–	–	–	–	1	–	1	1	–	–	1	–	–	1	–	4	2	–	–	1	–	M.
–	–	–	*1*	*2*	–	–	–	*2*	–	*1*	–	*2*	*1*	*3*	*1*	*3*	*2*	–	–	–	F. 204.2
1	2	3	1	7	4	4	1	2	4	5	1	2	2	1	8	5	5	5	2	–	M.
1	*1*	*2*	*4*	*4*	*1*	*1*	–	*2*	–	*3*	*1*	*1*	*3*	*1*	*7*	–	*2*	*4*	–	*1*	F. 204.3
–	–	–	–	–	–	–	1	–	–	1	–	1	4	1	6	2	6	1	–	–	M.
–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	*2*	*2*	*2*	*1*	*2*	F. 204.4
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	F. 205
1	1	–	–	1	–	–	2	2	1	–	–	1	8	4	4	3	1	3	1	1	M.
–	–	*1*	–	*1*	*1*	*2*	–	–	–	*3*	*3*	*5*	*3*	*7*	*4*	*6*	*8*	*5*	*2*	*4*	F. 210-229
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 210
–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F. 211
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 212
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 213
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	M.
–	–	–	–	–	–	–	–	–	–	1	–	*1*	*1*	–	*1*	–	*1*	*1*	–	*1*	F. 214
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	F. 215
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*2*	*1*	*2*	*3*	*1*	*1*	*2*	F. 216
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 217
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 218
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	1	1	M. 219
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	*1*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	M. 219a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	*1*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. 219b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 220
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 221
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 222
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	–	1	–	1	–	–	–	3	1	2	–	–	1	–	–	M. 223
–	–	*1*	–	*1*	–	–	–	–	–	*2*	*1*	*2*	*2*	*3*	*1*	*2*	*2*	–	–	–	F.
–	1	–	–	1	–	–	1	1	–	–	1	–	1	1	–	–	–	1	–	–	M. 224
–	–	–	–	–	*1*	*2*	–	–	–	–	*1*	*2*	–	–	–	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	M. 225
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 226
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

*196, Fourth-digit subdivision of this rubric was introduced in Seventh Revision, but prior to 1958 there was a Scottish subdivision; a. Jaw (including maxilla, inferior, superior): b. Spine; c. Others. In order to preserve the Scottish series of these deaths the Seventh Revision subdivision .0 Skull and face (including maxilla superior) and .1 Lower jawbone, have not been adopted.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
140-239	**II. NEOPLASMS**—*continued*											
210-229	*Benign neoplasm—continued*											
227	Other muscular and connective tissue	M.	–	–	–	1	–	–	1	–	4	–
		F.	–	–	–	–	*1*	*2*	–	*3*	*4*	*1*
228	Hæmangioma and lymphangioma	M.	1	5	–	2	2	2	3	2	2	2
		F.	*2*	–	–	*2*	*2*	*3*	*1*	–	*3*	–
229	Other and unspecified organs and tissues	M.	–	1	–	–	–	–	–	–	–	–
		F.	–	*2*	–	–	*1*	–	*1*	–	*1*	–
230-239	*Neoplasm of unspecified nature*	M.	31	18	14	16	15	10	19	12	22	18
		F.	*40*	*23*	*18*	*21*	*18*	*19*	*19*	*17*	*23*	*21*
230	Digestive organs	M.	2	–	–	1	1	–	2	1	1	3
		F.	*8*	–	*3*	*1*	*1*	*1*	–	–	*2*	*4*
231	Respiratory organs	M.	8	1	1	1	–	–	–	–	–	–
		F.	*2*	*1*	–	*1*	*1*	*1*	–	–	–	*1*
232	Breast	M	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
233	Uterus	F.	*1*	–	–	–	–	–	–	–	*1*	–
234	Ovary	F.	*1*	–	*2*	*3*	–	*4*	–	*1*	–	*1*
235	Other female genital organs	F.	–	–	–	*1*	–	–	–	–	–	–
236	Other genito-urinary organs	M.	2	3	–	1	–	–	–	1	1	2
		F.	*2*	–	–	–	*1*	*1*	–	–	*1*	–
236a	Bladder	M.	2	2	–	1	–	–	–	1	1	1
		F.	*1*	–	–	–	*1*	*1*	–	–	*1*	–
236b	Other genito-urinary organs	M.	–	1	–	–	–	–	–	–	–	1
		F.	*1*	–	–	–	–	–	–	–	–	–
237	Brain and other parts of nervous system	M.	17	12	10	12	12	10	15	9	20	11
		F.	*23*	*19*	*13*	*13*	*12*	*12*	*17*	*13*	*18*	*14*
238	Skin and musculoskeletal system	M.	–	1	–	–	2	–	1	–	–	–
		F.	*1*	*1*	–	–	*2*	–	–	*1*	–	–
239	Other unspecified organs	M.	2	1	3	1	–	–	1	1	–	2
		F.	*2*	*2*	–	*2*	*1*	–	*2*	*2*	*1*	*1*
240-289	**III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES**	M.	411	337	289	292	312	299	306	305	286	253
		F.	*705*	*612*	*522*	*575*	*579*	*566*	*570*	*594*	*611*	*610*
240-245	*Allergic disorders*	M.	187	150	114	113	110	117	106	94	77	57
		F.	*186*	*155*	*117*	*146*	*117*	*132*	*95*	*75*	*91*	*76*
240	Hay fever	M.	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
241	Asthma	M.	185	149	113	112	109	116	106	93	76	56
		F.	*185*	*154*	*117*	*144*	*117*	*131*	*95*	*75*	*90*	*76*
242	Angioneurotic œdema	M.	1	–	1	–	1	1	–	1	1	–
		F.	*1*	*1*	–	*1*	–	*1*	–	–	*1*	–
243	Urticaria	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
244	Allergic eczema	M.	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
245	Other allergic disorders	M.	–	1	–	–	–	–	–	–	–	1
		F.	–	–	–	*1*	–	–	–	–	–	–
250-254	*Diseases of thyroid gland*	M.	15	9	7	5	17	6	14	9	10	13
		F.	*72*	*72*	*51*	*65*	*80*	*60*	*67*	*95*	*83*	*68*
250	Simple goitre	M.	1	–	–	–	1	–	1	1	–	2
		F.	*1*	*1*	*2*	*2*	*3*	*3*	*1*	*3*	*1*	–
251	Non-toxic nodular goitre	M.	–	–	–	–	–	–	–	–	–	–
		F.	*3*	–	*1*	*5*	*5*	*4*	*1*	*1*	–	*1*
252	Thyrotoxicosis with or without goitre	M.	5	6	2	3	8	2	6	2	5	4
		F.	*31*	*23*	*16*	*24*	*24*	*14*	*28*	*22*	*22*	*15*
253	Myxœdema and cretinism	M.	6	3	5	1	8	4	7	6	4	7
		F.	*36*	*45*	*29*	*34*	*45*	*38*	*35*	*67*	*59*	*50*
254	Other diseases of thyroid gland	M.	3	–	–	1	–	–	–	–	1	–
		F.	*1*	*3*	*3*	–	*3*	*1*	*2*	*2*	*1*	*2*
260	*Diabetes mellitus*	M.	169	142	129	128	141	129	145	155	156	146
		F.	*390*	*335*	*310*	*317*	*318*	*344*	*360*	*373*	*394*	*409*
270-277	*Diseases of other endocrine glands*	M.	14	11	16	19	13	15	15	14	15	11
		F.	*29*	*30*	*21*	*24*	*26*	*17*	*23*	*14*	*17*	*23*
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	–	–	2	1	1	–	2	2	3	–
		F.	*1*	–	–	*1*	–	–	–	*1*	–	–
271	Diseases of parathyroid gland	M.	–	1	–	1	–	–	–	–	–	1
		F.	–	*2*	–	*1*	*1*	*2*	*1*	–	*1*	*3*
272	Diseases of pituitary gland	M.	2	5	4	9	6	7	3	9	4	7
		F.	*12*	*10*	*9*	*12*	*16*	*5*	*11*	*9*	*8*	*1*
273	Diseases of thymus gland	M.	8	2	3	2	–	4	1	1	–	1
		F.	*4*	*3*	*3*	*3*	–	*3*	*1*	–	–	*12*
274	Diseases of adrenal glands	M.	2	3	5	6	5	4	8	2	7	2
		F.	*9*	*13*	*9*	*6*	*7*	*5*	*6*	*4*	*6*	*4*
275	Ovarian dysfunction	F.	–	–	–	–	–	–	–	–	*1*	–
276	Testicular dysfunction	M.	–	–	–	–	–	–	–	–	–	–
277	Polyglandular dysfunction and other diseases of endocrine glands	M.	2	–	2	–	1	–	1	–	1	–
		F.	*3*	*2*	–	*1*	*2*	*2*	*4*	–	*1*	*3*
280-289	*Avitaminoses and other metabolic diseases*	M.	26	25	23	27	31	32	26	33	28	26
		F.	*28*	*20*	*23*	*23*	*38*	*13*	*25*	*37*	*26*	*34*
280	Beriberi	M.	–	–	–	1	–	–	–	–	1	1
		F.	–	–	–	–	–	–	–	–	–	–
281	Pellagra	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	*1*	–	–	–	–	–	–
282	Scurvy	M.	1	1	–	2	1	1	2	–	1	–
		F.	*1*	*2*	–	–	*2*	*1*	–	–	–	–
283	Active rickets	M.	–	–	–	1	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					140-239
																					210-229
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. 227
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	F. 227
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 228
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	F. 228
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M. 229
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 229
–	–	–	1	–	1	–	–	–	–	1	1	2	2	1	2	4	1	1	–	–	M. 230-239
–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	–	*3*	*4*	*1*	–	–	–	*1*	F. 230-239
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 230
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	F. 230
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 231
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 231
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 232
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 232
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 233
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	F. 234
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 235
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	M. 236
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 236
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	M. 236a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 236a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 236b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 236b
–	–	–	1	–	1	–	–	–	–	1	1	2	2	1	2	4	1	–	–	–	M. 237
–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	–	*3*	*3*	–	–	–	–	–	F. 237
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 238
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 238
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 239
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 239
–	1	–	–	1	3	2	3	1	7	7	8	7	14	27	46	36	58	35	23	9	M. 240-289
1	*2*	–	–	*2*	*2*	*2*	*5*	*3*	*4*	*3*	*9*	*9*	*29*	*54*	*83*	*103*	*122*	*111*	*54*	*27*	F. 240-289
–	1	–	–	–	2	–	1	–	3	4	5	2	3	9	11	7	8	1	5	–	M. 240-245
–	*1*	–	–	–	*1*	*2*	*3*	*3*	*3*	*2*	*4*	–	*8*	*7*	*8*	*6*	*16*	*8*	*3*	*3*	F. 240-245
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	M. 240
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 240
–	1	–	–	–	2	–	1	–	3	4	5	2	3	9	11	7	8	1	4	–	M. 241
–	*1*	–	–	–	*1*	*2*	*3*	*3*	*3*	*2*	*4*	–	*8*	*7*	*8*	*6*	*16*	*8*	*3*	*3*	F. 241
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 242
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 242
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 243
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 243
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 244
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 244
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 245
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 245
–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	6	1	5	2	–	–	M. 250-254
–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	*2*	*5*	*8*	*12*	*14*	*17*	*11*	*7*	F. 250-254
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 250
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 250
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 251
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	–	F. 251
–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	4	1	3	–	–	–	M. 252
–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	*3*	*1*	*1*	–	*5*	*3*	*1*	F. 252
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	–	–	M. 253
–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*7*	*9*	*13*	*12*	*7*	*6*	F. 253
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	M. 254
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 254
–	–	–	–	1	–	–	1	1	3	1	1	–	11	11	23	27	41	30	16	8	M. 260
1	–	–	–	*1*	*1*	–	–	–	*1*	*1*	*4*	*4*	*12*	*39*	*64*	*79*	*84*	*82*	*36*	*15*	F. 260
–	–	–	–	–	–	2	–	–	–	1	1	2	–	1	3	–	1	–	–	–	M. 270-277
–	–	–	–	–	–	–	–	–	–	–	–	*2*	*4*	*1*	*2*	*2*	*3*	–	*1*	–	F. 270-277
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	M. 270
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 270
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	M. 271
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 271
–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	M. 272
–	–	–	–	–	–	–	–	–	–	–	–	*2*	*4*	*1*	*1*	*1*	*2*	–	*1*	–	F. 272
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 273
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 273
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1	–	–	–	M. 274
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F. 274
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 275
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 276
–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	M. 277
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 277
–	–	–	–	–	1	–	1	–	–	1	1	3	–	2	3	1	3	2	2	1	M. 280-289
–	–	–	–	*1*	–	–	*1*	–	–	–	*1*	*3*	*3*	*2*	*1*	*4*	*5*	*4*	*3*	*2*	F. 280-289
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 280
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 280
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 281
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 281
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	M. 282
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 282
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 283
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 283

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	19
240-289	**III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES**—*continued*												
280-289	*Avitaminoses and other metabolic diseases—continued*												
284	Late effects of rickets	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	*1*	–	–	–	*1*	–	
285	Osteomalacia	M.	–	–	–	–	1	–	–	–	–	–	
		F.	*1*	–	–	*1*	–	*1*	–	–	–	–	
286	Other avitaminoses and nutritional deficiency states	M.	16	11	11	11	14	17	12	19	18	14	
		F.	*17*	*6*	*13*	*11*	*20*	*4*	*10*	*22*	*13*	*18*	
287	Obesity, not specified as of endocrine origin	M.	–	–	1	–	2	1	–	–	–	1	
		F.	*1*	*1*	*2*	*2*	*6*	*4*	*2*	*5*	*4*	*6*	
288	Gout	M.	1	–	–	1	1	–	1	–	–	–	
		F.	–	–	–	–	–	–	*2*	–	–	–	
289	Other metabolic diseases	M.	8	13	11	11	12	12	11	14	8	10	
		F.	*8*	*11*	*8*	*8*	*9*	*3*	*11*	*10*	*8*	*10*	
290-299	**IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	M.	136	114	95	99	98	106	84	85	106	96	10
		F.	*266*	*209*	*179*	*207*	*161*	*181*	*174*	*192*	*174*	*196*	*18*
290	Pernicious and other hyperchromic anæmias	M.	74	61	46	46	36	48	40	42	47	33	
		F.	*160*	*106*	*90*	*104*	*85*	*101*	*80*	*119*	*83*	*101*	
290a	Pernicious and other hyperchromic anæmias	M.	70	58	41	43	34	48	40	42	46	32	
		F.	*156*	*97*	*87*	*99*	*81*	*97*	*78*	*118*	*82*	*100*	
290b	Subacute combined degeneration of spinal cord without mention of pernicious anæmia	M.	4	3	5	3	2	–	–	–	1	1	
		F.	*4*	*9*	*3*	*5*	*4*	*4*	*2*	*1*	*1*	*1*	
291	Iron deficiency anæmias (hypochromic anæmias)	M.	7	4	5	4	3	5	3	–	6	6	
		F.	*12*	*7*	*6*	*3*	*9*	*13*	*6*	*10*	*7*	*19*	
292	Other anæmias of specified type	M.	24	21	14	20	23	21	19	16	24	25	
		F.	*31*	*42*	*30*	*36*	*20*	*29*	*29*	*23*	*43*	*28*	
292.4	Aplastic anæmia	M.	18	16	7	13	15	12	9	10	8	18	
		F.	*24*	*27*	*18*	*21*	*18*	*23*	*16*	*12*	*19*	*15*	
292.0-3, 5-7	Other anæmias included under 292	M.	6	5	7	7	8	9	10	6	16	7	
		F.	*7*	*15*	*12*	*15*	*2*	*6*	*13*	*11*	*24*	*13*	
293	Anæmia of unspecified type	M.	11	6	9	9	17	14	10	11	11	12	
		F.	*26*	*22*	*20*	*26*	*23*	*14*	*27*	*18*	*24*	*23*	
294	Polycythæmia	M.	1	2	2	1	6	2	4	5	8	4	
		F.	*4*	*3*	–	*4*	*5*	*5*	*7*	*3*	*4*	*6*	
295	Hæmophilia	M.	1	4	1	2	–	1	1	1	–	2	
		F.	–	–	–	–	–	–	–	–	–	–	
296	Purpura and other hæmorrhagic conditions	M.	6	6	9	9	5	11	5	4	3	8	
		F.	*11*	*13*	*7*	*10*	*9*	*11*	*10*	*6*	*4*	*13*	
297	Agranulocytosis	M.	3	2	2	4	1	2	1	1	2	1	
		F.	*7*	*1*	*8*	*6*	*3*	*1*	*4*	*3*	*4*	*2*	
298	Diseases of spleen	M.	9	8	6	4	7	2	1	4	4	4	
		F.	*15*	*15*	*16*	*18*	*7*	*6*	*11*	*7*	*4*	*4*	
299	Other diseases of blood and blood-forming organs	M.	–	–	1	–	–	–	–	1	1	1	
		F.	–	–	*2*	–	–	*1*	–	*3*	*1*	–	
300-326	**V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS**	M.	61	53	55	57	67	73	55	92	63	65	
		F.	*93*	*79*	*76*	*67*	*91*	*80*	*77*	*79*	*99*	*122*	*15*
300-309	*Psychoses*	M.	37	23	25	34	37	48	29	65	37	46	
		F.	*82*	*64*	*59*	*54*	*63*	*63*	*54*	*59*	*76*	*102*	*1*
300	Schizophrenic disorders (dementia præcox)	M.	3	1	2	2	6	8	5	3	1	7	
		F.	*4*	*8*	*1*	*7*	*6*	*4*	*3*	*2*	*2*	*4*	
301	Manic-depressive reaction	M.	4	4	4	1	8	4	1	1	1	1	
		F.	*11*	*13*	*4*	*5*	*8*	*4*	*4*	*3*	*2*	*3*	
302	Involutional melancholia	M.	–	–	–	–	–	–	–	1	–	1	
		F.	*3*	–	*1*	–	–	*3*	*2*	*1*	*1*	–	
303	Paranoia and paranoid states	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	*2*	–	–	*1*	*2*	*2*	*1*	–	*1*	
304	Senile psychosis	M.	20	12	10	22	19	17	14	42	24	29	
		F.	*48*	*25*	*33*	*31*	*27*	*42*	*32*	*40*	*52*	*68*	*10*
305	Presenile psychosis	M.	3	2	4	5	2	8	3	3	8	5	
		F.	*7*	*8*	*8*	*5*	*17*	*5*	*7*	*8*	*15*	*23*	
307	Alcoholic psychosis	M.	2	–	1	3	1	4	3	2	2	–	
		F.	–	–	–	–	–	–	–	–	–	*1*	
309	Other and unspecified psychoses	M.	5	4	4	1	1	7	3	13	1	3	
		F.	*9*	*8*	*12*	*6*	*4*	*3*	*4*	*4*	*4*	*2*	
310-318	*Psychoneurotic disorders*	M.	3	3	1	2	4	1	3	3	3	2	
		F.	*4*	*4*	*3*	*1*	*7*	*5*	*8*	*2*	*3*	*4*	
320-326	*Disorders of character, behaviour and intelligence*	M.	21	27	29	21	26	24	23	24	23	17	
		F.	*7*	*11*	*14*	*12*	*21*	*12*	*15*	*18*	*20*	*16*	
320	Pathological personality	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	*1*	*1*	–	–	–	
321	Immature personality	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
322	Alcoholism	M.	11	10	16	11	10	11	8	13	10	9	
		F.	–	*4*	*3*	*5*	*7*	*5*	*6*	*7*	*6*	*4*	
323	Other drug addiction	M.	–	1	–	–	–	–	–	–	–	–	
		F.	–	–	*1*	*1*	–	–	–	–	–	–	
324	Primary childhood behaviour disorders	M.	1	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
325	Mental deficiency	M.	10	16	13	10	16	13	15	11	13	8	
		F.	*7*	*7*	*10*	*6*	*14*	*6*	*8*	*11*	*14*	*12*	
326	Other and unspecified character, behaviour, and intelligence disorders	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	

Table 48—*continued*

1961 Ages																					International Detailed List Numbers
-1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																						240-289
																						280-289
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 284
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 285
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	M. 286
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	*4*	*4*	*3*	*3*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 287
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 288
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	1	–	1	–	–	1	1	3	–	1	1	1	1	1	–	–	M. 289
1	–	–	–	–	*1*	–	–	*1*	–	–	–	*1*	*2*	*2*	–	–	–	–	–	–	*1*	F.
1	–	1	1	–	2	2	1	1	1	1	1	3	1	5	9	8	15	15	12	16	12	M. 290-299
–	–	–	–	–	*2*	*1*	*2*	–	*2*	*1*	*1*	*4*	*1*	*2*	*6*	*20*	*18*	*30*	*29*	*32*	*32*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	7	6	8	12	M. 290
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*3*	*8*	*10*	*18*	*17*	*22*	*19*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	7	6	8	12	M. 290a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*3*	*7*	*10*	*17*	*17*	*22*	*19*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 290b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	M. 291
–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	*2*	*2*	*4*	*1*	–	*2*	F.
1	–	–	1	–	1	1	1	1	1	–	–	–	–	1	3	2	7	3	2	4	–	M. 292
–	–	–	–	–	*2*	*1*	*1*	–	*1*	*1*	*1*	–	–	–	*1*	*2*	*1*	*3*	*2*	*3*	*1*	F.
–	–	–	1	–	–	1	1	1	1	–	–	–	–	–	2	2	3	1	–	4	–	M. 292.4
–	–	–	–	–	*1*	*1*	*1*	–	–	*1*	–	–	–	–	*1*	*1*	–	*1*	–	–	*1*	F.
1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	4	2	2	–	–	M. 292.0-3,
–	–	–	–	–	*1*	–	–	–	*1*	–	*1*	–	–	–	–	*1*	*1*	*2*	*2*	*3*	–	F. 5-7
–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	2	2	–	M. 293
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*4*	*2*	*2*	*9*	*3*	*10*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	1	1	–	M. 294
–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	*3*	*2*	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	M. 295
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	M. 296
–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*1*	–	–	*1*	–	*1*	–	*2*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	M. 297
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	F.
–	–	1	–	–	1	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	M. 298
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	M. 299
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	F.
1	–	–	–	–	1	1	2	–	–	1	–	2	5	2	3	8	5	11	14	19	6	M. 300-326
6	–	–	–	–	–	–	–	–	–	*1*	*2*	*2*	*3*	*2*	*8*	*9*	*6*	*26*	*31*	*36*	*22*	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	4	5	11	14	19	6	M. 300-309
–	–	–	–	–	–	–	–	–	2	1	1	1	–	2	8	7	4	26	30	36	21	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	3	1	1	1	M. 300
–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	1	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	M. 301
–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 302
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 303
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	11	16	5	M. 304
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	23	27	35	21	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–	–	–	M. 305
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*6*	*6*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	M. 307
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	M. 309
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 310-318
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	*1*	F.
1	–	–	–	–	1	1	2	–	–	1	–	1	3	1	–	3	–	–	–	–	–	M. 320-326
6	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	–	*2*	*1*	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 320
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 321
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	M. 322
–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	*1*	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 323
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 324
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	1	1	2	–	–	1	–	–	2	–	–	2	–	–	–	–	–	M. 325
6	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 326
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	19
330-398	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M.	4364	4311	4198	4373	4396	4435	4377	4485	4406	4612	44
		F.	*5830*	*5676*	*5533*	*6018*	*6006*	*5995*	*5933*	*6282*	*6218*	*6045*	*61*
330-334	*Vascular lesions affecting central nervous system*	M.	3863	3859	3781	3953	4020	4076	4030	4111	4049	4206	40
		F.	*5259*	*5228*	*5114*	*5609*	*5587*	*5604*	*5536*	*5871*	*5813*	*5644*	*57*
330	Subarachnoid hæmorrhage	M.	72	69	77	82	94	118	82	108	98	106	1
		F.	*93*	*102*	*106*	*122*	*119*	*125*	*137*	*165*	*142*	*150*	*1*
331	Cerebral hæmorrhage	M.	1856	1813	1761	1732	1730	1740	1566	1595	1586	1627	14
		F.	*2661*	*2553*	*2475*	*2614*	*2451*	*2428*	*2293*	*2403*	*2333*	*2204*	*23*
332	Cerebral embolism and thrombosis	M.	1708	1705	1640	1826	1888	1882	2056	2039	1968	1998	20
		F.	*2278*	*2319*	*2211*	*2503*	*2655*	*2659*	*2726*	*2834*	*2835*	*2830*	*27*
333	Spasm of cerebral arteries	M.	1	1	2	–	2	–	1	–	–	1	
		F.	–	–	–	*1*	–	*1*	–	–	–	–	
334	Other and ill-defined vascular lesions affecting central nervous system	M.	226	271	301	313	306	336	325	369	397	474	4
		F.	*227*	*254*	*322*	*369*	*362*	*391*	*380*	*469*	*503*	*460*	*5*
340-345	*Inflammatory diseases of central nervous system*	M.	138	149	139	145	117	103	124	135	117	118	1
		F.	*171*	*144*	*138*	*150*	*145*	*129*	*141*	*140*	*130*	*146*	*1*
340	Meningitis, except meningococcal and tuberculous	M.	31	44	30	36	30	27	33	26	24	27	
		F.	*28*	*28*	*19*	*23*	*18*	*18*	*26*	*32*	*22*	*29*	
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M.	–	4	3	3	1	–	7	1	3	2	
		F.	*7*	*2*	*5*	–	*2*	–	*2*	–	–	*4*	
342	Intracranial and intraspinal abscess	M.	12	11	14	5	4	6	7	14	13	17	
		F.	*7*	*7*	*5*	*4*	*7*	*4*	*6*	*12*	*7*	*3*	
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	27	16	17	22	17	11	13	7	13	5	
		F.	*20*	*20*	*16*	*14*	*16*	*11*	*9*	*10*	*11*	*8*	
344	Late effects of intracranial abscess or pyogenic infection	M.	–	2	5	3	3	3	4	2	5	10	
		F.	*3*	*2*	*7*	*5*	*5*	*3*	*5*	*2*	*1*	*3*	
345	Multiple sclerosis	M.	68	72	70	76	62	56	60	85	59	57	
		F.	*106*	*85*	*86*	*104*	*97*	*93*	*93*	*84*	*89*	*99*	
350-357	*Other diseases of central nervous system*	M.	337	277	257	251	241	236	208	215	232	271	2
		F.	*376*	*285*	*261*	*245*	*265*	*245*	*243*	*258*	*261*	*246*	*2*
350	Paralysis agitans	M.	80	77	87	71	72	83	70	78	80	82	
		F.	*101*	*82*	*97*	*89*	*98*	*90*	*89*	*99*	*104*	*105*	*1*
351	Cerebral spastic infantile paralysis	M.	11	14	9	16	13	12	16	14	17	11	
		F.	*12*	*8*	*8*	*11*	*11*	*9*	*13*	*12*	*11*	*4*	
352	Other cerebral paralysis	M.	93	42	35	39	36	27	21	31	26	40	
		F.	*137*	*62*	*46*	*49*	*49*	*29*	*43*	*32*	*40*	*39*	
353	Epilepsy	M.	73	60	61	65	47	48	44	38	56	64	
		F.	*55*	*66*	*45*	*52*	*53*	*54*	*41*	*52*	*33*	*38*	
354	Migraine	M.	–	2	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
355	Other diseases of brain	M.	36	36	26	23	23	16	21	19	28	33	
		F.	*42*	*45*	*39*	*25*	*24*	*19*	*25*	*29*	*39*	*32*	
356	Motor neurone disease and muscular atrophy	M.	38	37	33	34	45	43	28	27	20	30	
		F.	*22*	*19*	*24*	*16*	*24*	*37*	*27*	*28*	*27*	*23*	
357	Other diseases of spinal cord	M.	6	9	6	3	5	7	8	8	5	11	
		F.	*7*	*3*	*2*	*3*	*6*	*7*	*5*	*6*	*7*	*5*	
360-369	*Diseases of nerves and peripheral ganglia*	M.	11	13	10	5	1	7	3	11	4	3	
		F.	*7*	*14*	*11*	*4*	*2*	*6*	*6*	*7*	*4*	*3*	
360	Facial paralysis	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
361	Trigeminal neuralgia	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	*1*	*1*	–	–	–	*1*	*1*	–	–	
362	Brachial neuritis	M.	–	–	–	–	–	–	–	–	–	1	
		F.	*1*	–	–	–	–	–	–	–	–	–	
363	Sciatica	M.	1	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
364	Polyneuritis and polyradiculitis	M.	4	9	2	3	1	2	3	7	4	1	
		F.	*3*	*3*	*3*	*1*	*1*	*4*	*2*	*4*	*2*	–	
365	Erythrœdema polyneuritica	M.	4	2	5	2	–	–	–	–	–	–	
		F.	–	*5*	*4*	*2*	–	*1*	*1*	–	–	–	
366	Other and unspecified forms of neuralgia and neuritis	M.	2	2	3	–	–	5	–	4	–	1	
		F.	*2*	*5*	*3*	*1*	*1*	*1*	*1*	*1*	*2*	*2*	
367	Other diseases of cranial nerves	M.	–	–	–	–	–	–	–	–	–	–	
		F.	*1*	–	–	–	–	–	–	–	–	–	
368	Other diseases of peripheral nerves except autonomic	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	*1*	*1*	–	–	
369	Diseases of peripheral autonomic nervous system	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	*1*	
370-389	*Inflammatory and other diseases and conditions of eye*	M.	3	–	1	2	–	3	2	3	1	4	
		F.	*4*	*4*	*4*	*3*	*2*	*6*	*2*	*3*	*7*	*4*	
390-398	*Diseases of ear and mastoid process*	M.	12	13	10	17	17	10	10	10	3	10	
		F.	*13*	*1*	*5*	*7*	*5*	*5*	*5*	*3*	*3*	*2*	
390	Otitis externa	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	*1*	–	–	–	–	–	–	–	
391	Otitis media without mention of mastoiditis	M.	7	11	7	12	15	8	8	7	2	7	
		F.	*13*	*1*	*4*	*6*	*5*	*4*	*4*	*3*	*2*	*2*	
392	Otitis media with mastoiditis	M.	1	1	–	1	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
393	Mastoiditis without mention of otitis media	M.	4	1	2	4	2	2	2	1	1	2	
		F.	–	–	–	*1*	–	–	*1*	–	*1*	–	
394	Other inflammatory diseases of ear	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	*1*	–	–	–	–	
395	Ménière's disease	M.	–	–	–	–	–	–	–	1	–	1	
		F.	–	–	–	–	–	–	–	–	–	–	
396	Other diseases of ear and mastoid process	M.	–	–	1	–	–	–	–	1	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
397	Deaf mutism	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	
398	Other deafness	M.	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	

1961 Ages																					International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
10	5	3	1	10	9	9	13	10	16	33	44	103	137	245	415	551	719	834	762	473	M. 330-398
9	*2*	*4*	–	*5*	*10*	*6*	*10*	*12*	*11*	*37*	*37*	*104*	*168*	*292*	*427*	*711*	*1053*	*1257*	*1135*	*876*	F.
1	1	–	–	3	3	1	6	3	6	15	29	75	117	211	374	515	673	805	745	463	M. 330-334
–	–	–	–	*1*	*5*	–	*4*	*5*	*5*	*22*	*34*	*80*	*139*	*259*	*383*	*664*	*997*	*1217*	*1106*	*868*	F.
–	–	–	–	2	–	–	2	3	4	9	7	12	12	9	12	16	9	4	4	1	M. 330
–	–	–	–	–	*4*	–	*4*	–	*3*	*7*	*11*	*20*	*18*	*26*	*18*	*25*	*12*	*8*	*2*	*1*	F.
1	1	–	–	1	2	1	3	–	2	6	19	44	71	115	176	224	239	266	189	111	M. 331
–	–	–	–	*1*	*1*	–	–	*4*	*2*	*12*	*15*	*45*	*88*	*156*	*212*	*339*	*429*	*430*	*350*	*228*	F.
–	–	–	–	–	1	–	1	–	–	–	2	16	29	81	163	239	346	431	434	270	M. 332
–	–	–	–	–	–	–	–	*1*	–	*2*	*7*	*15*	*30*	*68*	*144*	*269*	*480*	*642*	*614*	*502*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 333
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	3	5	6	23	36	79	104	118	81	M. 334
–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*3*	*9*	*9*	*31*	*76*	*137*	*140*	*137*	F.
3	1	1	1	–	1	3	1	3	4	10	6	11	10	17	11	11	7	4	1	–	M. 340-345
5	–	*2*	–	*1*	*1*	*3*	*2*	*4*	*4*	*12*	*1*	*15*	*16*	*15*	*15*	*10*	*8*	*2*	*2*	–	F.
2	1	–	1	–	1	1	–	–	–	1	1	–	–	–	2	–	2	1	–	–	M. 340
3	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	M. 341
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	1	–	–	–	2	–	–	1	2	3	–	1	–	1	–	M. 342
–	–	–	–	*1*	*1*	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	–	1	1	–	1	1	–	–	2	–	1	–	–	–	–	M. 343
1	–	*1*	–	–	–	*2*	*1*	*1*	–	*2*	–	*1*	*1*	–	*2*	–	–	*1*	*1*	–	F.
1	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	M. 344
1	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	2	4	6	4	9	9	12	6	10	4	3	–	–	M. 345
–	–	–	–	–	–	–	–	*3*	*4*	*9*	*1*	*13*	*15*	*15*	*11*	*10*	*8*	*1*	–	–	F.
5	3	2	–	5	5	4	6	4	5	8	8	17	9	15	29	23	38	25	16	8	M. 350-357
4	*2*	*2*	–	*3*	*4*	*2*	*4*	*3*	*2*	*3*	*2*	*9*	*13*	*17*	*29*	*35*	*46*	*36*	*25*	*8*	F.
–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	9	12	18	15	11	2	M. 350
–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*3*	*7*	*20*	*34*	*25*	*14*	*2*	F.
4	2	1	–	2	1	2	1	–	1	1	–	1	–	–	–	1	1	–	–	–	M. 351
2	*1*	*2*	–	–	*1*	–	*2*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	2	6	9	2	3	M. 352
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*2*	*1*	*4*	*7*	*8*	*3*	F.
1	–	1	–	3	2	2	3	4	3	6	5	2	2	7	3	1	5	–	2	–	M. 353
1	–	–	–	*2*	*3*	*2*	*2*	*3*	*2*	*2*	*1*	*2*	*1*	*2*	*5*	*3*	*4*	*2*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 354
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	1	–	–	–	–	–	1	–	–	1	1	4	2	1	2	2	1	1	1	3	M. 355
1	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*6*	*5*	*6*	*4*	*2*	*2*	*2*	*3*	F.
–	–	–	–	–	2	–	1	–	1	–	2	4	3	2	12	5	7	–	–	–	M. 356
–	*1*	–	–	*1*	–	–	–	–	–	–	–	*5*	*5*	*5*	*8*	*6*	*2*	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	M. 357
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	F.
–	–	–	–	2	–	1	–	–	–	–	1	–	1	–	–	1	1	–	–	–	M. 360-369
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 360
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 361
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 362
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 363
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. 364
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 365
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	M. 366
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 367
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 368
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	M. 369
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	M. 370-389
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*2*	*1*	*1*	*2*	–	F.
1	1	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	M. 390-398
–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 390
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	M. 391
–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	M. 392
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 393
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 394
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 395
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 396
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 397
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 398
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
400-468	VII. DISEASES OF THE CIRCULATORY SYSTEM	M.	11748	11494	11048	11759	11729	12028	11744	11919	11952	12036
		F.	*11670*	*11024*	*10564*	*11167*	*11587*	*11675*	*11105*	*11777*	*11578*	*11706*
400-402	*Rheumatic fever*	M.	21	21	23	20	27	29	26	7	9	6
		F.	*28*	*23*	*22*	*29*	*27*	*19*	*19*	*10*	*12*	*11*
400	Rheumatic fever without mention of heart involvement	M.	3	–	4	1	1	1	1	–	–	–
		F.	*1*	*1*	*1*	*1*	*1*	–	–	–	–	–
401	Rheumatic fever with heart involvement	M.	15	21	19	17	26	28	23	7	8	6
		F.	*24*	*22*	*21*	*28*	*26*	*18*	*19*	*10*	*11*	*11*
402	Chorea	M.	3	–	–	2	–	–	2	–	1	–
		F.	*3*	–	–	–	–	*1*	–	–	*1*	–
410-443	HEART DISEASE	M.	10787	10371	9945	10522	10540	10815	10685	10824	10822	10983
		F.	*10715*	*9844*	*9409*	*9868*	*10350*	*10336*	*9880*	*10522*	*10300*	*10390*
410-416	*Chronic rheumatic heart disease*	M.	332	291	274	323	293	292	303	243	258	261
		F.	*568*	*587*	*533*	*537*	*554*	*527*	*604*	*572*	*558*	*480*
410	Diseases of mitral valve	M.	241	205	212	255	229	207	218	164	168	184
		F.	*443*	*466*	*438*	*418*	*441*	*406*	*473*	*447*	*440*	*375*
411	Diseases of aortic valve specified as rheumatic	M.	10	9	4	8	2	12	9	6	8	6
		F.	*9*	*5*	–	*8*	*1*	*6*	*3*	*4*	*4*	*5*
412	Diseases of tricuspid valve	M.	–	–	–	–	1	–	–	1	–	–
		F.	–	–	–	–	–	–	*1*	–	–	–
413	Diseases of pulmonary valve specified as rheumatic	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	*1*	–	–	–	–	–	–	*1*	–
414	Other endocarditis specified as rheumatic	M.	35	28	24	27	28	29	26	29	27	34
		F.	*40*	*36*	*40*	*45*	*40*	*43*	*41*	*44*	*42*	*36*
415	Other myocarditis specified as rheumatic	M.	7	18	8	8	9	14	12	14	9	3
		F.	*25*	*27*	*16*	*19*	*23*	*18*	*17*	*12*	*10*	*14*
416	Other heart disease specified as rheumatic	M.	39	31	26	25	24	30	38	29	46	34
		F.	*51*	*52*	*39*	*47*	*49*	*54*	*69*	*65*	*61*	*50*
420-422	*Arteriosclerotic and degenerative heart diseases*	M.	9478	9192	8664	9195	9367	9686	9573	9740	9762	9904
		F.	*8969*	*8115*	*7698*	*8059*	*8647*	*8756*	*8267*	*8767*	*8602*	*8676*
420	Arteriosclerotic heart disease including coronary disease	M.	4801	4991	4919	5416	5458	5819	5942	6359	6641	6976
		F.	*2660*	*2866*	*2795*	*3168*	*3281*	*3611*	*3571*	*3958*	*3982*	*4350*
420.0	Arteriosclerotic heart disease so described	M.	26	68	77	131	162	134	180	183	230	263
		F.	*14*	*51*	*69*	*109*	*148*	*156*	*155*	*211*	*304*	*301*
420.1, 2	Coronary thrombosis	M.	4775	4923	4842	5285	5296	5685	5762	6176	6411	6713
		F.	*2646*	*2815*	*2726*	*3059*	*3133*	*3455*	*3416*	*3747*	*3678*	*4049*
421	Chronic endocarditis not specified as rheumatic	M.	290	233	194	159	169	156	168	140	149	154
		F.	*343*	*247*	*193*	*197*	*193*	*191*	*189*	*175*	*185*	*177*
422	Other myocardial degeneration	M.	4387	3968	3551	3620	3740	3711	3463	3241	2972	2774
		F.	*5966*	*5002*	*4710*	*4694*	*5173*	*4954*	*4507*	*4634*	*4435*	*4149*
422.0	Fatty degeneration of heart	M.	16	9	8	6	8	10	6	4	4	3
		F.	*34*	*36*	*20*	*19*	*29*	*32*	*27*	*23*	*15*	*21*
422.1	Myocardial degeneration with arteriosclerosis	M.	2100	2097	1792	1974	2063	2039	1911	1840	1674	1713
		F.	*2889*	*2606*	*2550*	*2537*	*2906*	*2789*	*2574*	*2741*	*2711*	*2572*
422.2	Other myocardial degeneration	M.	2271	1862	1751	1640	1669	1662	1546	1397	1294	1058
		F.	*3043*	*2360*	*2140*	*2138*	*2238*	*2133*	*1906*	*1870*	*1709*	*1556*
430-434	*Other diseases of heart*	M.	609	522	585	578	324	292	298	362	334	396
		F.	*715*	*617*	*610*	*630*	*398*	*316*	*338*	*424*	*482*	*505*
430	Acute and subacute endocarditis	M.	23	14	20	14	16	21	20	16	11	17
		F.	*23*	*18*	*24*	*12*	*12*	*10*	*12*	*11*	*14*	*6*
431	Acute myocarditis not specified as rheumatic	M.	82	47	59	31	40	46	42	31	29	36
		F.	*79*	*72*	*65*	*47*	*57*	*44*	*37*	*39*	*27*	*33*
432	Acute pericarditis specified as non-rheumatic	M.	2	2	1	3	3	–	2	2	1	–
		F.	–	*4*	*2*	*4*	–	*1*	–	*2*	–	–
433	Functional disease of heart	M.	159	127	95	116	112	105	98	176	179	201
		F.	*288*	*190*	*159*	*159*	*181*	*164*	*174*	*255*	*311*	*310*
434	Other and unspecified diseases of heart	M.	343	332	410	414	153	120	136	137	114	142
		F.	*325*	*333*	*360*	*408*	*148*	*97*	*115*	*117*	*130*	*156*
434.0	Kyphoscoliotic heart disease	M.								10	4	1
		F.								*3*	*6*	*8*
434.1	Congestive heart failure	M.								40	48	50
		F.								*48*	*58*	*58*
434.2	Left ventricular failure	M.	During 1950-57 deaths assigned to rubric 434 were not classified to the four subdivisions of the Sixth Revision.							47	26	37
		F.								*43*	*43*	*63*
434.3	Other disease of heart	M.								8	5	5
		F.								*8*	*5*	*6*
434.4	Unspecified disease of heart	M.								32	31	49
		F.								*15*	*18*	*21*
440-443	*Hypertensive heart disease*	M.	368	366	422	426	556	545	511	479	468	422
		F.	*463*	*525*	*568*	*642*	*751*	*737*	*671*	*759*	*658*	*729*
440	Essential benign hypertensive heart disease	M.	–	1	1	–	2	1	4	3	3	1
		F.	*1*	*5*	–	*1*	–	*1*	*2*	*10*	*3*	*4*
441	Essential malignant hypertensive heart disease	M.	7	3	8	10	12	9	11	3	5	9
		F.	*7*	*6*	–	*4*	*8*	*8*	*5*	*2*	*1*	*4*
442	Hypertensive heart disease with arteriolar nephrosclerosis	M.	23	39	45	21	32	42	23	23	21	26
		F.	*31*	*39*	*52*	*33*	*64*	*37*	*40*	*40*	*36*	*27*
443	Other and unspecified hypertensive heart disease	M.	338	323	368	395	510	493	473	450	439	386
		F.	*424*	*475*	*516*	*604*	*679*	*691*	*624*	*707*	*618*	*694*
444-447	*Other hypertensive disease*	M	322	408	353	396	343	340	294	298	258	234
		F.	*326*	*427*	*400*	*437*	*367*	*369*	*330*	*339*	*297*	*286*
444	Essential benign hypertension	M.	128	86	137	139	122	128	125	163	147	110
		F.	*130*	*152*	*202*	*185*	*168*	*179*	*171*	*211*	*189*	*189*
445	Essential malignant hypertension	M.	25	34	51	51	50	51	48	65	66	77
		F.	*21*	*24*	*27*	*34*	*35*	*40*	*25*	*50*	*47*	*43*
446	Hypertension with arteriolar nephrosclerosis	M.	104	141	99	126	87	82	69	70	44	45
		F.	*90*	*95*	*88*	*118*	*71*	*67*	*56*	*76*	*61*	*54*
447	Other hypertensive disease	M	65	147	66	80	84	79	52	–	1	2
		F.	*85*	*156*	*83*	*100*	*93*	*83*	*78*	*2*	–	–

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
–1	1–2	2–3	3–4	4–5	5–10	10–15	15–20	20–25	25–30	30–35	35–40	40–45	45–50	50–55	55–60	60–65	65–70	70–75	75–80	80–85 and over		
–	–	–	–	–	–	4	10	20	52	127	213	400	776	1188	1532	1664	1770	1831	1686	1266	M.	400-468
–	–	–	–	2	3	6	10	12	31	53	90	165	302	534	859	1307	1856	2303	2355	2192	F.	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	–	–	–	M.	400-402
–	–	–	–	1	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.	400
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	–	–	–	M.	401
–	–	–	–	1	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.	402
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	3	8	15	46	115	199	384	739	1131	1462	1548	1616	1630	1428	1047	M.	410-443
–	–	–	–	1	1	6	8	12	28	43	83	153	273	488	786	1187	1666	2028	2054	1859	F.	
–	–	–	–	–	–	3	4	7	12	23	29	27	38	32	26	27	26	13	8	2	M.	410-416
–	–	–	–	1	1	6	4	11	16	25	43	60	62	74	64	44	43	37	31	9	F.	
–	–	–	–	–	–	2	1	6	5	13	17	17	24	22	19	18	19	7	6	2	M.	410
–	–	–	–	–	1	5	3	10	12	20	34	46	50	49	42	35	35	31	26	7	F.	
–	–	–	–	–	–	1	1	–	–	2	–	–	1	1	3	–	–	–	1	–	M.	411
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.	412
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.	413
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	–	1	1	1	2	4	4	2	3	–	5	3	1	–	–	M.	414
–	–	–	–	–	1	–	–	–	1	1	4	6	7	9	9	3	5	2	1	1	F.	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–	–	M.	415
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	2	–	1	2	1	F.	
–	–	–	–	–	–	–	1	–	5	6	8	6	11	5	3	4	4	4	1	–	M.	416
–	–	–	–	1	–	–	1	1	2	4	5	7	4	14	9	4	2	3	2	–	F.	
–	–	–	–	–	–	–	3	5	32	86	164	342	678	1046	1348	1426	1458	1476	1284	964	M.	420-422
–	–	–	–	–	–	–	2	–	6	13	33	82	183	372	619	998	1383	1701	1811	1694	F.	
–	–	–	–	–	–	–	2	3	30	78	148	324	632	956	1186	1178	1080	875	528	294	M.	420
–	–	–	–	–	–	–	1	–	5	11	26	69	162	309	497	765	876	903	644	360	F.	
–	–	–	–	–	–	–	–	–	–	1	2	1	4	11	21	41	43	77	71	72	M.	420.0
–	–	–	–	–	–	–	–	–	–	–	1	–	4	12	11	42	58	75	98	82	F.	
–	–	–	–	–	–	–	2	3	30	77	146	323	628	945	1165	1137	1037	798	457	222	M.	420.1, 2
–	–	–	–	–	–	–	1	–	5	11	25	69	158	297	486	723	818	828	546	278	F.	
–	–	–	–	–	–	–	–	2	–	4	12	9	19	21	25	24	17	19	11	5	M.	421
–	–	–	–	–	–	–	–	–	–	1	3	6	5	16	20	13	36	23	27	18	F.	
–	–	–	–	–	–	–	1	–	2	4	4	9	27	69	137	224	361	582	745	665	M.	422
–	–	–	–	–	–	–	1	–	1	1	4	7	16	47	102	220	471	775	1140	1316	F.	
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	2	–	M.	422.0
–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	2	2	3	1	2	1	F.	
–	–	–	–	–	–	–	–	–	–	–	1	3	6	32	58	117	216	360	496	447	M.	422.1
–	–	–	–	–	–	–	–	–	1	–	2	–	1	14	48	114	280	480	754	868	F.	
–	–	–	–	–	–	–	1	–	2	3	2	6	21	37	79	107	145	221	247	218	M.	422.2
–	–	–	–	–	–	–	1	–	–	1	2	6	14	28	52	104	188	294	384	447	F.	
–	–	–	–	–	–	–	1	3	2	5	5	8	10	25	32	38	54	69	69	43	M.	430-434
–	–	–	–	–	–	–	2	1	4	4	4	7	14	19	31	45	93	124	99	79	F.	
–	–	–	–	–	–	–	–	1	1	1	1	2	–	2	3	–	3	–	–	–	M.	430
–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	F.	
–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	6	4	4	1	4	–	M.	431
–	–	–	–	–	–	–	1	–	1	–	–	–	2	2	1	4	5	8	6	4	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M.	432
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	–	1	–	–	–	2	1	3	6	7	18	30	43	43	30	M.	433
–	–	–	–	–	–	–	–	–	–	2	2	1	6	6	13	25	57	78	70	45	F.	
–	–	–	–	–	–	–	–	1	1	3	2	5	7	15	16	16	17	25	22	13	M.	434
–	–	–	–	–	–	–	1	1	1	2	2	6	5	11	16	16	31	38	23	30	F.	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	M.	434.0
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	1	–	F.	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	1	4	11	11	6	M.	434.1
–	–	–	–	–	–	–	1	1	1	–	–	–	–	3	7	5	19	19	15	19	F.	
–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	3	6	3	9	5	7	M.	434.2
–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	4	9	9	14	7	9	F.	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	M.	434.3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	F.	
–	–	–	–	–	–	–	–	–	–	1	2	3	6	9	8	9	9	5	6	–	M.	434.4
–	–	–	–	–	–	–	–	–	–	1	1	5	2	5	3	1	3	4	–	2	F.	
–	–	–	–	–	–	–	–	–	–	1	1	7	13	28	56	57	78	72	67	38	M.	440-443
–	–	–	–	–	–	–	–	–	–	2	1	3	4	14	23	72	100	147	166	113	77	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	M.	440
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	–	–	–	–	M.	441
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	2	3	4	M. 442
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	5	8	7	14	F.	
–	–	–	–	–	–	–	–	–	–	1	1	4	11	26	53	55	74	69	64	33	M.	443
–	–	–	–	–	–	–	–	–	2	1	2	3	13	23	71	95	142	158	104	61	F.	
–	–	–	–	–	–	1	1	1	4	10	11	7	17	25	24	27	37	35	34	12	M.	444-447
–	–	–	–	–	1	–	–	–	–	4	4	5	13	14	22	47	54	59	45	33	F.	
–	–	–	–	–	–	–	1	–	–	–	4	2	5	11	15	19	29	22	25	4	M.	444
–	–	–	–	–	–	–	–	–	–	–	1	1	5	8	15	36	44	47	35	29	F.	
–	–	–	–	–	–	1	–	1	4	10	7	5	11	11	4	4	–	–	–	–	M.	445
–	–	–	–	1	–	–	–	–	–	4	3	4	7	3	4	4	2	3	2	–	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	4	8	12	8	8	M.	446
–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	6	8	8	8	4	F.	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	M.	447
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	F.	

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1
400-468	VII. DISEASES OF THE CIRCULATORY SYSTEM—*continued*	M.	519	595	627	726	720	751	651	695	759	719	
450-456	*Diseases of arteries*	F.	*489*	*598*	*604*	*696*	*706*	*809*	*720*	*765*	*807*	*866*	
450	General arteriosclerosis	M.	427	512	538	604	615	608	544	574	618	558	
		F.	*397*	*516*	*533*	*594*	*623*	*704*	*622*	*663*	*710*	*739*	
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm	M.	8	21	39	46	52	80	63	76	77	87	
		F.	*9*	*26*	*22*	*28*	*38*	*48*	*42*	*54*	*46*	*63*	
452	Other aneurysm, except of heart and aorta	M.	8	15	4	11	7	6	5	5	8	6	
		F.	*6*	*10*	*6*	*4*	*1*	*4*	*10*	*7*	*8*	*9*	
453	Peripheral vascular disease	M.	15	12	6	17	6	6	11	10	14	15	
		F.	*6*	*5*	*2*	*3*	*2*	*7*	*3*	*3*	*3*	*8*	
454	Arterial embolism and thrombosis	M.	16	7	9	11	11	17	8	7	12	22	
		F.	*19*	*12*	*6*	*19*	*11*	*15*	*14*	*19*	*13*	*21*	
455	Gangrene of unspecified cause	M.	38	21	17	22	17	27	14	14	15	20	
		F.	*37*	*21*	*24*	*24*	*19*	*13*	*19*	*8*	*10*	*15*	
456	Other diseases of arteries	M	7	7	14	15	12	7	6	9	15	11	
		F.	*15*	*8*	*11*	*24*	*12*	*18*	*10*	*11*	*17*	*11*	
460-468	*Diseases of veins and other diseases of circulatory system*	M.	99	99	100	95	99	93	118	95	104	94	
		F.	*112*	*132*	*129*	*137*	*137*	*142*	*156*	*141*	*162*	*153*	
460	Varicose veins of lower extremities	M.	2	2	–	3	–	1	4	6	3	3	
		F.	*3*	*9*	*2*	*7*	*17*	*5*	*9*	*7*	*10*	*8*	
461	Hæmorrhoids	M.	2	–	3	–	1	1	–	1	–	2	
		F.	–	–	–	*1*	*1*	–	–	–	*1*	–	
462	Varicose veins of other specified sites	M.	2	3	5	7	11	3	10	2	3	5	
		F.	*6*	*6*	*4*	*2*	*3*	*4*	*3*	*1*	*6*	*3*	
463	Phlebitis and thrombophlebitis of lower extremities	M.	4	7	4	7	11	10	4	8	13	9	
		F.	*7*	*14*	*14*	*19*	*16*	*13*	*12*	*21*	*19*	*22*	
464	Phlebitis and thrombophlebitis of other sites	M.	6	7	8	5	3	10	4	4	8	4	
		F.	*14*	*15*	*10*	*6*	*6*	*13*	*13*	*10*	*14*	*13*	
465	Pulmonary embolism and infarction	M.	59	53	57	53	35	31	40	24	24	18	
		F.	*58*	*64*	*65*	*66*	*49*	*34*	*40*	*20*	*19*	*19*	
466	Other venous embolism and thrombosis	M.	18	18	18	17	26	32	53	46	47	49	
		F.	*22*	*18*	*32*	*31*	*42*	*66*	*72*	*76*	*88*	*80*	
467	Other diseases of circulatory system	M.	3	7	5	3	11	5	3	4	3	3	
		F.	*1*	*3*	*2*	*5*	*3*	*5*	*5*	*5*	*4*	*6*	
468	Certain diseases of lymph nodes and lymph channels	M.	3	2	–	–	1	–	–	–	3	1	
		F.	*1*	*3*	–	–	–	*2*	*2*	*1*	*1*	*2*	
470-527	VIII. DISEASES OF THE RESPIRATORY SYSTEM	M.	3522	2822	2519	2595	2834	2971	3244	3250	3843	3104	3
		F.	*2878*	*2034*	*1786*	*1735*	*1879*	*1878*	*2030*	*1905*	*2430*	*1766*	2
470-475	*Acute upper respiratory infections*	M.	11	17	12	9	15	17	4	15	8	7	
		F.	*13*	*11*	*13*	*12*	*12*	*14*	*5*	*11*	*9*	*10*	
470	Acute nasopharyngitis (common cold)	M.	2	–	2	–	1	–	–	1	1	1	
		F.	*1*	*2*	*3*	–	–	–	–	–	–	*1*	
471	Acute sinusitis	M.	1	1	–	–	–	–	1	2	–	–	
		F.	*1*	–	*1*	–	–	–	–	–	*1*	–	
472	Acute pharyngitis	M.	1	1	–	1	1	1	–	2	2	–	
		F.	–	–	*1*	*2*	*2*	*3*	–	*1*	*2*	–	
473	Acute tonsillitis	M.	1	2	2	–	2	3	1	1	2	1	
		F.	*5*	*1*	*2*	*3*	*1*	*5*	–	*3*	–	–	
474	Acute laryngitis and tracheitis	M.	3	5	8	5	5	8	1	6	–	1	
		F.	*4*	*6*	*3*	*3*	*3*	*1*	*4*	*2*	*1*	*4*	
475	Acute upper respiratory infection of multiple or unspecified sites	M.	3	8	–	3	6	5	1	3	3	4	
		F.	*2*	*2*	*3*	*4*	*6*	*5*	*1*	*5*	*5*	*5*	
480-483	*Influenza*	M.	431	141	134	75	96	106	335	73	290	56	
		F.	*527*	*175*	*138*	*101*	*116*	*156*	*345*	*70*	*293*	*48*	
480	Influenza with pneumonia	M.	153	49	49	36	40	35	206	35	151	27	
		F.	*198*	*59*	*44*	*39*	*40*	*60*	*200*	*33*	*153*	*16*	
481	Influenza with other respiratory manifestations, and influenza unqualified	M.	274	87	85	38	54	70	127	37	136	28	
		F.	*321*	*113*	*93*	*58*	*74*	*95*	*141*	*36*	*135*	*30*	
481a	Influenza with other respiratory manifestations	M.	108	28	27	13	17	31	51	13	41	7	
		F.	*115*	*41*	*36*	*13*	*23*	*27*	*44*	*5*	*40*	*8*	
481b	Influenza unqualified	M.	166	59	58	25	37	39	76	24	95	21	
		F.	*206*	*72*	*57*	*45*	*51*	*68*	*97*	*31*	*95*	*22*	
482	Influenza with digestive manifestations, but without respiratory symptoms	M.	3	1	–	1	2	1	–	–	1	1	
		F.	*8*	*2*	*1*	*2*	*2*	*1*	*3*	*1*	*4*	*1*	
483	Influenza with nervous manifestations but without digestive or respiratory symptoms	M.	1	4	–	–	–	–	2	1	2	–	
		F	–	*1*	–	*2*	–	–	*1*	–	*1*	*1*	
490-493	*Pneumonia*	M.	1148	993	874	904	900	973	1067	1096	1342	1037	12
		F.	*1149*	*888*	*820*	*824*	*928*	*943*	*975*	*1012*	*1215*	*971*	12
490	Lobar pneumonia	M.	208	187	176	167	191	223	207	207	224	180	1
		F.	*195*	*172*	*134*	*124*	*175*	*168*	*162*	*164*	*159*	*161*	1
491	Bronchopneumonia	M.	814	673	587	642	593	661	745	780	973	754	9
		F.	*845*	*629*	*578*	*617*	*654*	*663*	*722*	*771*	*954*	*704*	9
492	Primary atypical pneumonia	M.	4	12	5	1	8	11	11	7	11	12	
		F.	*7*	*5*	*5*	*3*	*5*	*3*	*10*	*4*	*12*	*10*	
493	Pneumonia, other and unspecified	M.	122	121	106	94	108	78	104	102	134	91	
		F.	*102*	*82*	*103*	*80*	*94*	*109*	*81*	*73*	*90*	*96*	
500-502	*Bronchitis*	M.	1513	1291	1108	1205	1396	1423	1415	1610	1765	1589	17
		F.	*975*	*734*	*644*	*638*	*690*	*654*	*598*	*684*	*791*	*625*	7
500	Acute bronchitis	M.	178	158	106	123	132	132	102	116	128	114	1
		F.	*255*	*147*	*133*	*155*	*135*	*148*	*135*	*130*	*146*	*113*	1
501	Bronchitis, unqualified	M.	263	172	162	117	73	99	103	77	75	57	
		F.	*240*	*138*	*136*	*108*	*110*	*82*	*58*	*69*	*85*	*52*	
501a	Bronchitis, unqualified	M.	110	84	72	57	35	36	38	28	35	17	
		F.	*110*	*62*	*60*	*51*	*52*	*44*	*26*	*26*	*37*	*22*	
501b	Bronchitis unqualified with heart disease	M.	153	88	90	60	38	63	65	49	40	40	
		F.	*130*	*76*	*76*	*57*	*58*	*38*	*32*	*43*	*48*	*30*	

Table 48—*continued*

1961 Ages																						International Detailed List Numbers
-1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																						400-468
–	–	–	–	–	–	–	–	–	1	1	–	2	4	14	22	35	74	101	152	213	206	M. 450-456
–	–	–	–	–	–	–	–	*2*	–	*2*	*4*	*3*	*3*	*5*	*21*	*27*	*53*	*109*	*188*	*238*	*294*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	8	17	46	77	123	202	126	M. 450
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*7*	*8*	*43*	*92*	*162*	*227*	*283*	F.
–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	10	17	19	20	21	5	5	M. 451
–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*1*	*6*	*9*	*7*	*11*	*17*	*9*	*2*	F.
–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	2	–	2	–	1	M. 452
–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	–	*1*	*2*	*2*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	2	1	1	M. 453
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	3	3	–	M. 454
–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*2*	*2*	*1*	*2*	*4*	*1*	*2*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	3	M. 455
–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*1*	*1*	*1*	*1*	*6*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	–	1	1	–	–	–	M. 456
–	–	–	–	–	–	–	–	*1*	–	*2*	*1*	–	–	*1*	*4*	*6*	*1*	*3*	*2*	–	–	F.
–	–	–	–	–	–	–	–	–	2	1	2	1	5	6	9	11	15	15	14	11	1	M. 460-468
–	–	–	–	–	–	–	–	–	–	–	*1*	–	*3*	*10*	*11*	*24*	*20*	*27*	*28*	*18*	*6*	F.
–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	M. 460
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*1*	*2*	*2*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 461
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	M. 462
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	1	–	–	–	M. 463
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*2*	*3*	*3*	*2*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	1	1	–	–	M. 464
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*3*	–	*1*	*2*	–	F.
–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	3	2	6	2	–	M. 465
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*5*	*2*	*6*	*5*	*3*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	4	6	8	11	6	8	1	M. 466
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*6*	*7*	*16*	*11*	*14*	*16*	*10*	*4*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	–	M. 467
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	*1*	*1*	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 468
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
60	20	14	5	3	11	7	11	8	8	17	17	40	82	176	330	461	573	575	482	377	253	M. 470-527
30	*17*	*8*	*8*	*2*	*6*	*6*	*5*	*3*	*4*	*9*	*19*	*38*	*50*	*60*	*87*	*147*	*246*	*305*	*428*	*376*	*378*	F.
6	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	M. 470-475
3	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 470
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 471
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 472
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 473
1	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	M. 474
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	F.
4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	M. 475
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
9	1	–	–	–	3	1	5	–	–	1	3	1	7	10	12	13	13	23	24	26	19	M. 480-483
5	*1*	–	–	–	*1*	–	–	–	–	–	*2*	*2*	*4*	*8*	*7*	*8*	*12*	*23*	*44*	*35*	*42*	F.
5	–	–	–	–	1	1	4	–	–	–	–	1	4	6	5	6	7	11	9	13	7	M. 480
4	*1*	–	–	–	–	–	–	–	–	–	*2*	*1*	*3*	*5*	*5*	*3*	*9*	*11*	*21*	*11*	*16*	F.
4	1	–	–	–	2	–	1	–	–	1	3	–	3	4	7	7	6	12	15	13	12	M. 481
–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	*1*	*3*	*1*	*5*	*3*	*12*	*23*	*23*	*26*	F.
1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	2	–	5	6	1	2	M. 481a
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	*1*	–	*7*	*6*	*3*	F.
3	1	–	–	–	2	–	1	–	–	1	1	–	3	3	6	5	6	7	9	12	10	M. 481b
–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	*2*	–	*4*	*2*	*12*	*16*	*17*	*23*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 482
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 483
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	F.
29	14	11	4	3	5	3	4	3	2	8	5	14	16	38	59	90	128	176	185	177	133	M. 490-493
08	*9*	*7*	*6*	*1*	*4*	*5*	*5*	*3*	*2*	*5*	*7*	*17*	*19*	*20*	*34*	*56*	*114*	*150*	*238*	*219*	*237*	F.
13	1	3	–	1	1	–	1	–	–	1	4	4	3	7	13	15	22	26	29	28	13	M. 490
4	–	–	*1*	–	*2*	*1*	–	*2*	–	*2*	*4*	*5*	*5*	*3*	*6*	*9*	*17*	*27*	*34*	*32*	*22*	F.
03	12	7	3	2	3	2	3	3	2	6	–	8	11	30	40	63	94	133	138	136	115	M. 491
89	*7*	*3*	*4*	*1*	*2*	*4*	*4*	–	*2*	*3*	*1*	*11*	*14*	*15*	*21*	*41*	*86*	*115*	*179*	*169*	*201*	F.
5	1	1	–	–	1	–	–	–	–	–	–	–	1	–	1	1	1	2	1	–	–	M. 492
8	*1*	*3*	–	–	–	–	*1*	–	–	–	*2*	*1*	–	–	*1*	*1*	*1*	–	*2*	*1*	–	F.
8	–	–	1	–	–	1	–	–	–	1	1	2	1	1	5	11	11	15	17	13	5	M. 493
7	*1*	*1*	*1*	–	–	–	–	*1*	–	–	–	–	–	*2*	*6*	*5*	*10*	*8*	*23*	*17*	*14*	F.
12	3	1	1	–	2	2	2	1	1	4	4	17	50	107	225	300	337	297	202	135	86	M. 500-502
14	*7*	–	*2*	–	–	*1*	–	–	*1*	*4*	*4*	*14*	*18*	*27*	*35*	*62*	*94*	*118*	*127*	*111*	*88*	F.
12	3	1	1	–	2	2	1	–	–	2	–	1	1	1	7	6	10	11	13	14	17	M. 500
14	*7*	–	*2*	–	–	*1*	–	–	–	*3*	–	*1*	–	–	*2*	*5*	*3*	*17*	*15*	*24*	*30*	F.
–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	9	8	8	15	10	7	12	M. 501
–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	*1*	*3*	*6*	*7*	*11*	*13*	*14*	*10*	F.
–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	3	3	4	9	3	8	M. 501a
–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	*1*	*2*	*4*	*3*	*8*	*9*	*3*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8	5	5	11	1	4	4	M. 501b
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	*4*	*3*	*8*	*5*	*5*	*7*	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961
470-527	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*												
502	Chronic bronchitis	M.	1072	961	840	965	1191	1192	1210	1417	1562	1418	1610
		F.	*480*	*449*	*375*	*375*	*445*	*424*	*405*	*485*	*560*	*460*	*534*
502a	Chronic bronchitis	M.	598	403	358	393	438	420	464	507	577	461	557
		F.	*234*	*200*	*140*	*150*	*147*	*148*	*148*	*181*	*234*	*155*	*154*
502b	Chronic bronchitis with heart disease	M.	474	558	482	572	753	772	746	910	985	957	1053
		F.	*246*	*249*	*235*	*225*	*298*	*276*	*257*	*304*	*326*	*305*	*380*
510-527	*Other diseases of respiratory system*	M.	419	380	391	402	427	452	423	456	438	415	451
		F.	*214*	*226*	*171*	*160*	*133*	*111*	*107*	*128*	*122*	*112*	*140*
510	Hypertrophy of tonsils and adenoids	M.	1	2	1	4	1	4	–	1	–	–	1
		F.	*1*	*3*	*1*	*1*	*1*	–	*2*	*2*	–	*1*	*1*
511	Peritonsillar abscess (quinsy)	M.	1	2	–	1	–	–	–	–	–	–	1
		F.	*1*	*2*	–	*2*	–	–	–	–	*1*	–	*1*
512	Chronic pharyngitis and nasopharyngitis	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	*1*	–	–	–	–
513	Chronic sinusitis	M.	1	–	–	1	–	1	1	–	–	–	1
		F.	*1*	–	*1*	–	*4*	–	*1*	–	–	–	*1*
514	Deflected nasal septum	M.	–	–	–	1	–	1	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–
515	Nasal polyp	M.	1	–	–	1	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
516	Chronic laryngitis	M.	–	–	–	–	–	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
517	Other diseases of upper respiratory tract	M.	3	5	3	–	1	6	6	3	1	7	3
		F.	*1*	*1*	*1*	*5*	*5*	–	–	*2*	*1*	*3*	–
518	Empyema	M.	9	7	6	4	4	4	3	2	13	6	7
		F.	*5*	*1*	*1*	*3*	*6*	*3*	*4*	*4*	*5*	*5*	*1*
519	Pleurisy	M.	19	17	12	15	12	7	10	9	9	2	6
		F.	*15*	*15*	*14*	*9*	*9*	*12*	*8*	*9*	*7*	*3*	*6*
520	Spontaneous pneumothorax	M.	4	–	–	6	7	5	5	6	3	4	6
		F.	*1*	*2*	–	–	–	*1*	–	*2*	*1*	–	*3*
521	Abscess of lung	M.	13	7	4	7	8	8	7	7	8	9	10
		F.	*7*	*4*	*3*	*6*	*1*	*5*	*6*	*8*	*7*	*7*	*6*
522	Pulmonary congestion and hypostasis	M.	70	58	43	23	13	15	13	13	9	10	6
		F.	*80*	*91*	*63*	*34*	*20*	*16*	*21*	*22*	*20*	*16*	*13*
523	Pneumoconiosis due to silica and silicates (occupational)	M.	106	129	160	180	225	244	229	259	225	201	244
		F.	*1*	–	–	–	–	*1*	–	–	–	–	–
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M.	3	2	3	–	3	8	6	3	5	3	1
		F.	–	–	–	–	–	–	–	–	–	–	–
525	Other chronic interstitial pneumonia	M.	15	16	19	15	18	7	22	22	19	27	24
		F.	*6*	*7*	*9*	*7*	*6*	*11*	*9*	*7*	*15*	*11*	*25*
526	Bronchiectasis	M.	95	84	80	88	69	75	56	82	87	91	75
		F.	*52*	*68*	*47*	*52*	*52*	*38*	*37*	*58*	*51*	*51*	*63*
527	Other diseases of lung and pleural cavity	M.	78	51	60	56	65	67	64	48	59	55	66
		F.	*42*	*32*	*31*	*41*	*29*	*24*	*18*	*14*	*14*	*15*	*20*
530-587	IX. DISEASES OF THE DIGESTIVE SYSTEM	M.	1267	1172	1088	1161	1155	1137	1108	998	1040	1076	1084
		F.	*1032*	*941*	*879*	*903*	*921*	*932*	*915*	*914*	*875*	*912*	*912*
530-539	*Diseases of buccal cavity and œsophagus*	M.	14	11	19	10	16	10	8	13	17	11	13
		F.	*17*	*15*	*18*	*11*	*14*	*13*	*21*	*17*	*16*	*16*	*16*
530	Dental caries	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	*1*	–	–	–	–	–	*1*	–
531	Abscesses of supporting structures of teeth	M.	1	–	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–	–
532	Other inflammatory diseases of supporting structures of teeth	M.	–	2	1	–	–	–	–	–	–	–	–
		F.	*1*	*1*	–	–	–	–	–	–	–	–	–
533	Disorders of occlusion, eruption and tooth development	M.	1	–	–	–	1	–	–	–	–	–	–
		F.	*1*	–	–	*1*	–	–	–	–	–	–	–
534	Toothache from unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
535	Other diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	*1*	–	–
536	Stomatitis	M.	–	1	1	–	–	–	–	1	–	1	1
		F.	*1*	*1*	*1*	–	*2*	*1*	*1*	*1*	–	–	*1*
537	Diseases of salivary glands	M.	2	2	–	2	2	1	1	1	1	1	1
		F.	*6*	*4*	*4*	*5*	*4*	*4*	*3*	*6*	*3*	*2*	*2*
538	Other diseases of buccal cavity	M.	1	–	1	–	–	–	–	2	1	–	–
		F.	*1*	*1*	*1*	–	*1*	–	*1*	*1*	*1*	–	*1*
539	Diseases of œsophagus	M.	9	6	16	8	13	9	7	9	14	9	11
		F.	*6*	*8*	*12*	*4*	*7*	*8*	*16*	*9*	*11*	*13*	*12*
540-545	*Diseases of stomach and duodenum*	M.	531	514	455	517	515	461	446	404	387	433	428
		F.	*171*	*175*	*155*	*178*	*197*	*198*	*154*	*157*	*164*	*178*	*171*
540	Ulcer of stomach	M.	220	185	168	184	181	166	157	148	137	147	153
		F.	*82*	*93*	*82*	*105*	*103*	*103*	*81*	*90*	*87*	*86*	*87*
541	Ulcer of duodenum	M.	266	299	256	308	311	267	268	241	221	259	248
		F.	*51*	*62*	*55*	*59*	*71*	*72*	*58*	*55*	*62*	*70*	*67*
542	Gastrojejunal ulcer	M.	3	4	7	5	7	11	6	7	10	9	8
		F.	*1*	–	–	*1*	*1*	*3*	*1*	*3*	–	*1*	*1*
543	Gastritis and duodenitis	M.	13	7	13	8	5	8	3	4	8	8	4
		F.	*21*	*11*	*9*	*9*	*11*	*10*	*7*	*6*	*8*	*12*	*12*
544	Disorders of function of stomach	M.	4	3	1	1	–	1	2	2	3	1	2
		F.	*4*	*2*	–	–	*4*	*4*	–	*1*	*1*	*1*	–
545	Other diseases of stomach and duodenum	M.	25	16	10	11	11	8	10	2	8	9	13
		F.	*12*	*7*	*9*	*4*	*7*	*6*	*7*	*2*	*6*	*8*	*4*
550-553	*Appendicitis*	M.	64	64	62	49	51	63	68	48	61	54	50
		F.	*54*	*54*	*52*	*57*	*36*	*28*	*35*	*37*	*33*	*33*	*37*
550	Acute appendicitis	M.	61	56	50	42	44	57	66	44	57	47	47
		F.	*48*	*42*	*42*	*48*	*32*	*23*	*33*	*35*	*24*	*28*	*31*
551	Appendicitis, unqualified	M.	3	8	10	5	6	6	1	3	4	5	2
		F.	*5*	*10*	*8*	*8*	*3*	*5*	*2*	*2*	*8*	*5*	*5*
552	Other appendicitis	M.	–	–	1	2	1	–	1	–	–	2	–
		F.	–	*2*	*1*	*1*	–	–	–	–	–	–	–
553	Other diseases of appendix	M.	–	–	1	–	–	–	–	1	–	–	1
		F.	*1*	–	*1*	–	*1*	–	–	–	*1*	–	*1*

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					470-527
–	–	–	–	–	–	–	1	1	2	4	16	48	103	209	286	319	271	179	114	57	M. 502
–	–	–	–	–	–	–	–	*1*	*1*	*3*	*12*	*16*	*26*	*30*	*51*	*84*	*90*	*99*	*73*	*48*	F.
–	–	–	–	–	–	–	1	–	1	1	9	16	33	68	105	101	94	67	41	20	M. 502a
–	–	–	–	–	–	–	–	–	–	*2*	*2*	*5*	*8*	*10*	*12*	*33*	*13*	*34*	*24*	*11*	F.
–	–	–	–	–	–	–	–	1	1	3	7	32	70	141	181	218	177	112	73	37	M. 502b
–	–	–	–	–	–	–	–	*1*	*1*	*1*	*10*	*11*	*18*	*20*	*39*	*51*	*77*	*65*	*49*	*37*	F.
–	2	–	–	–	1	–	4	5	4	5	8	8	21	34	58	95	79	71	38	14	M. 510-527
–	*1*	–	–	*1*	–	–	–	*1*	–	*6*	*5*	*9*	*5*	*10*	*21*	*26*	*14*	*19*	*11*	*11*	F.
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 510
–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 511
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 512
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	M. 513
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 514
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 515
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 516
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	M. 517
–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	1	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	M. 518
–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	1	–	1	F.
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*2*	*1*	–	*1*	–	M. 519
–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–	F.
–	–	–	–	–	–	–	–	1	–	–	*1*	–	–	–	*1*	–	–	*1*	–	–	M. 520
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1	–	F.
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*1*	*1*	*1*	–	*1*	M. 521
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	F.
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*1*	*1*	–	*1*	*5*	*3*	M. 522
–	–	–	–	–	–	–	–	–	–	–	1	1	5	18	31	54	57	49	20	8	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 523
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 524
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	1	1	1	2	2	2	3	3	3	3	3	–	M. 525
–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*1*	*4*	*4*	*8*	*1*	*3*	*1*	–	F.
–	–	–	–	–	–	–	2	2	1	3	4	4	7	6	7	14	9	10	4	2	M. 526
–	–	–	–	*1*	–	–	–	–	–	*4*	*1*	*6*	*2*	*5*	*9*	*11*	*9*	*6*	*4*	*5*	F.
–	–	–	–	–	–	–	–	2	–	1	1	1	4	6	10	19	8	5	8	–	M. 527
–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	*1*	–	*3*	*3*	*2*	*6*	–	*2*	F.
1	2	1	4	3	2	2	2	3	14	10	26	37	72	108	143	157	137	148	89	60	M. 530-587
5	*6*	*1*	*1*	*1*	*2*	*7*	*1*	*9*	*8*	*11*	*25*	*29*	*45*	*45*	*92*	*120*	*129*	*138*	*134*	*59*	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	3	2	2	M. 530-539
–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	*1*	*1*	*2*	*1*	*1*	*3*	*3*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 530
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 531
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 532
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 533
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 534
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 535
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 536
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	M. 537
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 538
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	2	2	2	2	M. 539
–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	*1*	*1*	*2*	*1*	–	*3*	*2*	–	F.
–	–	–	–	–	–	–	–	–	6	3	11	17	30	50	53	62	78	56	40	22	M. 540-545
–	–	–	–	–	–	–	–	*2*	*1*	*4*	*2*	*9*	*13*	*7*	*8*	*25*	*30*	*24*	*32*	*14*	F.
–	–	–	–	–	–	–	–	–	5	–	4	5	14	16	19	20	29	19	12	10	M. 540
–	–	–	–	–	–	–	–	*2*	–	*1*	–	*5*	*6*	*1*	*5*	*7*	*16*	*17*	*19*	*8*	F.
–	–	–	–	–	–	–	–	–	1	1	5	10	13	30	32	39	46	34	26	11	M. 541
–	–	–	–	–	–	–	–	–	*1*	*3*	*1*	*4*	*7*	*3*	*1*	*15*	*12*	*6*	*11*	*3*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	2	–	–	M. 542
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	M. 543
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*1*	*1*	*2*	*3*	F.
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	M. 544
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	1	–	2	1	–	1	M. 545
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*1*	–	–	–	F.
–	–	2	3	1	1	1	–	2	1	4	–	–	–	1	8	7	4	10	2	1	M. 550-553
–	–	*1*	*1*	*3*	*1*	*3*	*1*	*1*	–	*1*	*2*	–	–	*3*	*3*	*3*	*4*	*8*	*1*	*2*	F.
–	–	2	3	1	1	1	–	2	1	4	–	–	–	1	7	7	4	9	2	–	M. 550
–	–	–	–	*1*	*3*	*1*	*2*	*1*	–	*1*	*2*	–	–	*3*	*3*	*2*	*3*	*6*	*1*	*2*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	M. 551
–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 552
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	M. 553
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
530-587	**IX. DISEASES OF THE DIGESTIVE SYSTEM—*continued***											
560-561	*Hernia of abdominal cavity*	M.	96	80	69	75	78	79	84	76	66	69
		F.	*88*	*104*	*88*	*87*	*99*	*105*	*105*	*82*	*80*	*87*
560	Hernia of abdominal cavity without mention of obstruction	M.	37	25	22	17	23	25	24	29	30	23
		F.	*25*	*28*	*17*	*18*	*24*	*26*	*23*	*26*	*31*	*30*
561	Hernia of abdominal cavity with obstruction	M.	59	55	47	58	55	54	60	47	36	46
		F.	*63*	*76*	*71*	*69*	*75*	*79*	*82*	*56*	*49*	*57*
570-578	*Other diseases of intestines and peritoneum*	M.	356	310	287	306	312	287	287	236	274	268
		F.	*384*	*313*	*290*	*263*	*305*	*284*	*256*	*286*	*279*	*285*
570	Intestinal obstruction without mention of hernia	M.	107	127	119	137	119	121	135	96	99	102
		F.	*103*	*113*	*121*	*109*	*103*	*98*	*99*	*99*	*94*	*86*
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years	M.	119	87	74	57	79	61	35	29	55	48
		F.	*79*	*56*	*52*	*35*	*41*	*39*	*25*	*31*	*37*	*25*
571.1	Gastro-enteritis and colitis, except ulcerative, ages 2 years and over	M.	41	20	22	17	24	18	21	27	29	15
		F.	*66*	*36*	*32*	*21*	*44*	*30*	*17*	*27*	*37*	*37*
572	Chronic enteritis and ulcerative colitis	M.	47	39	40	62	55	57	75	56	60	68
		F.	*86*	*72*	*63*	*72*	*93*	*89*	*86*	*104*	*78*	*106*
573	Functional disorders of intestines	M.	1	1	–	–	2	–	1	1	1	3
		F.	*5*	–	*1*	*2*	*1*	*1*	*2*	–	–	*1*
574	Anal fissure and fistula	M.	1	1	1	1	–	–	–	–	–	1
		F.	–	–	*1*	–	–	–	*1*	–	–	–
575	Abscess of anal and rectal regions	M.	1	1	–	2	2	1	–	2	2	3
		F.	*1*	*3*	–	*3*	–	–	*1*	*2*	–	*3*
576	Peritonitis	M.	25	22	10	7	5	6	8	7	11	11
		F.	*21*	*18*	*2*	*7*	*6*	*10*	*5*	*5*	*14*	*5*
577	Peritoneal adhesion	M.	–	–	2	4	2	1	–	2	1	–
		F.	*3*	–	–	*1*	–	–	–	–	–	*1*
578	Other diseases of intestines and peritoneum	M.	14	12	19	19	24	22	12	16	16	17
		F.	*20*	*15*	*18*	*13*	*17*	*17*	*20*	*18*	*19*	*21*
580-587	*Diseases of liver, gallbladder, and pancreas*	M.	206	193	196	204	183	237	215	221	235	241
		F.	*318*	*280*	*276*	*307*	*270*	*304*	*344*	*335*	*303*	*313*
580	Acute and subacute yellow atrophy of liver	M.	15	7	7	6	6	11	7	8	7	10
		F.	*17*	*17*	*17*	*14*	*11*	*12*	*10*	*15*	*12*	*15*
581	Cirrhosis of liver	M.	95	100	101	95	84	128	124	103	114	120
		F.	*74*	*66*	*69*	*87*	*83*	*85*	*119*	*118*	*99*	*105*
582	Suppurative hepatitis and liver abscess	M.	4	4	1	1	5	1	4	2	3	4
		F.	*2*	*3*	*1*	–	*3*	*4*	*1*	–	–	*2*
583	Other diseases of liver	M.	6	6	6	8	5	4	4	8	9	11
		F.	*11*	*5*	*9*	*8*	*6*	*11*	*7*	*8*	*8*	*5*
584	Cholelithiasis	M.	22	17	28	20	20	28	21	41	24	26
		F.	*62*	*58*	*52*	*55*	*57*	*58*	*72*	*59*	*55*	*65*
585	Cholecystitis and cholangitis without mention of calculi	M.	32	33	27	32	38	21	22	24	30	32
		F.	*97*	*93*	*86*	*85*	*72*	*81*	*78*	*92*	*71*	*78*
586	Other diseases of gallbladder and biliary ducts	M.	13	12	6	7	7	8	3	1	4	5
		F.	*21*	*10*	*13*	*18*	*10*	*7*	*12*	*10*	*3*	*9*
587	Diseases of pancreas	M.	19	14	20	35	18	36	30	34	44	33
		F.	*34*	*28*	*29*	*40*	*28*	*46*	*45*	*33*	*55*	*34*
590-637	**X. DISEASES OF THE GENITO-URINARY SYSTEM**	M.	916	879	819	879	868	862	801	767	778	748
		F.	*535*	*452*	*489*	*467*	*446*	*466*	*438*	*404*	*424*	*441*
590-594	*Nephritis and nephrosis*	M.	298	266	270	277	267	264	252	222	205	187
		F.	*352*	*302*	*310*	*293*	*263*	*264*	*259*	*195*	*206*	*166*
590	Acute nephritis	M.	24	14	24	22	17	13	13	16	12	12
		F.	*27*	*22*	*22*	*25*	*21*	*12*	*6*	*14*	*17*	*6*
591	Nephritis with œdema, including nephrosis	M.	4	14	19	20	18	27	21	21	14	21
		F.	*10*	*8*	*25*	*18*	*24*	*22*	*16*	*11*	*13*	*16*
592	Chronic nephritis	M.	240	204	200	211	211	199	186	165	156	137
		F.	*281*	*242*	*234*	*218*	*200*	*205*	*204*	*133*	*147*	*129*
593	Nephritis not specified as acute or chronic	M.	27	32	25	21	21	22	32	20	23	17
		F.	*32*	*29*	*27*	*28*	*16*	*23*	*33*	*35*	*28*	*15*
594	Other renal sclerosis	M.	3	2	2	3	–	3	–	–	–	–
		F.	*2*	*1*	*2*	*4*	*2*	*2*	–	*2*	*1*	–
600-609	*Other diseases of urinary system*	M.	157	138	145	154	140	164	146	151	197	192
		F.	*145*	*113*	*147*	*148*	*151*	*170*	*152*	*178*	*198*	*252*
600	Infections of kidney	M.	51	49	62	67	74	74	82	84	113	117
		F.	*75*	*71*	*95*	*94*	*97*	*122*	*109*	*145*	*145*	*192*
601	Hydronephrosis	M.	8	17	10	13	6	10	14	9	8	7
		F.	*8*	*5*	*8*	*7*	*6*	*7*	*15*	*12*	*10*	*11*
602	Calculi of kidney and ureter	M.	24	14	15	11	15	20	11	12	10	9
		F.	*30*	*11*	*16*	*16*	*20*	*14*	*4*	*4*	*11*	*14*
603	Other diseases of kidney and ureter	M.	3	4	1	6	3	1	3	5	4	4
		F.	*2*	*5*	*7*	*5*	*8*	*1*	*3*	*5*	*2*	*2*
604	Calculi of other parts of urinary system	M.	5	2	1	1	6	8	2	6	7	4
		F.	–	*1*	*1*	–	*2*	*1*	*2*	–	*1*	*2*
605	Cystitis	M.	31	26	24	19	16	24	12	16	23	21
		F.	*21*	*15*	*17*	*23*	*13*	*13*	*14*	*5*	*24*	*18*
606	Other diseases of bladder	M.	24	14	17	17	9	8	4	8	18	9
		F.	*7*	*2*	*1*	*2*	*3*	*6*	*2*	*1*	–	*4*
607	Urethritis (non-venereal)	M.	–	1	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
608	Stricture of urethra	M.	10	4	10	12	6	11	11	4	11	9
		F.	*1*	*2*	–	–	–	–	–	–	–	–
609	Other diseases of urethra	M.	1	7	5	8	5	8	7	7	3	11
		F.	*1*	*1*	*2*	*1*	*2*	*6*	*3*	*6*	*5*	*9*

Table 48—*continued*

1961 Ages																					International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					530-587
–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	6	9	6	17	6	8	M. 560-561
–	–	–	–	–	–	–	–	–	–	–	*2*	–	*3*	*5*	*9*	*14*	*13*	*13*	*14*	*4*	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	6	3	3	1	1	M. 560
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*3*	*4*	*3*	*3*	*2*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	3	3	14	5	7	M. 561
–	–	–	–	–	–	–	–	–	–	–	*1*	–	*3*	*5*	*6*	*10*	*10*	*10*	*12*	*4*	F.
8	1	–	1	–	–	1	1	3	2	3	6	3	15	26	37	43	21	39	24	19	M. 570-578
3	*4*	–	*1*	–	*1*	*1*	–	*2*	*3*	*4*	*8*	*9*	*9*	*6*	*19*	*34*	*35*	*36*	*49*	*23*	F.
–	–	–	–	–	–	–	1	1	–	1	2	2	5	12	20	29	13	20	11	11	M. 570
1	–	–	–	–	*1*	–	–	–	*1*	*1*	*1*	*4*	*5*	*2*	*10*	*16*	*15*	*11*	*25*	*9*	F.
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 571.0
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	1	–	1	–	–	1	–	1	1	–	1	–	1	2	–	3	2	2	4	1	M. 571.1
–	*4*	–	*1*	–	–	*1*	–	–	*1*	*1*	*1*	–	*1*	–	*3*	*6*	*3*	*6*	*4*	*4*	F.
–	–	–	–	–	–	–	–	1	1	1	1	–	6	9	11	8	3	14	5	5	M. 572
–	–	–	–	–	–	–	–	*2*	–	*1*	*3*	*3*	*1*	*4*	*6*	*9*	*13*	*11*	*14*	*9*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 573
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 574
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 575
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	1	–	M. 576
–	–	–	–	–	–	–	–	–	*1*	–	*1*	*2*	*1*	–	–	*2*	*1*	*1*	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 577
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	2	3	3	3	3	2	M. 578
–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	–	–	–	*1*	*2*	*5*	*5*	*1*	F.
2	1	1	1	–	1	–	–	–	4	3	4	14	22	27	38	36	26	23	15	8	M. 580-587
2	*2*	*1*	–	–	–	*2*	–	*2*	*3*	*3*	*12*	*8*	*19*	*23*	*51*	*43*	*46*	*54*	*35*	*15*	F.
1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	M. 580
–	–	–	–	–	–	*1*	–	*1*	*1*	–	*3*	–	*3*	–	*1*	*1*	*2*	*3*	*2*	–	F.
1	–	–	–	–	1	–	–	–	3	2	2	7	19	21	23	20	13	13	8	1	M. 581
–	–	–	–	–	–	–	–	–	–	*1*	*4*	*6*	*7*	*12*	*22*	*11*	*17*	*11*	*4*	*5*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 582
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	M. 583
–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	*1*	*1*	–	–	*2*	*3*	*1*	*1*	F.
–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	4	7	4	5	3	3	M. 584
–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*2*	*3*	*12*	*15*	*13*	*11*	*10*	*2*	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	1	3	3	2	3	M. 585
–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*3*	*4*	*9*	*9*	*6*	*16*	*13*	*7*	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	M. 586
–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	–	*2*	–	*1*	*2*	*1*	–	F.
–	1	1	1	–	–	–	–	–	–	1	–	4	2	2	4	6	4	2	–	–	M. 587
2	*2*	*1*	–	–	–	–	–	*1*	–	*1*	*2*	–	*1*	*3*	*5*	*6*	*5*	*8*	*4*	–	F.
1	–	–	–	3	–	2	13	3	5	17	9	17	18	30	55	56	94	135	153	117	M. 590-637
1	–	*1*	–	*2*	*1*	*5*	*3*	*3*	*6*	*8*	*18*	*15*	*34*	*36*	*44*	*62*	*66*	*54*	*46*	*31*	F.
–	–	–	–	3	–	1	9	3	3	13	4	12	11	15	26	9	14	14	15	13	M. 590-594
–	–	–	–	*1*	*1*	*5*	*3*	*2*	*4*	*2*	*8*	*8*	*11*	*12*	*17*	*30*	*27*	*13*	*17*	*10*	F.
–	–	–	–	1	–	–	1	1	1	2	–	–	2	–	–	1	–	–	–	1	M. 590
–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	*2*	*3*	*1*	*2*	*2*	–	–	F
–	–	–	–	1	–	1	1	1	–	1	–	1	–	–	2	–	1	1	–	–	M. 591
–	–	–	–	–	–	*1*	–	–	*2*	–	*1*	*1*	–	–	–	*3*	*1*	–	–	*1*	F.
–	–	–	–	1	–	–	6	1	2	9	3	11	7	12	22	7	8	12	14	11	M. 592
–	–	–	–	*1*	*1*	*4*	*2*	*2*	*2*	*2*	*6*	*5*	*9*	*8*	*12*	*22*	*19*	*8*	*11*	*5*	F.
–	–	–	–	–	–	–	1	–	–	1	1	–	2	3	1	1	5	1	1	1	M. 593
–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*2*	*2*	*4*	*5*	*3*	*6*	*4*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 594
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	1	4	–	2	4	5	4	7	14	18	13	25	27	38	21	M. 600-609
1	–	*1*	–	*1*	–	–	–	*1*	*2*	*6*	*9*	*5*	*21*	*22*	*22*	*30*	*35*	*39*	*29*	*20*	F.
1	–	–	–	–	–	–	3	–	2	3	4	4	6	10	12	9	16	12	23	11	M. 600
1	–	*1*	–	–	–	–	–	*1*	*2*	*6*	*6*	*3*	*18*	*18*	*19*	*28*	*33*	*34*	*23*	*13*	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	1	3	1	M. 601
–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*2*	–	–	F.
–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	2	4	3	2	M. 602
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	1	–	–	–	*1*	–	F.
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	M. 603
–	–	–	–	–	–	–	–	–	–	–	*3*	*1*	–	*1*	*2*	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	M. 604
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	4	M. 605
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*1*	*2*	*2*	*5*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	M. 606
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 607
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	M. 608
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	2	3	2	2	M. 609
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	*2*	*2*	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
590-637	**X. DISEASES OF THE GENITO-URINARY SYSTEM—*continued***											
610-617	*Diseases of male genital organs*	M.	461	475	404	448	461	434	403	394	376	369
610	Hyperplasia of prostate	M.	425	453	395	430	451	421	389	382	362	359
611	Prostatitis	M.	13	18	8	12	6	8	11	9	5	8
612	Other diseases of prostate	M.	20	2	1	4	3	3	3	1	4	–
613	Hydrocele	M.	–	–	–	–	–	1	–	–	1	–
614	Orchitis and epididymitis	M.	1	–	–	–	–	–	–	–	1	–
615	Redundant prepuce and phimosis	M.	–	–	–	1	–	–	–	–	2	–
616	Sterility, male	M.	–	–	–	–	–	–	–	–	–	–
617	Other diseases of male genital organs	M.	2	2	–	1	1	1	–	2	1	2
620-626	*Diseases of breast, ovary, Fallopian tube and parametrium*	F.	13	15	12	10	10	9	7	9	7	5
620	Chronic cystic disease of breast	F.	–	–	–	–	–	–	–	–	–	–
621	Other diseases of breast	F.	–	–	–	–	–	–	–	–	1	–
622	Acute salpingitis and oophoritis	F.	1	–	1	2	1	–	–	1	1	–
623	Chronic salpingitis and oophoritis	F	1	1	–	–	–	–	1	–	–	–
624	Salpingitis and oophoritis, unqualified	F.	4	1	1	4	3	2	2	2	1	3
625	Other diseases of ovary and Fallopian tube	F.	2	–	2	1	–	2	–	1	–	1
626	Diseases of parametrium and pelvic peritoneum (female)	F.	5	13	8	3	6	5	4	5	4	1
630-637	*Diseases of uterus and other female genital organs*	F.	25	22	20	16	22	23	20	22	13	18
630	Infective disease of uterus, vagina and vulva	F.	–	–	–	–	2	3	3	–	1	3
631	Uterovaginal prolapse	F.	11	8	10	9	8	11	8	15	12	13
632	Malposition of uterus	F.	–	–	–	–	–	2	–	–	–	–
633	Other diseases of uterus	F.	7	8	4	1	2	3	4	2	–	1
634	Disorders of menstruation	F.	2	3	5	4	1	1	2	4	–	–
635	Menopausal symptoms	F.	–	–	–	–	–	1	1	–	–	–
636	Sterility, female	F.	–	–	–	–	–	–	–	–	–	–
637	Other diseases of female genital organs	F.	5	3	1	2	9	2	2	1	–	1
640-689	**XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM**	F.	99	92	86	70	43	51	46	53	36	35
640-649	*Complications of pregnancy*	F.	22	17	20	27	13	15	13	13	13	12
640	Pyelitis and pyelonephritis of pregnancy	F.	1	–	1	1	–	1	–	–	–	–
641	Other infections of genito-urinary tract during pregnancy	F.	–	1	–	–	–	–	–	1	–	–
642	Toxæmias of pregnancy	F.	11	7	13	19	10	7	8	10	5	8
642.2, 3	Eclampsia of pregnancy	F.	7	6	11	13	6	5	4	6	5	6
642.4	Hyperemesis gravidarum	F.	–	1	–	–	–	1	–	1	–	1
642.0, 1, 5	Other toxæmias of pregnancy	F.	4	–	2	6	4	1	4	3	–	1
643	Placenta prævia	F.	–	2	–	–	–	–	1	–	–	1
644	Other hæmorrhage of pregnancy	F.	5	3	1	1	1	2	3	1	4	2
645	Ectopic pregnancy	F.	2	2	3	3	2	2	–	–	–	1
646	Anæmia of pregnancy	F.	–	–	–	3	–	1	1	–	1	–
647	Pregnancy with malposition of fœtus in uterus	F.	–	–	–	–	–	–	–	–	–	–
648	Other complications arising from pregnancy	F.	3	2	2	–	–	2	–	1	3	–
650-652	*Abortion*	F.	19	13	14	3	5	3	6	10	5	3
650	Abortion without mention of sepsis or toxæmia	F.	6	7	9	2	3	2	2	6	1	2
651	Abortion with sepsis	F.	11	3	5	1	2	1	4	4	4	1
652	Abortion with toxæmia, without mention of sepsis	F.	2	3	–	–	–	–	–	–	–	–
660	*Delivery without mention of complication*	F.	–	–	–	–	–	–	–	–	–	–
670-678	*Delivery with specified complication*	F.	32	27	24	21	11	16	8	18	8	6
670	Delivery complicated by placenta prævia or antepartum hæmorrhage	F.	3	5	3	5	2	5	3	1	1	2
670a	Placenta prævia	F.	2	3	2	2	1	2	1	1	–	1
670b	Other hæmorrhage of pregnancy	F.	1	2	1	3	1	3	2	–	1	1
671	Delivery complicated by retained placenta	F.	7	1	2	1	1	2	–	1	–	–
672	Delivery complicated by other post-partum hæmorrhage	F.	5	11	12	5	5	4	–	4	2	1
673	Delivery complicated by abnormality of bony pelvis	F.	–	1	–	2	–	1	–	–	–	1
674	Delivery complicated by disproportion or malposition of fœtus	F.	4	1	–	–	2	1	1	–	–	1
675	Delivery complicated by prolonged labour of other origin	F.	1	1	3	2	–	–	2	4	3	1
676	Delivery with laceration of perineum, without mention of other laceration	F.	–	–	–	–	–	–	–	–	–	–
677	Delivery with other trauma	F.	3	3	2	3	–	1	1	2	1	–
678	Delivery with other complications of childbirth	F.	9	4	2	3	1	2	1	6	1	–

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					590-637
–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	11	34	55	94	100	83	M. 610-617
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	11	32	53	93	97	79	M. 610
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	3	M. 611
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	M. 612
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 613
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 614
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 615
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 616
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	M. 617
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*2*	*1*	–	*2*	–	*1*	F. 620-626
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 620
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 621
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 622
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 623
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 624
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 625
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*2*	*1*	–	*2*	–	*1*	F. 626
–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	*2*	*3*	*1*	*4*	–	–	–	F. 630-637
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 630
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	*1*	*4*	–	–	–	F. 631
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 632
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	F. 633
–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	–	–	–	–	–	F. 634
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 635
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 636
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 637
–	–	–	–	–	–	*1*	*5*	*7*	*13*	*10*	*1*	–	–	–	–	–	–	–	–	–	F. 640-689
–	–	–	–	–	–	–	*2*	–	*2*	*2*	–	–	–	–	–	–	–	–	–	–	F. 640-649
–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 640
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 641
–	–	–	–	–	–	–	–	–	*1*	*2*	–	–	–	–	–	–	–	–	–	–	F. 642
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 642.2, 3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 642.4
–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	F. 642.0,1,5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 643
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 644
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 645
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 646
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 647
–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 648
–	–	–	–	–	–	–	*2*	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 650-652
–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 650
–	–	–	–	–	–	–	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	F. 651
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 652
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 660
–	–	–	–	–	–	–	*1*	*1*	*4*	*5*	*1*	–	–	–	–	–	–	–	–	–	F. 670-678
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 670
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 670a
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 670b
–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 671
–	–	–	–	–	–	–	–	*1*	*1*	*2*	*1*	–	–	–	–	–	–	–	–	–	F. 672
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 674
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 675
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 676
–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	F. 677
–	–	–	–	–	–	–	–	–	*2*	*2*	–	–	–	–	–	–	–	–	–	–	F. 678

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
640-689	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—*continued*											
680-689	*Complications of the puerperium*	F.	*26*	*35*	*28*	*19*	*14*	*17*	*19*	*12*	*10*	*14*
680	Puerperal urinary infection without other sepsis	F.	*1*	–	–	*1*	–	–	–	–	–	–
681	Sepsis of childbirth and the puerperium	F.	*3*	*3*	*2*	*2*	*1*	*2*	*3*	*4*	*1*	*3*
682	Puerperal phlebitis and thrombosis	F.	*5*	*1*	*4*	*4*	*2*	*6*	*3*	–	*1*	*2*
683	Pyrexia of unknown origin during the puerperium	F.	–	*1*	–	–	–	–	–	–	–	–
684	Puerperal pulmonary embolism	F.	*8*	*14*	*8*	*7*	*6*	*5*	*6*	*6*	*5*	*2*
685	Puerperal eclampsia	F.	*3*	*8*	*9*	*1*	*2*	*1*	*3*	–	*1*	*6*
686	Other forms of puerperal toxæmia	F.	*1*	*4*	*1*	–	–	*2*	–	*1*	–	–
687	Cerebral hæmorrhage in the puerperium	F.	*2*	*4*	*3*	*1*	*1*	*1*	*3*	*1*	*1*	*1*
688	Other and unspecified complications of the puerperium	F.	*3*	–	*1*	*3*	*2*	–	*1*	–	*1*	–
689	Mastitis and other disorders of lactation	F.	–	–	–	–	–	–	–	–	–	–
690-716	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	M.	34	33	25	31	28	29	20	22	32	17
		F.	*36*	*30*	*35*	*30*	*25*	*31*	*28*	*24*	*21*	*27*
690-698	*Infections of skin and subcutaneous tissue*	M.	14	9	8	10	10	15	12	11	11	9
		F.	*9*	*10*	*13*	*13*	*9*	*12*	*7*	*7*	*9*	*14*
690	Boil and carbuncle	M.	1	1	1	3	–	3	1	2	–	2
		F.	*2*	*1*	*1*	*1*	*3*	*2*	*1*	*1*	*1*	*4*
691	Cellulitis of finger and toe	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
692	Other cellulitis and abscess without mention of lymphangitis	M.	12	7	7	6	9	11	10	7	11	5
		F.	*7*	*7*	*12*	*11*	*5*	*9*	*5*	*6*	*5*	*10*
693	Other cellulitis and abscess with lymphangitis	M.	–	–	–	–	1	1	–	–	–	1
		F.	–	*1*	–	*1*	–	–	–	–	–	–
694	Acute lymphadenitis	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
695	Impetigo	M.	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	*1*	–	–	–	–	–
696	Infectious warts	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
697	Molluscum contagiosum	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
698	Other local infections of skin and subcutaneous tissue	M.	1	1	–	1	–	–	–	2	–	1
		F.	–	*1*	–	–	–	*1*	*1*	–	*3*	–
700-716	*Other diseases of skin and subcutaneous tissue*	M.	20	24	17	21	18	14	8	11	21	8
		F.	*27*	*20*	*22*	*17*	*16*	*19*	*21*	*17*	*12*	*13*
700	Seborrhœic dermatitis	M.	–	1	–	–	–	–	–	–	–	1
		F.	–	–	*1*	–	–	–	–	–	–	–
701	Eczema	M.	2	–	2	2	1	–	1	–	–	–
		F.	*2*	*2*	–	–	–	–	*1*	–	–	–
702	Occupational dermatitis	M.	–	–	–	1	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
703	Other dermatitis	M.	2	4	2	1	1	–	1	1	–	–
		F.	*1*	–	–	–	*1*	*1*	*1*	–	*1*	–
704	Pemphigus	M.	5	4	4	8	4	3	2	3	6	–
		F.	*7*	*3*	*4*	*7*	*4*	*2*	*2*	*1*	*1*	*3*
705	Erythematous conditions	M.	4	11	4	5	7	3	3	1	3	1
		F.	*6*	*4*	*7*	*3*	*4*	*3*	*6*	*5*	*2*	*4*
706	Psoriasis and similar disorders	M.	–	–	1	1	2	3	–	2	2	1
		F.	*1*	*3*	*1*	*3*	–	–	–	*1*	*2*	–
707	Lichen planus	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
708	Pruritus and related conditions	M.	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	*1*	–	–
709	Corns and callosities	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
710	Other hypertrophic and atrophic conditions of skin	M.	1	1	1	–	–	3	1	1	5	3
		F.	*1*	*3*	*5*	*3*	*2*	*3*	*4*	*4*	*4*	*4*
711	Other dermatoses	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
712	Diseases of nail	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
713	Diseases of hair and hair follicles	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
714	Diseases of sweat and sebaceous glands	M.	1	–	–	–	–	–	–	–	–	–
		F.	*1*	–	–	–	–	–	–	–	–	–
715	Chronic ulcer of skin	M.	4	3	3	3	1	1	–	3	5	1
		F.	*8*	*4*	*4*	*1*	*4*	*10*	*7*	*5*	*2*	*1*
716	Other diseases of skin	M.	1	–	–	–	–	–	–	–	–	1
		F.	–	*1*	–	–	*1*	–	–	–	–	*1*
720-749	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M.	55	61	70	81	74	67	79	73	86	72
		F.	*121*	*109*	*130*	*190*	*180*	*193*	*197*	*188*	*189*	*200*
720-727	*Arthritis and rheumatism, except rheumatic fever*	M.	19	33	38	54	41	44	43	49	60	38
		F.	*94*	*90*	*101*	*170*	*159*	*169*	*169*	*168*	*169*	*171*
720	Acute arthritis due to pyogenic organisms	M.	1	1	2	1	2	3	–	1	–	1
		F.	*2*	*2*	–	*1*	*1*	*3*	*1*	*1*	–	*2*
721	Acute non-pyogenic arthritis	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
722	Rheumatoid arthritis and allied conditions	M.	10	25	22	32	31	32	23	33	41	27
		F.	*60*	*65*	*75*	*138*	*127*	*144*	*138*	*132*	*139*	*136*
723	Osteo-arthritis (arthrosis) and allied conditions	M.	4	5	9	10	4	6	15	12	16	9
		F.	*20*	*11*	*18*	*22*	*15*	*13*	*20*	*26*	*17*	*27*

Table 48—*continued*

1961 Ages																					International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					640-689
–	–	–	–	–	–	*1*	–	*4*	*6*	*3*	–	–	–	–	–	–	–	–	–	–	F. 680-689
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 680
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 681
–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	F. 682
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 683
–	–	–	–	–	–	*1*	–	*4*	*3*	*1*	–	–	–	–	–	–	–	–	–	–	F. 684
–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	F. 685
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 686
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	F. 687
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 688
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 689
–	–	1	–	–	1	1	–	–	–	–	2	1	–	–	3	–	2	–	4	1	M. 690-716
1	–	–	–	–	–	–	–	*1*	*1*	*2*	*1*	*1*	*1*	*1*	*2*	*2*	*1*	*7*	*2*	*2*	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	M. 690-698
1	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*2*	*1*	–	*2*	*2*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	M. 690
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 691
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	M. 692
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*2*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 693
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 694
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	M. 695
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 696
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 697
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	M. 698
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	1	–	–	1	1	–	–	–	–	2	–	–	–	3	–	1	–	3	1	M. 700-716
–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*1*	*1*	*1*	–	*1*	*1*	*5*	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 700
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	M. 701
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 702
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 703
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	M. 704
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 705
–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 706
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 707
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 708
–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 709
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	M. 710
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 711
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	M. 712
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 713
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 714
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 715
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*2*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 716
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	5	3	–	–	1	1	6	5	12	9	15	11	9	10	3	M. 720-749
–	–	–	–	–	*1*	–	–	–	*1*	–	*2*	*6*	*5*	*10*	*14*	*28*	*36*	*36*	*24*	*16*	F.
–	–	–	–	–	–	–	1	–	–	1	–	5	2	9	5	8	6	7	6	2	M. 720-727
–	–	–	–	–	*1*	–	–	–	–	–	*1*	*6*	*4*	*6*	*13*	*25*	*31*	*31*	*22*	*12*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. 720
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 721
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	1	–	–	1	–	5	1	8	4	4	1	4	1	–	M. 722
–	–	–	–	–	*1*	–	–	–	–	–	–	*5*	*4*	*6*	*13*	*22*	*26*	*26*	*15*	*8*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	2	4	1	M. 723
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	*2*	*4*	*6*	*3*	F.

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
720-749	**XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT**—*continued*											
724	Other specified forms of arthritis	M.	1	–	2	2	1	1	–	–	1	–
		F.	*2*	–	*1*	*3*	–	–	*2*	–	*1*	–
725	Arthritis, unspecified	M.	–	1	2	3	1	1	5	1	–	1
		F.	*4*	*8*	*1*	*4*	*5*	*2*	*3*	*5*	*7*	*4*
726	Muscular rheumatism	M.	–	–	–	1	1	–	–	1	–	–
		F.	–	–	–	–	*2*	*1*	*1*	*2*	–	*1*
727	Rheumatism, unspecified	M.	3	1	1	5	1	1	–	1	2	–
		F.	*6*	*4*	*6*	*2*	*9*	*6*	*4*	*2*	*5*	*1*
730-738	*Osteomyelitis and other diseases of bone and joint*	M.	22	16	18	18	20	12	21	12	7	18
		F.	*21*	*14*	*22*	*11*	*13*	*18*	*18*	*9*	*8*	*18*
730	Osteomyelitis and periostitis	M.	5	4	10	5	9	5	4	5	1	6
		F.	*7*	*5*	*5*	*3*	*2*	*3*	*5*	*1*	–	*3*
731	Osteitis deformans	M.	15	9	5	10	9	6	10	6	5	6
		F.	*8*	*5*	*5*	*3*	*6*	*9*	*8*	*3*	*4*	*5*
732	Osteochondrosis	M.	–	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	*1*	–
733	Other diseases of bone	M.	2	2	3	1	1	–	3	1	1	4
		F.	*4*	*4*	*10*	*4*	*3*	*5*	*5*	*5*	*3*	*6*
734	Internal derangement of knee joint	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
735	Displacement of intervertebral disc	M.	–	1	–	1	–	1	1	–	–	–
		F.	*1*	–	*1*	–	*2*	*1*	–	–	–	*1*
736	Affection of sacro-iliac joint	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
737	Ankylosis of joint	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	*1*	–	–	–	–	–	–
738	Other diseases of joint	M.	–	–	–	1	1	–	3	–	–	1
		F.	*1*	–	*1*	–	–	–	–	–	–	*3*
740-749	*Other diseases of musculoskeletal system*	M.	14	12	14	9	13	11	15	12	19	16
		F.	*6*	*5*	*7*	*9*	*8*	*6*	*10*	*11*	*12*	*11*
740	Bunion	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	M.	–	–	2	–	–	–	–	–	–	–
		F.	–	–	–	–	–	*1*	–	–	–	–
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
743	Infective myositis and other inflammatory diseases of tendon and fascia	M.	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
744	Other diseases of muscle, tendon and fascia	M.	11	6	11	9	11	9	14	9	16	16
		F.	*5*	*4*	*6*	*8*	*5*	*5*	*9*	*11*	*10*	*11*
745	Curvature of spine	M.	3	6	–	–	1	2	1	2	1	–
		F.	*1*	*1*	–	*1*	*3*	–	*1*	–	*2*	–
746	Flat foot	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
747	Hallux valgus and varus	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
748	Clubfoot	M.	–	–	–	–	–	–	–	–	2	–
		F.	–	–	–	–	–	–	–	–	–	–
749	Other deformities	M.	–	–	1	–	–	–	–	1	–	–
		F.	–	–	*1*	–	–	–	–	–	–	–
750-759	**XIV. CONGENITAL MALFORMATIONS**	M.	332	299	321	353	289	345	390	310	377	325
		F.	*270*	*311*	*297*	*323*	*333*	*317*	*328*	*338*	*341*	*334*
750	Monstrosity	M.	5	6	4	6	6	5	10	4	6	5
		F.	*6*	*14*	*7*	*15*	*11*	*12*	*21*	*16*	*16*	*20*
751	Spina bifida and meningocele	M.	52	56	51	61	49	65	71	60	55	45
		F.	*60*	*96*	*76*	*99*	*103*	*78*	*73*	*74*	*72*	*81*
752	Congenital hydrocephalus	M.	37	34	29	34	30	35	34	32	37	35
		F.	*32*	*27*	*31*	*30*	*37*	*27*	*36*	*46*	*41*	*37*
753	Other congenital malformations of nervous system and sense organs	M.	12	11	12	6	7	6	6	9	10	9
		F.	*4*	*9*	*14*	*14*	*9*	*17*	*3*	*10*	*11*	*12*
754	Congenital malformations of circulatory system	M.	115	105	105	124	106	125	127	116	146	118
		F.	*89*	*91*	*89*	*95*	*103*	*101*	*113*	*113*	*109*	*102*
755	Cleft palate and harelip	M.	2	3	2	1	1	1	2	–	3	–
		F.	*1*	*1*	*3*	–	*3*	–	*3*	–	–	*1*
756	Congenital malformations of digestive system	M.	62	38	59	51	37	49	66	27	50	44
		F.	*37*	*30*	*27*	*38*	*26*	*27*	*30*	*27*	*44*	*34*
756.0	Congenital hypertrophic pyloric stenosis	M.	9	10	9	9	4	4	6	4	1	1
		F.	*3*	*1*	*1*	*1*	*1*	*1*	–	*1*	*2*	*1*
756.1, 2	Other congenital malformations of digestive system	M.	53	28	50	42	33	45	60	23	49	43
		F.	*34*	*29*	*26*	*37*	*25*	*26*	*30*	*26*	*42*	*33*
757	Congenital malformations of genito-urinary system	M.	29	23	27	43	29	26	46	33	28	34
		F.	*21*	*25*	*23*	*16*	*18*	*23*	*19*	*23*	*18*	*28*
758	Congenital malformations of bone and joint	M.	3	3	8	4	4	3	7	5	5	4
		F.	*5*	*5*	*8*	*4*	*1*	*4*	*6*	*8*	*7*	*3*
759	Other and unspecified congenital malformations, not elsewhere classified	M.	15	20	24	23	20	30	21	24	37	31
		F.	*15*	*13*	*19*	*12*	*22*	*2*	*24*	*21*	*23*	*16*

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					720-749
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 724
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	M. 725
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	*1*	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 726
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	M. 727
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	–	–	F.
–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	4	3	2	4	1	M. 730-738
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*3*	*4*	*4*	*1*	*4*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	M. 730
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	2	1	M. 731
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*1*	*1*	F.
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 732
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	M. 733
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	*3*	–	*3*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 734
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M. 735
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 736
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 737
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 738
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	5	1	–	–	–	1	1	2	3	3	3	2	–	–	–	M. 740-749
–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	*2*	–	–	*1*	*1*	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 740
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 741
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 742
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 743
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	5	1	–	–	–	1	1	2	1	2	3	2	–	–	–	M. 744
–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	*1*	–	–	*1*	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	M. 745
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 746
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 747
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 748
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 749
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
18	**5**	**5**	**4**	**10**	**4**	**5**	**5**	**3**	**1**	**3**	**1**	**3**	**3**	**7**	**5**	**6**	**3**	**2**	**3**	–	M. 750-759
12	***4***	***2***	***2***	***10***	***12***	***5***	***5***	***2***	***1***	***1***	***4***	***7***	***4***	***6***	***1***	***6***	***1***	***1***	***1***	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 750
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
3	–	2	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	M. 751
4	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
5	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 752
1	*1*	–	–	*1*	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	F.
2	–	1	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	M. 753
–	–	–	*2*	*2*	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	F.
5	2	2	1	4	3	3	3	2	1	2	1	1	1	1	1	3	–	1	1	–	M. 754
5	*2*	*2*	–	*6*	*9*	*3*	*4*	*2*	*1*	–	*1*	*1*	–	*2*	*1*	*1*	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 755
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
2	2	–	–	1	–	–	1	–	–	–	–	–	–	1	2	1	2	–	–	–	M. 756
2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 756.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
2	2	–	–	1	–	–	1	–	–	–	–	–	–	1	2	1	2	–	–	–	M. 756.1, 2
2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*1*	–	F.
–	–	–	–	–	–	1	–	–	–	1	–	2	2	2	1	1	1	1	2	–	M. 757
–	–	–	–	–	*1*	*2*	–	–	–	–	*1*	*6*	*4*	*4*	–	*2*	–	–	–	–	F.
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	M. 758
–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	M. 759
–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
760-776	XV. CERTAIN DISEASES OF EARLY INFANCY	M.	1007	976	889	933	898	893	929	942	921	869
		F.	*714*	*670*	*570*	*616*	*605*	*579*	*599*	*567*	*581*	*594*
760-769	*Birth injuries, asphyxia, and infections of newborn*	M.	533	520	491	549	540	551	571	600	627	595
		F.	*352*	*348*	*314*	*340*	*331*	*344*	*349*	*358*	*369*	*375*
760.0	Intracranial and spinal injury at birth, without mention of immaturity*	M.								86	83	104
		F.	M. 139	115	133	134	134	131	134	*45*	*52*	*62*
760.5	Intracranial and spinal injury at birth, with immaturity*	M.	F. *85*	*93*	*69*	*69*	*65*	*75*	*78*	44	59	48
		F.								*21*	*30*	*23*
761.0	Other birth injury, without mention of immaturity*	M.								18	17	22
		F.	M. 54	31	17	24	21	27	23	*8*	*12*	*10*
761.5	Other birth injury, with immaturity*	M.	F. *26*	*19*	*12*	*15*	*15*	*18*	*14*	18	16	22
		F.								*5*	*15*	*13*
762.0	Postnatal asphyxia and atelectasis, without mention of immaturity*	M.								140	132	116
		F.	M. 184	252	253	275	285	288	316	*79*	*60*	*77*
762.5	Postnatal asphyxia and atelectasis, with immaturity*	M.	F. *140*	*160*	*171*	*193*	*177*	*188*	*197*	205	223	201
		F.								*139*	*147*	*135*
763.0	Pneumonia of newborn, without mention of immaturity*	M.								49	47	35
		F.	M. 98	71	58	83	69	66	62	*28*	*28*	*28*
763.5	Pneumonia of newborn, with immaturity*	M	F. *68*	*42*	*36*	*39*	*48*	*45*	*33*	10	11	15
		F.								*12*	*11*	*12*
764.0	Diarrhœa of newborn, without mention of immaturity*	M.								4	12	9
		F.	M. 22	14	8	4	8	11	8	*4*	*2*	*2*
764.5	Diarrhœa of newborn, with immaturity*	M.	F. *12*	*10*	*8*	*2*	*3*	*4*	*10*	–	2	3
		F.								*2*	*4*	*1*
765.0	Ophthalmia neonatorum, without mention of immaturity*	M.								–	–	–
		F.	M. –	–	–	–	–	–	–	–	–	–
765.5	Ophthalmia neonatorum, with immaturity*	M.	F. –	–	–	–	–	–	–	–	–	–
		F.								–	–	–
766.0	Pemphigus neonatorum, without mention of immaturity*	M.								–	2	–
		F.	M. –	1	1	1	2	2	1	*1*	*1*	–
766.5	Pemphigus neonatorum, with immaturity*	M.	F. *1*	–	*1*	*1*	–	*1*	–	–	1	–
		F.								–	–	–
767.0	Umbilical sepsis, without mention of immaturity*	M.								–	2	2
		F.	M. 3	1	2	1	1	2	1	*1*	*1*	–
767.5	Umbilical sepsis, with immaturity*	M.	F. –	*1*	–	–	*1*	–	–	–	–	–
		F.								–	–	–
768.0	Other sepsis of newborn, without mention of immaturity*	M.								8	7	5
		F.	M. 2	5	4	11	9	10	14	*5*	*2*	*3*
768.5	Other sepsis of newborn, with immaturity*	M.	F. *3*	*2*	*4*	*7*	*6*	*3*	*7*	2	1	1
		F.								–	–	*1*
769.0-4	Neonatal disorders arising from certain diseases of the mother during pregnancy, without mention of immaturity*	M.								5	2	4
		F.	M. 31	30	15	16	11	14	12	*2*	*1*	*2*
769.5-9	Neonatal disorders arising from certain diseases of the mother during pregnancy, with immaturity*	M.	F. *17*	*21*	*13*	*14*	*16*	*10*	*10*	11	10	8
		F.								*6*	*3*	*6*
770-776	*Other diseases peculiar to early infancy*	M.	474	456	398	384	358	342	358	342	294	274
		F.	*362*	*322*	*256*	*276*	*274*	*235*	*250*	*209*	*212*	*219*
770.0, 1, 2	Hæmolytic disease of newborn (erythroblastosis), without mention of immaturity*	M.								26	15	38
		F.	M. 46	39	48	35	36	41	35	*15*	*19*	*18*
770.5-7	Hæmolytic disease of newborn (erythroblastosis), with immaturity*	M.	F. *28*	*28*	*27*	*31*	*19*	*25*	*29*	10	1	6
		F.								*2*	*3*	*4*
771.0	Hæmorrhagic disease of newborn, without mention of immaturity*	M.								30	23	22
		F.	M. 25	29	25	20	17	30	28	*15*	*10*	*17*
771.5	Hæmorrhagic disease of newborn, with immaturity*	M.	F. *14*	*11*	*17*	*11*	*13*	*14*	*17*	13	12	7
		F.								*7*	*5*	*2*
772.0	Nutritional maladjustment, without mention of immaturity*	M.								–	–	–
		F.	M. 2	1	–	1	–	–	1	–	–	*1*
772.5	Nutritional maladjustment, with immaturity*	M.	F. –	*1*	*2*	–	*2*	–	–	–	–	–
		F.								–	–	–
773.0y	Congenital debility, without mention of immaturity	M.	34	27	21	18	17	6	4	5	3	2
		F.	*26*	*20*	*10*	*12*	*6*	*8*	*9*	*1*	*6*	–
773.5y	Congenital debility, with immaturity	M.	28	18	12	19	10	18	7	7	6	6
		F.	*21*	*11*	*7*	*13*	*9*	*5*	*4*	*4*	*6*	*5*
773.0x	Other ill-defined diseases peculiar to early infancy, without mention of immaturity*	M.								14	9	10
		F.	M. 5	10	14	10	7	4	9	*7*	*3*	*6*
773.5x	Other ill-defined diseases peculiar to early infancy, with immaturity*	M.	F. *6*	*6*	*8*	*8*	*10*	*8*	*7*	5	5	12
		F.								*1*	*1*	*6*
774	Immaturity with mention of any other subsidiary condition	M.	21	16	4	8	7	3	3	2	–	–
		F.	*11*	*14*	*5*	*4*	*8*	*1*	–	–	–	*1*
776	Immaturity, unqualified	M.	313	316	274	273	264	240	271	230	220	171
		F.	*256*	*231*	*180*	*197*	*207*	*174*	*184*	*157*	*159*	*159*

*760-773, Fourth-digit subdivision of these rubrics was introduced in the Sixth Revision but was not adopted in Scotland until the Seventh Revision came into force in 1958.

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 760-776
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 760-769
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 760.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 760.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 761.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 761.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 762.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 762.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 763.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 763.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 764.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 764.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 765.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 765.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 766.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 766.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 767.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 767.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 768.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 768.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 769.0-4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 769.5-9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 770-776
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 770.0,1,2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 770.5-7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 771.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 771.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 772.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 772.5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 773.0y
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 773.5y
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 773.0x
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 773.5x
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 774
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 776
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
780-795	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS	M.	1144	901	798	804	475	428	351	345	331	334
		F.	*1219*	*1022*	*819*	*830*	*654*	*569*	*502*	*465*	*409*	*433*
780-789	*Symptoms referable to systems or organs*	M.	471	310	214	162	69	66	70	59	58	81
		F.	*312*	*237*	*151*	*126*	*54*	*53*	*56*	*41*	*37*	*57*
780	Certain symptoms referable to nervous system and special senses	M.	53	39	33	35	23	34	21	19	12	17
		F.	*43*	*31*	*23*	*20*	*25*	*23*	*16*	*15*	*9*	*14*
780a	Convulsions under 5	M.	52	37	32	34	22	32	21	18	11	16
		F.	*41*	*27*	*22*	*18*	*24*	*21*	*16*	*15*	*9*	*12*
780b	Other certain symptoms referable to nervous system and special senses	M.	1	2	1	1	1	2	–	1	1	1
		F.	*2*	*4*	*1*	*2*	*1*	*2*	–	–	–	*2*
781	Other symptoms referable to nervous system and special senses	M.	1	–	1	1	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
782	Symptoms referable to cardiovascular and lymphatic system	M.	360	235	145	107	34	28	41	35	36	55
		F.	*244*	*187*	*114*	*91*	*23*	*24*	*29*	*17*	*20*	*34*
782.4	Heart failure	M.	320	188	125	99	30	23	37	29	33	39
		F.	*216*	*166*	*104*	*85*	*20*	*23*	*23*	*13*	*17*	*22*
782.5	Syncope or collapse	M.	36	43	19	7	4	4	4	6	3	16
		F.	*27*	*21*	*9*	*6*	*3*	*1*	*4*	*4*	*3*	*12*
782.0-3, 6-9	Other symptoms referable to cardiovascular and lymphatic system	M.	4	4	1	1	–	1	–	–	–	–
		F.	*1*	–	*1*	–	–	–	*2*	–	–	–
783	Symptoms referable to respiratory system	M.	5	6	5	5	2	–	2	–	1	–
		F.	–	*1*	*3*	–	*2*	*1*	*1*	*2*	*2*	*2*
784	Symptoms referable to upper gastro-intestinal tract	M.	13	9	6	8	7	1	4	4	3	3
		F.	*10*	*8*	*8*	*9*	*2*	*4*	*8*	*5*	*3*	*5*
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M.	12	5	1	–	1	–	–	–	1	2
		F.	*8*	*2*	*1*	*2*	–	–	–	*1*	*1*	*1*
786	Symptoms referable to genito-urinary system	M.	18	13	18	3	2	1	1	–	1	1
		F.	*1*	*1*	*1*	–	–	–	–	–	–	–
787	Symptoms referable to limbs and back	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	*1*	–	–	–	–	–
788	Other general symptoms	M.	4	1	5	2	–	2	1	–	4	3
		F.	*1*	*5*	*1*	*1*	*1*	*1*	*2*	*1*	*2*	*1*
789	Abnormal urinary constituents of unspecified cause	M.	5	2	–	1	–	–	–	–	–	–
		F.	*5*	*2*	–	*3*	–	–	–	–	–	–
790-795	*Senility and ill-defined diseases*	M.	673	591	584	642	406	362	281	286	273	253
		F.	*907*	*785*	*668*	*704*	*600*	*516*	*446*	*424*	*372*	*376*
790	Nervousness and debility	M.	–	1	1	–	2	–	1	–	–	–
		F.	–	*1*	–	–	–	–	*1*	–	–	–
791	Headache	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
792	Uræmia	M.	62	30	14	7	6	2	5	6	5	3
		F.	*27*	*22*	*8*	*5*	*6*	*2*	*7*	*5*	*1*	*7*
793	Observation, without need for further medical care	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	1	–	–	–	–	–	–
794	Senility without mention of psychosis	M.	488	368	332	355	302	270	189	196	161	141
		F.	*804*	*657*	*520*	*570*	*537*	*477*	*391*	*362*	*322*	*309*
795	Ill-defined and unknown causes of mortality	M.	123	192	237	280	96	90	86	84	107	109
		F.	*76*	*105*	*140*	*128*	*57*	*37*	*47*	*57*	*49*	*60*
795.0, 1	Other ill-defined	M.	96	174	228	263	84	79	82	70	106	103
		F.	*56*	*89*	*136*	*123*	*51*	*35*	*43*	*53*	*47*	*58*
795.2-5	Unknown or unspecified	M.	27	18	9	17	12	11	4	14	1	6
		F.	*20*	*16*	*4*	*5*	*6*	*2*	*4*	*4*	*2*	*2*

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
1	–	–	–	–	1	–	–	5	–	5	8	10	9	18	24	19	21	35	49	71	M. 780-795
–	–	–	–	–	*2*	–	–	*1*	–	–	–	*3*	*6*	*7*	*6*	*13*	*18*	*50*	*86*	*149*	F.
1	–	–	–	–	1	–	–	2	–	2	2	6	3	5	10	12	16	9	3	1	M. 780-789
–	–	–	–	–	*2*	–	–	–	–	–	–	*2*	*4*	*2*	*2*	*7*	*8*	*12*	8	*3*	F.
1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	M. 780
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 780a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	M. 780b
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 781
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	1	–	–	2	–	1	1	6	3	4	9	10	15	9	2	1	M. 782
–	–	–	–	–	*2*	–	–	–	–	–	–	*1*	*4*	*2*	*2*	*7*	*7*	*11*	*7*	*2*	F.
–	–	–	–	–	–	–	–	2	–	1	–	3	2	4	5	6	7	6	2	1	M. 782.4
–	–	–	–	–	–	–	–	–	–	–	–	*1*	*3*	*2*	*1*	*4*	*6*	*6*	*5*	–	F.
–	–	–	–	–	1	–	–	–	–	–	1	3	1	–	4	4	8	3	–	–	M. 782.5
–	–	–	–	–	*2*	–	–	–	–	–	–	–	*1*	–	*1*	*3*	*1*	*5*	*2*	*2*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 782.0-3,
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. 6-9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 783
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	M. 784
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 785
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	M. 786
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 787
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 788
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 789
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	3	–	3	6	4	6	13	14	7	5	26	46	70	M. 790-795
–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*2*	*5*	*4*	*6*	*10*	*38*	*78*	*146*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 790
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 791
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	M. 792
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. 793
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	13	42	68	M. 794
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*34*	*74*	*145*	F.
–	–	–	–	–	–	–	–	3	–	3	6	4	6	13	13	7	3	13	3	–	M. 795
–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*2*	*5*	*4*	*5*	*8*	*4*	*4*	*1*	F.
–	–	–	–	–	–	–	–	2	–	3	5	3	6	12	13	7	3	10	3	–	M. 795.0,1
–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*2*	5	*4*	*5*	*8*	*4*	*3*	*1*	F.
–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	3	–	–	M. 795.2-5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E800-E899	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)	M.	1587	1554	1747	1659	1801	1645	1763	1725	1774	1754
		F.	*997*	*981*	*1019*	*1013*	*1119*	*997*	*1038*	*1125*	*1086*	*1113*
E800-E802	*Railway accidents*	M.	64	43	60	50	52	37	48	30	29	32
		F.	*3*	*7*	*2*	*3*	*3*	*1*	*6*	*6*	*5*	*7*
E800	Railroad employee	M.	21	18	29	26	22	18	30	19	18	15
		F.	–	–	–	–	–	–	–	–	–	–
E801	Passenger	M.	5	3	2	3	8	2	2	1	–	1
		F.	–	*1*	*1*	*1*	–	*1*	*1*	*1*	*1*	*1*
E802	Other and unspecified person	M.	38	22	29	21	22	17	16	10	11	16
		F.	*3*	*6*	*1*	*2*	*3*	–	*5*	*5*	*4*	*6*
E810-E835	MOTOR VEHICLE ACCIDENTS	M.	386	326	421	383	456	431	436	442	447	493
		F.	*130*	*125*	*142*	*143*	*141*	*127*	*127*	*156*	*165*	*183*
E810-E825	*Motor vehicle traffic accidents*	M.	379	315	414	373	437	410	425	426	432	481
		F.	*128*	*124*	*138*	*141*	*139*	*127*	*126*	*155*	*161*	*182*
E810	Collision with railway train	M.	–	2	5	3	1	2	1	1	2	4
		F.	–	–	–	–	–	–	–	–	–	*3*
E811	Collision with street car	M.	1	1	2	–	–	–	3	2	1	–
		F.	–	–	–	–	–	–	–	–	–	–
E812	Pedestrian	M.	211	159	223	180	206	196	187	169	183	191
		F.	*91*	*97*	*103*	*110*	*102*	*88*	*91*	*99*	*102*	*111*
E813	Pedal cyclist	M.	26	23	25	36	27	23	20	25	30	29
		F.	*8*	*4*	*3*	–	*1*	*2*	*2*	*3*	*3*	*4*
E814	Rider or passenger of motorcycle in collision with non-motor vehicle or object	M.	9	11	17	5	10	6	6	7	2	3
		F.	*1*	–	–	–	*2*	–	–	–	–	*1*
E815	Rider or passenger of motorcycle in collision with other motor vehicle	M.	35	34	37	39	50	35	55	56	41	51
		F.	*1*	*2*	*1*	*4*	*4*	*1*	*4*	*4*	*3*	*1*
E816	Two or more motor vehicles.	M.	27	24	33	36	30	51	44	72	51	96
		F.	*12*	*14*	*12*	*11*	*15*	*22*	*15*	*24*	*26*	*41*
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E818	Collision with animal or animal-drawn vehicle	M.	–	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E819	Collision with fixed or unspecified object	M.	9	8	11	11	10	3	4	7	25	18
		F.	*3*	*2*	*1*	*2*	*3*	–	*1*	*3*	*1*	*1*
E820	While boarding and alighting	M.	2	3	3	2	2	–	7	2	1	3
		F.	*2*	–	–	*1*	–	*1*	*2*	*1*	*2*	–
E821	Rider of motorcycle without antecedent collision	M.	20	13	29	18	29	28	40	42	34	36
		F.	*1*	–	*2*	*2*	*1*	–	–	*3*	*5*	*5*
E822	Overturning in roadway	M.	7	2	7	14	7	9	5	5	7	8
		F.	*1*	*2*	*5*	*1*	–	–	–	–	*1*	–
E823	Running off roadway	M.	5	11	11	16	27	29	28	12	21	18
		F.	–	*1*	*5*	*4*	*4*	*2*	*8*	*13*	*6*	*5*
E824	Other non-collision motor vehicle traffic accident	M.	12	17	6	6	24	11	9	11	14	8
		F.	*4*	*1*	*6*	*4*	*4*	*8*	–	*3*	*8*	*7*
E825	Unspecified nature	M.	15	7	4	7	14	17	16	14	20	16
		F.	*4*	*1*	–	*2*	*3*	*3*	*3*	*2*	*4*	*3*
E830-E835	*Motor vehicle non-traffic accidents*	M.	7	11	7	10	19	21	11	16	15	12
		F.	*2*	*1*	*4*	*2*	*2*	–	*1*	*1*	*4*	*1*
E830	Pedestrian	M.	2	6	4	4	4	2	2	2	3	2
		F.	–	–	*3*	–	–	–	–	*1*	*1*	*1*
E831	Pedal cyclist	M.	–	–	–	–	1	1	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E832	Rider or passenger of motorcycle	M.	1	–	1	–	1	–	–	–	–	–
		F.	–	*1*	–	–	–	–	–	–	–	–
E833	Two or more motor vehicles.	M.	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	*1*	–	–	–	–	–	–
E834	While boarding and alighting.	M.	–	2	–	–	–	1	–	–	1	–
		F.	*2*	–	*1*	–	–	–	–	–	–	–
E835	Other and unspecified nature	M.	4	3	2	6	13	17	9	12	11	10
		F.	–	–	–	*1*	*2*	–	*1*	–	*3*	–
E840-E845	*Other road vehicle accidents*	M.	38	24	26	21	22	20	17	21	13	11
		F.	*11*	*8*	*11*	*14*	*16*	*10*	*5*	*13*	*8*	*4*
E840	Street car accident to pedestrian	M.	7	7	6	11	8	6	7	6	2	3
		F.	*8*	*6*	*5*	*7*	*10*	*4*	*4*	*6*	*3*	–
E841	Other street car accident, except collision with motor vehicle	M.	3	2	2	–	1	2	2	2	1	1
		F.	*1*	*1*	–	*2*	*2*	*1*	–	*2*	*3*	–
E842	Accident to pedestrian caused by pedal cyclist	M.	–	–	3	–	2	–	–	3	1	2
		F.	*1*	–	*2*	*5*	*3*	*1*	–	*3*	*1*	*3*
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M.	12	11	11	8	11	11	7	8	8	3
		F.	*1*	–	*3*	–	*1*	*3*	*1*	*2*	*1*	*1*
E844	Accident to pedestrian caused by other non-motor road vehicle	M.	5	1	1	1	–	–	1	–	–	–
		F.	–	–	*1*	–	–	–	–	–	–	–
E845	Other non-motor road vehicle accidents	M.	11	3	3	1	–	1	–	2	1	2
		F.	–	*1*	–	–	–	*1*	–	–	–	–
E850-E858	*Water transport accidents*	M.	24	23	59	28	42	46	42	35	52	48
		F.	–	–	*2*	*4*	–	*2*	*1*	–	*1*	*3*
E850	Submersion of occupant of small boat	M.	3	5	3	9	9	9	4	9	7	15
		F.	–	–	–	*4*	–	*2*	–	–	*1*	*1*
E851	Other water transport injury by submersion	M.	8	6	49	9	22	17	28	17	33	26
		F.	–	–	*2*	–	–	–	*1*	–	–	*1*
E852	Fall on stairs and ladders in water transport	M.	1	–	1	–	–	–	–	1	1	1
		F.	–	–	–	–	–	–	–	–	–	–
E853	Other falls from one level to another in water transport	M.	9	6	1	6	2	6	5	–	2	4
		F.	–	–	–	–	–	–	–	–	–	*1*

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
–1	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
7	23	25	15	56	43	80	107	88	101	105	103	117	117	133	124	95	75	96	84	63	M. E800-
8	*11*	*10*	*11*	*23*	*13*	*19*	*18*	*15*	*11*	*25*	*37*	39	*55*	*60*	*65*	*57*	*96*	*140*	*192*	*203*	F. E899
1	–	–	–	–	2	1	1	2	4	5	–	2	2	4	3	–	–	–	–	–	M. E800-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	*1*	–	F. E802
–	–	–	–	–	–	–	–	–	2	3	–	2	2	3	2	–	–	–	–	–	M. E800
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	M. E801
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	2	1	1	2	2	1	–	–	–	1	1	–	–	–	–	–	M. E802
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	*1*	–	F.
5	10	12	10	24	21	51	65	24	31	30	25	32	31	32	23	24	23	14	17	11	M. E810-
7	*6*	*5*	*6*	*16*	*7*	*12*	*9*	*4*	*1*	*5*	*4*	*13*	*12*	*12*	*15*	*11*	*20*	*15*	*9*	*6*	F. E835
4	10	12	10	24	21	51	64	22	30	28	24	31	27	30	21	24	21	14	17	11	M. E810-
7	*6*	*5*	*6*	*16*	*7*	*12*	*9*	*4*	*1*	*5*	*4*	*13*	*12*	*12*	*13*	*11*	*20*	*15*	*9*	*6*	F. E825
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	M. E810
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E811
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
4	9	11	10	20	12	7	9	4	5	4	7	12	9	9	10	15	15	12	13	10	M. E812
7	*6*	*5*	*6*	*15*	*7*	*5*	*1*	–	–	*1*	*2*	*2*	*7*	*9*	*7*	*7*	*17*	*12*	*7*	*6*	F.
–	–	–	–	1	5	1	–	–	–	1	1	2	1	2	1	2	–	–	–	–	M. E813
–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	F.
–	–	–	–	–	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	M. E814
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	17	11	1	1	–	4	2	3	4	–	–	–	–	–	–	M. E815
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	1	–	2	–	11	10	9	10	13	3	9	6	6	5	2	2	2	4	–	M. E816
–	–	–	–	*1*	–	*5*	*3*	*3*	*1*	*2*	*1*	*7*	*4*	*1*	*4*	–	*2*	*2*	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E817
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	M. E818
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	1	3	2	1	2	3	2	–	1	2	–	–	–	–	–	M. E819
–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	*1*	–	*1*	–	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. E820
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	8	20	1	2	–	1	2	2	2	1	1	–	–	–	–	M. E821
–	–	–	–	–	–	*1*	*2*	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	M. E822
–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	1	–	1	7	2	7	4	1	1	3	2	–	1	2	–	–	1	M. E823
–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	*2*	*1*	–	–	–	–	–	–	–	F.
–	–	–	–	–	1	1	–	1	–	1	–	1	–	3	–	–	1	–	–	–	M. E824
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*1*	–	–	F.
–	1	–	–	–	1	1	1	1	4	1	3	–	2	1	2	2	1	–	–	–	M. E825
–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	*2*	*1*	–	–	–	F.
1	–	–	–	–	–	–	1	2	1	2	1	1	4	2	2	–	2	–	–	–	M. E830-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	F. E835
1	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	–	M. E830
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E831
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	M. E832
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E833
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E834
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	1	1	–	1	1	1	4	1	2	–	1	–	–	–	M. E835
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–	M. E840-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*2*	–	–	F. E845
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M. E840
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E841
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	M. E842
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	M. E843
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E844
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E845
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	1	4	7	2	3	1	2	2	–	4	–	–	–	–	–	M. E850
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E858
–	–	–	–	*1*	–	1	1	3	1	1	1	2	–	–	–	–	–	–	–	–	M. E850
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	*1*	–	–	–	2	2	1	1	–	–	–	2	–	–	–	–	–	M. E851
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E852
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	M. E853
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E800-E999	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) —*continued*											
E854	Falls on same level in water transport	M.	–	–	–	1	–	–	2	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E855	Unspecified falls in water transport	M.	–	1	–	2	–	1	–	–	2	–
		F.	–	–	–	–	–	–	–	–	–	–
E856	Machinery accident in water transport	M.	2	1	–	–	2	2	1	–	2	1
		F.	–	–	–	–	–	–	–	–	–	–
E857	Other specified accidents in water transport	M.	1	4	5	1	7	11	2	7	5	1
		F.	–	–	–	–	–	–	–	–	–	–
E858	Water transport accident of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E860-E866	*Aircraft accidents*	M.	31	19	29	32	16	21	12	7	3	12
		F.	–	–	–	*13*	–	–	*1*	–	–	–
E860	Accident to personnel in military aircraft	M.	30	17	27	16	13	18	7	6	2	11
		F.	–	–	–	*1*	–	–	–	–	–	–
E861	Injury to occupant by accident to commercial "transport" aircraft	M.	1	–	–	16	1	1	3	–	1	–
		F.	–	–	–	*12*	–	–	*1*	–	–	–
E862	Other injury in commercial "transport" aircraft	M.	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E863	Injury to occupant by accident to other specified aircraft	M.	–	–	2	–	2	–	1	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E864	Aircraft accident at airfield to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E865	Aircraft accident elsewhere to person not in aircraft	M.	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E866	Other and unspecified aircraft accidents	M.	–	1	–	–	–	1	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
E870-E895	ACCIDENTAL POISONING	M.	118	122	123	147	112	102	130	132	136	126
		F.	*108*	*126*	*156*	*142*	*134*	*122*	*129*	*166*	*143*	*147*
E870-E888	*Accidental poisoning by solid and liquid substances*	M.	27	26	25	35	23	26	33	21	28	32
		F.	*28*	*27*	*31*	*41*	*25*	*24*	*25*	*35*	*34*	*41*
E870	Morphine and other opium derivatives	M.	1	–	1	1	–	–	1	2	–	–
		F.	–	*1*	–	*2*	–	–	–	*1*	–	–
E871	Barbituric acid and derivatives	M.	8	13	11	22	8	13	23	8	19	20
		F.	*14*	*17*	*24*	*27*	*20*	*18*	*18*	*26*	*23*	*31*
E872	Aspirin and salicylates	M.	2	1	2	3	2	2	–	2	3	3
		F.	–	*1*	*1*	*3*	*1*	–	*1*	*3*	*3*	*2*
E873	Bromides	M.	1	–	–	–	1	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E874	Other analgesic and soporific drugs	M.	4	1	1	1	2	2	1	3	1	2
		F.	*2*	*2*	*2*	*6*	*1*	*1*	*2*	*2*	*6*	*5*
E875	Sulfonamides	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E876	Strychnine	M.	3	2	–	1	–	1	1	–	–	–
		F.	–	–	–	–	–	–	*1*	*1*	*1*	–
E877	Belladonna, hyoscine, and atropine	M.	–	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E878	Other and unspecified drugs	M.	–	1	1	–	2	2	1	1	–	5
		F.	–	*3*	*1*	–	*2*	–	*1*	–	–	*3*
E879	Noxious foodstuffs	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E880	Alcohol	M.	1	2	1	3	1	1	2	3	3	–
		F.	*1*	–	*1*	–	*1*	*1*	*1*	–	–	–
E881	Petroleum products	M.	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E882	Industrial solvents	M.	–	1	1	–	–	–	1	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E883	Corrosive aromatics, acids, and caustic alkalis	M.	5	2	6	3	4	1	1	–	1	1
		F.	*8*	–	*1*	*2*	–	*3*	*1*	*2*	*1*	–
E884	Mercury and its compounds	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E885	Lead and its compounds	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	*1*	–	–	–	–
E886	Arsenic and antimony, and their compounds	M.	–	–	1	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
E887	Fluorides	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E888	Other and unspecified solid and liquid substances	M.	2	1	–	1	3	2	1	1	–	1
		F.	*3*	*3*	*1*	*1*	–	–	–	–	–	–
E890-E895	*Accidental poisoning by gases and vapours*	M.	91	96	98	112	89	76	97	111	108	94
		F.	*80*	*99*	*125*	*101*	*109*	*98*	*104*	*131*	*109*	*106*
E890	Utility (illuminating) gas	M.	86	91	95	109	86	74	92	106	102	86
		F.	*80*	*98*	*125*	*101*	*109*	*97*	*103*	*131*	*106*	*105*
E890a	Utility (illuminating) gas, accidental	M.	Prior to 1956 not classified according to whether "accidental" or "unspecified" and for year 1956 sex breakdown is not available					88	37	37	53	40
		F.							*56*	*69*	*67*	*65*
E890b	Utility (illuminating) gas, unspecified as to whether accidental or suicidal	M.						83	55	69	49	46
		F.							*47*	*62*	*39*	*40*
E891	Motor vehicle exhaust gas	M.	–	–	–	1	–	–	2	1	2	2
		F.	–	–	–	–	–	–	–	–	–	–
E892	Other carbon monoxide gas	M.	5	2	1	–	2	1	3	2	–	3
		F.	–	*1*	–	–	–	–	*1*	–	*3*	–
E893	Cyanide gas	M.	–	1	1	2	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–
E894	Other specified gases and vapours	M.	–	2	1	–	1	1	–	2	2	3
		F.	–	–	–	–	–	*1*	–	–	–	*1*
E895	Unspecified gases and vapours	M.	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–

1961 Ages																				International Detailed List Numbers	
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					E800-E999
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E854
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	M. E855
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E856
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	M. E857
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E858
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	2	1	3	–	–	–	–	1	–	–	–	–	–	–	–	M. E860-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E866
–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	M. E860
–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E861
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E862
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E863
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M. E864
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E865
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E866
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
4	1	2	1	1	1	4	1	5	8	10	14	7	20	19	19	14	12	15	7	5	M. E870-
1	*1*	*1*	–	–	*2*	–	*1*	*4*	*4*	*7*	*5*	*3*	*15*	*14*	*13*	*10*	*18*	*26*	*26*	*13*	F. E895
3	1	1	–	–	–	2	1	1	3	5	4	3	4	3	3	1	3	–	1	–	M. E870-
1	*1*	*1*	–	–	*1*	–	*1*	*3*	*3*	*4*	*1*	*1*	*9*	*7*	*5*	*1*	*3*	–	*1*	–	F. E888
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	M. E870
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	1	–	–	2	3	4	2	3	2	3	1	3	–	–	–	M. E871
–	–	–	–	–	*1*	–	*1*	*3*	*3*	*2*	–	*1*	*8*	*6*	*4*	*1*	*2*	–	*1*	–	F.
–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	M. E872
–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E873
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M. E874
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E875
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E876
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E877
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	M. E878
1	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E879
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E880
–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E881
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E882
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	M. E883
–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E884
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E885
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E886
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E887
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	M. E888
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	F.
1	–	1	1	1	1	2	–	4	5	5	10	4	16	16	16	13	*9*	15	6	5	M. E890-
–	–	–	–	–	*1*	–	–	*1*	*1*	*3*	*4*	*2*	*6*	*7*	*8*	*9*	15	*26*	*25*	*13*	F. E895
1	–	1	1	1	1	2	–	4	5	5	10	4	14	16	16	13	9	15	6	5	M. E890
–	–	–	–	–	–	–	–	*1*	*1*	*3*	*4*	*2*	*6*	*7*	*8*	*9*	*15*	*26*	*25*	*13*	F. E890
1	–	1	1	1	1	1	–	4	–	–	4	–	5	7	10	7	3	11	5	3	M. E890a
–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	*1*	*3*	*2*	*5*	*7*	17	*14*	*4*	F.
–	–	–	–	–	–	1	–	–	5	5	6	4	9	9	6	6	6	4	1	2	M. E890b
–	–	–	–	–	–	–	–	*1*	*1*	*2*	*2*	*2*	*5*	*4*	*6*	*4*	*8*	*9*	*11*	*9*	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	M. E891
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E892
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E893
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E894
–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E895
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E800-E999	**E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)** *—continued*											
E900-E904	*Accidental falls*	M.	257	252	304	273	283	269	256	319	282	252
		F.	*410*	*396*	*392*	*370*	*414*	*363*	*399*	*402*	*410*	*432*
E900	Fall on stairs	M.	26	29	41	33	39	35	42	45	31	22
		F.	*22*	*13*	*13*	*21*	*22*	*15*	*16*	*20*	*20*	*12*
E901	Fall from ladders	M.	3	5	1	4	9	9	4	7	6	4
		F.	*2*	–	*1*	–	–	*1*	*2*	*2*	–	–
E902	Other falls from one level to another	M.	77	78	96	96	98	76	83	100	79	91
		F.	*20*	*30*	*24*	*26*	*37*	*21*	*25*	*24*	*20*	*23*
E903	Fall on same level	M.	18	27	29	29	38	36	23	35	31	25
		F.	*21*	*45*	*31*	*24*	*53*	*37*	*29*	*36*	*35*	*27*
E904	Unspecified falls	M.	133	113	137	111	99	113	104	132	135	110
		F.	*345*	*308*	*323*	*299*	*302*	*289*	*327*	*320*	*335*	*370*
E910-E936	*Other accidents*	M.	455	538	500	479	544	437	512	414	517	480
		F.	*224*	*212*	*201*	*202*	*223*	*205*	*195*	*200*	*172*	*177*
E910	Blow from falling or projected object or missile	M.	52	87	67	64	57	50	71	44	52	60
		F.	*2*	*2*	*6*	*5*	*2*	*2*	*1*	*5*	*3*	*2*
E911	Accident caused by vehicle	M.	11	11	13	8	19	12	7	9	5	11
		F.	–	–	–	–	–	–	–	–	–	–
E912	Accident caused by machinery	M.	27	35	20	33	15	30	25	19	24	22
		F.	–	–	*1*	–	–	*1*	–	–	–	–
E913	Accident caused by cutting and piercing instruments	M.	4	3	5	4	2	2	3	3	2	1
		F.	–	*1*	*1*	–	*2*	–	–	–	–	–
E914	Accident caused by electric current	M.	8	14	6	13	14	11	14	15	17	11
		F.	*1*	*1*	*2*	*2*	*1*	–	*1*	*1*	*3*	*3*
E915	Accident caused by explosion of pressure vessel	M.	3	–	5	8	8	1	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
E916	Accident caused by fire and explosion of combustible material	M.	7	25	39	47	54	47	73	32	100	64
		F.	*11*	*24*	*45*	*48*	*69*	*69*	*52*	*68*	*58*	*54*
E917	Accident caused by hot substance, corrosive liquid, and steam	M.	36	28	18	13	11	9	6	6	9	5
		F.	*67*	*61*	*27*	*19*	*10*	*12*	*6*	*5*	*6*	*4*
E918	Accident caused by radiation	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E919	Accident caused by firearm	M.	27	16	14	24	15	12	7	9	9	9
		F.	*3*	*1*	–	*1*	*1*	*1*	*1*	*1*	–	*2*
E920	Foreign body entering eye and adnexa	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E921	Inhalation and ingestion of food causing obstruction or suffocation	M.	64	57	68	51	83	70	76	56	64	71
		F.	*35*	*34*	*42*	*53*	*41*	*39*	*48*	*45*	*34*	*25*
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M.	3	3	3	1	5	1	2	2	3	–
		F.	*2*	*1*	–	–	*5*	*2*	*1*	*1*	*2*	*3*
E923	Foreign body entering other orifice	M.	–	1	2	–	1	2	–	–	–	–
		F.	–	–	–	–	–	–	–	1	–	1
E924	Accidental mechanical suffocation in bed and cradle	M.	23	30	41	35	30	27	26	32	37	28
		F.	*26*	*28*	*25*	*19*	*21*	*21*	*17*	*21*	*17*	*19*
E925	Accidental mechanical suffocation in other and unspecified circumstances	M.	26	23	12	18	13	10	16	7	10	11
		F.	*7*	*9*	*9*	*3*	*8*	*8*	*8*	*7*	*7*	*4*
E926	Lack of care of infants under 1 year of age	M.	1	7	2	7	1	3	2	1	3	6
		F.	*1*	*5*	*3*	*3*	*3*	*1*	*2*	*1*	*1*	*3*
E927	Accidents caused by bites and stings of venomous animals and insects	M.	–	–	–	–	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E928	Other accidents caused by animals	M.	2	4	8	1	5	2	4	4	2	1
		F.	–	–	*1*	–	–	*1*	–	–	–	–
E929	Accidental drowning and submersion	M.	138	162	156	129	174	126	161	164	152	145
		F.	*66*	*40*	*38*	*45*	*49*	*39*	*46*	*33*	*33*	*44*
E930	High and low air pressure	M.	–	–	–	–	1	–	–	–	–	2
		F.	–	–	–	–	–	–	–	–	–	–
E931	Excessive heat and insolation	M.	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	*1*	–	–	–	–	–
E932	Excessive cold	M.	–	5	3	9	6	4	–	3	6	6
		F.	–	*1*	*1*	*1*	*3*	*2*	*1*	*2*	*1*	*2*
E933	Hunger, thirst, and exposure	M.	3	3	3	–	–	3	6	1	10	10
		F.	–	–	–	*1*	–	*1*	*2*	*6*	*3*	*6*
E934	Cataclysm	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E935	Lightning	M.	–	1	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E936	Other and unspecified accidents	M.	20	23	14	14	29	14	11	6	12	16
		F.	*3*	*4*	–	*2*	*7*	*6*	*9*	*3*	*4*	*5*
E940-E946	*Complications due to non-therapeutic medical and surgical procedures*	M.	1	–	–	1	2	1	1	1	1	–
		F.	*1*	–	–	*1*	–	–	–	–	*1*	–
E940	Generalized vaccinia following vaccination	M.	1	–	–	1	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E941	Postvaccinal encephalitis	M.	–	–	–	–	2	–	1	–	1	–
		F.	*1*	–	–	–	–	–	–	–	*1*	–
E942	Other complications of smallpox vaccination	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	*1*	–	–	–	–	–	–
E943	Post-immunization jaundice and hepatitis	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E944	Other complications of prophylactic inoculation	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E945	Complications of anæsthesia for non-therapeutic purpose	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E946	Other complications due to non-therapeutic medical and surgical procedures	M.	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					E800-E999
1	3	3	1	3	2	4	11	6	8	7	9	8	10	20	17	20	20	44	40	39	M. E900-
–	*1*	*3*	–	*1*	–	–	–	–	*1*	*2*	*2*	*1*	*7*	*5*	*8*	*20*	*36*	*75*	*146*	*173*	F. E934
–	–	–	1	–	–	–	1	–	–	1	3	1	1	4	4	7	2	8	3	2	M. E900
–	–	–	–	–	–	–	–	–	–	–	*1*	–	*2*	*2*	*1*	*1*	*3*	*3*	*3*	*4*	F. E900
–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	–	1	–	–	–	M. E901
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E901
–	3	3	–	3	2	4	10	6	6	5	5	5	6	6	4	2	1	–	–	4	M. E902
–	*1*	*3*	–	*1*	–	–	–	–	*1*	*2*	*1*	–	*1*	*1*	*1*	*1*	–	*3*	*2*	*3*	F. E902
–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	4	2	6	3	1	3	M. E903
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*5*	*3*	*4*	*11*	*8*	F. E903
1	–	–	–	–	–	–	–	–	–	1	–	–	–	6	4	9	10	33	36	30	M. E904
–	–	–	–	–	–	–	–	–	–	–	–	*1*	*4*	*1*	*6*	*13*	*30*	*65*	*130*	*158*	F. E904
5	9	8	3	28	17	13	17	25	22	22	28	25	23	29	22	16	11	11	16	6	M. E910-
10	*3*	*1*	*5*	4	4	*2*	*1*	*1*	–	*1*	*5*	*8*	*5*	*5*	*9*	*4*	*10*	*17*	*7*	*9*	F. E936
–	1	2	–	5	1	1	2	3	8	4	11	8	7	6	4	–	–	–	–	–	M. E910
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	F. E910
–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	M. E911
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E911
–	–	1	–	–	–	1	1	–	3	–	–	3	4	2	–	–	–	–	–	–	M. E912
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E912
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. E913
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E913
–	–	–	–	–	1	–	2	6	2	1	1	–	1	1	–	1	–	–	–	–	M. E914
–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E914
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E915
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E915
–	–	–	1	1	1	–	1	–	1	2	2	5	–	4	2	1	3	6	8	4	M. E916
2	*1*	*1*	*2*	*2*	*2*	*2*	–	–	–	*1*	*1*	*3*	*2*	*3*	*6*	*1*	*5*	*12*	*6*	*6*	F. E916
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	M. E917
2	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*2*	*1*	*2*	F. E917
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E918
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E918
–	–	–	–	1	2	3	–	2	–	1	–	–	2	2	1	–	–	–	–	–	M. E919
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E919
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E920
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E920
1	–	–	–	–	–	–	–	1	1	–	2	2	3	–	3	1	1	2	–	–	M. E921
3	*1*	–	*1*	–	–	–	–	–	–	–	*1*	*1*	*1*	–	*1*	–	–	–	–	–	F. E921
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E922
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F. E922
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E923
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E923
–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	M. E924
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	F. E924
1	–	–	–	–	1	1	1	2	–	1	2	1	–	–	–	–	–	–	–	–	M. E925
–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	F. E925
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E926
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E926
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E927
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E927
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	M. E928
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E928
2	7	4	1	17	9	4	8	9	5	10	5	5	4	11	9	10	5	3	4	1	M. E929
3	–	–	*1*	*1*	*1*	–	*1*	*1*	–	–	*2*	*4*	*1*	*2*	–	*3*	–	*2*	–	–	F. E929
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	M. E930
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E930
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E931
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E931
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	M. E932
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E932
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	1	–	M. E933
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	F. E933
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E934
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E934
–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	M. E935
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E935
1	–	1	1	4	2	3	1	–	1	–	1	1	1	2	1	1	–	–	–	–	M. E936
–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	–	–	–	F. E936
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	M. E940-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F. E946
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E940
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E940
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E941
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E941
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E942
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E942
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	M. E943
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	F. E943
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E944
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E944
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E945
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E945
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E946
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E946

Table 48—*continued*

International Detailed List Numbers	Causes of Death		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
E800-E999	**E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)** *—continued*											
E950-E959	*Therapeutic misadventure and late complications of theurapetic procedures*	M.	2	1	2	6	1	1	7	1	–	–
		F.	–	*2*	*1*	*6*	*10*	*1*	*1*	*4*	–	–
E950	Therapeutic misadventure in surgical treatment	M.	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E951	Therapeutic misadventure in infusion or transfusion	M.	–	–	–	2	–	–	3	1	–	–
		F.	–	–	–	–	*3*	–	–	–	–	–
E952	Therapeutic misadventure in local applications	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	*1*	–	–
E953	Therapeutic misadventure in administration of drugs or biologicals	M.	–	–	–	1	–	1	–	–	–	–
		F.	–	–	–	*1*	*4*	*1*	–	*2*	–	–
E954	Therapeutic misadventure in anæsthesia	M.	2	1	1	3	1	–	3	–	–	–
		F.	–	*2*	*1*	*5*	*3*	–	*1*	*1*	–	–
E955	Other and unspecified therapeutic misadventure	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E956	Late complication of surgical operation	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E957	Late complication of amputation stump	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E958	Late complication of irradiation	M.	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E959	Late complications of other forms of treatment	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E960-E965	*Late effects of injury and poisoning*	M.	22	9	15	19	21	16	24	8	6	16
		F.	*1*	*2*	*3*	*7*	*9*	*3*	*3*	*4*	*3*	*2*
E960	Motor vehicle accident	M.	1	1	2	1	–	1	1	–	1	–
		F.	–	–	–	*1*	*1*	–	*1*	–	–	–
E961	Accidental poisoning	M.	–	–	–	–	–	–	–	–	–	1
		F.	–	–	–	–	–	–	–	–	–	*1*
E962	Other accidental injury	M.	9	4	8	8	11	7	13	4	5	12
		F.	*1*	*2*	*3*	*5*	*8*	*3*	*2*	*3*	*3*	*1*
E963	Self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E964	Injury purposely inflicted by another person (not in war)	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	*1*	–	–	–	*1*	–	–
E965	Injuries due to war operations	M.	12	4	5	10	10	8	10	4	–	3
		F.	–	–	–	–	–	–	–	–	–	–
E970-E979	*Suicide and self-inflicted injury*	M.	177	189	188	202	235	255	262	286	278	263
		F.	*99*	*92*	*93*	*100*	*159*	*148*	*158*	*153*	*164*	*145*
E970	Poisoning by analgesic and soporific substances	M.	9	14	10	8	14	14	18	25	19	15
		F.	*6*	*11*	*14*	*11*	*31*	*19*	*19*	*35*	*35*	*28*
E971	Poisoning by other solid and liquid substances	M.	4	5	11	8	11	8	13	7	6	1
		F.	*7*	*4*	*3*	*5*	*11*	*3*	*4*	*4*	*2*	*7*
E972	Poisoning by gases in domestic use	M.	65	76	80	88	107	111	127	125	142	122
		F.	*53*	*51*	*51*	*54*	*75*	*90*	*91*	*73*	*84*	*78*
E973	Poisoning by other gases	M.	6	–	1	1	1	6	2	5	3	2
		F.	*2*	–	–	–	*1*	*1*	–	*1*	–	–
E974	Injury by hanging and strangulation	M.	35	37	27	43	34	37	24	35	43	45
		F.	*10*	*10*	*7*	*10*	*7*	*8*	*4*	*4*	*8*	*10*
E975	Injury by submersion (drowning)	M.	13	14	19	25	17	25	26	26	21	24
		F.	*15*	*11*	*11*	*12*	*20*	*19*	*30*	*23*	*18*	*16*
E976	Injury by firearms and explosives	M.	17	19	9	7	19	19	14	20	13	22
		F.	–	–	–	*1*	*2*	–	–	*1*	*1*	–
E977	Injury by cutting and piercing instruments	M.	16	13	16	13	18	18	11	17	7	14
		F.	*4*	*4*	*3*	*1*	*1*	*2*	*4*	*3*	*1*	–
E978	Injury by jumping from high place	M.	10	5	8	7	12	12	12	11	10	6
		F.	*2*	*1*	*2*	*2*	*8*	*5*	*5*	*6*	*11*	*3*
E979	Injury by other and unspecified means	M.	2	6	7	2	2	5	15	15	14	12
		F.	–	–	*2*	*4*	*3*	*1*	*1*	*3*	*4*	*3*
E980-E985	*Homicide and injury purposely inflicted by other persons (not in war)*	M.	12	8	20	18	15	8	16	29	10	21
		F.	*10*	*11*	*16*	*8*	*10*	*15*	*13*	*21*	*14*	*13*
E980	Non-accidental poisoning by another person	M.	–	–	5	–	3	–	1	–	2	1
		F.	*1*	–	*1*	–	*1*	*3*	*2*	–	*1*	*1*
E981	Assault by firearm and explosive	M.	2	1	–	2	–	–	1	4	1	–
		F.	*2*	–	–	*1*	*1*	*4*	*2*	*6*	*1*	*1*
E982	Assault by cutting and piercing instruments	M.	2	–	3	2	1	1	4	6	2	5
		F.	–	*3*	–	*1*	*1*	*2*	*1*	*1*	*2*	*1*
E983	Assault by other means	M.	7	5	11	12	11	7	10	18	5	14
		F.	*7*	*8*	*15*	*6*	*7*	*6*	*8*	*14*	*10*	*10*
E984	Injury by intervention of police	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
E985	Execution	M.	1	2	1	2	–	–	–	1	–	1
		F.	–	–	–	–	–	–	–	–	–	–
E990-E999	*Injury resulting from operations of war*	M.	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

Table 48—*continued*

1961 Ages																				International Detailed List Numbers
1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	
																					E800-E999
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. E950-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E959
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E950
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	M. E951
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E952
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E953
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E954
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E955
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E956
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E957
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E958
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E959
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	2	–	1	–	–	M. E960-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E965
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E960
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E961
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	1	–	1	–	–	M. E962
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E963
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E964
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	M. E965
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	2	7	14	23	25	23	38	25	28	32	17	9	9	4	2	M. E970-
–	–	–	–	–	–	*3*	5	*6*	*5*	*10*	*21*	*14*	*15*	*23*	*18*	*12*	*11*	*3*	*3*	*2*	F. E979
–	–	–	–	–	–	–	–	2	6	6	3	4	2	4	1	–	–	–	*1*	–	M. E970
–	–	–	–	–	–	*1*	*1*	*3*	*1*	*3*	*11*	*4*	*3*	*5*	*3*	*1*	*1*	–	*1*	–	F.
–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	M. E971
–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*2*	*1*	*1*	–	*1*	–	–	*1*	–	F.
–	–	–	–	–	–	2	1	10	11	9	11	24	11	10	20	8	5	4	–	–	M. E972
–	–	–	–	–	–	*1*	*3*	*1*	*2*	*4*	*8*	*7*	*8*	*11*	8	*8*	7	3	*1*	*1*	F.
–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	M. E973
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	4	–	2	2	3	4	7	4	4	2	2	1	–	1	M. E974
–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	*1*	*1*	–	*2*	–	–	–	F.
–	–	–	–	–	–	–	–	1	–	3	–	3	2	4	1	5	1	2	2	–	M. E975
–	–	–	–	–	–	*1*	–	–	*2*	*1*	–	*1*	*3*	*3*	*4*	*2*	–	–	–	*1*	F.
–	–	–	–	–	–	–	1	1	–	1	5	1	–	–	4	1	1	2	–	–	M. E976
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	1	2	–	1	1	2	1	1	–	–	1	–	M. E977
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	M. E978
–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–	–	M. E979
–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	*1*	–	–	–	F.
–	–	–	–	–	–	2	–	2	3	2	1	1	1	–	–	–	–	1	–	–	M. E980-
–	–	–	–	*1*	–	*2*	*2*	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	F. E985
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E980
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	M. E981
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	M. E982
–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	1	–	1	2	1	–	1	–	–	–	–	–	1	–	–	M. E983
–	–	–	–	–	–	*2*	*2*	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E984
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E985
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	M. E900-
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	F. E999

Table 48—*continued*

004, Primary tuberculosis complex with symptoms, 1951, 1; 1952, 1, *3*; 1958 *2*.
005, Tracheobronchial glandular tuberculosis with symptoms, 1951, 2; 1958, 1; 1960, *1*.
006, Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere —.
007, Other respiratory tuberculosis, 1952, 2; 1955, 1; 1956, 1.
008, Tuberculosis, unspecified site, 1955, *1*; 1956, 1; 1959 1.
030, Acute or unspecified gonorrhœa, —.
031 Chronic gonococcal infection of genito-urinary system, 1954, *1*; 1959 1.
032, Gonococcal infection of joint, —.
033, Gonococcal infection of eye, —.
034, Gonococcal infection of other sites, 1958, *1*.
035, Late effects of gonococcal infection, 1957, 1; 1960, 1.
036, Chancroid, —
037, Lymphogranuloma venereum, —.
038, Granuloma inguinale, venereal, —.
039, Other and unspecified venereal diseases, 1956, *1*.
100, Louse-borne epidemic typhus,—.
101, Flea-borne endemic typhus (murine), —.
102, Brill's disease, not specified as louse- or flea-borne, 1956, 1.
103, Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —.
104, Tick-borne typhus, —.
105, Mite-borne typhus, —.
106, Volhynian fever (trench fever), —.
107, Typhus, unspecified, —.
108, Other rickettsial diseases, 1952, *1*; 1960, 1 .
110, Vivax malaria (benign tertian), —.
111, Malariæ malaria (quartan), —.
112, Falciparum malaria (malignant tertian), 1951, 1; 1953, 1; 1959, *1*.
113, Ovale malaria, —.
114, Mixed malarial infections, —.
115, Blackwater fever, —.
116, Other and unspecified forms of malaria, 1956, 1; 1958, 1; 1961, 1 (45).
117, Recurrent induced malaria, —.
120, Leishmaniasis, —.
121, Trypanosomiasis, —.
122, Other protozoal diseases,—.
123, Schistosomiasis, —.
124, Other trematode infestation, —.
125, Hydatid disease, 1952, 1; 1955, 1; 1957, *1*; 1958, *1*; 1959, *1*; 1960, 1; 1961, 1 (70); *1* (75).
126, Other cestode infestation, 1952, 1; 1960, *1*.
127, Filariasis, —.
128, Trichiniasis, —.
129, Ankylostomiasis, 1952, 1.
130, Infestation with worms of other, mixed and unspecified type, —.
131, Dermatophytosis, 1959, 1, *1*.
132, Actinomycosis, 1951, 1; 1954, 1; 1955, 1; 1956, *1*; 1961, 1 (30).
133, Coccidioidomycosis, —.
134, Other fungus infections, 1951, 2; 1952, 3, *1*; 1953, 3; 1954, 1, *1*; 1955, 1; 1956, 1, *1*; 1958, 2; 1959, 3, *1*; 1961, 1 (80); *2* (50, 55).
135, Scabies, —.
136, Pediculosis, —.
137, Other arthropod infestation, —.
138, Other infective and parasitic diseases, 1951, 2, *2*; 1952, *3*; 1953, 2; 1954, 2, *1*; 1960, *7*; 1961, 3 (40, 40, 50); *9* (30, 35, 40, 50, 55, 60, 65, 70, 75)
310, Anxiety reaction without mention of somatic symptoms, 1952, 1, *1*; 1953, *1*; 1954, 1; 1958, 2, *1*.
311, Hysterical reaction without mention of anxiety reaction, 1951, 1, *2*; 1952, 1, *3*; 1953, *2*; 1954, 1, *1*; 1955, 1, *5*; 1956, *3*; 1957, *2*; 1958, 1; 1959, 2, *2*; 1960, *3*; 1961, 1 (60), *1*, (65).
312, Phobic reaction, —.
313, Obsessive-compulsive reaction, 1957, 1.
314, Neurotic-depressive reaction, 1953, 1; 1961, *1* (85+).
315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system,—
316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 1951, *1*; 1955, 1, *1*; 1956, 1, *1*; 1957, 2, *1*; 1959, 1.
317, Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems 1955, *1*; 1956, *1*; 1958, *1*; 1959, 1; 1960, 1.

Table 48—*continued*

318, Psychoneurotic disorders, other, mixed and unspecified types, 1951, 2, *1*; 1952, 1; 1955, 2; 1957, *5*; 1960, 1, *1*; 1961, *1* (45).
370, Conjunctivitis and ophthalmia, 1956, *1*.
371, Blepharitis, —.
372, Hordeolum (stye), —.
373, Irisitis, 1959, *1*.
374, Keratitis, —.
375, Choroiditis, —.
376, Other inflammation of uveal tract, 1954, *2*; 1956, *1*.
377, Inflammation of optic nerve and retina, —.
378, Inflammation of lachrymal glands and ducts, —.
379, Other inflammatory diseases of eye, 1953, 1; 1954, 1; 1955, *1*; 1958, 1; 1959, *1*; 1960, *under 1*; 1961, *1* (55).
380, Refractive errors, —.
381, Corneal ulcer, 1952, *1*.
382, Corneal opacity, 1953, *1*.
383, Pterygium, —.
384, Strabismus, 1957, 1; 1959, *2*.
385, Cataract, 1951, 2, *3*; 1952, *3*; 1953, *1*; 1954, 1, *1*; 1955, *1*; 1956, 3, *2*; 1957, 1, *1*; 1958, 1, *2*; 1959, *3*; 1960, 2, *1*; 1961, 1 (85+), *4* (70, 75, 80, 80).
386, Detachment of retina, 1956, *1*; 1957, *1*; 1958, *1*; 1959, 1.
387, Glaucoma, 1951, *1*; 1953, *2*; 1956, *1*; 1958, 1; 1960, 2, *2*; 1961, 1 (85+), *2* (65, 65).
388, Other diseases of eye, 1951, 1.
389, Blindness, —.
E990, Injury due to war operations by gas and chemicals, —.
E991, Injury due to war operations by gunshot, —.
E992, Injury due to war operations by grenade and landmine, —.
E993, Injury due to war operations by bomb, 1956, 1.
E994, Injury due to war operations by marine mine, depth charge and torpedo, —.
E995, Injury due to war operations by explosion of artillery shell, —.
E996, Injury due to war operations by explosion of undetermined origin, —.
E997, Injury due to war operations by aircraft destruction, —.
E998, Injury due to war operations by other and unspecified means, —.
E999, Injury due to war operations but occurring after cessation of hostilities, —.

Note—Numbers in brackets denote age-groups.

Table 49A. Deaths in Scotland by Sex and Age Groups—1961

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	Not Stated
		ALL CAUSES—Both Sexes		63,928	2,615	406	189	155	482	713	1,778	4,927	11,022	16,464	25,177	—
		Males		32,819	1,520	235	122	85	333	443	1,021	2,987	6,833	8,556	10,684	—
		Females		*31,109*	*1,095*	*171*	*67*	*70*	*149*	*270*	*757*	*1,940*	*4,189*	*7,908*	*14,493*	—
	1-5	*All Tuberculosis* (Total 001-019)	M.	344	1	5	1	—	1	11	39	73	90	80	43	—
			F.	*137*	—	—	—	—	—	*25*	*25*	*26*	*22*	*20*	*19*	—
001-008	1	Respiratory system	M.	316	—	—	1	—	1	9	32	69	86	78	40	—
			F.	*117*	—	—	—	—	—	*23*	*22*	*24*	*20*	*16*	*12*	—
010	2	Meninges and central nervous system	M.	6	—	5	—	—	—	—	1	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	3	—	—	—	—	—	1	—	1	—	—	1	—
			F.	*3*	—	—	—	—	—	*1*	—	*1*	*1*	—	—	—
012, 013	4	Bones and joints	M.	6	—	—	—	—	—	—	3	1	1	—	1	—
			F.	*5*	—	—	—	—	—	*1*	*1*	*1*	—	—	*2*	—
014-019	5	All other forms	M.	13	1	—	—	—	—	1	3	2	3	2	1	—
			F.	*11*	—	—	—	—	—	—	*2*	—	*1*	*3*	*5*	—
020	6	Congenital syphilis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	6	—	—	—	—	—	—	—	1	2	2	1	—
			F.	*2*	—	—	—	—	—	—	*1*	—	—	—	*1*	—
025	9	General paralysis of insane	M.	12	—	—	—	—	—	—	2	3	4	2	1	—
			F.	*3*	—	—	—	—	—	—	—	*2*	—	*1*	—	—
Rem.	10	All other syphilis	M.	25	—	—	—	—	—	—	2	3	6	9	5	—
			F.	*12*	—	—	—	—	—	*1*	—	—	*1*	*7*	*3*	—
022, 029 030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
045-048	16	Dysentery, all forms	M.	2	—	—	—	—	—	—	—	1	—	—	1	—
			F.	*2*	—	—	—	*1*	—	—	—	—	—	—	*1*	—

050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	—	*1*	—	—
053	20	Septicæmia and pyæmia	M.	13	5	2	—	—	—	—	1	1	1	1	2	—	—	—
			F.	*7*	*4*	*1*	—	—	*1*	—	—	—	*1*	—	—	—	—	—
055	21	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	10	5	3	1	—	—	—	1	—	—	—	—	—	—	—
			F.	*6*	*3*	*3*	—	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	7	3	1	—	1	1	—	—	—	1	—	—	—	—	—
			F.	*4*	—	*1*	*1*	*1*	—	—	*1*	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	16	—	—	—	—	—	—	1	3	7	5	—	—	—	—
			F.	*20*	—	—	—	—	—	*2*	*2*	*4*	*8*	*3*	*1*	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	9	2	7	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*9*	—	*6*	*2*	*1*	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	10	—	—	1	—	—	2	—	—	1	5	1	—	—	—
			F.	*16*	*1*	—	—	*2*	—	*1*	*2*	*3*	*2*	*3*	*2*	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 036-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	15	2	—	—	—	—	1	2	1	—	3	6	—	—	—
			F.	*25*	*4*	—	—	*1*	—	*1*	*2*	*2*	*4*	*4*	*7*	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only

Table 49A.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
	44-59	*Malignant Neoplasms* (Total 140-205)	M.	6,006	6	17	21	10	39	69	185	764	1,766	1,755	1,374	—
			F.	*5,215*	—	*20*	*10*	*10*	*28*	*68*	*276*	*750*	*1,218*	*1,435*	*1,400*	—
140-148	44	Buccal cavity and pharynx	M.	128	—	—	1	—	—	1	1	7	26	37	55	—
			F.	*88*	—	—	—	*1*	—	*2*	*3*	*11*	*18*	*25*	*28*	—
150	45	Œsophagus	M.	148	—	—	—	—	—	1	4	7	36	43	57	—
			F.	*143*	—	—	—	—	*1*	—	*5*	*13*	*26*	*49*	*49*	—
151	46	Stomach	M.	866	—	—	—	—	—	5	21	122	235	248	235	—
			F.	*694*	—	—	—	—	—	*1*	*12*	*57*	*144*	*210*	*270*	—
152, 153	47	Intestine, except rectum	M.	513	—	—	—	—	1	4	8	44	114	142	200	—
			F.	*692*	—	—	—	—	*2*	*8*	*23*	*53*	*142*	*193*	*271*	—
154	48	Rectum	M.	297	—	—	—	—	1	2	13	30	67	92	92	—
			F.	*245*	—	—	—	—	*2*	*2*	*6*	*27*	*60*	*70*	*78*	—
161	49	Larynx	M.	62	—	—	—	—	—	—	1	3	16	25	17	—
			F.	*21*	—	—	—	—	—	—	—	7	*5*	*2*	*7*	—
162, 163	50	Trachea. bronchus and lung, not specified as secondary	M.	2,116	—	—	—	—	—	7	65	333	851	641	219	—
			F.	*362*	—	—	—	—	*1*	*6*	*17*	*61*	*104*	*110*	*63*	—
170	51	Breast	M.	6	—	—	—	—	—	—	1	1	2	1	1	—
			F.	*977*	—	—	—	—	*1*	*13*	*81*	*211*	*234*	*231*	*206*	—
171	52	Cervix uteri	F.	*250*	—	—	—	—	*1*	*5*	*32*	*66*	*62*	*58*	*26*	—
172-174	53	Other and unspecified parts of uterus	F.	*198*	—	—	—	—	—	*1*	*10*	*35*	*52*	*51*	*49*	—
177	54	Prostate	M.	392	—	—	—	—	—	—	—	3	54	128	207	—
190, 191	55	Skin	M.	69	—	—	—	—	—	1	4	8	10	16	30	—
			F.	*70*	—	—	—	—	*1*	*3*	*10*	*9*	*6*	*12*	*29*	—
196, 197	56	Bone and connective tissue	M.	74	—	—	2	1	5	—	6	10	16	18	16	—
			F.	*49*	—	—	*2*	*1*	*5*	*1*	*2*	*9*	*7*	*13*	*9*	—
Rem. 155-199	57	All other and unspecified sites	M.	973	4	9	8	3	10	28	*34*	134	250	287	206	—
			F.	*1,132*	—	*10*	*2*	*2*	*4*	*14*	*53*	*160*	*276*	*345*	*266*	—
204	58	Leukæmia and aleukæmia	M.	162	1	7	8	5	10	7	10	19	34	38	23	—
			F.	*120*	—	*9*	*5*	*5*	*1*	*4*	*6*	*13*	*32*	*22*	*23*	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	200	1	1	2	1	12	13	17	43	55	39	16	—
			F.	*174*	—	*1*	*1*	*1*	*9*	*8*	*16*	*18*	*50*	*44*	*26*	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	53	2	3	1	1	2	3	2	13	11	9	6	—
			F.	*69*	*2*	*1*	*1*	*1*	*2*	*1*	*8*	*8*	*18*	*15*	*12*	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*3*	—	—	—	—	—	—	—	—	—	*2*	*1*	—
252	62	Thyrotoxicosis with or without goitre	M.	11	—	—	—	—	—	1	—	—	6	4	—	—
			F.	*16*	—	—	—	—	*1*	—	—	*1*	*4*	*1*	*9*	—
260	63	Diabetes mellitus	M.	175	—	—	1	—	*1*	4	2	11	34	68	54	—
			F.	*424*	—	*1*	*1*	*1*	—	*1*	*5*	*16*	*103*	*163*	*133*	—

280-286	64	Avitaminosis and other deficiency states	M.	9	—	—	—	—	—	—	—	2	2	8	6	—
			F.	18	—	—	—	—	—	—	—	—	3	12	26	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	41	—	—	—	—	—	—	—	1	11	28	58	—
			F.	98	—	—	—	—	—	—	—	2	7	11	11	—
291-293	65*b*	Other anæmias	M.	39	1	1	1	1	2	1	1	3	9	14	31	—
			F.	63	—	—	2	1	1	2	3	—				
Rem. 240-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	123	2	2	1	4	4	4	16	14	37	27	12	—
			F.	187	1	2	1	1	7	7	9	21	34	57	47	—
300-309	67	Psychoses	M.	66	—	—	—	—	—	—	1	3	7	16	39	—
			F.	139	—	—	—	—	—	3	2	2	15	30	87	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	5	—	—	—	—	—	—	1	2	2	—	—	—
			F.	8	—	—	—	—	—	—	2	2	1	1	2	—
325	69	Mental deficiency	M.	10	1	—	1	1	2	1	—	2	2	—	—	—
			F.	9	6	—	—	—	—	—	—	1	1	1	—	—
	70	*Vascular lesions affecting central nervous system* (Total 330-334)	M.	4,048	2	2	3	3	7	9	44	192	585	1,188	2,013	—
			F.	5,791	2	—	1	5	4	10	56	219	642	1,661	3,191	—
330	70*a*	Subarachnoid hæmorrhage	M	107	1	—	2	—	2	7	16	24	21	25	9	—
			F.	160	1	—	—	4	4	3	18	38	44	37	11	—
331	70*b*	Cerebral hæmorrhage	M.	1,472	1	2	1	2	4	2	25	115	291	463	566	—
			F.	2,313	1	—	1	1	—	6	27	133	368	768	1,008	—
332	70*c*	Cerebral embolism and thrombosis	M.	2,013	—	—	—	1	1	—	2	45	244	585	1,135	—
			F.	2,774	—	—	—	—	—	1	9	45	212	749	1,758	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	456	—	—	—	—	—	—	1	8	29	115	303	—
			F.	544	—	—	—	—	—	—	2	3	18	107	414	—
340	71	Non-meningococcal meningitis	M.	21	8	4	—	1	1	—	2	—	2	2	1	—
			F.	18	12	3	—	—	1	—	—	1	—	—	1	—
345	72	Multiple sclerosis	M.	69	—	—	—	—	—	6	10	18	18	14	3	—
			F.	90	—	—	—	—	—	7	10	28	26	18	1	—
353	73	Epilepsy	M.	55	3	2	3	2	5	7	11	4	10	6	2	—
			F.	39	2	1	2	3	4	5	3	3	7	7	2	—
391-393	77	Otitis media and mastoiditis	M.	7	1	1	—	—	—	1	—	—	3	1	—	—
			F.	2	—	—	—	—	1	—	—	—	—	—	1	—
350	78*a*	Paralysis agitans	M.	71	—	—	—	—	—	—	—	2	11	30	28	—
			F.	107	—	—	—	—	—	—	—	2	10	54	41	—
Rem. 341-398	78*b*	All other diseases of the nervous system and sense organs (A74-A76)	M.	155	10	10	4	3	9	3	10	24	31	29	22	—
			F.	138	3	11	2	2	6	1	5	19	34	24	31	—
400-402	79	Rheumatic fever	M.	4	—	—	—	—	1	1	—	—	1	1	—	—
			F.	6	—	—	1	1	—	1	1	2	—	—	—	—
	80–83	*Heart Disease* (Total 410-443)	M.	11,371	—	—	—	—	11	61	314	1,123	2 593	3,164	4,105	—
			F.	10,677	1	—	1	1	14	40	126	426	1,274	2,853	5,941	—
410-416	80	Chronic rheumatic heart disease	M.	277	—	—	—	—	7	19	52	65	58	53	23	—
			F.	531	—	—	1	1	10	27	68	122	138	87	77	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	7,314	—	—	—	—	2	33	226	956	2,142	2 258	1,697	—
			F.	4,628	—	—	—	—	1	5	37	231	806	1,641	1,907	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	168	—	—	—	—	—	2	16	28	46	41	35	—
			F.	168	—	—	—	—	—	—	4	11	36	49	68	—
422.0	81*c*	Fatty degeneration of heart	M.	5	—	—	—	—	—	—	2	—	—	—	3	—
			F.	18	—	—	—	—	—	—	—	2	7	5	4	—

Table 49A.—*continued*

International Classification		Causes of Death		All Ages	Ages											Not Stated
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	1,736	—	—	—	—	—	—	1	9	90	333	1,303	—
			F.	*2,562*	—	—	—	—	—	*1*	*2*	*1*	*62*	*394*	*2,102*	—
422.2	81*e*	Other myocardial degeneration	M.	1,089	—	—	—	—	1	2	5	27	116	252	686	—
			F.	*1,521*	—	—	—	—	*1*	—	*3*	*20*	*80*	*292*	*1,125*	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	37	—	—	—	—	—	3	*3*	2	13	11	5	—
			F.	*39*	*1*	—	—	—	*1*	*3*	—	*3*	*4*	*9*	*18*	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	327	—	—	—	—	1	2	7	16	44	81	176	—
			F.	*488*	—	—	—	—	*1*	*2*	*8*	*18*	*46*	*129*	*284*	—
440-443	83	Hypertensive heart disease	M.	418	—	—	—	—	—	—	2	20	84	135	177	—
			F.	*722*	—	—	—	—	—	*2*	*4*	*18*	*95*	*247*	*356*	—
444-447	84	Other hypertensive disease	M.	246	—	—	—	—	2	5	21	24	49	64	81	—
			F.	*301*	—	—	—	*1*	—	—	*8*	*18*	*36*	*101*	*137*	—
450	85*a*	General arteriosclerosis	M.	676	—	—	—	—	—	—	—	7	25	123	521	—
			F.	*823*	—	—	—	—	—	—	—	*1*	*15*	*135*	*672*	—
451-456	85*b*	Other diseases of arteries	M.	149	—	—	—	—	—	2	2	11	32	52	50	—
			F.	*126*	—	—	—	—	*2*	*2*	*7*	*7*	*33*	*27*	*48*	—
460-468	86	Other diseases of circulatory system	M.	93	—	—	—	—	—	3	3	11	20	30	26	—
			F.	*148*	—	—	—	—	—	—	*1*	*13*	*35*	*47*	*52*	—
470-475	87	Acute upper respiratory infections	M.	12	6	2	1	—	—	—	—	1	—	—	2	—
			F.	*5*	*3*	*1*	—	—	—	—	—	—	*1*	—	—	—
480-483	88	Influenza	M.	171	9	1	3	1	5	1	4	17	25	36	69	—
			F.	*194*	*5*	*1*	*1*	—	—	—	*4*	*12*	*15*	*35*	*121*	—
	89–91	*Pneumonia* (Total 490-493)	M.	1,207	129	32	5	3	7	10	19	54	149	304	495	—
			F.	*1,266*	*108*	*23*	*4*	*5*	*8*	*7*	*24*	*39*	*90*	*264*	*694*	—
490	89	Lobar pneumonia	M.	185	13	5	1	—	1	1	8	10	28	48	70	—
			F.	*176*	*4*	*1*	*2*	*1*	*2*	*2*	*9*	*8*	*15*	*44*	*88*	—
491	90	Bronchopneumonia	M.	914	103	24	3	2	*6*	8	8	41	103	227	389	—
			F.	*972*	*89*	*15*	*2*	*4*	*4*	*5*	*12*	*29*	*62*	*201*	*549*	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	108	13	3	1	1	—	1	3	3	18	29	36	—
			F.	*118*	*15*	*7*	—	—	*2*	—	*3*	*2*	*13*	*19*	*57*	—
	92–93	*Bronchitis* (Total 500-502)	M.	1,789	12	5	2	2	3	5	21	157	525	634	423	—
			F.	*727*	*14*	*9*	—	*1*	—	*5*	*18*	*45*	*97*	*212*	*326*	—
500	92	Acute bronchitis	M.	105	12	5	2	2	1	2	1	2	13	21	44	—
			F.	*124*	*14*	*9*	—	*1*	—	*3*	*1*	—	*7*	*20*	*69*	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	1,092	—	—	—	—	—	2	10	103	335	411	231	—
			F.	*416*	—	—	—	—	—	*2*	*11*	*31*	*65*	*139*	*168*	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	592	—	—	—	—	2	1	10	52	177	202	148	—
			F.	*187*	—	—	—	—	—	—	*6*	*14*	*25*	*53*	*89*	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	*1*	—	—	—	—	—	—	—	—	—	—

518, 521	95	Empyema and abscess of lung	M.	17	3	1	—	—	1	1	—	2	4	4	—
			F.	*7*	—	—	—	—	—	—	*1*	—	*1*	*2*	*3*	—
519	96	Pleurisy	M.	6	—	—	—	—	—	1	—	1	1	1	2	—
			F.	*6*	—	—	—	—	—	—	*1*	—	*1*	*3*	*1*	—
523, 524	97*a*	Pneumoconiosis	M.	245	—	—	—	—	—	—	1	6	50	111	77	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 511-527	97*b*	All other respiratory diseases	M.	182	1	—	—	1	3	7	12	21	39	58	40	—
			F.	*126*	—	—	*1*	—	—	*1*	*9*	*14*	*29*	*35*	*37*	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	153	—	—	—	—	—	5	4	19	35	49	41	—
			F	*87*	—	—	—	—	—	*2*	*1*	*11*	*6*	*23*	*44*	—
541	100	Ulcer of duodenum	M.	248	—	—	—	—	—	1	6	23	62	85	71	—
			F.	*67*	—	—	—	—	—	*1*	*4*	*11*	*4*	*27*	*20*	—
543	101	Gastritis and duodenitis	M.	4	—	—	—	—	—	—	—	1	1	—	2	—
			F.	*12*	—	—	—	—	—	—	*1*	—	*3*	*2*	*6*	—
550-553	102	Appendicitis	M.	50	1	3	3	1	2	2	5	—	9	11	13	—
			F.	*37*	—	—	*1*	*1*	*4*	*4*	*1*	*2*	*6*	*7*	*11*	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	203	12	—	—	—	1	1	3	14	42	57	73	—
			F.	*185*	*6*	*1*	—	*1*	—	*1*	*4*	*12*	*26*	*58*	*76*	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	33	25	8	—	—	—	—	—	—	—	—	—	—
			F.	*29*	*27*	*2*	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	21	—	2	—	—	1	2	1	1	2	5	7	—
			F.	36	—	*5*	—	—	*1*	*1*	*2*	*1*	*3*	*9*	*14*	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	65	—	—	—	—	—	2	2	6	20	11	24	—
			F.	*76*	—	—	—	—	—	*2*	*4*	*4*	*10*	*22*	*34*	—
581	105	Cirrhosis of liver	M.	134	—	1	—	1	—	*3*	4	26	44	33	22	—
			F.	*100*	—	—	—	—	—	—	*5*	*13*	*34*	*28*	*20*	—
584, 585	106	Cholelithiasis and cholecystitis	M.	51	—	—	—	—	—	1	—	3	13	15	19	—
			F.	*140*	—	—	—	—	—	*1*	*2*	*7*	*28*	*43*	*59*	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	14	1	1	—	—	—	—	2	1	2	4	3	—
			F.	*41*	*1*	—	—	—	*2*	*3*	*5*	*6*	*4*	*7*	*13*	—
Rem. 536-587	107*b*	Other diseases of digestive system	M.	108	14	3	—	—	—	—	9	15	21	24	22	—
			F.	*102*	*10*	*5*	—	—	*1*	*2*	*7*	*7*	*13*	*23*	*34*	—
590	108	Acute nephritis	M.	11	1	—	1	—	1	2	2	2	—	1	1	—
			F.	*13*	*1*	—	—	—	*1*	—	—	*1*	*5*	*3*	*2*	—
591-594	109	Chronic, other and unspecified nephritis	M.	155	—	—	2	—	9	4	15	21	41	22	41	—
			F.	*160*	*1*	—	*1*	*1*	*7*	*6*	*10*	*18*	*24*	*54*	*38*	—
600	110	Infections of kidney	M.	118	2	1	—	—	3	2	7	10	22	25	46	—
			F.	*206*	—	*2*	—	—	—	*3*	*12*	*21*	*37*	*61*	*70*	—
602, 604	111	Calculi of urinary system	M.	19	—	—	—	—	1	—	—	—	3	5	10	—
			F.	*5*	—	—	—	—	—	—	—	*1*	*3*	—	*1*	—
610	112	Hyperplasia of prostate	M.	366	—	—	—	—	—	—	—	—	12	85	269	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	17	—	—	—	—	—	—	—	—	1	3	13	—
			F.	*14*	—	—	—	—	—	—	—	*1*	*1*	*2*	*10*	—

Table 49A.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
Rem. 601-637	114*b*	Other diseases of genito-urinary system	M.	45	—	—	—	—	1	—	2	2	6	9	25	—
			F.	*41*	*1*	—	*1*	—	—	—	*4*	*7*	*10*	*8*	*10*	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	*12*	—	—	—	—	*2*	*8*	*2*	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	*5*	—	—	—	—	—	*2*	*3*	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	*6*	—	—	—	—	*1*	*2*	*3*	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	*2*	—	—	—	—	—	*2*	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	*3*	—	—	—	—	*2*	*1*	—	—	—	—	—	—
Rem. 645–689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	*8*	—	—	—	—	*1*	*4*	*3*	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	3	—	—	—	—	—	—	—	1	—	1	1	—
			F.	*11*	*1*	*1*	—	—	—	*1*	—	—	*2*	*1*	*5*	—
720-725	122	Arthritis and spondylitis	M.	51	—	—	—	—	1	—	1	7	14	13	15	—
			F.	*149*	—	—	—	*1*	—	—	*1*	*10*	*19*	*54*	*64*	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*3*	—	—	—	—	—	—	—	—	—	*2*	*1*	—
730	124	Osteomyelitis and periostitis	M.	4	—	—	—	—	—	—	—	—	—	2	2	—
			F.	*3*	—	—	—	—	—	—	—	—	*2*	*1*	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	3	—	—	—	—	—	—	—	—	3	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
Rem. 700–744	126	All other diseases of skin and musculoskeletal system	M.	45	1	1	—	1	8	—	3	4	7	11	9	—
			F.	*39*	*1*	—	—	—	—	*2*	*4*	*3*	*4*	*9*	*16*	—
	127–135	*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	1,262	1,166	32	10	4	10	4	4	6	12	9	5	—
			F.	*885*	*798*	*20*	*10*	*12*	*10*	*3*	*5*	*11*	*7*	*7*	*2*	—
751	127	Spina bifida and meningocele	M.	75	67	6	—	—	1	—	—	—	1	—	—	—
			F.	*68*	*63*	*4*	—	*1*	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	131	93	10	4	3	6	3	3	2	2	3	2	—
			F.	*129*	*88*	*9*	*6*	*9*	*7*	*3*	*1*	*1*	*3*	*2*	—	—
(a)	(b)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
Rem. 750-759	129	All other congenital malformations	M.	205	155	16	6	1	3	1	1	4	9	6	3	—
			F.	*147*	*106*	*7*	*4*	*2*	*3*	—	*4*	*10*	*4*	*5*	*2*	—
760, 761	130	Birth injuries	M.	139	139	—	—	—	—	—	—	—	—	—	—	—
			F.	*92*	*92*	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	348	348	—	—	—	—	—	—	—	—	—	—	—
			F.	*188*	*188*	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	44	44	—	—	—	—	—	—	—	—	—	—	—
			F.	*38*	*38*	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	6	6	—	—	—	—	—	—	—	—	—	—	—
			F.	*3*	*3*	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	12	12	—	—	—	—	—	—	—	—	—	—	—
			F.	*7*	*7*	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	28	28	—	—	—	—	—	—	—	—	—	—	—
			F.	*23*	*23*	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	27	27	—	—	—	—	—	—	—	—	—	—	—
			F.	*21*	*21*	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	247	247	—	—	—	—	—	—	—	—	—	—	—
			F.	*169*	*169*	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	125	—	—	—	—	—	—	—	—	—	2	123	—
			F.	*256*	—	—	—	—	—	—	—	—	—	*3*	*253*	—
780-793, 795	137	Ill-defined and unknown causes	M.	164	13	1	—	1	—	5	13	19	42	38	32	—
			F.	*102*	*17*	—	—	*2*	—	*1*	—	*9*	*13*	*28*	*32*	—
	138–150	*Accidents, Poisonings and Violence* (*External Cause*) (Total E800-E999)	M.	1,735	68	80	56	43	187	189	208	234	257	170	243	—
			F.	*1,176*	*58*	*50*	*23*	*13*	*37*	*26*	*62*	*94*	*125*	*153*	*535*	—
E810-E835	138	Motor vehicle accidents	M.	516	1	37	24	21	116	55	55	63	55	47	42	—
			F.	*197*	*2*	*24*	*16*	*7*	*21*	*5*	*9*	*25*	*27*	*31*	*30*	—
E840-E845	139*a*	Other road vehicle accidents	M.	5	—	—	—	—	—	—	1	2	1	1	—	—
			F.	*4*	—	—	—	—	—	—	—	—	*1*	*1*	*2*	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	60	—	1	—	2	10	18	9	9	11	—	—	—
			F.	*4*	—	—	*1*	—	—	—	—	—	*2*	—	*1*	—
E870-E895	140	Accidental poisoning	M.	170	—	8	1	1	5	13	24	27	38	26	27	—
			F.	*164*	—	*3*	—	*2*	*1*	*8*	*12*	*18*	*27*	*28*	*65*	—
E900-E904	141	Accidental falls	M.	276	—	8	3	2	15	14	16	18	37	40	123	—
			F.	*481*	—	*4*	*1*	—	—	*1*	*4*	*8*	*13*	*56*	*394*	—
E912	142	Accident caused by machinery	M.	15	—	1	—	—	2	3	—	7	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	42	—	1	1	1	1	1	4	5	6	4	18	—
			F.	*58*	—	*6*	*2*	*2*	*2*	—	*2*	*5*	*9*	*6*	*24*	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	5	—	—	—	—	—	—	—	—	—	2	3	—
			F.	*10*	—	*3*	—	—	—	—	—	—	—	*2*	*5*	—
E919	145	Accident caused by firearm	M.	14	—	—	1	2	3	2	1	2	3	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	135	2	14	17	9	12	14	15	9	20	15	8	—
			F.	*23*	*1*	*4*	*1*	*1*	*1*	*1*	*2*	*5*	*2*	*3*	*2*	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	91	61	2	—	1	3	4	7	6	3	2	2	—
			F.	*63*	*50*	*5*	*1*	—	—	—	*2*	*2*	*1*	—	*2*	—
Rem. E910–E962	147*b*	All other accidental causes	M.	131	2	8	9	4	9	23	24	21	21	6	4	—
			F.	*13*	*4*	*1*	—	*1*	—	—	—	*1*	*2*	*3*	*1*	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	258	—	—	—	—	9	37	48	63	60	26	15	—
			F.	*151*	—	—	—	—	*8*	*11*	*31*	*29*	*41*	*23*	*8*	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	15	2	—	—	—	2	5	3	2	—	—	1	—
			F.	*8*	*1*	—	*1*	—	*4*	—	—	*1*	—	—	*1*	—
E965, E990-E999	150	Injury resulting from operations of war	M.	2	—	—	—	—	—	—	1	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 49B. Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups (Glasgow, Edinburgh, Aberdeen and Dundee)—1961

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
		ALL CAUSES—Both Sexes		23,962	1,055	140	64	51	147	288	700	1,993	4,370	6,282	8,872	—
			Males	12.211	605	77	40	23	105	171	412	1,227	2.713	3.266	3,572	—
			Females	*11.751*	*450*	*63*	*24*	*28*	*42*	*117*	*288*	*766*	*1,657*	*3.016*	*5,300*	—
	1-5	*All Tuberculosis* (Total 001-019)	M.	165	1	1	—	—	—	6	22	30	38	48	19	—
			F.	*75*	—	—	—	—	—	*15*	*14*	*14*	*14*	*11*	*7*	—
001-008	1	Respiratory system	M.	152	—	—	—	—	—	5	19	28	36	47	17	—
			F.	*65*	—	—	—	—	—	*13*	*13*	*12*	*13*	*10*	*4*	—
010	2	Meninges and central nervous system	M.	2	—	1	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	2	—	—	—	—	—	—	—	1	—	—	1	—
			F.	*3*	—	—	—	—	—	*1*	—	*1*	*1*	—	—	—
012, 013	4	Bones and joints	M.	3	—	—	—	—	—	—	1	1	—	—	1	—
			F.	*3*	—	—	—	—	—	*1*	*1*	*1*	—	—	—	—
014-019	5	All other forms	M.	6	1	—	—	—	—	1	1	—	2	1	—	—
			F.	*4*	—	—	—	—	—	—	—	—	—	*1*	*3*	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	1	1	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	5	—	—	—	—	—	—	—	2	1	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 022-029	10	All other syphilis	M.	14	—	—	—	—	—	—	—	3	4	4	3	—
			F.	*8*	—	—	—	—	—	—	—	—	*1*	*4*	*3*	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	*2*	—	—	—	*1*	—	—	—	—	—	—	*1*	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	5	1	—	—	—	—	—	1	1	1	—	1	—
			F.	*2*	*2*	—	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	6	2	2	1	—	—	—	1	—	—	—	—	—
			F.	*3*	*1*	*2*	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	—	*1*	*1*	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	7	—	—	—	—	—	—	—	1	3	3	—	—
			F.	*12*	—	—	—	—	—	*2*	*1*	*3*	*4*	*2*	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	4	2	2	—	—	—	—	—	—	—	—	—	—
			F.	*5*	—	*4*	*1*	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	—	—	—	—	1	—	—	—	1	—	—
			F.	*5*	*1*	—	—	*1*	—	—	—	—	*1*	*2*	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 036-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	3	1	—	—	—	—	1	1	—	—	—	—	—
			F.	*13*	*3*	—	—	—	—	*1*	*2*	*1*	—	*2*	*4*	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 49B.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
	44-59	*Malignant Neoplasms* (Total 140-205)	M.	2,475	2	8	3	2	14	31	80	328	787	730	490	—
			F.	*2,057*	—	*9*	*4*	*4*	*5*	*35*	*94*	*318*	*463*	*586*	*539*	—
140-148	44	Buccal cavity and pharynx	M.	41	—	—	—	—	—	1	—	4	9	10	17	—
			F.	*40*	—	—	—	—	—	*1*	*1*	*7*	*10*	*13*	*8*	—
150	45	Œsophagus	M	62	—	—	—	—	—	—	1	3	16	16	26	—
			F.	*50*	—	—	—	—	—	—	*1*	*5*	*7*	*22*	*15*	—
151	46	Stomach	M.	312	—	—	—	—	—	1	6	50	102	81	72	—
			F.	*271*	—	—	—	—	—	*1*	*4*	*26*	*59*	*88*	*93*	—
152, 153	47	Intestine, except rectum	M.	186	—	—	—	—	—	1	5	18	43	53	66	—
			F.	*250*	—	—	—	—	*1*	*7*	*6*	*18*	*55*	*57*	*106*	—
154	48	Rectum	M.	120	—	—	—	—	1	2	5	12	35	36	29	—
			F.	*76*	—	—	—	—	—	*1*	*1*	*12*	*20*	*24*	*18*	—
161	49	Larynx	M.	22	—	—	—	—	—	—	—	1	5	10	6	—
			F.	*7*	—	—	—	—	—	—	—	*3*	*1*	*1*	*2*	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	1,028	—	—	—	—	—	4	34	157	404	328	101	—
			F.	*201*	—	—	—	—	—	*5*	*8*	*32*	*62*	*59*	*35*	—
170	51	Breast	M.	3	—	—	—	—	—	—	1	1	—	1	—	—
			F.	*380*	—	—	—	—	*1*	*8*	*27*	*89*	*77*	*100*	*78*	—
171	52	Cervix uteri	F.	*111*	—	—	—	—	—	*2*	*11*	*25*	*28*	*29*	*16*	—
172-174	53	Other and unspecified parts of uterus	F.	*71*	—	—	—	—	—	—	*4*	*13*	*17*	*20*	*17*	—
177	54	Prostate	M.	133	—	—	—	—	—	—	—	1	22	40	70	—
190, 191	55	Skin	M.	20	—	—	—	—	—	—	1	4	2	4	9	—
			F.	*28*	—	—	—	—	—	—	*3*	*3*	*1*	*9*	*12*	—
196, 197	56	Bone and connective tissue	M.	27	—	—	—	—	2	—	4	1	5	7	8	—
			F.	*14*	—	—	*1*	—	—	—	*1*	*5*	*1*	*5*	*1*	—
Rem. 155-199	57	All other and unspecified sites	M.	396	2	5	3	1	3	15	19	53	106	118	71	—
			F.	*439*	—	*4*	—	*2*	1	*4*	*19*	*70*	*95*	*129*	*115*	—
204	58	Leukæmia and aleukæmia	M.	47	—	3	—	1	3	2	1	6	14	7	10	—
			F.	*51*	—	*5*	*2*	*2*	*1*	*2*	*4*	*2*	*12*	*10*	*11*	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	78	—	—	—	—	5	5	3	17	24	19	5	—
			F.	*68*	—	—	*1*	—	*1*	*4*	*4*	*8*	*18*	*20*	*12*	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	25	2	2	—	1	1	1	1	5	4	7	1	—
			F.	*31*	*1*	—	—	—	*1*	*1*	*5*	*2*	*10*	*8*	*3*	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
252	62	Thyrotoxicosis with or without goitre	M.	3	—	—	—	—	—	1	—	—	1	1	—	—
			F.	*4*	—	—	—	—	—	—	—	*1*	*1*	—	*2*	—
260	63	Diabetes mellitus	M.	67	—	—	—	—	1	1	1	4	18	28	14	—
			F.	*151*	—	—	—	—	—	—	—	*3*	*37*	*59*	*52*	—

280-286	64	Avitaminosis and other deficiency states	M.	6	—	—	—	—	—	—	—	—	1	2	3	—
			F.	*13*	—	—	—	—	—	—	—	*1*	*2*	*4*	*6*	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	13	—	—	—	—	—	—	—	—	2	4	7	—
			F.	*28*	—	—	—	—	—	—	—	—	*1*	*8*	*19*	—
291-293	65*b*	Other anæmias	M.	10	1	1	1	—	—	1	—	—	1	1	4	—
			F.	*29*	—	—	*1*	*1*	—	—	*1*	—	*2*	*7*	*17*	—
Rem. 240-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	44	1	2	—	—	—	1	4	7	11	12	6	—
			F.	*72*	*1*	—	—	—	*2*	*2*	*4*	*7*	*11*	*22*	*23*	—
300-309	67	Psychoses	M.	36	—	—	—	—	—	—	—	2	3	11	20	—
			F.	*90*	—	—	—	—	—	—	*2*	—	*7*	*21*	*60*	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	3	—	—	—	—	—	—	1	2	—	—	—	—
			F.	*3*	—	—	—	—	—	—	*1*	*1*	—	—	*1*	—
325	69	Mental deficiency	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	70	*Vascular lesions affecting central nervous system* (Total 330-334)	M.	1,420	1	1	—	—	2	1	14	74	201	447	679	—
			F.	*2,122*	—	—	*1*	*2*	*1*	*4*	*6*	*73*	*253*	*570*	*1,212*	—
330	70*a*	Subarachnoid hæmorrhage	M.	47	—	—	—	—	1	1	6	12	11	15	1	—
			F.	*69*	—	—	—	*2*	*1*	*2*	*2*	*16*	*24*	*18*	*4*	—
331	70*b*	Cerebral hæmorrhage	M.	513	1	1	—	—	1	—	8	43	104	170	185	—
			F.	*807*	—	—	*1*	—	—	*2*	*1*	*41*	*138*	*243*	*381*	—
332	70*c*	Cerebral embolism and thrombosis	M.	618	—	—	—	—	—	—	—	14	76	203	325	—
			F.	*983*	—	—	—	—	—	—	*3*	*16*	*82*	*261*	*621*	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	242	—	—	—	—	—	—	—	5	10	59	168	—
			F.	*263*	—	—	—	—	—	—	—	—	*9*	*48*	*206*	—
340	71	Non-meningococcal meningitis	M.	9	5	1	—	—	—	—	2	—	—	1	—	—
			F.	*9*	*7*	*1*	—	—	*1*	—	—	—	—	—	—	—
345	72	Multiple sclerosis	M.	20	—	—	—	—	—	2	4	3	6	4	1	—
			F.	*29*	—	—	—	—	—	*2*	*3*	*7*	*11*	*6*	—	—
353	73	Epilepsy	M.	15	1	1	—	—	—	2	3	—	4	3	1	—
			F.	*17*	—	*1*	—	*2*	*1*	*2*	—	*2*	*6*	*3*	—	—
391-393	77	Otitis media and mastoiditis	M.	4	1	1	—	—	—	—	—	—	2	—	—	—
			F	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
350	78*a*	Paralysis agitans	M.	24	—	—	—	—	—	—	—	—	3	11	10	—
			F.	*43*	—	—	—	—	—	—	—	*1*	*4*	*18*	*20*	—
Rem. 341-398	78*b*	All other diseases of the nervous system and sense organs (A74-A76)	M.	63	3	3	1	—	3	1	3	11	14	14	10	—
			F.	*60*	*1*	*5*	—	—	*2*	*1*	*1*	*7*	*14*	*17*	*12*	—
400-402	79	Rheumatic fever	M.	3	—	—	—	—	1	—	—	—	1	1	—	—
			F.	*3*	—	—	—	—	—	—	*1*	*2*	—	—	—	—
	80–83	*Heart Disease* (Total 410-443)	M.	3,912	—	—	—	—	4	29	128	444	954	1,098	1,255	—
			F.	*3,822*	—	—	—	*1*	*2*	*15*	*57*	*165*	*507*	*1,033*	*2 042*	—
410-416	80	Chronic rheumatic heart disease	M.	131	—	—	—	—	4	12	21	39	27	22	6	—
			F.	*236*	—	—	—	*1*	*1*	*11*	*40*	*49*	*70*	*34*	*30*	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	2,597	—	—	—	—	—	15	87	362	782	782	569	—
			F.	*1,776*	—	—	—	—	—	*1*	*7*	*87*	*311*	*610*	*760*	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	70	—	—	—	—	—	1	9	13	17	14	16	—
			F.	*81*	—	—	—	—	—	—	*3*	*7*	*17*	*22*	*32*	—

Table 49B.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	*10*	—	—	—	—	—	—	—	—	*5*	*2*	*3*	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	510	—	—	—	—	—	—	—	3	32	113	362	—
			F.	*799*	—	—	—	—	—	—	—	—	*22*	*119*	*658*	—
422.2	81*e*	Other myocardial degeneration	M.	332	—	—	—	—	—	—	3	11	49	84	185	—
			F.	*465*	—	—	—	—	—	—	*2*	8	*34*	*101*	*320*	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	5	—	—	—	—	—	—	1	—	2	2	—	—
			F.	*8*	—	—	—	—	—	*2*	—	—	—	*3*	*3*	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	114	—	—	—	—	—	1	5	7	16	29	56	—
			F.	*189*	—	—	—	—	*1*	*1*	*5*	*6*	*15*	*50*	*111*	—
440-443	83	Hypertensive heart disease	M.	151	—	—	—	—	—	—	2	9	29	52	59	—
			F.	*258*	—	—	—	—	—	—	—	*8*	*33*	*92*	*125*	—
444-447	84	Other hypertensive disease	M.	91	—	—	—	—	1	1	12	6	17	22	32	—
			F.	*108*	—	—	—	—	—	—	*5*	*6*	*15*	*37*	45	—
450	85*a*	General arteriosclerosis	M.	239	—	—	—	—	—	—	—	3	7	48	181	—
			F.	*284*	—	—	—	—	—	—	—	—	*4*	*46*	*234*	—
451-456	85*b*	Other diseases of arteries	M.	62	—	—	—	—	—	—	1	8	11	24	18	—
			F.	*41*	—	—	—	—	*1*	*1*	*2*	*4*	*10*	*9*	*14*	—
460-468	86	Other diseases of circulatory system	M.	35	—	—	—	—	—	1	—	6	7	12	9	—
			F.	*56*	—	—	—	—	—	—	—	*5*	*18*	*18*	*15*	—
470-475	87	Acute upper respiratory infections	M.	3	1	1	—	—	—	—	—	1	—	—	—	—
			F.	*2*	*2*	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	56	5	—	—	—	3	—	1	7	10	13	17	—
			F.	*67*	*1*	—	—	—	—	—	*2*	*4*	*5*	*13*	*42*	—
	89–91	*Pneumonia* (Total 490-493)	M.	527	54	11	1	—	3	7	9	29	59	137	217	—
			F.	*584*	*42*	*8*	*1*	*2*	*3*	*3*	*11*	*17*	*44*	*138*	*315*	—
490	89	Lobar pneumonia	M.	77	4	1	—	—	1	1	5	6	13	22	24	—
			F.	*82*	*2*	—	*1*	—	*1*	*1*	*6*	*4*	*8*	*26*	*33*	—
491	90	Bronchopneumonia	M.	411	46	10	1	—	2	5	2	23	40	102	180	—
			F.	*456*	*37*	*7*	—	*2*	*2*	*2*	*3*	*11*	*30*	*103*	*259*	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	39	4	—	—	—	—	1	2	—	6	13	13	—
			F.	*46*	*3*	*1*	—	—	—	—	*2*	*2*	*6*	*9*	*23*	—
	92–93	*Bronchitis* (Total 500-502)	M.	820	2	3	1	—	1	2	12	71	246	284	198	—
			F.	*340*	*7*	*2*	—	—	—	*4*	*9*	*24*	*51*	*112*	*131*	—
500	92	Acute bronchitis	M.	38	2	3	1	—	—	1	—	1	3	10	17	—
			F.	*55*	*7*	*2*	—	—	—	*3*	*1*	—	*2*	*12*	*28*	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	506	—	—	—	—	—	—	5	45	161	189	106	—
			F.	*196*	—	—	—	—	—	*1*	*5*	*14*	*34*	*73*	*69*	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	276	—	—	—	—	1	1	7	25	82	85	75	—
			F.	*89*	—	—	—	—	—	—	*3*	*10*	*15*	*27*	*34*	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	*1*	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	7	1	1	—	—	1	—	—	1	1	—	2	—
			F.	*3*	—	—	—	—	—	—	*1*	—	*1*	—	*1*	—
519	96	Pleurisy	M.	4	—	—	—	—	—	—	—	1	1	1	1	—
			F.	*2*	—	—	—	—	—	—	*1*	—	*1*	—	—	—
523, 524	97*a*	Pneumoconiosis	M.	10	—	—	—	—	—	—	—	—	1	6	3	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 511-527	97*b*	All other respiratory diseases	M.	69	—	—	—	—	1	2	5	8	13	25	15	—
			F.	*52*	—	—	*1*	—	—	*1*	*3*	*5*	9	*16*	*17*	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	56	—	—	—	—	—	1	3	7	10	21	14	—
			F.	*34*	—	—	—	—	—	—	—	*6*	*3*	*5*	*20*	—
541	100	Ulcer of duodenum	M.	76	—	—	—	—	—	1	2	9	20	25	19	—
			F.	*22*	—	—	—	—	—	—	*1*	*6*	—	*9*	*6*	—
543	101	Gastritis and duodenitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*3*	—	—	—	—	—	—	—	—	*1*	*1*	*1*	—
550-553	102	Appendicitis	M.	16	—	1	2	—	1	—	2	—	4	5	1	—
			F.	*15*	—	—	*1*	*1*	*2*	*1*	*1*	*1*	*3*	*2*	*3*	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	79	3	—	—	—	—	—	2	7	17	17	33	—
			F.	*63*	*1*	—	—	—	—	—	—	*2*	*7*	*23*	*30*	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	12	10	2	—	—	—	—	—	—	—	—	—	—
			F.	*15*	*15*	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	6	—	—	—	—	—	1	—	—	1	1	3	—
			F.	16	—	*1*	—	—	*1*	—	*2*	—	*1*	*4*	*7*	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	21	—	—	—	—	—	2	—	4	7	4	4	—
			F.	*32*	—	—	—	—	—	*2*	*3*	*1*	*5*	*11*	*10*	—
581	105	Cirrhosis of liver	M.	56	—	—	—	—	—	1	—	9	22	16	8	—
			F.	*44*	—	—	—	—	—	—	*3*	*8*	*10*	*15*	*8*	—
584, 585	106	Cholelithiasis and cholecystitis	M.	12	—	—	—	—	—	1	—	1	5	1	4	—
			F.	*54*	—	—	—	—	—	*1*	*2*	—	*7*	*19*	*25*	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	5	1	1	—	—	—	—	—	1	—	2	—	—
			F.	*13*	—	—	—	—	—	*2*	*2*	*2*	—	*5*	*2*	—
Rem. 536-587	107*b*	Other diseases of digestive system	M.	43	2	—	—	—	—	—	5	8	11	10	7	—
			F.	*39*	*7*	*2*	—	—	—	*1*	*3*	*2*	*4*	*8*	*12*	—
590	108	Acute nephritis	M.	5	—	—	—	—	—	1	2	1	—	1	—	—
			F.	*4*	—	—	—	—	—	—	—	—	*3*	—	*1*	—
591-594	109	Chronic, other and unspecified nephritis	M.	56	—	—	—	—	3	2	8	7	12	10	14	—
			F.	*41*	—	—	*1*	—	*2*	*2*	*2*	*6*	*5*	*15*	*8*	—
600	110	Infections of kidney	M.	47	1	—	—	—	2	2	2	5	7	9	19	—
			F.	*87*	—	—	—	—	—	*1*	*7*	*9*	*20*	*21*	*29*	—
602, 604	111	Calculi of urinary system	M.	7	—	—	—	—	—	—	—	—	—	3	4	—
			F.	*3*	—	—	—	—	—	—	—	*1*	*2*	—	—	—
610	112	Hyperplasia of prostate	M.	109	—	—	—	—	—	—	—	—	5	26	78	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 49B.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
605, 606	114*a*	Diseases of bladder	M.	5	—	—	—	—	—	—	—	—	—	1	4	—
			F.	*5*	—	—	—	—	—	—	—	—	—	*1*	*4*	—
Rem. 601-637	114*b*	Other diseases of genito-urinary system	M.	16	—	—	—	—	—	—	—	—	3	3	10	—
			F.	*15*	*1*	—	*1*	—	—	—	*1*	*2*	*5*	*3*	*2*	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	*2*	—	—	—	—	—	*2*	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	*1*	—	—	—	—	—	—	*1*	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	*1*	—	—	—	—	—	—	*1*	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	*1*	—	—	—	—	*1*	—	—	—	—	—	—	—
Rem. 645-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	*4*	—	—	—	—	*1*	*2*	*1*	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*4*	*1*	—	—	—	—	*1*	—	—	—	—	*2*	—
720-725	122	Arthritis and spondylitis	M.	17	—	—	—	—	—	—	—	2	8	4	3	—
			F.	*52*	—	—	—	—	—	—	—	*3*	*8*	*13*	*28*	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 700-744	126	All other diseases of skin and musculoskeletal system	M.	16	—	—	—	—	3	—	—	—	5	5	3	—
			F.	*12*	*1*	—	—	—	—	*1*	*3*	—	—	*2*	*5*	—
	127-135	*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	504	467	9	6	2	5	1	2	2	5	2	3	—
			F.	*360*	*331*	*10*	*3*	*5*	*3*	—	—	*3*	*3*	*1*	*1*	—
751	127	Spina bifida and meningocele	M.	34	30	3	—	—	1	—	—	—	—	—	—	—
			F.	*27*	*25*	*1*	—	*1*	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	52	40	—	3	1	3	1	1	—	1	1	1	—
			F.	*55*	*37*	*7*	*2*	*4*	*3*	—	—	*1*	*1*	—	—	—
Rem. 750-759	129	All other congenital malformations	M.	86	65	6	3	1	1	—	1	2	4	1	2	—
			F.	*55*	*46*	*2*	*1*	—	—	—	—	*2*	*2*	*1*	*1*	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760, 761	130	Birth injuries	M.	53	53	—	—	—	—	—	—	—	—	—	—	—
			F.	*45*	*45*	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	148	148	—	—	—	—	—	—	—	—	—	—	—
			F.	*72*	*72*	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	14	14	—	—	—	—	—	—	—	—	—	—	—
			F.	*12*	*12*	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	4	4	—	—	—	—	—	—	—	—	—	—	—
			F.	*3*	*3*	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	9	9	—	—	—	—	—	—	—	—	—	—	—
			F.	*3*	*3*	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	11	11	—	—	—	—	—	—	—	—	—	—	—
			F.	*12*	*12*	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	9	9	—	—	—	—	—	—	—	—	—	—	—
			F.	*8*	*8*	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	84	84	—	—	—	—	—	—	—	—	—	—	—
			F.	*68*	*68*	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	15	—	—	—	—	—	—	—	—	—	—	15	—
			F.	*45*	—	—	—	—	—	—	—	—	—	—	*45*	—
780-793, 795	137	Ill-defined and unknown causes	M.	68	7	—	—	—	—	1	7	10	17	19	7	—
			F.	*34*	*7*	—	—	*1*	—	—	—	*3*	*3*	*10*	*10*	—
	138-150	*Accidents, Poisonings and Violence* (*External Cause*) (Total E800-E999)	M.	665	25	23	24	18	55	65	71	94	118	74	98	—
			F.	*474*	*17*	*17*	*8*	*6*	*13*	*11*	*29*	*38*	*60*	*72*	*203*	—
E810-E835	138	Motor vehicle accidents	M.	166	—	12	10	11	26	15	14	19	21	22	16	—
			F.	*72*	—	*7*	*3*	*3*	*4*	*2*	—	*10*	*12*	*15*	*16*	—
E840-E845	139*a*	Other road vehicle accidents	M.	3	—	—	—	—	—	—	1	1	—	1	—	—
			F.	*4*	—	—	—	—	—	—	—	—	*1*	*1*	*2*	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	19	—	—	—	—	2	8	1	4	4	—	—	—
			F.	*2*	—	—	*1*	—	—	—	—	—	*1*	—	—	—
E870-E895	140	Accidental poisoning	M.	88	—	1	—	1	3	8	11	16	22	12	14	—
			F.	*94*	—	—	—	*2*	—	*4*	*9*	*11*	*13*	*17*	*38*	—
E900-E904	141	Accidental falls	M.	113	—	4	3	1	6	3	6	9	17	16	48	—
			F.	*164*	—	*1*	*1*	—	—	—	*2*	*1*	*9*	*23*	*127*	—
E912	142	Accident caused by machinery	M.	4	—	—	—	—	—	2	—	1	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	18	—	1	1	1	1	1	2	3	2	1	5	—
			F.	*29*	—	*3*	—	*1*	*1*	—	*2*	2	*5*	*4*	*11*	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	2	—	—	—	—	—	—	—	—	—	1	1	—
			F.	*5*	—	*2*	—	—	—	—	—	—	—	—	*3*	—
E919	145	Accident caused by firearm	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	44	1	4	8	2	3	2	8	1	7	5	3	—
			F.	*8*	—	*1*	*1*	—	—	—	—	*2*	*2*	*1*	*1*	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	33	22	1	—	—	1	2	1	3	1	2	—	—
			F.	*21*	*17*	*2*	*1*	—	—	—	—	*1*	—	—	—	—
Rem. E910-E962	147*b*	All other accidental causes	M.	38	—	—	2	2	5	7	2	8	7	2	3	—
			F.	*4*	—	*1*	—	—	—	—	—	—	*1*	*1*	*1*	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	129	—	—	—	—	7	15	24	28	35	12	8	—
			F.	*65*	—	—	—	—	*4*	*5*	*16*	*10*	*16*	*10*	*4*	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	7	2	—	—	—	1	2	1	1	—	—	—	—
			F.	*6*	—	—	*1*	—	*4*	—	—	*1*	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 49C. Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1961

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
		ALL CAUSES—Both Sexes		10,278	454	62	33	18	87	100	313	854	1,830	2,702	3,825	—
		Males		5,405	261	31	24	10	51	56	186	505	1,135	1,440	1,706	—
		Females		*4,873*	*193*	*31*	*9*	*8*	*36*	*44*	*127*	*349*	*695*	*1,262*	*2,119*	—
	1-5	*All Tuberculosis* (Total 001-019)	M.	72	—	1	—	—	—	3	4	20	25	11	8	—
			F.	*22*	—	—	—	—	—	*3*	*4*	*7*	*4*	*3*	*1*	—
001-008	1	Respiratory system	M.	66	—	—	—	—	—	2	2	18	25	11	8	—
			F.	*18*	—	—	—	—	—	*3*	*3*	*7*	*4*	*1*	—	—
010	2	Meninges and central nervous system	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	3	—	—	—	—	—	—	1	2	—	—	—	—
			F.	*4*	—	—	—	—	—	—	*1*	—	—	*2*	*1*	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	4	—	—	—	—	—	—	1	1	1	—	1	—
			F.	*1*	—	—	—	—	—	—	—	*1*	—	—	—	—
Rem. 022-029	10	All other syphilis	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
053	20	Septicæmia and pyæmia	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	*1*	—	—	*1*	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	*1*	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	*3*	—	—	—	—	—	—	—	*1*	*1*	—	*1*	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	*2*	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 036-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	*2*	*1*	—	—	—	—	—	—	—	—	*1*	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 49C.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
	44-59	*Malignant Neoplasms* (Total 140-205)	M.	989	1	3	8	1	4	9	31	125	271	313	223	—
			F.	*874*	—	*4*	*3*	*3*	*5*	*8*	*50*	*123*	*205*	*259*	*214*	—
140-148	44	Buccal cavity and pharynx	M.	24	—	—	—	—	—	—	—	2	—	7	15	—
			F.	*16*	—	—	—	—	—	—	*2*	—	3	*5*	*6*	—
150	45	Œsophagus	M.	17	—	—	—	—	—	—	1	1	4	5	6	—
			F.	*27*	—	—	—	—	—	—	*1*	*1*	*7*	*7*	*11*	—
151	46	Stomach	M.	143	—	—	—	—	—	2	2	18	40	45	36	—
			F.	*107*	—	—	—	—	—	—	*6*	*16*	*26*	*24*	*35*	—
152, 153	47	Intestine, except rectum	M.	84	—	—	—	—	—	1	2	8	21	19	33	—
			F.	*126*	—	—	—	—	—	—	*7*	*6*	*29*	*42*	*42*	—
154	48	Rectum	M.	63	—	—	—	—	—	—	3	5	9	23	23	—
			F.	*52*	—	—	—	—	—	*1*	*1*	*4*	*13*	*15*	*18*	—
161	49	Larynx	M.	7	—	—	—	—	—	—	—	—	1	4	2	—
			F.	*3*	—	—	—	—	—	—	—	*1*	—	*1*	*1*	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	356	—	—	—	—	—	1	12	55	129	120	39	—
			F.	*39*	—	—	—	—	—	*1*	*3*	*4*	*12*	*13*	*6*	—
170	51	Breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*172*	—	—	—	—	—	—	*13*	*35*	*44*	*43*	*37*	—
171	52	Cervix uteri	F.	*42*	—	—	—	—	—	—	*5*	*16*	*8*	*12*	*1*	—
172-174	53	Other and unspecified parts of uterus	F.	*34*	—	—	—	—	—	—	*3*	*6*	*7*	*12*	*6*	—
177	54	Prostate	M.	59	—	—	—	—	—	—	—	—	5	23	31	—
190, 191	55	Skin	M.	13	—	—	—	—	—	—	2	—	2	4	5	—
			F.	*11*	—	—	—	—	*1*	*1*	—	*3*	—	*1*	*5*	—
196, 197	56	Bone and connective tissue	M.	16	—	—	1	—	1	—	2	1	7	1	3	—
			F.	*13*	—	—	*1*	—	*2*	—	*1*	*2*	*2*	*3*	*2*	—
Rem. 155-199	57	All other and unspecified sites	M.	155	—	1	3	—	2	3	3	26	43	48	26	—
			F.	*179*	—	*3*	*1*	—	*1*	*3*	*6*	*23*	*41*	*67*	*34*	—
204	58	Leukæmia and aleukæmia	M.	24	—	1	3	1	1	1	1	2	5	7	2	—
			F.	*24*	—	—	*1*	*2*	—	*1*	*1*	*3*	*6*	*5*	*5*	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	28	1	1	1	—	—	1	3	7	5	7	2	—
			F.	*29*	—	*1*	—	*1*	*1*	*1*	*1*	*3*	*7*	*9*	*5*	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	6	—	—	1	—	—	—	1	2	—	1	1	—
			F.	*11*	—	*1*	—	—	—	—	*1*	*4*	—	*3*	*2*	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
252	62	Thyrotoxicosis with or without goitre	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	*4*	—	—	—	—	*1*	—	—	—	*2*	—	*1*	—
260	63	Diabetes mellitus	M.	25	—	—	—	—	—	1	—	3	4	11	6	—
			F.	*65*	—	—	—	—	—	—	*2*	*4*	*15*	*23*	*21*	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
280-286	64	Avitaminosis and other deficiency states	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	*1*	—	—	—	—	—	—	—	*1*	—	—	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	11	—	—	—	—	—	—	—	—	1	4	6	—
			F.	*14*	—	—	—	—	—	—	—	—	*2*	*3*	*9*	—
291-293	65*b*	Other anæmias	M.	8	—	—	—	—	1	—	—	—	—	6	1	—
			F.	6	—	—	—	—	*1*	—	—	—	*1*	*1*	*3*	—
Rem. 240-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	25	—	—	—	2	2	—	5	2	8	5	1	—
			F.	*27*	—	—	—	—	*3*	*1*	*1*	3	*7*	*7*	*5*	—
300-309	67	Psychoses	M.	6	—	—	—	—	—	—	—	1	2	1	2	—
			F.	*12*	—	—	—	—	—	*2*	—	—	*2*	*3*	*5*	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency	M.	3	—	—	—	1	2	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	70	*Vascular lesions affecting central nervous system* (Total 330-334)	M.	625	—	—	2	1	2	1	8	27	106	196	282	—
			F.	*851*	—	—	—	—	*1*	*1*	*11*	*41*	*88*	*264*	*445*	—
330	70*a*	Subarachnoid hæmorrhage	M.	17	—	—	1	—	—	1	3	2	5	5	—	—
			F.	*21*	—	—	—	—	*1*	—	*3*	*7*	*5*	*4*	*1*	—
331	70*b*	Cerebral hæmorrhage	M.	241	—	—	1	—	1	—	4	19	54	79	83	—
			F.	*353*	—	—	—	—	—	*1*	*5*	*26*	55	*125*	*141*	—
332	70*c*	Cerebral embolism and thrombosis	M.	318	—	—	—	1	1	—	—	5	44	98	169	—
			F.	*415*	—	—	—	—	—	—	*3*	*6*	*27*	*125*	*254*	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	49	—	—	—	—	—	—	1	1	3	14	30	—
			F.	*62*	—	—	—	—	—	—	—	*2*	*1*	*10*	*49*	—
340	71	Non-meningococcal meningitis	M.	3	—	2	—	—	—	—	—	—	1	—	—	—
			F.	*4*	*3*	—	—	—	—	—	—	*1*	—	—	—	—
345	72	Multiple sclerosis	M.	12	—	—	—	—	—	—	3	5	2	1	1	—
			F.	*17*	—	—	—	—	—	*2*	*1*	*7*	*3*	*4*	—	—
353	73	Epilepsy	M.	9	—	—	—	—	2	1	3	1	—	1	1	—
			F.	*3*	—	—	—	—	*2*	—	*1*	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	10	—	—	—	—	—	—	—	—	2	5	3	—
			F.	*15*	—	—	—	—	—	—	—	*1*	*1*	*8*	*5*	—
Rem. 341-398	78*b*	All other diseases of the nervous system and sense organs (A74-A76)	M.	16	1	1	1	—	3	—	—	2	4	3	1	—
			F.	*22*	*1*	*3*	—	—	—	—	*1*	*6*	*6*	*2*	*3*	—
400-402	79	Rheumatic fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	80-83	*Heart Disease* (Total 410-443)	M.	1,936	—	—	—	—	1	9	59	193	440	529	*705*	—
			F.	*1,752*	*1*	—	—	—	*5*	*14*	*19*	*82*	*221*	*480*	*930*	—
410-416	80	Chronic rheumatic heart disease	M.	35	—	—	—	—	1	2	10	7	7	4	4	—
			F.	*92*	—	—	—	—	*4*	*8*	*8*	*30*	*20*	*10*	*12*	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	1,265	—	—	—	—	—	5	42	172	364	381	301	—
			F.	*747*	—	—	—	—	*1*	*3*	*10*	*41*	*150*	*272*	*270*	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	23	—	—	—	—	—	—	3	4	8	6	2	—
			F.	*20*	—	—	—	—	—	—	1	—	*2*	*8*	*9*	—
422.0	81*c*	Fatty degeneration of heart	M.	1	—	—	—	—	—	—	*1*	—	—	—	—	—
			F.	*2*	—	—	—	—	—	—	—	*1*	—	—	*1*	—

Table 49C.—*continued*

International Classification		Causes of Death		All Ages	Ages										
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	314	—	—	—	—	—	—	—	2	18	58	236	—
			F.	*427*	—	—	—	—	—	—	—	—	*11*	*73*	*343*	—
422.2	81*e*	Other myocardial degeneration	M.	178	—	—	—	—	—	—	1	3	19	40	115	—
			F.	*269*	—	—	—	—	—	—	—	*5*	*11*	*55*	*198*	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	8	—	—	—	—	—	1	—	1	1	2	3	—
			F.	*10*	*1*	—	—	—	—	*1*	—	—	*2*	*1*	*5*	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	53	—	—	—	—	—	1	2	3	7	19	21	—
			F.	*68*	—	—	—	—	—	*1*	—	*2*	*6*	*19*	*40*	—
440-443	83	Hypertensive heart disease	M.	59	—	—	—	—	—	—	—	1	16	19	23	—
			F.	*117*	—	—	—	—	—	*1*	—	*3*	*19*	*42*	*52*	—
444-447	84	Other hypertensive disease	M.	34	—	—	—	—	—	—	2	4	12	11	5	—
			F.	*42*	—	—	—	—	—	—	—	*5*	*5*	*7*	*25*	—
450	85*a*	General arteriosclerosis	M.	112	—	—	—	—	—	—	—	—	5	18	89	—
			F.	*100*	—	—	—	—	—	—	—	*1*	*3*	*14*	*82*	—
451-456	85*b*	Other diseases of arteries	M.	25	—	—	—	—	—	2	—	—	3	11	9	—
			F.	*18*	—	—	—	—	—	—	*1*	—	*5*	*4*	*8*	—
460-468	86	Other diseases of circulatory system	M.	10	—	—	—	—	—	—	—	1	2	4	3	—
			F.	*17*	—	—	—	—	—	—	—	*1*	*4*	*6*	*6*	—
470-475	87	Acute upper respiratory infections	M	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	22	—	—	1	—	1	—	—	2	2	4	12	—
			F.	*24*	—	—	—	—	—	—	—	*1*	*2*	*5*	*16*	—
	89-91	*Pneumonia* (Total 490-493)	M.	208	25	7	3	1	2	1	5	10	33	50	71	—
			F.	*164*	*26*	*3*	*2*	*1*	*2*	*1*	*4*	*5*	*8*	*35*	*77*	—
490	89	Lobar pneumonia	M.	32	3	—	1	—	—	—	1	1	4	10	12	—
			F.	*28*	*1*	—	*1*	—	—	*1*	*1*	—	*2*	*6*	*16*	—
491	90	Bronchopneumonia	M.	154	21	6	1	1	2	1	4	7	25	37	49	—
			F.	*118*	*20*	*1*	*1*	*1*	*1*	—	*2*	*5*	*5*	*27*	*55*	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	22	1	1	1	—	—	—	—	2	4	3	10	—
			F.	*18*	5	*2*	—	—	*1*	—	*1*	—	*1*	*2*	*6*	—
	92-93	*Bronchitis* (Total 500-502)	M.	336	3	—	—	—	2	2	6	32	93	127	71	—
			F.	*127*	—	*3*	—	—	—	—	*4*	*12*	*19*	*31*	*58*	—
500	92	Acute bronchitis	M.	18	3	—	—	—	1	1	—	1	2	3	7	—
			F.	*15*	—	*3*	—	—	—	—	—	—	*2*	—	*10*	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	200	—	—	—	—	—	1	3	21	53	83	39	—
			F.	*77*	—	—	—	—	—	—	*2*	*10*	*13*	*21*	*31*	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	118	—	—	—	—	1	—	3	10	38	41	25	—
			F.	*35*	—	—	—	—	—	—	*2*	*2*	*4*	*10*	*17*	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

518, 521	95	Empyema and abscess of lung	M.	2	—	—	—	—	—	—	—	—	—	—	1	1	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	—	*1*	—
519	96	Pleurisy	M.	1	—	—	—	—	—	1	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—	—
523, 524	97*a*	Pneumoconiosis	M.	34	—	—	—	—	—	—	—	1	8	13	12	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 511-527	97*b*	All other respiratory diseases	M.	29	—	—	—	—	1	3	2	6	4	6	7	—	—
			F.	*19*	—	—	—	—	—	—	*3*	*2*	*7*	*5*	*2*	—	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	22	—	—	—	—	—	—	1	4	8	6	3	—	—
			F.	*13*	—	—	—	—	—	—	—	*3*	*1*	*3*	*6*	—	—
541	100	Ulcer of duodenum	M.	32	—	—	—	—	—	—	2	3	7	10	10	—	—
			F.	*14*	—	—	—	—	—	*1*	*3*	*2*	*1*	*3*	*4*	—	—
543	101	Gastritis and duodenitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*4*	—	—	—	—	—	—	—	—	*1*	*1*	*2*	—	—
550-553	102	Appendicitis	M.	7	1	—	—	—	—	—	1	—	2	—	3	—	—
			F.	*4*	—	—	—	—	—	*1*	—	—	*1*	*1*	*1*	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	31	3	—	—	—	—	—	—	4	7	8	9	—	—
			F.	*27*	—	*1*	—	—	—	—	*1*	*2*	*7*	*4*	*12*	—	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	6	5	1	—	—	—	—	—	—	—	—	—	—	—
			F.	*4*	*4*	—	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	4	—	—	—	—	1	—	—	—	—	2	1	—	—
			F.	*4*	—	—	—	—	—	*1*	—	—	—	*1*	*2*	—	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	10	—	—	—	—	—	—	1	1	4	—	4	—	—
			F.	*18*	—	—	—	—	—	—	—	—	*3*	*3*	*12*	—	—
581	105	Cirrhosis of liver	M.	19	—	—	—	—	—	—	—	5	4	6	4	—	—
			F.	*19*	—	—	—	—	—	—	*2*	*1*	*7*	*5*	*4*	—	—
584, 585	106	Cholelithiasis and cholecystitis	M.	8	—	—	—	—	—	—	—	—	3	2	3	—	—
			F.	*32*	—	—	—	—	—	—	—	*3*	*6*	*10*	*13*	—	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	2	—	—	—	—	—	—	—	—	—	—	2	—	—
			F.	*4*	—	—	—	—	—	—	—	*1*	*1*	*1*	*1*	—	—
Rem. 536-587	107*b*	Other diseases of digestive system	M.	11	2	—	—	—	—	—	2	—	—	5	2	—	—
			F.	*14*	*1*	*1*	—	—	—	*1*	—	*1*	*5*	*2*	*3*	—	—
590	108	Acute nephritis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	24	—	—	—	—	—	—	4	5	7	2	6	—	—
			F.	*24*	*1*	—	—	—	*1*	*1*	*2*	*1*	*5*	*7*	*6*	—	—
600	110	Infections of kidney	M.	20	—	—	—	—	1	—	2	2	3	4	8	—	—
			F.	*35*	—	*1*	—	—	—	*1*	*1*	*4*	*8*	*12*	*8*	—	—
602, 604	111	Calculi of urinary system	M.	3	—	—	—	—	—	—	—	—	—	—	3	—	—
			F.	*2*	—	—	—	—	—	—	—	—	*1*	—	*1*	—	—
610	112	Hyperplasia of prostate	M.	62	—	—	—	—	—	—	—	—	2	15	45	—	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	4	—	—	—	—	—	—	—	—	—	—	4	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 49C.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
Rem. 601-637	114*b*	Other diseases of genito-urinary system	M.	8	—	—	—	—	—	—	1	—	1	2	4	—
			F.	*3*	—	—	—	—	—	—	*1*	—	*1*	—	*1*	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	*3*	—	—	—	—	*1*	*2*	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	*1*	—	—	—	—	—	—	*1*	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	*1*	—	—	—	—	*1*	—	—	—	—	—	—	—
Rem. 645-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
720-725	122	Arthritis and spondylitis	M.	9	—	—	—	—	—	—	—	2	2	—	5	—
			F.	*18*	—	—	—	*1*	—	—	—	*1*	*2*	*9*	*5*	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	*1*	—	—	—	—	—	—	—	—	*1*	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	7	—	—	—	—	2	—	—	1	1	3	—	—
			F.	*10*	—	—	—	—	—	—	—	*1*	*3*	*2*	*4*	—
	127-135	*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	216	204	6	1	—	—	—	—	2	1	2	—	—
			F.	*154*	137	*5*	*1*	*2*	*3*	—	*2*	*2*	—	*2*	—	—
751	127	Spina bifida and meningocele	M.	13	13	—	—	—	—	—	—	—	—	—	—	—
			F.	*11*	*9*	*2*	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	23	15	5	1	—	—	—	—	1	—	1	—	—
			F.	*20*	*14*	*1*	*1*	*1*	*2*	—	—	—	—	*1*	—	—
Rem 750-759	129	All other congenital malformations	M.	27	23	1	—	—	—	—	—	1	1	1	—	—
			F.	*25*	*16*	*2*	—	*1*	*1*	—	*2*	*2*	—	*1*	—	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760, 761	130	Birth injuries	M.	21	21	—	—	—	—	—	—	—	—	—	—	—
			F.	*18*	*18*	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	67	67	—	—	—	—	—	—	—	—	—	—	—
			F.	*34*	*34*	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	11	11	—	—	—	—	—	—	—	—	—	—	—
			F.	*9*	*9*	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
			F.	*4*	*4*	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	7	7	—	—	—	—	—	—	—	—	—	—	—
			F.	*5*	*5*	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	38	38	—	—	—	—	—	—	—	—	—	—	—
			F.	*28*	*28*	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	18	—	—	—	—	—	—	—	—	—	—	18	—
			F.	*27*	—	—	—	—	—	—	—	—	—	*1*	*26*	—
780-793, 795	137	Ill-defined and unknown causes	M.	20	—	—	—	—	—	1	1	1	7	4	6	—
			F.	*19*	*3*	—	—	—	—	—	—	*2*	*6*	*5*	*3*	—
	138-150	*Accidents, Poisonings and Violence* (*External Cause*) (Total E800-E999)	M.	266	14	7	7	4	23	22	41	36	41	30	41	—
			F.	*188*	*14*	*6*	*3*	*1*	*9*	*3*	*11*	*16*	*24*	*19*	*82*	—
E810-E835	138	Motor vehicle accidents	M.	71	—	3	2	1	15	5	7	16	6	6	10	—
			F.	*33*	—	*3*	*3*	*1*	*6*	—	—	*4*	*6*	*4*	*16*	—
E840-E845	139*a*	Other road vehicle accidents	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	7	—	—	—	2	1	1	1	—	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	37	—	3	1	—	1	1	9	3	9	7	3	—
			F.	*33*	—	—	—	—	*1*	*1*	*2*	*1*	*6*	*5*	*17*	—
E900-E904	141	Accidental falls	M.	41	—	—	—	—	—	2	2	3	6	8	20	—
			F.	*60*	—	*1*	—	—	—	—	*1*	*1*	*1*	*4*	*52*	—
E912	142	Accident caused by machinery	M.	2	—	1	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	8	—	—	—	—	—	—	1	1	—	1	5	—
			F.	*9*	—	*1*	—	—	*1*	—	—	*1*	*3*	—	*3*	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*2*	—	—	—	—	—	—	—	—	—	—	*2*	—
E919	145	Accident caused by firearm	M.	2	—	—	1	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	21	1	—	—	—	4	3	3	2	5	2	1	—
			F.	*2*	*1*	—	—	—	—	—	—	—	—	*1*	—	—
E921 E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	19	13	—	—	—	—	1	4	—	—	—	1	—
			F.	*13*	*10*	*1*	—	—	—	—	*1*	—	—	—	*1*	—
Rem. E910-E962	147*b*	All other accidental causes	M.	16	—	—	3	1	2	2	3	2	3	—	—	—
			F.	*4*	*3*	—	—	—	—	—	—	—	—	*1*	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	38	—	—	—	—	—	7	9	8	10	4	—	—
E964,			F	*31*	—	—	—	—	*1*	*2*	*7*	*9*	*8*	*4*	—	—
E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	2	—	—	—	—	—	—	1	—	—	—	1	—
E965,			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 49D. Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1961

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		11,956	434	72	37	29	58	112	282	780	1,922	3,104	5,126	—
		Males		5,928	249	43	23	22	45	69	156	465	1,179	1,564	2,113	—
		Females		*6,028*	*185*	*29*	*14*	*7*	*13*	*43*	*126*	*315*	*743*	*1,540*	*3,013*	—
	1-5	*All Tuberculosis* (Total 001-019)	M.	54	—	3	—	—	1	—	8	11	13	11	7	—
			F.	*15*	—	—	—	—	—	*3*	*3*	*1*	*2*	*3*	*3*	—
001-008	1	Respiratory system	M.	47	—	—	—	—	1	—	7	11	11	10	7	—
			F.	*12*	—	—	—	—	—	*3*	*2*	*1*	*2*	*3*	*1*	—
010	2	Meninges and central nervous system	M.	3	—	3	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
014-019	5	All other forms	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	*2*	—	—	—	—	—	—	*1*	—	—	—	*1*	—
020	6	Congenital syphilis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*2*	—	—	—	—	—	—	*1*	—	—	—	*1*	—
025	9	General paralysis of insane	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	—	—	—	—	—	—	*1*	—	*1*	—	—
Rem.	10	All other syphilis	M.	4	—	—	—	—	—	—	1	—	1	1	1	—
			F.	*2*	—	—	—	—	—	*1*	—	—	—	*1*	—	—
022-029 030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)																
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	*1*	—	—	—	—	*1*	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	6	—	—	—	—	—	—	1	2	2	1	—	—	—	—
			F.	*3*	—	—	—	—	—	—	*1*	—	*2*	—	—	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	3	—	—	1	—	—	—	—	—	1	1	—	—	—	—
			F.	*6*	—	—	—	*1*	—	—	—	*2*	*1*	—	*2*	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 036-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	4	1	—	—	—	—	—	—	—	—	2	1	—	—	—
			F.	*3*	—	—	—	—	—	—	—	—	—	*1*	*2*	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 49D.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
	44-59	*Malignant Neoplasms* (Total 140-205)	M.	1,026	1	—	3	4	4	12	20	101	297	307	277	—
			F.	*955*	—	*2*	*1*	—	*2*	*8*	*47*	*122*	*227*	*258*	*288*	—
140-148	44	Buccal cavity and pharynx	M.	19	—	—	1	—	—	—	—	—	5	8	5	—
			F.	*11*	—	—	—	—	—	—	—	*1*	*1*	2	7	—
150	45	Œsophagus	M.	23	—	—	—	—	—	1	—	—	6	7	9	—
			F.	*31*	—	—	—	—	—	—	*3*	*1*	*7*	*11*	*9*	—
151	46	Stomach	M.	161	—	—	—	—	—	1	1	18	42	*50*	49	—
			F.	*142*	—	—	—	—	—	—	*2*	*5*	23	*48*	*64*	—
152, 153	47	Intestine, except rectum	M.	104	—	—	—	—	—	—	—	5	17	34	48	—
			F	*146*	—	—	—	—	*1*	—	*4*	*9*	*25*	*45*	*62*	—
154	48	Rectum	M.	49	—	—	—	—	—	—	—	5	11	13	20	—
			F.	*47*	—	—	—	—	—	—	*1*	*7*	*5*	*15*	*19*	—
161	49	Larynx	M.	15	—	—	—	—	—	—	1	—	5	5	4	—
			F.	*7*	—	—	—	—	—	—	—	*1*	*4*	—	*2*	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	325	—	—	—	—	—	1	7	43	143	91	40	—
			F.	*53*	—	—	—	—	—	—	*2*	*11*	*12*	*20*	*8*	—
170	51	Breast	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	*182*	—	—	—	—	—	*2*	*13*	*41*	*52*	*37*	*37*	—
171	52	Cervix uteri	F.	*38*	—	—	—	—	*1*	—	*6*	*10*	*10*	6	5	—
172-174	53	Other and unspecified parts of uterus	F.	*39*	—	—	—	—	—	—	*1*	*4*	*16*	*9*	*9*	—
177	54	Prostate	M.	89	—	—	—	—	—	—	—	—	13	33	43	—
190, 191	55	Skin	M.	10	—	—	—	—	—	1	1	1	1	1	5	—
			F.	*14*	—	—	—	—	—	*2*	*1*	*1*	*3*	*1*	*6*	—
196, 197	56	Bone and connective tissue	M.	8	—	—	—	—	—	—	—	2	2	3	1	—
			F.	*7*	—	—	—	—	—	—	—	—	*3*	*2*	*2*	—
Rem. 155-199	57	All other and unspecified sites	M.	161	—	—	1	1	—	5	6	18	35	52	43	—
			F.	*189*	—	*2*	—	—	—	*4*	9	*24*	*48*	*51*	*51*	—
204	58	Leukæmia and aleukæmia	M.	26	1	—	1	2	2	—	1	4	5	5	5	—
			F.	*16*	—	—	*1*	—	—	—	—	*2*	*6*	*3*	*4*	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M	34	—	—	—	1	2	3	3	5	10	5	5	—
			F.	*33*	—	—	—	—	—	—	*5*	*5*	*12*	*8*	*3*	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	7	—	—	—	—	—	1	—	4	—	—	2	—
			F.	*14*	—	—	*1*	—	—	—	*1*	—	4	*3*	*5*	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	*4*	—	—	—	—	—	—	—	—	*1*	*1*	*2*	—
260	63	Diabetes mellitus	M.	34	—	—	1	—	—	2	—	—	7	13	11	—
			F.	*74*	—	—	*1*	—	—	*1*	*3*	—	*20*	*30*	*19*	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
280-286	64	Avitaminosis and other deficiency states	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	1	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	9	—	—	—	—	—	—	—	—	—	3	6	—
			F.	*24*	—	—	—	—	—	—	—	—	*3*	*5*	*16*	—
291-293	65*b*	Other anæmias	M.	8	—	—	—	—	—	—	—	—	2	1	5	—
			F.	*6*	—	—	—	—	—	*1*	—	—	—	*2*	*3*	—
Rem. 240-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M	19	1	—	1	1	—	3	3	1	7	1	1	—
			F.	*34*	—	*1*	*1*	—	*1*	*1*	*2*	*5*	*5*	*13*	*5*	—
300-309	67	Psychoses	M.	7	—	—	—	—	—	—	—	—	—	1	6	—
			F.	*16*	—	—	—	—	—	—	—	*1*	*3*	*1*	*11*	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	*1*	—	—	—
325	69	Mental deficiency	M.	3	1	—	1	—	—	—	—	—	1	—	—	—
			F.	*1*	—	—	—	—	—	—	—	*1*	—	—	—	—
	70	*Vascular lesions affecting central nervous system* (Total 330-334)	M.	770	1	—	—	2	2	1	6	38	101	221	398	—
			F.	*1,172*	*2*	—	—	*1*	—	*1*	*11*	*35*	*112*	*362*	*648*	—
330	70*a*	Subarachnoid hæmorrhage	M.	15	1	—	—	—	1	1	2	4	1	3	2	—
			F.	*30*	*1*	—	—	*1*	—	—	*4*	*6*	*8*	*6*	*4*	—
331	70*b*	Cerebral hæmorrhage	M.	272	—	—	—	2	1	—	4	20	52	85	108	—
			F.	*465*	*1*	—	—	—	—	*1*	*6*	*20*	*65*	*170*	*202*	—
332	70*c*	Cerebral embolism and thrombosis	M.	414	—	—	—	—	—	—	—	13	40	117	244	—
			F.	*578*	—	—	—	—	—	—	*1*	*9*	*33*	*167*	*368*	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	69	—	—	—	—	—	—	—	1	8	16	44	—
			F.	*99*	—	—	—	—	—	—	—	—	*6*	*19*	*74*	—
340	71	Non-meningococcal meningitis	M.	4	1	—	—	1	—	—	—	—	1	1	—	—
			F.	*4*	*1*	*2*	—	—	—	—	—	—	—	—	*1*	—
345	72	Multiple sclerosis	M.	15	—	—	—	—	—	2	—	3	3	6	1	—
			F.	*18*	—	—	—	—	—	*2*	*1*	*4*	*5*	*5*	*1*	—
353	73	Epilepsy	M.	13	—	—	1	2	—	1	3	2	3	1	—	—
			F.	*7*	*1*	—	*1*	—	*1*	*1*	*1*	*1*	—	*1*	—	—
391-393	77	Otitis media and mastoiditis	M.	2	—	—	—	—	—	1	—	—	—	1	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	12	—	—	—	—	—	—	—	1	2	6	3	—
			F.	*25*	—	—	—	—	—	—	—	—	*3*	*12*	*10*	—
Rem. 341-398	78*b*	All other diseases of the nervous system and sense organs (A74-A76)	M.	25	1	3	—	—	2	1	2	4	2	4	6	—
			F.	*27*	—	*2*	*1*	*1*	*1*	—	*2*	*3*	*8*	*2*	*7*	—
400-402	79	Rheumatic fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	80-83	*Heart Disease* (Total 410-443)	M.	2,218	—	—	—	—	—	9	48	197	468	644	852	—
			F.	*2,156*	—	—	—	—	—	*5*	*18*	*68*	*229*	*563*	*1,273*	—
410-416	80	Chronic rheumatic heart disease	M.	39	—	—	—	—	—	—	9	5	9	11	5	—
			F.	*82*	—	—	—	—	—	*3*	*8*	*19*	*18*	*16*	*18*	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	1,368	—	—	—	—	—	7	36	173	388	443	321	—
			F.	*905*	—	—	—	—	—	—	*7*	*40*	*153*	*329*	*376*	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	34	—	—	—	—	—	—	3	5	9	12	5	—
			F.	*24*	—	—	—	—	—	—	—	—	*7*	*8*	*9*	—
422.0	81*c*	Fatty degeneration of heart	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	—	—	—	—	—	—	*1*	—	*1*	—	—

Table 49D.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	391	—	—	—	—	—	—	—	4	19	81	287	—
			F.	*605*	—	—	—	—	—	*1*	*1*	—	*10*	*89*	*504*	—
422.2	81*e*	Other myocardial degeneration	M.	240	—	—	—	—	—	2	—	3	20	56	159	—
			F.	*305*	—	—	—	—	—	—	*1*	*1*	*11*	*51*	*241*	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	*7*	—	—	—	—	—	—	—	—	—	*2*	*5*	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	58	—	—	—	—	—	—	—	2	12	8	36	—
			F.	*98*	—	—	—	—	—	—	—	*5*	*11*	*27*	55	—
440-443	83	Hypertensive heart disease	M.	85	—	—	—	—	—	—	—	5	9	32	39	—
			F.	*128*	—	—	—	—	—	*1*	*1*	2	*19*	*40*	*65*	—
444-447	84	Other hypertensive disease	M.	39	—	—	—	—	1	—	1	5	7	11	14	—
			F.	*63*	—	—	—	—	—	—	*1*	*3*	*5*	*30*	*24*	—
450	85*a*	General arteriosclerosis	M.	127	—	—	—	—	—	—	—	1	7	24	95	—
			F.	*199*	—	—	—	—	—	—	—	—	*7*	*32*	*160*	—
451-456	85*b*	Other diseases of arteries	M.	22	—	—	—	—	—	—	1	2	8	4	7	—
			F.	*30*	—	—	—	—	*1*	*1*	*2*	*1*	*7*	*7*	*11*	—
460-468	86	Other diseases of circulatory system	M.	16	—	—	—	—	—	—	2	1	4	2	7	—
			F.	*32*	—	—	—	—	—	—	—	*3*	*4*	*10*	*15*	—
470-475	87	Acute upper respiratory infections	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	*1*	*1*	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	37	—	—	—	—	1	—	2	1	8	8	17	—
			F.	*32*	*2*	—	*1*	—	—	—	*1*	*1*	*3*	*4*	*20*	—
	89-91	*Pneumonia* (Total 490-493)	M.	180	14	4	—	1	1	2	5	4	21	48	80	—
			F.	*192*	*14*	*3*	—	—	—	*1*	*3*	*2*	*7*	*40*	*122*	—
490	89	Lobar pneumonia	M.	30	3	1	—	—	—	—	2	—	3	7	14	—
			F.	*26*	—	—	—	—	—	—	—	—	*1*	*8*	*17*	—
491	90	Bronchopneumonia	M.	132	9	2	—	—	1	2	2	4	16	36	60	—
			F.	*147*	*13*	*1*	—	—	—	*1*	*3*	*2*	*4*	*28*	*95*	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	18	2	1	—	1	—	—	1	—	2	5	6	—
			F.	*19*	*1*	*2*	—	—	—	—	—	—	*2*	*4*	*10*	—
	92-93	*Bronchitis* (Total 500-502)	M.	246	2	1	—	1	—	1	1	18	78	88	56	—
			F.	*110*	*2*	*1*	—	*1*	—	*1*	*2*	*6*	*10*	*23*	*64*	—
500	92	Acute bronchitis	M.	20	2	1	—	1	—	—	1	—	3	4	8	—
			F.	*28*	*2*	*1*	—	*1*	—	—	—	—	*1*	*3*	*20*	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	144	—	—	—	—	—	1	—	14	46	53	30	—
			F.	*60*	—	—	—	—	—	*1*	*2*	*4*	*8*	*14*	*31*	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	82	—	—	—	—	—	—	—	4	29	31	18	—
			F.	*22*	—	—	—	—	—	—	—	*2*	*1*	*6*	*13*	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

| | | |

Table 49D.—*continued*

International Classification		Causes of Death		All Ages	Ages										
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
Rem. 601-637	114*b*	Other diseases of genito-urinary system	M.	10	—	—	—	—	—	—	1	—	—	3	6	—
			F.	*10*	—	—	—	—	—	—	*1*	*2*	*2*	*2*	*3*	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	*4*	—	—	—	—	—	*2*	*2*	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	*2*	—	—	—	—	—	*1*	*1*	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	*4*	—	—	—	—	*1*	*2*	*1*	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 645–689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*3*	—	—	—	—	—	—	—	—	*2*	—	*1*	—
720-725	122	Arthritis and spondylitis	M.	5	—	—	—	—	—	—	—	1	—	2	2	—
			F.	*33*	—	—	—	—	—	—	—	*4*	*5*	*13*	*11*	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	*1*	—	—	—	—	—	—	—	—	*1*	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 700–744	126	All other diseases of skin and musculoskeletal system	M.	9	1	—	—	1	2	—	2	1	—	—	2	—
			F.	*5*	—	—	—	—	—	—	—	*1*	*1*	*2*	*1*	—
	127-135	*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	203	187	8	2	—	—	—	2	—	3	1	—	—
			F.	*156*	*139*	*4*	*2*	*2*	*1*	—	*1*	*3*	*2*	*1*	*1*	—
751	127	Spina bifida and meningocele	M.	9	7	2	—	—	—	—	—	—	—	—	—	—
			F.	*14*	*13*	*1*	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	18	13	2	—	—	—	—	2	—	1	—	—	—
			F.	*26*	*18*	*1*	*1*	*2*	*1*	—	*1*	—	*2*	—	—	—
Rem.			M.	40	31	4	2	—	—	—	—	—	2	1	—	—

760, 761	130	Birth injuries	F.	*11*	*11*	—	—	—	—	—	—	—	—	—	—	—
			M.	41	41	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	F.	*33*	*33*	—	—	—	—	—	—	—	—	—	—	—
			M.	6	6	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	F.	*6*	*6*	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	5	5	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	F.	*4*	*4*	—	—	—	—	—	—	—	—	—	—	—
			M.	3	3	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	*2*	*2*	—	—	—	—	—	—	—	—	—	—	—
			M.	51	51	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	F.	*30*	*30*	—	—	—	—	—	—	—	—	—	—	—
			M.	18	—	—	—	—	—	—	—	—	—	—	18	—
794	136	Senility without mention of psychosis	F.	*64*	—	—	—	—	—	—	—	—	—	—	*64*	—
			M.	27	2	—	—	—	—	1	1	4	7	6	6	—
780-793, 795	137	Ill-defined and unknown causes	F.	*22*	*4*	—	—	—	—	*1*	—	*2*	*1*	*7*	*7*	—
	138-150	*Accidents, Poisonings and Violence* (*External Cause*) (Total E800-E999)	M.	270	15	15	12	6	26	27	36	32	39	23	39	—
			F.	*218*	*11*	*10*	*4*	*1*	*3*	*6*	*9*	*18*	*19*	*22*	*115*	—
E810-E835	138	Motor vehicle accidents	M.	72	—	8	5	2	17	9	10	4	9	5	3	—
			F.	*21*	—	*4*	*3*	*1*	*2*	—	*3*	*1*	*2*	*2*	*3*	—
E840-E845	139*a*	Other road vehicle accidents	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	10	—	1	—	—	3	1	1	2	2	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	*1*	—	—	—
E870-E895	140	Accidental poisoning	M.	19	—	3	—	—	—	—	3	2	4	2	5	—
			F.	*24*	—	*3*	—	—	—	*3*	*1*	*2*	*5*	*3*	*7*	—
E900-E904	141	Accidental falls	M.	51	—	—	—	—	2	3	5	2	8	7	24	—
			F.	*113*	—	—	—	—	—	—	—	*4*	*2*	*8*	*99*	—
E912	142	Accident caused by machinery	M.	4	—	—	—	—	—	—	—	3	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	3	—	—	—	—	—	—	—	—	2	—	1	—
			F.	*7*	—	*1*	*1*	—	—	—	—	*1*	—	*1*	*3*	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
E919	145	Accident caused by firearm	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	28	—	1	5	2	2	4	2	1	2	6	3	—
			F.	*3*	—	*1*	—	—	—	—	—	*1*	—	*1*	—	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	22	14	1	—	1	2	1	—	2	1	—	—	—
			F.	*13*	*10*	*1*	—	—	—	—	*1*	*1*	—	—	—	—
Rem. E910-E962	147*b*	All other accidental causes	M.	25	1	1	2	1	—	4	10	3	3	—	—	—
			F.	*2*	*1*	—	—	—	—	—	—	—	*1*	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	32	—	—	—	—	—	4	4	12	6	3	3	—
			F.	*33*	—	—	—	—	*1*	*3*	*4*	*8*	*8*	*6*	*3*	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	2	—	—	—	—	—	1	1	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 49E. Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1961

International Classification		Causes of Death		All Ages	Ages										
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
		ALL CAUSES—Both Sexes		17,732	672	132	55	57	190	213	483	1,300	2,900	4,376	7,354	—
		Males		9,275	405	84	35	30	132	147	267	790	1,806	2,286	3,293	—
		Females		*8,457*	*267*	*48*	*20*	*27*	*58*	*66*	*216*	*510*	*,094*	*2,090*	*4,061*	—
	1–5	*All Tuberculosis* (Total 001-019)	M.	53	—	—	1	—	—	2	5	12	14	10	*9*	—
			F.	*25*	—	—	—	—	—	*4*	*4*	*4*	*2*	*3*	*8*	—
001-008	1	Respiratory system	M.	51	—	—	1	—	—	2	4	12	14	10	8	—
			F.	*22*	—	—	—	—	—	*4*	*4*	*4*	*1*	*2*	*7*	—
010	2	Meninges and central nervous system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
014-019	5	All other forms	M.	2	—	—	—	—	—	—	1	—	—	—	1	—
			F.	*1*	—	—	—	—	—	—	—	—	*1*	—	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	3	—	—	—	—	—	—	1	—	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 022-029	10	All other syphilis	M.	5	—	—	—	—	—	—	1	—	1	2	1	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	6	3	1	—	—	—	—	—	—	—	—	—	1	1	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	4	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
			F.	*2*	—	—	—	—	—	—	—	—	—	*1*	*1*	—	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	4	—	—	—	—	—	1	—	—	—	—	2	1	—	—	—
			F.	*4*	—	—	—	—	—	—	*2*	*1*	—	—	*1*	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 036-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	6	—	—	—	—	—	—	1	1	—	—	1	3	—	—	—
			F.	*7*	—	—	—	*1*	—	—	—	*1*	*4*	—	—	*1*	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 49E.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
	44–59	*Malignant Neoplasms* (Total 140-205)	M.	1,516	2	6	7	3	17	17	54	210	411	405	384	—
			F.	*1,329*	—	*5*	*2*	3	*16*	*17*	*85*	*187*	*323*	*332*	*359*	—
140-148	44	Buccal cavity and pharynx	M.	44	—	—	—	—	—	—	1	1	12	*12*	18	—
			F.	*21*	—	—	—	*1*	—	*1*	—	*3*	*4*	5	7	—
150	45	Œsophagus	M.	46	—	—	—	—	—	—	2	3	10	15	16	—
			F.	*35*	—	—	—	—	*1*	—	—	*6*	*5*	*9*	*14*	—
151	46	Stomach	M.	250	—	—	—	—	—	1	12	36	51	72	78	—
			F.	*174*	—	—	—	—	—	—	—	*10*	*36*	*50*	*78*	—
152, 153	47	Intestine, except rectum	M.	139	—	—	—	—	1	2	1	13	33	36	53	—
			F.	*170*	—	—	—	—	—	*1*	*6*	*20*	*33*	*49*	*61*	—
154	48	Rectum	M.	65	—	—	—	—	—	—	5	8	12	20	20	—
			F.	*70*	—	—	—	—	*2*	—	*3*	*4*	*22*	*16*	*23*	—
161	49	Larynx	M.	18	—	—	—	—	—	—	—	2	5	6	5	—
			F.	*4*	—	—	—	—	—	—	—	*2*	—	—	*2*	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	407	—	—	—	—	—	1	12	78	175	102	39	—
			F.	*69*	—	—	—	—	*1*	—	*4*	*14*	*18*	*18*	*14*	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	*243*	—	—	—	—	—	*3*	*28*	*46*	*61*	*51*	*54*	—
171	52	Cervix uteri	F.	*59*	—	—	—	—	—	*3*	*10*	*15*	*16*	*11*	*4*	—
172-174	53	Other and unspecified parts of uterus	F.	*54*	—	—	—	—	—	*1*	*2*	*12*	*12*	*10*	*17*	—
177	54	Prostate	M.	111	—	—	—	—	—	—	—	2	14	32	63	—
190, 191	55	Skin	M.	26	—	—	—	—	—	—	—	3	5	7	11	—
			F.	*17*	—	—	—	—	—	—	*6*	*2*	*2*	*1*	*6*	—
196, 197	56	Bone and connective tissue	M.	23	—	—	1	1	2	—	—	6	2	7	4	—
			F.	*15*	—	—	—	*1*	*3*	*1*	—	*2*	*1*	*3*	*4*	—
Rem. 155-199	57	All other and unspecified sites	M.	261	2	3	1	1	5	5	6	37	66	69	66	—
			F.	*325*	—	*1*	*1*	—	*2*	*3*	*19*	*43*	*92*	*98*	*66*	—
204	58	Leukæmia and aleukæmia	M.	65	—	3	4	1	4	4	7	7	10	19	6	—
			F.	*29*	—	*4*	*1*	*1*	—	*1*	*1*	*6*	*8*	*4*	*3*	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	60	—	—	1	—	5	4	8	14	16	8	4	—
			F.	*44*	—	—	—	—	*7*	*3*	*6*	*2*	*13*	*7*	*6*	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	15	—	1	—	—	1	1	—	2	7	1	2	—
			F.	*13*	*1*	—	—	*1*	*1*	—	*1*	*2*	*4*	*1*	*2*	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
252	62	Thyrotoxicosis with or without goitre	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	*4*	—	—	—	—	—	—	—	—	—	—	*4*	—
260	63	Diabetes mellitus	M.	49	—	—	—	—	—	—	1	4	5	16	23	—
			F.	*134*	—	*1*	—	*1*	—	—	—	*9*	*31*	*51*	*41*	—

(a)	(b)		(c)													
280-286	64	Avitaminosis and other deficiency states	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	*3*	—	—	—	—	—	—	—	—	—	*3*	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	8	—	—	—	—	—	—	—	—	—	1	7	—
			F.	*32*	—	—	—	—	—	—	—	*1*	*5*	*12*	*14*	—
291-293	65*b*	Other anæmias	M.	13	—	—	—	1	1	—	1	2	4	3	1	—
			F.	*22*	—	—	*1*	—	—	*1*	*2*	—	*6*	*4*	*8*	—
Rem. 240-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	35	—	—	—	1	2	—	4	4	11	9	4	—
			F.	*54*	—	*1*	—	*1*	*1*	*3*	2	*6*	*11*	*15*	*14*	—
300-309	67	Psychoses	M.	17	—	—	—	—	—	—	1	—	2	3	11	—
			F.	*21*	—	—	—	—	—	*1*	—	*1*	*3*	*5*	*11*	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*4*	—	—	—	—	—	—	*1*	*1*	—	*1*	*1*	—
325	69	Mental deficiency	M.	3	—	—	—	—	—	1	—	1	1	—	—	—
			F.	*8*	*6*	—	—	—	—	—	—	—	*1*	*1*	—	—
	70	*Vascular lesions affecting central nervous system* (Total 330-334)	M.	1,233	—	1	1	—	1	6	16	53	177	324	654	—
			F.	*1,646*	—	—	—	*2*	*2*	*4*	*28*	*70*	*189*	*465*	*886*	—
330	70*a*	Subarachnoid hæmorrhage	M.	28	—	—	1	—	—	4	5	6	4	2	6	—
			F.	*40*	—	—	—	*1*	*2*	*1*	*9*	*9*	*7*	*9*	*2*	—
331	70*b*	Cerebral hæmorrhage	M.	446	—	1	—	—	1	2	9	33	81	129	190	—
			F.	*688*	—	—	—	*1*	—	*2*	*15*	*46*	*110*	*230*	*284*	—
332	70*c*	Cerebral embolism and thrombosis	M.	663	—	—	—	—	—	—	2	13	84	167	397	—
			F.	*798*	—	—	—	—	—	*1*	*2*	*14*	*70*	*196*	*515*	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	96	—	—	—	—	—	—	—	1	8	26	61	—
			F.	*120*	—	—	—	—	—	—	*2*	*1*	*2*	*30*	*85*	—
340	71	Non-meningococcal meningitis	M.	5	2	1	—	—	1	—	—	—	—	—	1	—
			F.	*1*	*1*	—	—	—	—	—	—	—	—	—	—	—
345	72	Multiple sclerosis	M.	22	—	—	—	—	—	2	3	7	7	3	—	—
			F.	*26*	—	—	—	—	—	*1*	*5*	*10*	*7*	*3*	—	—
353	73	Epilepsy	M.	18	2	1	2	—	3	3	2	1	3	1	—	—
			F.	*12*	*1*	—	*1*	*1*	—	*2*	*1*	—	*1*	*3*	*2*	—
391-393	77	Otitis media and mastoiditis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	*1*	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	25	—	—	—	—	—	—	—	1	4	8	12	—
			F.	*24*	—	—	—	—	—	—	—	—	*2*	*16*	*6*	—
Rem. 341-398	78*b*	All other diseases of the nervous system and sense organs (A74-A76)	M.	51	5	3	2	3	1	1	5	7	11	8	5	—
			F.	*29*	*1*	*1*	*1*	*1*	*3*	—	*1*	*3*	*6*	*3*	*9*	—
400-402	79	Rheumatic fever	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	*3*	—	—	*1*	*1*	—	*1*	—	—	—	—	—	—
	80-83	*Heart Disease* (Total 410-443)	M.	3,305	—	—	—	—	6	14	79	289	731	893	1,293	—
			F.	*2,947*	—	—	*1*	—	*7*	*6*	*32*	*111*	*317*	*777*	*1.696*	—
410-416	80	Chronic rheumatic heart disease	M.	72	—	—	—	—	2	5	12	14	15	16	8	—
			F.	*121*	—	—	*1*	—	*5*	*5*	*12*	*24*	*30*	*27*	*17*	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	2,084	—	—	—	—	*2*	6	61	249	608	652	506	—
			F.	*1,200*	—	—	—	—	—	*1*	*13*	*63*	*192*	*430*	*501*	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	41	—	—	—	—	—	1	1	6	12	9	12	—
			F.	*43*	—	—	—	—	—	—	—	*4*	*10*	*11*	*18*	—
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	1	—	—	—	1	—
			F.	*4*	—	—	—	—	—	—	—	—	*2*	*2*	—	—

Table 49E.—*continued*

International Classification		Causes of Death		All Ages	Ages											Not Stated
Detailed List	Intermediate List "A"				–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	521	—	—	—	—	—	—	1	—	21	81	418	—
			F.	*731*	—	—	—	—	—	—	*1*	*1*	*19*	*113*	*597*	—
422.2	81*e*	Other myocardial degeneration	M.	339	—	—	—	—	1	—	1	10	28	72	227	—
			F.	*482*	—	—	—	—	*1*	—	—	*6*	*24*	*85*	*366*	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	21	—	—	—	—	—	2	*2*	1	8	6	2	—
			F.	*14*	—	—	—	—	*1*	—	—	*3*	*2*	*3*	*5*	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	102	—	—	—	—	1	—	—	4	9	25	63	—
			F.	*133*	—	—	—	—	—	—	*3*	*5*	*14*	*33*	*78*	—
440-443	83	Hypertensive heart disease	M.	123	—	—	—	—	—	—	—	5	30	32	56	—
			F.	*219*	—	—	—	—	—	—	*3*	*5*	*24*	*73*	*114*	—
444-447	84	Other hypertensive disease	M.	82	—	—	—	—	—	4	6	9	13	20	30	—
			F.	*88*	—	—	—	*1*	—	—	*2*	4	*11*	*27*	*43*	—
450	85*a*	General arteriosclerosis	M.	198	—	—	—	—	—	—	—	3	6	33	156	—
			F.	*240*	—	—	—	—	—	—	—	—	*1*	*43*	*196*	—
451-456	85*b*	Other diseases of arteries	M.	40	—	—	—	—	—	—	—	1	10	13	16	—
			F.	*37*	—	—	—	—	—	—	*2*	*2*	*11*	*7*	*15*	—
460-468	86	Other diseases of circulatory system	M.	32	—	—	—	—	—	2	1	3	7	12	7	—
			F.	*43*	—	—	—	—	—	—	*1*	*4*	*9*	*13*	*16*	—
470-475	87	Acute upper respiratory infections	M.	5	4	—	1	—	—	—	—	—	—	—	—	—
			F.	*2*	—	*1*	—	—	—	—	—	—	*1*	—	—	—
480-483	88	Influenza	M.	56	4	1	2	1	—	1	1	7	5	11	23	—
			F.	*71*	*2*	*1*	—	—	—	—	*1*	*6*	*5*	*13*	*43*	—
	89–91	*Pneumonia* (Total 490-493)	M.	292	36	10	1	1	1	—	—	11	36	69	127	—
			F.	*326*	*26*	*9*	*1*	*2*	*3*	*2*	*6*	*15*	*31*	*51*	*180*	—
490	89	Lobar pneumonia	M.	46	3	3	—	—	—	—	—	3	8	9	20	—
			F.	*40*	*1*	*1*	—	*1*	*1*	—	*2*	*4*	*4*	*4*	*22*	—
491	90	Bronchopneumonia	M.	217	27	6	1	1	1	—	—	7	22	52	100	—
			F.	*251*	*19*	*6*	*1*	*1*	*1*	*2*	*4*	*11*	*23*	*43*	*140*	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	29	6	1	—	—	—	—	—	1	6	8	7	—
			F.	*35*	*6*	*2*	—	—	*1*	—	—	—	*4*	*4*	*18*	—
	92–93	*Bronchitis* (Total 500-502)	M.	387	5	1	1	1	—	—	2	36	108	135	98	—
			F.	*150*	*5*	*3*	—	—	—	—	*3*	*3*	*17*	*46*	*73*	—
500	92	Acute bronchitis	M.	29	5	1	1	1	—	—	—	—	5	4	12	—
			F.	*26*	*5*	*3*	—	—	—	—	—	—	*2*	*5*	*11*	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	242	—	—	—	—	—	—	2	23	75	86	56	—
			F.	*83*	—	—	—	—	—	—	*2*	*3*	*10*	*31*	*37*	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	116	—	—	—	—	—	—	—	13	28	45	30	—
			F.	*41*	—	—	—	—	—	—	*1*	—	*5*	*10*	*25*	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

			F.	3	—	—	—	—	—	—	—	—	—	2	1	—
519	96	Pleurisy	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
523, 524	97*a*	Pneumoconiosis	M.	164	—	—	—	—	—	—	1	4	34	77	48	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 511-527	97*b*	All other respiratory diseases	M.	51	1	—	—	—	—	1	3	2	16	19	9	—
			F.	31	—	—	—	—	—	—	3	1	10	9	8	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	42	—	—	—	—	—	3	—	1	12	12	14	—
			F.	19	—	—	—	—	—	2	—	1	1	7	8	—
541	100	Ulcer of duodenum	M.	78	—	—	—	—	—	—	1	7	18	29	23	—
			F.	15	—	—	—	—	—	—	—	2	3	6	4	—
543	101	Gastritis and duodenitis	M.	3	—	—	—	—	—	—	—	1	—	—	2	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
550-553	102	Appendicitis	M.	23	—	2	1	—	—	2	2	—	3	5	8	—
			F.	9	—	—	—	—	1	1	—	1	1	2	3	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	54	2	—	—	—	1	1	1	2	10	19	18	—
			F.	50	4	—	—	1	—	1	2	6	4	13	19	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	9	6	3	—	—	—	—	—	—	—	—	—	—
			F.	8	7	1	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	5	—	—	—	—	—	1	—	1	—	1	2	—
			F.	11	—	2	—	—	—	—	—	1	1	3	4	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	19	—	—	—	—	—	—	1	1	4	3	10	—
			F.	13	—	—	—	—	—	—	—	—	2	3	8	—
581	105	Cirrhosis of liver	M.	30	—	—	—	—	—	—	2	7	7	6	8	—
			F.	16	—	—	—	—	—	—	—	2	6	3	5	—
584, 585	106	Cholelithiasis and cholecystitis	M.	17	—	—	—	—	—	—	—	2	5	7	3	—
			F.	44	—	—	—	—	—	—	—	4	12	12	16	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	5	—	—	—	—	—	—	2	—	—	2	1	—
			F.	16	1	—	—	—	2	1	2	2	3	—	5	—
Rem. 536-587	107*b*	Other diseases of digestive system	M.	37	5	2	—	—	—	—	—	6	10	6	8	—
			F.	28	1	2	—	—	1	—	2	2	3	7	10	—
590	108	Acute nephritis	M.	5	—	—	1	—	1	1	—	1	—	—	1	—
			F.	5	1	—	—	—	—	—	—	1	1	1	1	—
591-594	109	Chronic, other and unspecified nephritis	M.	42	—	—	1	—	4	2	2	4	12	6	11	—
			F.	67	—	—	—	1	4	2	4	7	9	23	17	—
600	110	Infections of kidney	M.	37	—	1	—	—	—	—	2	2	10	9	13	—
			F.	54	—	1	—	—	—	1	3	5	4	18	22	—
602, 604	111	Calculi of urinary system	M.	5	—	—	—	—	—	—	—	—	1	1	3	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
610	112	Hyperplasia of prostate	M.	98	—	—	—	—	—	—	—	—	2	25	71	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M	4	—	—	—	—	—	—	—	—	1	1	2	—
			F.	5	—	—	—	—	—	—	—	1	1	1	2	—

Table 49E.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
Rem. 601-637	114*b*	Other diseases of genito-urinary system	M.	11	—	—	—	—	1	—	—	2	2	1	5	—
			F.	*13*	—	—	—	—	—	—	*1*	*3*	*2*	*3*	*4*	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	*3*	—	—	—	—	*1*	*2*	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	*1*	—	—	—	—	—	—	*1*	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
651	119	Abortion with sepsis	F	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
Rem. 645-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	*3*	—	—	—	—	—	*1*	*2*	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	2	—	—	—	—	—	—	—	1	—	—	1	—
			F.	*3*	—	*1*	—	—	—	—	—	—	—	*1*	*1*	—
720-725	122	Arthritis and spondylitis	M.	20	—	—	—	—	1	—	1	2	4	7	5	—
			F.	*46*	—	—	—	—	—	—	*1*	*2*	*4*	*19*	*20*	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
730	124	Osteomyelitis and periostitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
Rem. 700-744	126	All other diseases of skin and musculoskeletal system	M.	13	—	1	—	—	1	—	1	2	1	3	4	—
			F.	*12*	—	—	—	—	—	*1*	*1*	*1*	—	*3*	*6*	—
	127-135	*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	339	308	9	1	2	5	3	—	2	3	4	2	—
			F.	*215*	*191*	*1*	*4*	*3*	*3*	*3*	*2*	*3*	*2*	*3*	—	—
751	127	Spina bifida and meningocele	M.	19	17	1	—	—	—	—	—	—	1	—	—	—
			F.	*16*	*16*	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	38	25	3	—	2	3	2	—	1	—	1	1	—
			F.	*28*	*19*	—	*2*	*2*	*1*	*3*	—	—	—	*1*	—	—
Rem. 750-759	129	All other congenital malformations	M.	52	36	5	1	—	2	1	—	1	2	3	—	—
			F.	*37*	*22*	*1*	*2*	*1*	*2*	—	*2*	*3*	*2*	2	—	—

760, 761	130	Birth injuries	F.	*18*	*18*	—	—	—	—	—	—	—	—	—	—	—	—
			M.	92	92	—	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	F.	*49*	*49*	—	—	—	—	—	—	—	—	—	—	—	—
			M.	13	13	—	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	F.	*11*	*11*	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	F.	*4*	*4*	—	—	—	—	—	—	—	—	—	—	—	—
			M.	7	7	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	F.	*3*	*3*	—	—	—	—	—	—	—	—	—	—	—	—
			M.	8	8	—	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	*6*	*6*	—	—	—	—	—	—	—	—	—	—	—	—
			M.	74	74	—	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	F.	*43*	*43*	—	—	—	—	—	—	—	—	—	—	—	—
			M.	74	—	—	—	—	—	—	—	—	—	2	72	—	—
794	136	Senility without mention of psychosis	F.	*120*	—	—	—	—	—	—	—	—	—	*2*	*118*	—	—
			M.	49	4	1	—	1	—	2	4	4	11	9	13	—	—
780-793, 795	137	Ill-defined and unknown causes	F.	*27*	*3*	—	—	*1*	—	—	—	*2*	*3*	*6*	*12*	—	—
	138-150	*Accidents, Poisonings and Violence* (*External Cause*) (Total E800-E999)	M.	534	14	35	13	15	83	75	60	72	59	43	65	—	—
			F.	*296*	*16*	*17*	*8*	*5*	*12*	*6*	*13*	*22*	*22*	*40*	*135*	—	—
E810-E835	138	Motor vehicle accidents	M.	207	1	14	7	7	58	26	24	24	19	14	13	—	—
			F.	*71*	*2*	*10*	*7*	2	*9*	*3*	*6*	*10*	*7*	*10*	*5*	—	—
E840-E845	139*a*	Other road vehicle accidents	M.	1	—	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	24	—	—	—	—	4	8	6	3	3	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—	—
E870-E895	140	Accidental poisoning	M.	26	—	1	—	—	1	4	1	6	3	5	5	—	—
			F.	*13*	—	—	—	—	—	—	—	*4*	*3*	*3*	*3*	—	—
E900-E904	141	Accidental falls	M.	71	—	4	—	1	7	6	3	4	6	*9*	31	—	—
			F.	*144*	—	*2*	—	—	—	*1*	*1*	*2*	*1*	*21*	*116*	—	—
E912	142	Accident caused by machinery	M.	5	—	—	—	—	2	1	—	2	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	13	—	—	—	—	—	—	1	1	2	2	7	—	—
			F.	*13*	—	*1*	*1*	*1*	—	—	—	*1*	*1*	*1*	*7*	—	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	2	—	—	—	—	—	—	—	—	—	—	2	—	—
			F.	*2*	—	*1*	—	—	—	—	—	—	—	*1*	—	—	—
E919	145	Accident caused by firearm	M.	10	—	—	—	2	3	2	—	1	*2*	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	42	—	9	4	5	3	5	2	5	6	2	1	—	—
			F.	*10*	—	*2*	—	*1*	*1*	*1*	*2*	*2*	—	—	*1*	—	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	17	12	—	—	—	—	—	2	1	1	—	1	—	—
			F.	16	*13*	*1*	—	—	—	—	—	—	*1*	—	*1*	—	—
Rem. E910-E962	147*b*	All other accidental causes	M.	52	1	7	2	—	2	10	9	8	8	4	1	—	—
			F.	*3*	—	—	—	*1*	—	—	—	*1*	—	*1*	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	59	—	—	—	—	2	11	11	15	9	7	4	—	—
			F.	*22*	—	—	—	—	*2*	*1*	*4*	*2*	*9*	*3*	*1*	—	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	4	—	—	—	—	1	2	—	1	—	—	—	—	—
			F.	*1*	*1*	—	—	—	—	—	—	—	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 49F. Deaths in Central Clydeside Conurbation Area by Sex and Age Groups—1961

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		21,705	1,163	159	84	53	163	252	728	1,885	4,087	5,746	7,385	—
		Males		11,483	658	83	57	27	107	151	421	1,169	2,596	3,000	3,214	—
		Females		*10,222*	*505*	*76*	*27*	*26*	*56*	*101*	*307*	*716*	*1,491*	*2,746*	*4,171*	—
	1–5	*All Tuberculosis* (Total 001-019)	M.	205	1	2	—	—	—	6	25	52	52	44	23	—
			F.	*76*	—	—	—	—	—	*15*	*19*	*18*	*10*	*10*	*4*	—
001-008	1	Respiratory system	M.	191	—	—	—	—	—	6	21	49	50	44	21	—
			F.	*69*	—	—	—	—	—	*14*	*17*	*17*	*10*	*9*	*2*	—
010	2	Meninges and central nervous system	M.	3	—	2	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	2	—	—	—	—	—	—	—	1	—	—	1	—
			F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	2	—	—	—	—	—	—	1	1	—	—	—	—
			F.	*2*	—	—	—	—	—	—	*1*	*1*	—	—	—	—
014-019	5	All other forms	M.	7	1	—	—	—	—	—	2	1	2	—	1	—
			F.	*4*	—	—	—	—	—	—	*1*	—	—	*1*	*2*	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	1	—	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 022-029	10	All other syphilis	M.	10	—	—	—	—	—	—	1	2	1	4	2	—
			F.	*5*	—	—	—	—	—	—	—	—	—	*3*	*2*	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	—	—	*1*	—	—	—	—	—	—	*1*	—

(a)	(b)		(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	—	—	*1*	—
053	20	Septicæmia and pyæmia	M.	6	2	2	—	—	—	—	1	1	—	—	—	—	—
			F.	*2*	*2*	—	—	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	6	3	2	1	—	—	—	—	—	—	—	—	—	—
			F.	*3*	*1*	*2*	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	*1*	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	7	—	—	—	—	—	—	—	2	3	2	—	—	—
			F.	*9*	—	—	—	—	—	*1*	*1*	*2*	*3*	*2*	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	5	2	3	—	—	—	—	—	—	—	—	—	—	—
			F.	*4*	—	*4*	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—	—
			F.	*4*	*1*	—	—	—	—	—	*2*	—	*1*	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 036-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	5	2	—	—	—	—	1	—	—	—	—	2	—	—
			F.	*10*	*4*	—	—	—	—	*1*	*1*	—	*1*	*2*	*1*	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 49F.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
	44-59	*Malignant Neoplasms* (Total 140-205)	M.	2,177	3	9	8	6	12	31	79	291	696	627	415	—
			F.	*1,683*	—	*9*	*3*	*1*	*6*	*21*	*94*	*266*	*385*	*476*	*422*	—
140-148	44	Buccal cavity and pharynx	M.	37	—	—	—	—	—	1	—	2	5	11	18	—
			F.	*33*	—	—	—	—	—	—	*1*	*3*	*6*	*14*	*9*	—
150	45	Œsophagus	M.	35	—	—	—	—	—	—	1	1	10	9	14	—
			F.	*48*	—	—	—	—	*1*	—	*2*	*8*	*4*	*19*	*14*	—
151	46	Stomach	M.	288	—	—	—	—	—	1	6	38	96	74	73	—
			F.	*235*	—	—	—	—	—	—	*5*	*24*	*49*	*74*	*83*	—
152, 153	47	Intestine, except rectum	M.	152	—	—	—	—	—	3	4	17	31	40	57	—
			F.	*200*	—	—	—	—	*1*	*4*	*10*	*18*	*41*	*48*	*78*	—
154	48	Rectum	M.	110	—	—	—	—	1	2	6	9	26	38	28	—
			F.	*75*	—	—	—	—	*1*	*2*	*3*	*10*	*20*	*18*	*21*	—
161	49	Larynx	M.	19	—	—	—	—	—	—	—	2	5	7	5	—
			F.	*9*	—	—	—	—	—	—	—	*4*	*2*	*1*	*2*	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	906	—	—	—	—	—	2	28	149	371	275	81	—
			F.	*168*	—	—	—	—	—	*5*	*12*	*28*	*50*	*42*	*31*	—
170	51	Breast	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	*308*	—	—	—	—	—	*5*	*27*	*70*	*71*	*67*	*68*	—
171	52	Cervix uteri	F.	*84*	—	—	—	—	—	—	*7*	*22*	*20*	*26*	*9*	—
172-174	53	Other and unspecified parts of uterus	F.	*59*	—	—	—	—	—	—	*4*	*10*	*18*	*17*	*10*	—
177	54	Prostate	M.	112	—	—	—	—	—	—	—	—	19	39	54	—
190, 191	55	Skin	M.	23	—	—	—	—	—	—	2	2	—	6	13	—
			F.	*15*	—	—	—	—	—	—	*1*	*2*	*1*	*2*	*9*	—
196, 197 Rem.	56	Bone and connective tissue	M.	27	—	—	—	1	3	—	4	2	5	8	4	—
			F.	*7*	—	—	—	—	—	—	*1*	*3*	*2*	*1*	—	—
195-199	57	All other and unspecified sites	M.	353	2	6	6	1	3	14	17	50	104	93	57	—
			F.	*356*	—	*4*	*1*	*1*	*1*	*3*	*16*	*56*	*77*	*122*	*75*	—
204	58	Leukæmia and aleukæmia	M.	48	—	3	2	4	3	1	2	2	13	11	7	—
			F.	*31*	—	*4*	*1*	—	—	—	*2*	*2*	*8*	*8*	*6*	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	65	1	—	—	—	2	7	9	17	10	15	4	—
			F.	*55*	—	*1*	*1*	—	*2*	*2*	*3*	*6*	*16*	*17*	*7*	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	23	2	2	1	—	2	1	2	4	3	5	1	—
			F.	*28*	—	*1*	*1*	—	*1*	*1*	*5*	*2*	*7*	*7*	*3*	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*2*	—	—	—	—	—	—	—	—	—	*1*	*1*	—
252	62	Thyrotoxicosis with or without goitre	M.	4	—	—	—	—	—	1	—	—	1	2	—	—
			F.	*5*	—	—	—	—	—	—	—	*1*	*2*	—	*2*	—
260	63	Diabetes mellitus	M.	54	—	—	—	—	—	1	1	4	10	21	17	—
			F.	*146*	—	—	—	—	—	—	*1*	*5*	*35*	*66*	*39*	—
					(a)	(b)	(c)	(k)	(l)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

280-286	64	Avitaminosis and other deficiency states	M.	3	—	—	—	—	—	—	—	2	1	3	5	—
			F.	11	—	—	—	—	—	—	—	—	3	5	8	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	16	—	—	—	—	—	—	—	—	3	8	21	—
			F.	32	—	—	—	—	—	—	—	—	1	1	2	—
291-293	65*b*	Other anæmias	M.	9	1	—	1	—	—	1	—	2	1	1	2	—
			F.	28	—	—	2	1	—	—	3	—	3	6	13	—
Rem. 240, 299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	33	—	1	—	—	—	2	4	7	11	5	3	—
			F.	61	—	—	—	—	3	3	2	8	12	16	17	—
300-309	67	Psychoses	M.	29	—	—	—	—	—	—	—	2	4	8	15	—
			F.	64	—	—	—	—	—	1	2	—	6	13	42	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	2	—	—	—	—	—	—	1	—	—	1	—	—
325	69	Mental deficiency	M.	2	—	—	1	—	1	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
	70	*Vascular lesions affecting central nervous system* (Total 330-334)	M	1,367	1	2	2	—	2	2	19	72	220	426	621	—
			F.	1,821	—	—	1	2	3	3	16	90	234	546	926	—
330	70*a*	Subarachnoid hæmorrhage	M.	37	—	—	1	—	1	2	6	8	9	10	—	—
			F.	51	—	—	—	2	3	1	5	15	13	9	3	—
331	70*b*	Cerebral hæmorrhage	M.	507	1	2	1	—	1	—	11	47	109	168	167	—
			F.	746	—	—	1	—	—	2	7	52	125	251	308	—
332	70*c*	Cerebral embolism and thrombosis	M.	642	—	—	—	—	—	—	1	15	90	208	328	—
			F.	845	—	—	—	—	—	—	4	21	90	250	480	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	181	—	—	—	—	—	—	1	2	12	40	126	—
			F.	179	—	—	—	—	—	—	—	2	6	36	135	—
340	71	Non-meningococcal meningitis	M.	7	2	1	—	—	—	—	2	—	—	1	1	—
			F.	9	6	2	—	—	1	—	—	—	—	—	—	—
345	72	Multiple sclerosis	M.	24	—	—	—	—	—	2	5	5	6	4	2	—
			F.	37	—	—	—	—	—	3	4	13	8	9	—	—
353	73	Epilepsy	M.	20	1	—	2	—	1	3	4	1	4	2	2	—
			F.	18	—	1	—	2	2	1	2	2	4	3	1	—
391-393	77	Otitis media and mastoiditis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M	19	—	—	—	—	—	—	—	—	4	9	6	—
			F.	35	—	—	—	—	—	—	—	1	3	19	12	—
Rem. 341, 398	78*b*	All other diseases of the nervous system and sense organs (A74–A76)	M.	58	6	2	1	—	4	2	4	10	11	13	5	—
			F.	55	1	5	—	1	4	1	2	6	11	13	11	—
400-402	79	Rheumatic fever	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	4	—	—	1	1	—	—	1	1	—	—	—	—
	80–83	*Heart Disease* (Total 410-443)	M.	3,662	—	—	—	—	4	16	128	428	941	990	1,155	—
			F.	3,374	—	—	—	—	5	15	64	163	488	993	1,646	—
410-416	80	Chronic rheumatic heart disease	M.	112	—	—	—	—	2	6	28	27	23	20	6	—
			F.	225	—	—	—	—	4	11	37	49	63	31	30	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	2,393	—	—	—	—	2	9	88	361	781	675	477	—
			F.	1,499	—	—	—	—	—	—	14	88	300	592	505	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	50	—	—	—	—	—	1	5	12	9	12	11	—
			F.	57	—	—	—	—	—	—	2	4	12	17	22	—
422.0	81*c*	Fatty degeneration of heart	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	3	—	—	—	—	—	—	—	—	2	1	—	—

Table 49F.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	492	—	—	—	—	—	—	—	3	26	119	344	—
			F.	*698*	—	—	—	—	—	—	—	—	*15*	*118*	*565*	—
422.2	81*e*	Other myocardial degeneration	M.	359	—	—	—	—	—	—	2	10	44	89	214	—
			F.	*491*	—	—	—	—	—	—	*2*	*9*	*38*	*109*	*333*	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	11	—	—	—	—	—	—	1	1	4	3	2	—
			F.	*10*	—	—	—	—	—	*1*	—	*1*	*4*	*2*	*2*	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	115	—	—	—	—	—	—	3	7	21	28	56	—
			F.	*168*	—	—	—	—	*1*	*2*	*7*	*7*	*13*	*40*	*98*	—
440-443	83	Hypertensive heart disease	M.	129	—	—	—	—	—	—	1	7	33	44	44	—
			F.	*223*	—	—	—	—	—	*1*	*2*	*5*	*41*	*83*	*91*	—
444-447	84	Other hypertensive disease	M.	94	—	—	—	—	—	1	15	8	20	26	24	—
			F.	*101*	—	—	—	—	—	—	*5*	*6*	*16*	*35*	*39*	—
450	85*a*	General arteriosclerosis	M.	225	—	—	—	—	—	—	—	1	6	54	164	—
			F.	*230*	—	—	—	—	—	—	—	—	*4*	*38*	*188*	—
451-456	85*b*	Other diseases of arteries	M.	46	—	—	—	—	—	1	1	1	9	21	13	—
			F.	*40*	—	—	—	—	*1*	—	*1*	*5*	*12*	*7*	*14*	—
460-468	86	Other diseases of circulatory system	M.	24	—	—	—	—	—	1	—	1	6	7	9	—
			F.	*30*	—	—	—	—	—	—	—	*1*	*11*	*8*	*10*	—
470-475	87	Acute upper respiratory infections	M	4	3	—	1	—	—	—	—	—	—	—	—	—
			F.	*2*	*1*	*1*	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	49	7	—	1	—	2	—	1	3	8	11	16	—
			F.	*66*	*2*	—	*1*	—	—	—	*2*	*6*	*4*	*14*	*37*	—
	89-91	*Pneumonia* (Total 490-493)	M.	491	63	12	4	1	2	5	12	21	69	115	187	—
			F.	*481*	*62*	*13*	*2*	*3*	*4*	*2*	*10*	*18*	*40*	*112*	*215*	—
490	89	Lobar pneumonia	M.	82	7	1	1	—	—	—	7	6	17	20	23	—
			F.	*70*	*3*	*1*	*2*	—	*1*	*1*	*7*	*3*	*8*	*16*	*28*	—
491	90	Bronchopneumonia	M.	369	53	10	2	1	2	4	3	15	46	84	149	—
			F.	*371*	*52*	*9*	—	*3*	*3*	*1*	*2*	*13*	*27*	*87*	*174*	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	40	3	1	1	—	—	1	2	—	6	11	15	—
			F.	*40*	*7*	*3*	—	—	—	—	*1*	*2*	*5*	*9*	*13*	—
	92-93	*Bronchitis* (Total 500-502)	M.	835	7	4	1	1	2	2	12	83	250	302	171	—
			F.	*308*	8	5	—	—	—	*3*	*8*	*19*	*48*	*98*	*119*	—
500	92	Acute bronchitis	M.	43	7	4	1	1	1	1	—	1	7	9	11	—
			F.	*44*	*8*	*5*	—	—	—	*2*	—	—	*1*	*8*	*20*	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	516	—	—	—	—	—	—	5	51	156	200	104	—
			F.	*188*	—	—	—	—	—	*1*	*4*	*13*	*33*	*70*	*67*	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	276	—	—	—	—	1	1	7	31	87	93	56	—
			F.	*76*	—	—	—	—	—	—	*4*	*6*	*14*	*20*	*32*	—
510	94	**Hypertrophy of tonsils and adenoids**	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	*1*	—	—	—	—	—	—	—	—	—	—

| | | |

Table 49F.—*continued*

International Classification		Causes of Death		All Ages	Ages											
Detailed List	Intermediate List "A"				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
Rem. 601-637	114*b*	Other diseases of genito-urinary system	M.	11	—	—	—	—	—	—	—	—	1	2	8	—
			F.	*11*	—	—	—	—	—	—	—	*2*	*4*	*2*	*3*	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F	*3*	—	—	—	—	—	*3*	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	*3*	—	—	—	—	—	*1*	*2*	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	*1*	—	—	—	—	*1*	—	—	—	—	—	—	—
Rem. 645–689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	*3*	—	—	—	—	—	*2*	*1*	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	*5*	*1*	*1*	—	—	—	—	—	—	*1*	—	*2*	—
720-725	122	Arthritis and spondylitis	M.	18	—	—	—	—	—	—	1	4	5	3	5	—
			F.	*45*	—	—	—	—	—	—	—	*3*	*6*	*13*	*23*	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
Rem. 700–744	126	All other diseases of skin and musculoskeletal system	M.	20	—	—	—	1	3	—	2	1	5	6	2	—
			F.	*11*	*1*	—	—	—	—	—	*3*	*2*	—	*4*	*1*	—
	127-135	*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	538	495	13	7	2	4	1	1	2	7	5	1	—
			F.	*398*	*365*	*8*	*4*	*6*	*4*	—	*3*	*4*	*2*	*2*	—	—
751	127	Spina bifida and meningocele	M.	32	27	3	—	—	1	—	—	—	1	—	—	—
			F.	*29*	*27*	*1*	—	*1*	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	58	40	5	4	2	2	1	1	—	1	2	—	—
			F.	*63*	*44*	*5*	*3*	*5*	*3*	—	*1*	*1*	*1*	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	78	58	5	3	—	1	—	—	2	5	3	1	—
			F.	*54*	*42*	*2*	*1*	—	*1*	—	*2*	*3*	*1*	*2*	—	—

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760, 761	130	Birth injuries	M.	55	55	—	—	—	—	—	—	—	—	—	—	—
			F.	*54*	*54*	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	172	172	—	—	—	—	—	—	—	—	—	—	—
			F.	*94*	*94*	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	19	19	—	—	—	—	—	—	—	—	—	—	—
			F.	*14*	*14*	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	*3*	*3*	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	6	6	—	—	—	—	—	—	—	—	—	—	—
			F.	*1*	*1*	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	11	11	—	—	—	—	—	—	—	—	—	—	—
			F.	*13*	*13*	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	8	8	—	—	—	—	—	—	—	—	—	—	—
			F.	*8*	*8*	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	96	96	—	—	—	—	—	—	—	—	—	—	—
			F.	*65*	*65*	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	36	—	—	—	—	—	—	—	—	—	36	—	—
			F.	*59*	—	—	—	—	—	—	—	—	—	*59*	—	—
780-793, 795	137	Ill-defined and unknown causes	M.	80	7	—	—	—	—	1	8	11	21	21	11	—
			F.	*47*	*10*	—	—	*1*	—	—	—	*5*	*7*	*11*	*13*	—
	138–150	*Accidents, Poisonings and Violence* (*External Cause*) (Total E800-E999)	M.	571	28	23	24	16	58	55	67	82	86	60	72	—
			F.	*353*	*19*	*20*	*10*	*6*	*13*	*8*	*19*	*22*	*40*	*56*	*140*	—
E810-E835	138	Motor vehicle accidents	M.	164	—	9	10	10	34	9	14	19	19	22	18	—
			F.	*64*	—	*11*	*6*	*2*	*9*	*1*	*2*	*4*	*6*	*14*	*9*	—
E840-E845	139*a*	Other road vehicle accidents	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	*2*	—	—	—	—	—	—	—	—	*1*	—	*1*	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	18	—	—	—	—	2	5	3	4	4	—	—	—
			F.	*1*	—	—	*1*	—	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	50	—	2	—	—	2	3	8	9	11	12	3	—
			F.	*56*	—	*1*	—	*2*	—	*3*	*4*	*5*	*8*	*13*	*20*	—
E900-E904	141	Accidental falls	M.	96	—	5	3	—	5	6	6	8	17	13	33	—
			F.	*124*	—	—	—	—	—	—	*2*	*4*	*7*	*17*	*94*	—
E912	142	Accident caused by machinery	M.	5	—	1	—	—	—	2	—	2	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	14	—	1	—	1	1	—	2	1	—	1	7	—
			F.	*20*	—	*1*	*1*	*1*	—	—	*1*	*2*	*2*	*2*	*10*	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	*5*	—	*2*	—	—	—	—	—	—	—	—	*3*	—
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	38	—	3	6	3	3	4	7	2	4	3	3	—
			F.	*5*	—	*2*	*1*	—	—	—	—	—	*2*	—	—	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	39	27	1	—	—	1	2	3	3	—	1	1	—
			F.	*22*	*17*	*2*	*1*	—	—	—	*1*	*1*	—	—	—	—
Rem. E910-E962	147*b*	All other accidental causes	M.	41	—	1	5	2	6	8	1	8	7	1	2	—
			F.	*7*	*2*	*1*	—	*1*	—	—	—	—	*1*	*1*	*1*	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	97	—	—	—	—	3	15	21	24	24	6	4	—
			F.	*44*	—	—	—	—	*1*	*4*	*9*	*6*	*13*	*9*	*2*	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	6	1	—	—	—	—	1	2	1	—	—	—	—
			F.	*3*	—	—	—	—	*3*	—	—	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 50. Cause of Death by Month of Registration and Sex—Scotland 1961

International Classification		Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	D
Detailed List	Intermediate List "A"															
		ALL CAUSES—Both Sexes		63928	6735	6462	5555	5105	5355	4730	4521	4653	4340	4941	5276	62
		Males		32819	3474	3315	2781	2596	2750	2468	2306	2432	2193	2560	2715	32
		Females		*31109*	*3261*	*3147*	*2774*	*2509*	*2605*	*2262*	*2215*	*2221*	*2147*	*2381*	*2561*	*30*
	1–5	*All Tuberculosis* (Total 001-019)	M.	344	43	39	29	23	31	22	25	28	14	18	29	4
			F.	*137*	*15*	*19*	*10*	*16*	*11*	*12*	*6*	*7*	*11*	*10*	*11*	
001-008	1	Respiratory system	M.	316	42	38	26	17	29	22	23	26	12	16	28	3
			F.	*117*	*15*	*16*	*9*	*14*	*11*	*7*	*5*	*7*	*9*	*6*	*9*	
010	2	Meninges and central nervous system	M.	6	–	1	–	3	1	–	–	–	–	–	–	
			F.	*1*	–	–	*1*	–	–	–	–	–	–	–	–	
011	3	Intestines, peritoneum, and mesenteric glands	M.	3	–	–	1	–	–	–	–	–	1	1	–	
			F.	*3*	–	*2*	–	–	–	–	–	–	–	–	*1*	
012, 013	4	Bones and joints	M.	6	1	–	1	–	1	–	1	1	–	–	–	
			F.	*5*	–	*1*	–	*2*	–	*2*	–	–	–	–	–	
014-019	5	All other forms	M.	13	–	–	1	3	–	–	1	1	1	1	1	
			F.	*11*	–	–	–	–	–	*3*	*1*	–	*2*	*4*	*1*	
020	6	Congenital syphilis	M.	1	–	–	–	–	–	–	–	–	–	–	1	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
021	7	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
024	8	Tabes dorsalis	M.	6	1	2	–	–	1	–	1	–	–	–	–	
			F.	*2*	–	*1*	–	–	–	–	–	–	*1*	–	–	
025	9	General paralysis of insane	M.	12	1	1	2	–	1	–	1	1	1	2	2	
			F.	*3*	–	–	–	–	*1*	*1*	–	–	–	–	*1*	
Rem. 022-029	10	All other syphilis	M.	25	2	3	1	3	4	1	1	2	1	3	4	
			F.	*12*	*2*	*1*	*1*	*2*	*1*	–	–	*1*	*2*	*1*	–	
030-035	11	Gonococcal infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
040	12	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
041, 042	13	Paratyphoid fever and other salmonella infections	M	1	–	–	–	–	–	–	–	–	–	–	1	
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	
043	14	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
044	15	Brucellosis (undulant fever)	M.	1	–	–	–	–	–	1	–	–	–	–	–	
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	
045-048	16	Dysentery, all forms	M.	2	–	–	–	–	–	1	1	–	–	–	–	
			F.	*2*	–	–	–	–	*1*	*1*	–	–	–	–	–	
050	17	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
051	18	Streptococcal sore throat	M.	1	1	–	–	–	–	–	–	–	–	–	–	
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	
052	19	Erysipelas	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	*1*	*1*	–	–	–	–	–	–	–	–	–	–	
053	20	Septicæmia and pyæmia	M.	13	3	1	1	1	–	1	1	–	3	2	–	
			F.	*7*	–	–	*1*	*2*	–	–	*1*	*1*	–	–	*1*	
055	21	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
056	22	Whooping cough	M.	2	2	–	–	–	–	–	–	–	–	–	–	
			F.	*2*	–	*1*	–	–	–	*1*	–	–	–	–	–	
057	23	Meningococcal infections	M.	10	3	1	1	2	1	1	–	–	–	1	–	
			F.	*6*	*1*	–	*1*	–	*1*	–	–	–	*1*	*1*	*1*	
058	24	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
060	25	Leprosy	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
061	26	Tetanus	M.	2	–	–	1	–	–	–	–	1	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
062	27	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
080	28	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
082	29	Acute infectious encephalitis	M.	7	–	–	–	–	1	1	1	1	1	1	1	
			F.	*4*	–	–	*1*	–	–	*1*	*1*	–	–	–	–	
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	16	2	–	1	2	–	2	1	1	2	1	2	
			F.	*20*	*3*	*4*	*2*	*1*	–	–	*2*	–	*4*	*3*	*1*	
084	31	Smallpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
085	32	Measles	M.	9	1	1	–	4	2	–	1	–	–	–	–	
			F.	*9*	*1*	*2*	*1*	*3*	–	*2*	–	–	–	–	–	
091	33	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
092	34	Infectious hepatitis	M.	10	1	1	–	1	2	–	1	–	2	1	–	
			F.	*16*	*3*	*2*	*1*	*2*	*1*	*1*	*1*	*1*	*3*	–	–	
094	35	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
100-108	36	Typhus and other rickettsial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
110-117	37	Malaria	M.	1	–	–	–	–	1	–	–	–	–	–	–	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	
Rem. 036-138	43	All other diseases classified as infective and parasitic (A38-A43)	M.	15	1	1	–	–	1	–	2	4	–	2	2	
			F.	*25*	*1*	*2*	*1*	*3*	*5*	*3*	*1*	*3*	*2*	*2*	*2*	

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.,) apply to the Scottish List only

Table 50—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
	44–59	*Malignant neoplasms* (Total 140-205)	M.	6006	526	459	464	472	547	502	474	507	472	519	559	505
			F.	*5215*	*485*	*421*	*419*	*419*	*457*	*423*	*401*	*446*	*418*	*441*	*437*	*448*
140-148	44	Buccal cavity and pharynx	M.	128	13	11	11	14	13	12	7	9	9	8	17	4
			F.	*88*	*9*	*9*	*11*	*12*	*10*	*4*	*4*	*6*	*3*	*8*	*5*	*7*
150	45	Œsophagus	M.	148	14	12	9	9	18	12	15	15	8	9	13	14
			F.	*143*	*6*	*13*	*10*	*18*	*10*	*11*	*17*	*13*	*12*	*9*	*12*	*12*
151	46	Stomach	M.	866	94	68	78	73	76	76	62	70	69	54	86	60
			F.	*694*	*61*	*61*	*45*	*52*	*72*	*52*	*53*	*58*	*64*	*48*	*70*	*58*
152, 153	47	Intestine, except rectum	M.	513	41	36	43	39	38	58	34	33	38	56	53	44
			F.	*692*	*63*	*56*	*54*	*59*	*60*	*61*	*49*	*66*	*55*	*61*	*52*	*56*
154	48	Rectum	M.	297	28	20	21	18	25	26	25	28	23	36	17	30
			F.	*245*	*20*	*21*	*18*	*25*	*17*	*26*	*25*	*17*	*19*	*21*	*18*	*18*
161	49	Larynx	M.	62	5	5	3	2	4	7	5	5	5	7	6	8
			F.	*21*	*3*	*1*	–	*2*	*2*	*1*	*1*	*2*	*1*	*2*	*3*	*3*
162, 163	50	Trachea, bronchus, and lung, not specified as secondary	M.	2116	192	170	160	164	199	158	166	175	168	174	206	184
			F	*362*	*40*	*32*	*35*	*23*	*32*	*41*	*21*	*24*	*29*	*27*	*26*	*32*
170	51	Breast	M.	6	1	–	–	–	2	–	–	–	1	1	–	1
			F.	*977*	*125*	*60*	*71*	*67*	*85*	*69*	*66*	*95*	*73*	*79*	*88*	*99*
171	52	Cervix uteri	F.	*250*	*21*	*22*	*21*	*12*	*18*	*20*	*20*	*19*	*18*	*26*	*28*	*25*
172-174	53	Other and unspecified parts of uterus	F.	*198*	*11*	*15*	*17*	*17*	*19*	*19*	*17*	*20*	*14*	*21*	*15*	*13*
177	54	Prostate	M.	392	28	29	26	32	38	39	27	38	29	50	28	28
190, 191	55	Skin	M.	69	6	8	3	5	4	6	–	11	5	3	8	10
			F.	*70*	*6*	*6*	*6*	*8*	*7*	*9*	*4*	*6*	*6*	*5*	*4*	*3*
196, 197	56	Bone and connective tissue	M.	74	9	4	4	6	3	8	8	6	10	7	7	2
			F	*49*	*6*	*2*	*5*	*2*	*5*	*4*	*5*	*5*	*6*	*2*	*4*	*3*
Rem. 155-199	57	All other and unspecified sites	M.	973	65	69	79	81	84	67	87	91	86	79	90	95
			F.	*1132*	*91*	*89*	*95*	*95*	*94*	*77*	*99*	*95*	*96*	*112*	*91*	*98*
204	58	Leukæmia and aleukæmia	M.	162	15	9	15	12	22	10	12	16	11	14	13	13
			F.	*120*	*9*	*12*	*14*	*11*	*12*	*10*	*10*	*9*	*9*	*8*	*6*	*10*
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	200	15	18	12	17	21	23	26	10	10	21	15	12
			F.	*174*	*14*	*22*	*17*	*16*	*14*	*19*	*10*	*11*	*13*	*12*	*15*	*11*
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	53	9	4	4	1	4	1	5	2	2	7	7	7
			F.	*69*	*3*	*4*	*7*	*3*	*7*	*8*	*2*	*4*	*6*	*3*	*8*	*14*
250, 251	61	Non-toxic goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	*1*	–	–	*1*	–	–	–	–	–	–	*1*	–
252	62	Thryotoxicosis with or without goitre	M.	11	–	1	–	–	–	1	3	1	–	4	1	–
			F.	*16*	*3*	*2*	*2*	*2*	*3*	–	*1*	–	–	*1*	*1*	*1*
260	63	Diabetes mellitus	M.	175	26	16	13	16	18	7	10	13	13	13	12	18
			F.	*424*	*41*	*42*	*31*	*37*	*44*	*36*	*29*	*25*	*34*	*39*	*28*	*38*
280-286	64	Avitaminosis and other deficiency states	M.	9	–	2	1	3	–	–	1	1	1	–	–	–
			F.	*18*	*3*	–	*3*	*3*	–	*1*	*1*	*1*	–	*1*	*4*	*1*
290	65*a*	Pernicious and other hyperchromic anæmias	M.	41	4	1	2	4	4	5	3	2	2	2	4	8
			F.	*98*	*7*	*9*	*10*	*11*	*7*	*8*	*11*	*9*	*6*	*7*	*5*	*8*
291-293	65*b*	Other anæmias	M.	39	4	8	4	1	4	–	4	2	3	4	4	1
			F.	*63*	*4*	*4*	*6*	*10*	*5*	*7*	*1*	*6*	*7*	*7*	–	*6*
Rem. 240-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	123	10	10	15	9	10	6	9	15	6	10	9	14
			F.	*187*	*23*	*18*	*15*	*13*	*10*	*14*	*18*	*11*	*13*	*17*	*17*	*18*
300-309	67	Psychoses	M.	66	10	11	4	3	4	4	3	6	9	7	3	2
			F.	*139*	*13*	*13*	*14*	*11*	*14*	*8*	*12*	*12*	*6*	*8*	*14*	*14*
310-324, 326	68	Psychoneuroses and disorders of personality	M.	5	1	–	–	–	–	1	1	–	1	–	1	–
			F.	*8*	*1*	–	–	*1*	*3*	–	*1*	*1*	–	*1*	–	–
325	69	Mental deficiency	M.	10	–	1	2	1	1	3	1	1	–	–	–	–
			F.	*9*	–	–	*2*	–	–	*1*	–	*2*	*1*	*1*	*2*	–
	70	*Vascular lesions affecting central nervous system* (Total 330-334)	M.	4048	417	389	326	328	335	303	309	293	303	299	334	412
			F.	*5791*	*605*	*579*	*503*	*466*	*491*	*407*	*445*	*437*	*384*	*425*	*481*	*568*
330	70*a*	Subarachnoid hæmorrhage	M.	107	8	3	11	8	13	12	9	3	6	14	10	10
			F.	*160*	*12*	*14*	*16*	*12*	*15*	*12*	*15*	*14*	*13*	*12*	*15*	*10*
331	70*b*	Cerebral hæmorrhage	M.	1472	150	130	110	122	131	105	108	114	113	115	121	153
			F.	*2313*	*246*	*198*	*184*	*184*	*201*	*172*	*201*	*191*	*163*	*183*	*182*	*208*
332	70*c*	Cerebral embolism and thrombosis	M.	2013	210	210	155	169	159	152	159	144	154	140	167	194
			F.	*2774*	*292*	*307*	*249*	*219*	*239*	*186*	*199*	*196*	*172*	*199*	*234*	*282*
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	456	49	46	50	29	32	34	33	32	30	30	36	55
			F.	*544*	*55*	*60*	*54*	*51*	*36*	*37*	*30*	*36*	*36*	*31*	*50*	*68*

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 50—*continued*

International Classification		Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"															
340	71	Non-meningococcal meningitis	M.	21	1	2	3	–	–	1	2	6	–	1	1	4
			F.	*18*	*3*	*3*	–	*1*	*3*	*1*	*3*	–	*2*	*1*	*1*	–
345	72	Multiple sclerosis	M.	69	9	8	9	4	9	2	8	2	4	6	3	5
			F.	*90*	*10*	*8*	*11*	*3*	*4*	*5*	*4*	*7*	*12*	*11*	*8*	*7*
353	73	Epilepsy	M	55	3	4	6	8	3	3	5	6	3	4	6	4
			F.	*39*	*3*	*1*	*3*	*2*	*4*	*8*	*3*	*4*	*1*	*7*	–	*3*
391-393	77	Otitis media and mastoiditis	M.	7	–	–	–	–	1	1	–	–	1	–	2	2
			F.	*2*	–	–	*2*	–	–	–	–	–	–	–	–	–
350	78*a*	Paralysis agitans	M.	71	4	7	6	8	5	8	6	3	8	4	5	7
			F.	*107*	*14*	*10*	*9*	*7*	*10*	*4*	*8*	*8*	*8*	*9*	*9*	*11*
Rem. 341-398	78*b*	All other diseases of the nervous system and sense organs (A74-A76)	M.	155	24	8	16	14	11	17	12	11	9	13	7	13
			F.	*138*	*15*	*14*	*14*	*10*	*11*	*10*	*7*	*18*	*8*	*15*	*9*	*7*
400-402	79	Rheumatic fever	M.	4	1	–	–	–	–	–	–	1	–	–	2	–
			F.	*6*	*4*	–	–	*1*	–	–	*1*	–	–	–	–	–
	80–83	*Heart Disease* (Total 410-443)	M.	11371	1204	1101	962	910	950	885	771	868	708	906	946	116
			F.	*10677*	*1158*	*1041*	*962*	*849*	*918*	*799*	*721*	*728*	*706*	*824*	*905*	*106*
410-416	80	Chronic rheumatic heart disease	M.	277	37	32	17	16	24	19	13	20	13	28	25	33
			F.	*531*	*53*	*55*	*40*	*42*	*32*	*49*	*34*	*37*	*31*	*48*	*54*	*56*
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	7314	727	621	611	592	614	582	504	595	501	605	632	730
			F.	*4628*	*474*	*397*	*394*	*369*	*397*	*353*	*322*	*326*	*314*	*388*	*404*	*490*
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	168	15	17	10	17	16	9	15	15	12	17	14	11
			F.	*168*	*19*	*14*	*11*	*14*	*15*	*14*	*13*	*10*	*7*	*15*	*20*	*16*
422.0	81*c*	Fatty degeneration of heart	M.	5	–	1	–	–	1	–	–	–	–	2	–	1
			F.	*18*	*2*	*1*	*2*	*2*	–	*2*	*2*	*2*	*1*	*1*	*2*	*1*
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	1736	207	205	146	142	141	131	101	108	89	127	135	204
			F.	*2562*	*290*	*258*	*256*	*196*	*235*	*192*	*163*	*153*	*183*	*189*	*206*	*241*
422.2	81*e*	Other myocardial degeneration	M.	1089	138	125	106	85	101	76	73	71	55	75	77	107
			F.	*1521*	*176*	*190*	*170*	*113*	*115*	*97*	*100*	*117*	*84*	*101*	*121*	*137*
430-432	82*a*	Acute non-rheumatic heart disease	M.	37	4	8	5	3	4	4	1	2	3	1	1	1
			F.	*39*	*3*	*8*	*1*	*2*	*4*	*1*	*4*	*5*	*2*	*3*	*2*	*4*
433, 434	82*b*	Other and unspecified diseases of heart	M.	327	26	42	30	25	21	32	27	29	16	18	24	37
			F.	*488*	*52*	*37*	*36*	*52*	*44*	*38*	*38*	*32*	*34*	*34*	*39*	*52*
440-443	83	Hypertensive heart disease	M.	418	50	50	37	30	28	32	37	28	19	33	38	36
			F.	*722*	*89*	*81*	*52*	*59*	*76*	*53*	*45*	*46*	*50*	*45*	*57*	*65*
444-447	84	Other hypertensive disease	M.	246	24	26	16	15	26	21	19	18	21	19	19	22
			F.	*301*	*35*	*23*	*17*	*23*	*31*	*21*	*29*	*22*	*21*	*27*	*26*	*26*
450	85*a*	General arteriosclerosis	M.	676	78	71	58	62	52	52	48	52	41	49	47	66
			F.	*823*	*77*	*82*	*81*	*64*	*62*	*65*	*67*	*57*	*60*	*66*	*55*	*87*
451-456	85*b*	Other diseases of arteries	M.	149	11	11	16	11	10	16	15	13	9	9	12	16
			F.	*126*	*8*	*10*	*12*	*12*	*12*	*12*	*10*	*12*	*4*	*13*	*9*	*12*
460-468	86	Other diseases of circulatory system	M.	93	9	10	5	6	9	4	10	12	6	9	4	9
			F.	*148*	*15*	*14*	*9*	*9*	*21*	*4*	*15*	*11*	*6*	*13*	*14*	*17*
470-475	87	Acute upper respiratory infections	M.	12	5	–	1	2	1	–	–	1	1	–	1	–
			F.	*5*	*1*	*2*	*1*	–	–	–	–	–	–	–	*1*	–
480-483	88	Influenza	M.	171	9	98	41	6	1	2	–	1	1	2	4	6
			F.	*194*	*9*	*108*	*52*	*4*	*2*	*3*	*2*	*1*	*1*	*1*	*3*	*8*
	89–91	*Pneumonia* (Total 490-493)	M.	1207	147	219	124	78	86	77	56	60	55	66	99	140
			F.	*1266*	*154*	*244*	*137*	*98*	*79*	*70*	*72*	*51*	*64*	*63*	*90*	*144*
490	89	Lobar pneumonia	M.	185	21	41	13	8	12	24	7	9	2	7	15	26
			F.	*176*	*25*	*27*	*18*	*17*	*15*	*10*	*12*	*9*	*7*	*9*	*6*	*21*
491	90	Bronchopneumonia	M.	914	110	159	99	59	67	49	48	47	48	53	75	100
			F.	*972*	*110*	*202*	*104*	*76*	*55*	*51*	*54*	*38*	*54*	*43*	*78*	*107*
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	108	16	19	12	11	7	4	1	4	5	6	9	14
			F.	*118*	*19*	*15*	*15*	*5*	*9*	*9*	*6*	*4*	*3*	*11*	*6*	*16*
	92–93	*Bronchitis* (Total 500-502)	M.	1789	284	290	142	117	99	92	72	80	72	95	174	272
			F.	*727*	*136*	*137*	*52*	*55*	*42*	*23*	*28*	*28*	*27*	*44*	*63*	*92*
500	92	Acute bronchitis	M.	105	21	33	9	4	1	3	3	4	3	7	6	11
			F.	*124*	*27*	*29*	*9*	*6*	*7*	*3*	*2*	*7*	*4*	*5*	*6*	*15*
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	1092	173	148	78	85	57	60	50	54	50	57	115	165
			F.	*416*	*75*	*68*	*32*	*33*	*28*	*14*	*19*	*15*	*18*	*23*	*42*	*49*
501a 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	592	90	109	55	28	41	29	19	22	19	31	53	96
			F.	*187*	*34*	*40*	*11*	*16*	*7*	*6*	*7*	*6*	*5*	*16*	*15*	*24*
510	94	Hypertrophy of tonsils and adenoids	M.	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–
518, 521	95	Empyema and abscess of lung	M.	17	2	1	1	1	3	1	–	1	2	1	2	2
			F.	*7*	*1*	*1*	–	*1*	–	–	*2*	–	*1*	–	*1*	–
519	96	Pleurisy	M.	6	–	3	–	–	–	1	1	–	–	1	–	–
			F.	*6*	–	–	–	*2*	–	*1*	–	*1*	–	*1*	*1*	–
523, 524	97*a*	Pneumoconiosis	M.	245	39	36	20	20	22	16	7	12	7	13	19	34
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	182	28	24	15	22	13	8	12	9	10	5	16	20
			F.	*126*	*17*	*14*	*12*	*12*	*13*	*5*	*6*	*6*	*12*	*6*	*8*	*15*

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 50—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
530-535	98	Diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	M.	153	22	16	15	10	9	14	16	12	9	12	10	8
			F.	*87*	*12*	*5*	*10*	*7*	*9*	*8*	*5*	*5*	*6*	*2*	*7*	*11*
541	100	Ulcer of duodenum	M.	248	39	22	16	29	27	19	19	12	13	16	11	25
			F.	*67*	*5*	*7*	*7*	*8*	*5*	*5*	*2*	*3*	*9*	*1*	*9*	*6*
543	101	Gastritis and duodenitis	M.	4	–	–	1	–	1	1	–	–	–	–	1	–
			F.	*12*	*1*	*1*	*1*	*1*	*2*	*2*	*1*	–	–	*1*	–	*2*
550-553	102	Appendicitis	M.	50	5	9	4	3	7	3	1	4	1	3	5	5
			F.	*37*	*2*	*3*	*3*	*4*	*2*	*4*	*3*	*2*	*4*	*3*	*3*	*4*
560, 561, 570	103	Intestinal obstruction and hernia	M.	203	27	14	19	16	12	15	17	15	22	22	13	11
			F.	*185*	*16*	*12*	*20*	*13*	*19*	*18*	*12*	*10*	*13*	*18*	*14*	*20*
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	33	2	4	2	1	4	3	3	3	3	3	3	2
			F.	*29*	*3*	–	*4*	*5*	*2*	*5*	*2*	–	*3*	*2*	*2*	*1*
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	21	1	1	1	–	3	–	4	1	2	4	2	2
			F.	*36*	*4*	*1*	*2*	*4*	*2*	*3*	*2*	*1*	*5*	*5*	*1*	*6*
572	104*c*	Chronic enteritis and ulcerative colitis	M.	65	6	4	2	7	7	5	2	5	4	9	7	7
			F.	*76*	*7*	*3*	*5*	*5*	*3*	*4*	*8*	*7*	*3*	*11*	*9*	*11*
581	105	Cirrhosis of liver	M.	134	12	8	11	19	17	7	17	12	6	8	6	11
			F.	*100*	*5*	*9*	*9*	*6*	*9*	*7*	*12*	*6*	*8*	*10*	*9*	*10*
584, 585	106	Cholelithiasis and cholecystitis	M.	51	3	2	4	3	3	2	4	2	6	6	7	9
			F.	*140*	*11*	*8*	*9*	*12*	*17*	*9*	*16*	*8*	*10*	*12*	*13*	*15*
580, 582, 583, 586	107*a*	Other diseases of liver	M.	14	1	–	–	3	2	–	1	–	4	1	2	–
			F.	*41*	*3*	*4*	–	*3*	*3*	*5*	*6*	*2*	*4*	*2*	*4*	*5*
Rem. 536-587	107*b*	Other diseases of digestive system	M.	108	13	11	8	10	7	9	9	5	13	7	6	10
			F.	*102*	*10*	*11*	*10*	*14*	*5*	*5*	*4*	*10*	*4*	*7*	*9*	*13*
590	108	Acute nephritis	M.	11	–	–	–	2	2	3	1	1	–	–	2	–
			F.	*13*	*4*	*1*	*2*	*1*	–	–	*1*	*1*	*2*	*1*	–	–
591-594	109	Chronic, other and unspecified nephritis	M.	155	13	16	10	12	15	11	13	16	9	11	8	21
			F	*160*	*20*	*11*	*13*	*9*	*14*	*11*	*12*	*17*	*14*	*14*	*8*	*17*
600	110	Infections of kidney	M.	118	14	8	9	14	8	7	11	8	12	9	11	7
			F.	*206*	*13*	*16*	*23*	*24*	*15*	*21*	*22*	*19*	*16*	*8*	*15*	*14*
602, 604	111	Calculi of urinary system	M.	19	2	1	1	1	3	1	2	–	1	6	–	1
			F.	*5*	–	*1*	–	–	–	*1*	–	–	–	–	*2*	*1*
610	112	Hyperplasia of prostate	M.	366	31	40	41	23	35	24	22	32	24	32	27	35
620, 621	113	Diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	M.	17	1	2	3	2	1	–	3	1	2	2	–	–
			F.	*14*	–	*3*	*3*	*1*	–	*1*	–	–	*1*	*1*	*2*	*2*
Rem. 601-637	114*b*	Other diseases of genito-urinary system	M.	45	5	6	6	4	4	2	4	4	2	3	3	2
			F.	*41*	*3*	*2*	*5*	*5*	*4*	*3*	*1*	*1*	*1*	*6*	*5*	*5*
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	*12*	*1*	–	*3*	*1*	*1*	–	*2*	*2*	*1*	–	*1*	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	*5*	–	*1*	*1*	–	*1*	*1*	–	*1*	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	F.	*6*	–	*1*	*1*	–	*1*	*1*	*1*	–	*1*	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	F.	*2*	–	–	–	–	–	–	–	*1*	–	–	*1*	–
651	119	Abortion with sepsis	F.	*3*	–	–	–	–	–	–	–	*1*	*2*	–	–	–
Rem. 645-689	120	Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	F.	*8*	–	*2*	–	–	*1*	–	*2*	–	*1*	–	*1*	*1*
690-698	121	Infections of skin and subcutaneous tissue	M.	3	1	–	–	–	–	–	1	1	–	–	–	–
			F.	*11*	*1*	–	–	–	–	*1*	*1*	*1*	*5*	*1*	–	*1*
720-725	122	Arthritis and spondylitis	M.	51	4	9	6	6	2	3	2	4	3	5	3	4
			F.	*149*	*23*	*17*	*15*	*13*	*11*	*8*	*10*	*8*	*10*	*9*	*15*	*10*
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	–	–	–	–	–	–	1	–	–	–	–	–
			F.	*3*	–	–	–	–	–	*1*	–	–	*1*	–	–	*1*
730	124	Osteomyelitis and periostitis	M.	4	–	–	–	1	1	–	1	–	–	1	–	–
			F.	*3*	–	–	–	–	–	*1*	–	*1*	–	*1*	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	3	–	1	–	–	–	1	–	–	–	–	1	–
			F.	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–
Rem. 700-744	126	All other diseases of skin and musculoskeletal system	M.	45	6	7	1	3	3	5	2	1	4	8	2	3
			F.	*39*	*4*	*4*	*3*	*1*	*4*	*3*	*2*	*3*	*3*	*4*	*4*	*4*

NOTE. Sub-headings indicated by letters (*a b*, *c*, etc.) apply to the Scottish List only

Table 50—*continued*

International Classification		Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
Detailed List	Intermediate List "A"															
	127–135	*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	1262	111	114	116	97	136	102	104	93	84	112	91	102
			F.	*885*	*75*	*71*	*81*	*87*	*79*	*71*	*60*	*76*	*69*	*59*	*75*	*82*
751	127	Spina bifida and meningocele	M.	75	6	11	7	6	9	3	8	5	3	5	4	8
			F.	*68*	*3*	*10*	*7*	*1*	*5*	*4*	*3*	*9*	*8*	*7*	*5*	*6*
754	128	Congenital malformations of circulatory system	M.	131	14	15	10	14	12	12	12	13	6	7	10	6
			F.	*129*	*12*	*8*	*10*	*23*	*11*	*12*	*10*	*10*	*6*	*10*	*8*	*9*
750, 752, 753, 755-759	129	All other congenital malformations	M.	205	19	16	31	23	15	17	14	9	14	14	17	16
			F.	*147*	*11*	*12*	*8*	*16*	*12*	*10*	*11*	*14*	*16*	*16*	*13*	*8*
760, 761	130	Birth injuries	M.	139	17	10	9	8	13	14	10	5	14	15	11	13
			F.	*92*	*6*	*1*	*9*	*9*	*10*	*7*	*5*	*11*	*11*	*5*	*8*	*10*
762	131	Postnatal asphyxia and atelectasis	M.	348	26	28	37	29	39	28	30	33	22	33	22	21
			F.	*188*	*13*	*19*	*18*	*20*	*19*	*27*	*16*	*8*	*6*	*9*	*16*	*17*
763	132*a*	Pneumonia of newborn	M.	44	6	6	1	3	6	2	1	3	1	5	5	5
			F.	*38*	*9*	*2*	*2*	*3*	*2*	*3*	*1*	*2*	*3*	*3*	*3*	*5*
764	132*b*	Diarrhœa of newborn	M.	6	2	1	1	–	1	–	1	–	–	–	–	–
			F.	*3*	–	–	*1*	–	–	–	–	–	*1*	–	–	*1*
765-768	132*c*	Other infections of newborn	M.	12	–	–	3	1	3	–	1	–	–	2	1	1
			F.	*7*	–	*1*	*1*	–	–	–	*2*	*1*	*1*	*1*	–	–
770	133	Hæmolytic disease of newborn	M.	28	–	4	–	–	3	3	–	3	3	6	2	4
			F.	*23*	*2*	*3*	*1*	*3*	*3*	*1*	–	*2*	*3*	*1*	*1*	*3*
769, 771, 772	134	All other defined diseases of early infancy	M.	27	3	3	1	1	3	1	3	2	1	4	2	3
			F.	*21*	*2*	*1*	*4*	*3*	–	*1*	*2*	*2*	–	–	*2*	*4*
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	247	18	20	16	12	32	22	24	20	20	21	17	25
			F.	*169*	*17*	*14*	*20*	*9*	*17*	*6*	*10*	*17*	*14*	*7*	*19*	*19*
794	136	Senility without mention of psychosis	M.	125	18	9	19	10	9	3	6	7	8	18	14	4
			F.	*256*	*39*	*29*	*20*	*25*	*20*	*12*	*19*	*18*	*18*	*21*	*15*	*20*
780-793, 795	137	Ill-defined and unknown causes	M.	164	23	14	12	13	10	14	8	12	11	16	13	18
			F.	*102*	*12*	*5*	*4*	*5*	*10*	*7*	*9*	*8*	*11*	*8*	*11*	*12*
	138–150	*Accidents, Poisonings and Violence* (*External Cause*) (Total E800-E999)	M.	1735	164	126	162	149	149	144	129	144	156	147	121	144
			F.	*1176*	*111*	*82*	*114*	*96*	*92*	*78*	*88*	*86*	*89*	*105*	*107*	*128*
E810-E835	138	Motor vehicle accidents	M.	516	40	23	41	47	43	43	37	45	50	57	46	44
			F.	*197*	*11*	*3*	*17*	*16*	*12*	*19*	*12*	*19*	*24*	*24*	*20*	*20*
E840-E845	139*a*	Other road vehicle accidents	M.	5	–	1	–	1	2	–	–	–	1	–	–	–
			F.	*4*	–	–	–	–	*1*	–	–	–	*1*	*1*	–	*1*
E800-E802, E850-E866	139*b*	Other transport accidents	M.	60	4	4	3	4	9	9	5	6	5	4	3	4
			F.	*4*	–	–	*2*	–	*2*	–	–	–	–	–	–	–
E870-E895	140	Accidental poisoning	M.	170	21	12	20	12	17	9	10	11	14	8	18	18
			F.	*164*	*18*	*15*	*11*	*17*	*14*	*8*	*8*	*12*	*7*	*12*	*20*	*22*
E900-E904	141	Accidental falls	M.	276	38	32	22	22	24	14	15	26	20	23	21	19
			F.	*481*	*52*	*37*	*56*	*36*	*33*	*33*	*39*	*34*	*34*	*43*	*35*	*49*
E912	142	Accident caused by machinery	M.	15	–	–	1	2	3	3	–	–	1	1	–	4
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	143	Accident caused by fire and explosion of combustible material	M.	42	9	5	4	3	2	2	2	–	2	4	2	7
			F.	*58*	*11*	*4*	*6*	*4*	*3*	*5*	*2*	*2*	*1*	*4*	*5*	*11*
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	5	1	–	1	1	2	–	–	–	–	–	–	–
			F.	*10*	–	*1*	*1*	–	*1*	*2*	–	–	–	*1*	*1*	*3*
E919	145	Accident caused by firearm	M.	14	–	2	1	1	–	1	1	1	4	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	146	Accidental drowning and submersion	M.	135	7	10	20	16	8	9	15	17	15	6	3	9
			F.	*23*	–	*1*	*1*	*3*	*2*	*1*	*5*	*3*	*2*	*2*	*1*	*2*
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	91	12	10	7	4	10	6	6	10	5	6	4	11
			F.	*63*	*6*	*5*	*6*	*6*	*5*	*4*	*7*	*4*	*3*	*2*	*8*	*7*
Rem. E910-E962	147*b*	All other accidental causes	M.	131	9	10	17	11	10	17	10	9	14	9	5	10
			F.	*13*	*2*	*3*	*2*	*1*	–	–	–	–	*2*	–	*1*	*2*
E963, E970-E979	148	Suicide and self-inflicted injury	M.	258	22	17	25	24	19	27	27	18	24	24	14	17
			F.	*151*	*8*	*13*	*12*	*13*	*18*	*6*	*14*	*11*	*13*	*16*	*16*	*11*
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	15	1	–	–	–	–	4	1	1	1	4	3	–
			F.	*8*	*3*	–	–	–	*1*	–	*1*	*1*	*2*	–	–	–
E965, E990-E999	150	Injury resulting from operations of war	M.	2	–	–	–	1	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
		ALL CAUSES—Both Sexes		63928	2233	1509	2153	301	984	971	566	556	3028	590	343	289	347	437	353	692	503	296	1293	660	517	597	2650	335	730	351	94	394
		Males		32819	1129	758	1046	151	477	471	279	264	1547	283	174	132	183	227	171	337	268	165	641	342	248	292	1405	195	393	172	34	202
		Females		*31109*	*1104*	*751*	*1107*	*150*	*507*	*500*	*287*	*292*	*1481*	*307*	*169*	*157*	*164*	*210*	*182*	*355*	*235*	*131*	*652*	*318*	*269*	*305*	*1245*	*140*	*337*	*179*	*60*	*192*
		All Tuberculosis (Total 001-019)	M.	344	10	2	5	2	5	5	–	–	8	2	–	2	–	2	–	2	9	3	6	4	–	3	9	1	3	1	–	1
			F.	*137*	*1*	–	*9*	–	*2*	*1*	*1*	–	*3*	–	*1*	*2*	–	–	*1*	*2*	*1*	*1*	*1*	–	–	–	*1*	*1*	*1*	*1*	–	–
001-008	1	Respiratory system	M.	316	9	2	4	2	5	5	–	–	8	–	–	2	–	1	–	2	8	3	6	4	–	3	7	1	3	1	–	1
			F.	*117*	–	–	*7*	–	*2*	*1*	*1*	–	*3*	–	–	*1*	–	–	*1*	*2*	*1*	*1*	*1*	–	–	–	–	*1*	*1*	*1*	–	–
010	2	Meninges and central nervous system	M.	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
011	3	Intestines, peritoneum, and mesenteric glands	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	M.	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	*5*	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014-019	5	All other forms	M.	13	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
			F.	*11*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
		Syphilis (Total 020-029)	M.	44	3	–	2	1	1	2	–	2	2	–	–	–	1	–	–	–	–	–	1	1	1	–	2	1	–	–	–	–
			F.	*17*	–	–	–	–	–	*1*	–	–	*2*	*2*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–
020	6	Congenital syphilis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	M.	6	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*2*	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	M.	12	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
022, 023 026-029	10	All other syphilis	M.	25	2	–	1	1	–	2	–	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
			F.	*12*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–
030-035	11	Gonococcal infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever and other Salmonella infections	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	M.	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–

053	20	Septicæmia and pyæmia	M.	15	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
055	21	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	23	Meningococcal infections	M.	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
058	24	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
062	27	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
082	29	Acute infectious encephalitis	M.	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
			F.	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	16	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
			F.	20	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
084	31	Smallpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
091	33	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	M.	10	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
			F.	16	1	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
094	35	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	15	1	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
			F.	25	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–
		Malignant Neoplasms (Total 140-205)	M.	6006	238	117	208	27	94	76	54	38	244	56	32	26	29	37	46	56	43	20	119	53	54	56	228	38	69	35	6	28
			F.	5215	202	130	236	29	77	82	54	56	253	51	22	26	27	38	31	49	47	31	102	54	48	48	194	22	50	35	17	29
140-148	44	Buccal cavity and pharynx	M.	128	3	2	6	–	2	3	1	–	5	2	3	–	1	1	1	–	1	–	2	1	2	3	9	1	1	–	–	2
			F.	88	1	1	3	2	1	–	1	1	6	2	–	–	1	2	–	–	1	1	2	1	–	–	2	–	–	–	–	1
150	45	Œsophagus	M.	148	10	6	7	1	3	2	1	–	6	2	1	1	1	–	–	1	–	3	2	2	–	–	5	3	2	2	–	1
			F.	143	5	5	5	1	5	4	4	3	6	4	–	–	–	2	1	5	1	–	5	1	–	2	5	1	2	–	–	1
151	46	Stomach	M.	866	28	12	23	3	16	7	7	6	46	12	5	3	6	7	9	13	8	4	26	11	8	9	34	4	7	4	1	5
			F.	694	25	16	34	4	11	10	7	5	26	10	5	6	5	3	5	4	6	3	12	9	5	3	34	2	8	4	3	4
152, 153	47	Intestine, except rectum	M.	513	23	19	14	1	14	11	4	4	16	9	1	2	7	3	9	7	3	3	8	1	4	7	18	5	7	5	–	2
			F.	692	23	22	32	1	14	15	10	11	37	5	4	3	8	6	5	7	5	3	17	8	6	8	21	3	9	7	3	3
154	48	Rectum	M.	297	17	3	11	3	4	3	4	3	8	2	1	1	2	2	3	3	1	–	4	1	4	1	10	–	3	1	–	–
			F.	245	6	2	8	3	3	6	3	1	18	1	–	2	–	3	1	2	4	1	3	4	3	5	8	–	2	2	1	1

NOTE—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	P'rt Glasgow B	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		ALL CAUSES—Both Sexes		13366	358	576	474	815	339	3993	6210	1237	498	117	277	230	548	1190	907	1217	223	1793	811	679	327	451	346	1375	199	917	401	282
		Males		7017	199	344	253	462	169	2148	3019	648	266	55	130	103	273	572	490	627	116	923	404	317	160	257	182	733	111	522	199	134
		Females		*6349*	*159*	*232*	*221*	*353*	*170*	*1845*	*3191*	*589*	*232*	*62*	*147*	*127*	*275*	*618*	*417*	*590*	*107*	*870*	*407*	*362*	*167*	*194*	*164*	*642*	*88*	*395*	*202*	*148*
		All Tuberculosis (Total 001-019)	M.	137	5	3	3	9	1	23	13	4	–	–	–	–	3	4	9	15	3	12	1	1	–	3	–	2	–	5	2	1
			F.	*59*	*2*	*2*	–	*2*	–	*10*	*6*	*2*	*1*	–	*1*	*1*	–	–	*2*	*3*	*3*	*4*	*3*	–	–	*2*	*1*	*1*	–	*1*	*1*	–
001-008	1	Respiratory system	M.	128	5	3	2	8	1	21	11	3	–	–	–	–	2	4	7	15	3	12	1	1	–	3	–	2	–	4	2	1
			F.	*54*	*1*	*1*	–	*2*	–	*9*	*4*	*2*	*1*	–	*1*	–	–	–	*1*	*3*	*2*	*4*	*2*	–	–	*2*	*1*	*1*	–	*1*	*1*	–
010	2	Meninges and central nervous system	M.	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
011	3	Intestines, peritoneum, and mesenteric glands	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	M.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–
014-019	5	All other forms	M.	3	–	–	1	–	–	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	*1*	*1*	–	–	–	*1*	*1*	–	–	–	–	*1*	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–
		Syphilis (Total 020-029)	M.	13	–	–	–	–	–	–	4	–	–	–	–	–	1	2	1	1	–	1	–	–	1	–	–	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	*4*	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–
020	6	Congenital syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	M.	3	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
022, 023 026-029	10	All other syphilis	M.	8	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	*4*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–
030-035	11	Gonococcal infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever and other Salmonella infections	M.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–
045-048	16	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	M.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

053	20	Septicæmia and pyæmia	F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	21	Diphtheria	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	5	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	23	Meningococcal infections	F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
058	24	Plague	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
062	27	Anthrax	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
082	29	Acute infectious encephalitis	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			M.	6	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	F.	9	–	–	–	–	–	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
084	31	Smallpox	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
085	32	Measles	F.	3	1	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
091	33	Yellow fever	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
092	34	Infectious hepatitis	F.	2	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
094	35	Rabies	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	1
			F.	7	–	–	–	1	–	1	4	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	1
		Malignant Neoplasms (Total 140-205)	M.	1375	29	50	43	73	36	363	654	107	40	10	25	12	54	101	95	127	19	172	75	57	28	47	40	108	17	87	24	11
			F.	1042	27	44	35	61	20	269	577	102	40	8	13	18	49	89	75	113	21	144	68	58	19	36	27	97	10	71	22	20
140-148	44	Buccal cavity and pharynx	M.	19	1	3	1	3	1	7	13	4	–	–	1	1	–	6	2	2	–	2	1	2	2	1	1	–	1	2	–	–
			F.	22	–	2	–	2	1	4	14	–	–	1	–	–	–	–	4	1	–	3	–	–	–	–	–	–	–	2	2	1
150	45	Œsophagus	M.	28	1	1	2	–	–	5	17	6	–	1	–	1	1	4	1	–	1	2	4	2	1	–	2	3	1	1	1	–
			F.	27	1	2	1	–	1	6	13	3	1	–	–	–	3	2	1	3	1	5	–	1	–	1	–	–	–	2	–	1
151	46	Stomach	M.	179	2	5	5	7	5	61	82	18	8	3	6	1	5	16	24	19	2	19	10	4	2	6	5	23	2	13	6	4
			F.	147	2	5	6	7	4	43	65	13	7	–	4	1	8	13	11	15	3	17	9	8	1	5	1	12	1	11	2	4
152, 153	47	Intestine, except rectum	M.	97	5	1	3	2	3	25	52	12	–	2	5	2	6	9	7	7	2	22	12	5	–	6	2	3	2	11	3	–
			F.	122	4	4	1	12	1	27	73	16	2	1	1	1	6	9	12	16	7	20	8	8	1	5	6	17	2	9	4	1
154	48	Rectum	M.	62	1	3	6	1	–	19	30	4	4	–	1	1	5	7	5	15	1	7	7	6	–	3	4	3	1	5	–	1
			F.	40	–	5	2	5	–	18	22	6	1	–	1	3	3	6	6	5	2	6	5	2	2	3	–	6	–	2	1	–

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
161	49	Larynx	M.	62	1	–	4	2	–	1	–	1	4	1	–	–	–	1	–	1	–	1	2	3	–	–	4	–	1	–	–
			F.	*21*	*1*	*1*	*2*	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	*1*	–	*2*	–	–	–	–	–	–	*1*	–
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	2116	86	24	81	10	20	18	23	14	79	10	7	9	6	12	15	13	20	7	34	15	12	13	76	13	16	10	3	8
			F.	*362*	*15*	*6*	*17*	–	*5*	*3*	–	*3*	*11*	*2*	–	–	–	*2*	–	*3*	*5*	–	*8*	*5*	*2*	*1*	*8*	–	*5*	–	*1*	*1*
170	51	Breast	M.	6	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	*977*	*32*	*22*	*44*	*8*	*13*	*17*	*5*	*7*	*47*	*8*	*6*	*8*	*7*	*10*	*4*	*10*	*7*	*9*	*14*	*6*	*11*	*10*	*38*	*4*	*10*	*6*	*3*	*6*
171	52	Cervix uteri	F.	*250*	*19*	*10*	*9*	*1*	*3*	*1*	*3*	*5*	*12*	*3*	*1*	–	–	*1*	*3*	*3*	*1*	–	*2*	*1*	*1*	*2*	*8*	*1*	*1*	–	–	*4*
172-174	53	Other and unspecified parts of uterus	F.	*198*	*4*	*8*	*7*	*2*	*2*	*1*	*2*	*1*	*20*	*1*	–	*1*	–	*1*	*1*	*1*	–	*2*	*5*	*3*	*1*	*7*	*6*	*2*	*2*	*1*	*1*
177	54	Prostate	M.	392	12	10	11	3	6	14	2	3	19	3	6	4	–	2	2	3	1	–	6	2	7	6	14	–	4	5	–	4
190, 191	55	Skin	M.	69	4	5	1	–	4	–	1	–	5	1	–	–	–	–	1	–	–	–	2	1	3	–	1	1	4	–	–	–
			F.	*70*	*8*	–	*2*	–	*2*	–	–	–	*5*	–	–	–	–	*1*	–	–	*1*	*1*	*1*	–	*2*	–	*2*	–	–	–	–	–
196, 197	56	Bone and connective tissue	M.	74	4	–	5	–	–	2	2	3	2	–	–	–	–	–	–	4	1	–	4	2	–	–	2	1	–	1	–	–
			F.	*49*	*3*	*1*	*2*	*1*	*1*	*3*	*2*	*5*	*3*	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	*2*	*1*	*1*	–	–	–
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	973	37	21	36	3	15	10	6	3	37	10	6	4	5	7	5	8	6	1	21	11	10	15	39	9	16	5	2	3
			F.	*1132*	*44*	*31*	*56*	*4*	*14*	*18*	*11*	*12*	*51*	*12*	*5*	*4*	*3*	*6*	*10*	*10*	*11*	*9*	*23*	*14*	*12*	*7*	*52*	*6*	*9*	*10*	*4*	*5*
204	58	Leukæmia and aleukæmia	M.	162	7	9	4	1	9	1	2	–	9	1	1	2	1	1	–	1	–	1	4	2	1	–	8	1	3	–	–	2
			F.	*120*	*10*	*4*	*6*	*1*	*2*	–	*1*	–	*4*	*1*	*1*	*1*	*2*	*1*	–	*2*	*3*	*2*	*5*	–	*3*	*3*	*2*	*2*	–	–	–	–
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	200	6	6	4	–	1	3	1	1	8	3	1	–	–	1	1	2	2	–	3	1	3	2	8	–	5	2	–	1
			F.	*174*	*6*	*1*	*9*	*1*	*1*	*4*	*4*	*2*	*7*	*2*	–	–	–	–	*1*	*1*	*1*	–	*3*	*2*	*2*	–	*6*	–	*1*	*3*	*1*	*2*
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	53	1	–	3	–	–	1	–	1	2	–	–	–	2	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–
			F.	*69*	*2*	–	*2*	–	*2*	*1*	–	*1*	*2*	*1*	–	–	–	*1*	–	–	*1*	–	*1*	*1*	*1*	*1*	*1*	*2*	–	*1*	*1*	–	–
250, 151	61	Non-toxic goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre	M.	11	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	*16*	–	*1*	–	–	–	–	–	*1*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
260	63	Diabetes mellitus	M.	175	11	5	9	2	5	2	2	1	8	–	2	1	–	1	–	3	–	–	2	2	1	2	7	1	2	1	–	1
			F.	*424*	*10*	*8*	*20*	*2*	*8*	*6*	*6*	*2*	*21*	*3*	*3*	*1*	*2*	*3*	*2*	*6*	*4*	–	*6*	*5*	*5*	*3*	*22*	*3*	*3*	*4*	*1*	*6*
280-286	64	Avitaminosis and other deficiency states	M.	9	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	*18*	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	M.	41	1	–	–	1	–	–	–	1	2	–	–	–	–	–	1	1	–	–	–	–	1	–	3	–	–	–	–	–
			F.	*98*	*5*	*3*	*2*	–	–	*3*	–	–	*6*	–	–	–	–	*2*	–	–	*1*	–	*2*	–	–	–	*7*	–	–	–	–	–
291-293	65*b*	Other anæmias	M.	39	–	–	1	–	2	1	2	–	2	–	–	–	1	2	–	2	–	1	–	–	1	–	2	–	–	–	–	–
			F.	*63*	*1*	–	–	–	–	–	*1*	–	*3*	–	–	–	*1*	*1*	–	*1*	–	–	*1*	*3*	*1*	*2*	*2*	–	*2*	–	–	–
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders: all other endocrine, metabolic and blood diseases	M.	123	8	4	3	1	–	2	3	1	5	1	–	–	1	–	1	3	1	2	–	–	1	1	7	–	3	1	–	1
			F.	*187*	*5*	*6*	*5*	–	*2*	*2*	*1*	–	*16*	*2*	*1*	–	*1*	*2*	–	*3*	*1*	*2*	*3*	*1*	–	*3*	*5*	*2*	–	*2*	*1*	–
300-309	67	Psychoses	M.	66	6	2	1	–	–	–	1	–	10	2	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–	–	–
			F.	*139*	*14*	*4*	*2*	*2*	–	*2*	*2*	*1*	*6*	*3*	–	–	–	–	–	*1*	–	–	–	*1*	–	*3*	*7*	*1*	–	–	–	*1*
310-324, 326	68	Psychoneuroses and disorders of personality	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*8*	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*
325	69	Mental deficiency	M.	10	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
			F.	*9*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*2*	–	*1*	–

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(bb)	(cc)	(dd)	(ee)	(ff)	(gg)
		Vascular lesions affecting central nervous system (Total 330-334)	M.	4048	124	122	128	13	54	58	25	21	174	40	23	18	30	22	27	18	48	33	16	85	62	23	33	199	32	55	21	7	29
			F.	*5791*	*197*	*155*	*163*	*25*	*109*	*93*	*47*	*60*	*286*	*73*	*40*	*30*	*33*	*32*	*35*	*65*	*27*	*24*	*126*	*85*	*59*	*43*	*223*	*24*	*73*	*23*	*11*	*38*
330	70*a*	Subarachnoid hæmorrhage	M.	107	5	2	6	–	–	–	1	–	5	1	–	–	–	1	–	2	1	–	1	1	–	1	6	–	1	2	–	1
			F.	*160*	*10*	*3*	*8*	*1*	*1*	*1*	*2*	*6*	*1*	*–*	*–*	*1*	*3*	*1*	*–*	*1*	*1*	*–*	*2*	*3*	*2*	*2*	*8*	*2*	*1*	*–*	*–*	*2*
331	70*b*	Cerebral hæmorrhage	M.	1472	39	32	38	4	18	27	11	9	64	11	8	11	11	14	3	13	10	6	36	25	10	12	67	12	20	4	2	5
			F.	*2313*	*54*	*52*	*55*	*12*	*41*	*45*	*20*	*22*	*111*	*27*	*15*	*12*	*13*	*19*	*11*	*27*	*12*	*13*	*52*	*37*	*23*	*22*	*95*	*7*	*22*	*6*	*1*	*11*
332	70*c*	Cerebral embolism and thrombosis	M.	2013	66	80	62	7	30	27	7	11	92	27	13	7	9	10	15	33	16	9	37	27	11	17	96	17	31	11	5	22
			F.	*2774*	*107*	*94*	*86*	*10*	*59*	*42*	*23*	*32*	*154*	*42*	*21*	*17*	*17*	*7*	*21*	*35*	*13*	*9*	*65*	*37*	*28*	*17*	*93*	*14*	*41*	*16*	*9*	*25*
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	456	14	8	22	2	6	4	6	1	13	1	2	–	2	2	–	–	6	1	11	9	2	3	30	3	3	4	–	1
			F.	*544*	*26*	*6*	*14*	*2*	*8*	*5*	*3*	*4*	*15*	*3*	*4*	*1*	*2*	*3*	*2*	*3*	*1*	*1*	*7*	*8*	*6*	*2*	*27*	*1*	*9*	*1*	*1*	*–*
340	71	Non-meningococcal meningitis	M.	21	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*18*	*2*	*–*	*1*	*–*	*–*	*–*	*–*	*1*	*2*	*–*	*–*	*–*	*–*	*–*	*–*	*1*	*1*	*1*	*1*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*
345	72	Multiple sclerosis	M.	69	3	2	1	–	1	–	–	–	2	–	1	–	–	1	–	1	1	1	2	–	1	2	2	1	1	2	–	1
			F.	*90*	*2*	*4*	*–*	*–*	*1*	*1*	*–*	*–*	*4*	*1*	*–*	*–*	*2*	*–*	*2*	*–*	*–*	*–*	*5*	*1*	*2*	*–*	*3*	*–*	*–*	*–*	*–*	*2*
353	73	Epilepsy	M.	55	1	1	–	–	5	–	–	–	2	–	–	–	1	–	–	1	–	–	1	–	–	1	5	–	–	1	–	–
			F.	*39*	*2*	*–*	*–*	*–*	*1*	*1*	*–*	*–*	*1*	*–*	*–*	*–*	*–*	*1*	*–*	*–*	*1*	*–*	*1*	*–*	*–*	*–*	*2*	*–*	*–*	*–*	*–*	*1*
391-393	77	Otitis media and mastoiditis	M.	7	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	*2*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*
350	78*a*	Paralysis agitans	M.	71	1	2	1	–	3	2	–	–	2	–	1	1	1	1	–	–	–	1	2	1	–	–	5	–	–	–	–	–
			F.	*107*	*2*	*2*	*5*	*1*	*1*	*1*	*1*	*1*	*6*	*2*	*–*	*2*	*1*	*2*	*–*	*1*	*–*	*–*	*1*	*–*	*–*	*–*	*8*	*1*	*2*	*–*	*–*	*–*
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A76)	M.	155	3	4	9	2	3	4	–	2	6	3	1	–	3	2	–	2	1	–	3	1	–	-	3	1	1	1	–	–
			F.	*138*	*6*	*1*	*7*	*–*	*1*	*4*	*2*	*1*	*6*	*3*	*1*	*2*	*–*	*1*	*2*	*3*	*2*	*–*	*3*	*1*	*3*	*2*	*6*	*–*	*–*	*3*	*–*	*1*
400-402	79	Rheumatic fever	M.	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*6*	*1*	*1*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*
		Heart Disease (Total 410-443)	M.	11371	410	290	347	61	168	199	113	117	638	94	60	44	66	75	65	119	106	60	227	106	83	115	502	78	131	55	12	85
			F.	*10677*	*410*	*243*	*378*	*53*	*193*	*184*	*127*	*96*	*561*	*93*	*61*	*54*	*53*	*66*	*74*	*118*	*77*	*35*	*222*	*83*	*83*	*120*	*441*	*58*	*113*	*62*	*15*	*83*
410-416	80	Chronic rheumatic heart disease	M.	277	15	4	10	1	3	2	2	4	18	3	1	3	1	2	2	2	2	–	3	3	2	3	8	–	2	–	–	2
			F.	*531*	*14*	*4*	*25*	*3*	*5*	*3*	*8*	*3*	*28*	*5*	*2*	*–*	*3*	*1*	*2*	*7*	*3*	*2*	*10*	*2*	*4*	*9*	*11*	*–*	*3*	*3*	*1*	*2*
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	7314	309	193	233	46	108	111	75	67	374	67	31	21	23	40	46	81	75	48	146	72	53	76	330	51	86	39	7	45
			F.	*4628*	*242*	*125*	*168*	*25*	*96*	*56*	*59*	*39*	*210*	*36*	*25*	*23*	*12*	*19*	*47*	*43*	*36*	*15*	*100*	*47*	*31*	*44*	*204*	*29*	*53*	*41*	*9*	*32*
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	168	7	1	9	–	4	4	–	2	9	1	–	–	–	3	–	2	–	–	7	2	1	2	6	1	2	3	–	1
			F.	*168*	*5*	*4*	*16*	*–*	*2*	*1*	*–*	*1*	*10*	*1*	*1*	*1*	*1*	*–*	*1*	*–*	*1*	*–*	*1*	*7*	*–*	*3*	*–*	*7*	*1*	*3*	*1*	*–*	*3*
422.0	81*c*	Fatty degeneration of heart	M.	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	*18*	*–*	*1*	*6*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*–*
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	1736	31	52	46	4	21	26	14	20	127	8	16	6	16	16	4	13	13	7	38	10	5	21	69	22	17	7	1	20
			F.	*2562*	*79*	*69*	*77*	*6*	*46*	*52*	*21*	*32*	*159*	*24*	*22*	*4*	*17*	*25*	*12*	*29*	*16*	*5*	*51*	*10*	*7*	*38*	*106*	*23*	*22*	*10*	*4*	*19*
422.2	81*e*	Other myocardial degeneration	M.	1089	13	12	32	7	18	38	20	13	71	10	8	11	19	8	6	11	9	3	23	7	12	9	55	2	16	3	1	14
			F.	*1521*	*21*	*13*	*50*	*9*	*26*	*50*	*25*	*12*	*89*	*18*	*3*	*18*	*14*	*10*	*4*	*20*	*10*	*6*	*32*	*17*	*24*	*16*	*70*	*3*	*14*	*5*	*–*	*16*
430-432	82*a*	Acute non-rheumatic heart disease	M.	37	–	1	–	–	1	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	3	–	4	–	1	–	–	–
			F.	*39*	*1*	*1*	*2*	*–*	*–*	*1*	*–*	*–*	*2*	*–*	*1*	*–*	*2*	*–*	*–*	*2*	*–*	*–*	*–*	*–*	*4*	*2*	*–*	*–*	*–*	*–*	*–*	*–*
433, 434	82*b*	Other and unspecified diseases of heart	M.	327	10	7	5	2	6	9	1	6	15	–	1	–	3	2	2	5	4	–	5	3	2	1	14	1	5	1	2	1
			F.	*488*	*9*	*6*	*20*	*3*	*6*	*11*	*5*	*3*	*30*	*3*	*3*	*2*	*1*	*6*	*2*	*4*	*5*	*4*	*11*	*3*	*3*	*4*	*16*	*1*	*7*	*1*	*–*	*4*
440-443	83	Hypertensive heart disease	M.	418	25	20	11	1	7	9	1	5	23	5	3	3	2	4	5	4	3	2	5	9	5	3	15	1	2	2	1	2
			F.	*722*	*39*	*20*	*14*	*7*	*12*	*11*	*8*	*6*	*33*	*6*	*4*	*6*	*4*	*4*	*7*	*12*	*7*	*2*	*11*	*4*	*7*	*7*	*27*	*1*	*11*	*1*	*1*	*7*
444-447	84	Other hypertensive disease	M.	246	8	7	5	–	1	2	–	1	10	2	1	3	1	1	2	2	1	2	2	2	4	15	1	5	6	–	4
			F.	*301*	*13*	*10*	*5*	*–*	*1*	*5*	*3*	*1*	*13*	*3*	*3*	*2*	*1*	*2*	*2*	*4*	*2*	*1*	*3*	*3*	*1*	*3*	*18*	*–*	*5*	*–*	*–*	*3*
450	85*a*	General arteriosclerosis	M.	676	19	12	11	3	9	7	7	5	30	9	3	3	4	8	2	8	4	2	12	9	8	7	33	2	7	8	–	3
			F.	*823*	*27*	*29*	*13*	*2*	*10*	*16*	*4*	*7*	*40*	*9*	*6*	*2*	*6*	*13*	*5*	*16*	*3*	*3*	*27*	*19*	*7*	*9*	*40*	*2*	*11*	*12*	*–*	*2*
451-456	85*b*	Other diseases of arteries	M.	149	9	3	6	–	2	3	2	3	6	1	–	1	2	–	2	2	2	1	1	–	–	–	6	1	–	1	–	–
			F.	*126*	*3*	*3*	*2*	*–*	*5*	*–*	*–*	*2*	*2*	*1*	*2*	*–*	*–*	*1*	*–*	*–*	*3*	*2*	*5*	*2*	*1*	*3*	*7*	*–*	*2*	*1*	*–*	*–*
460-468	86	Other diseases of circulatory system	M.	93	5	4	3	1	–	3	1	–	4	–	1	–	2	–	–	1	–	–	2	1	–	1	1	3	–	1	–	2
			F.	*148*	*5*	*3*	*4*	*1*	*3*	*1*	*–*	*1*	*9*	*–*	*–*	*–*	*–*	*–*	*–*	*–*	*2*	*1*	*5*	*5*	*1*	*1*	*3*	*1*	*1*	*4*	*–*	*1*

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	P'rt Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
161	49	Larynx	M.	11	–	–	–	–	–	5	6	1	2	–	–	–	–	–	1	1	–	3	–	1	1	1	–	2	–	–	–	–
			F.	*4*	*1*	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	–	*1*	–	–	–	–
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	596	13	24	13	32	15	120	265	38	14	2	2	3	24	20	26	47	8	71	16	16	10	16	11	31	3	17	8	1
			F.	*123*	*1*	*4*	*1*	*3*	–	*20*	*46*	*3*	*4*	*1*	–	–	*4*	*8*	*2*	*9*	*2*	*11*	*2*	*2*	*2*	*1*	*1*	*3*	*2*	*3*	–	*1*
170	51	Breast	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*179*	*9*	*8*	*6*	*16*	*7*	*56*	*125*	*15*	*6*	–	*4*	*6*	*5*	*13*	*15*	*27*	*2*	*18*	*12*	*13*	*3*	*6*	*6*	*22*	*2*	*13*	*6*	*5*
171	52	Cervix uteri	F.	*53*	*2*	*2*	*2*	*3*	*1*	*13*	*30*	*4*	*3*	–	–	–	*2*	*4*	*3*	*6*	–	*7*	*2*	*3*	*1*	*2*	*2*	*5*	–	*4*	*1*	–
172-174	53	Other and unspecified parts of uterus	F.	*37*	–	*1*	*2*	*3*	–	*6*	*23*	*4*	*4*	–	–	*1*	–	–	*1*	*8*	–	*5*	*3*	*4*	–	–	*1*	*5*	*1*	*3*	*1*	*1*
177	54	Prostate	M.	66	2	2	2	5	2	30	44	5	4	–	2	–	2	14	4	4	3	6	4	7	7	5	4	6	1	8	3	1
190, 191	55	Skin	M.	12	–	–	1	3	–	5	3	–	–	–	1	1	–	1	1	1	–	2	–	–	–	–	1	2	1	–	–	–
			F.	*9*	–	*1*	–	–	–	*3*	*9*	*4*	*1*	–	–	*1*	–	*2*	*1*	*2*	–	*2*	*2*	*2*	–	*1*	*2*	*2*	–	*1*	–	–
196, 197	56	Bone and connective tissue	M.	14	1	1	1	1	1	4	4	2	1	–	–	–	–	1	2	–	–	2	1	–	–	–	2	3	–	–	–	–
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	F.	*4*	–	–	–	*1*	–	*3*	*5*	–	–	–	–	–	*1*	–	*1*	–	–	*2*	*1*	–	–	–	*1*	*1*	–	*1*	–	*1*
			M.	221	3	8	5	14	6	59	102	11	4	2	5	1	9	14	15	22	2	27	13	10	2	6	7	26	2	19	3	4
			F.	*225*	*5*	*8*	*9*	*6*	*5*	*60*	*114*	*24*	*10*	*3*	*2*	*4*	*14*	*25*	*15*	*15*	*3*	*39*	*20*	*10*	*8*	*11*	*6*	*16*	*2*	*13*	*4*	*3*
204	58	Leukæmia and aleukæmia	M.	26	–	1	3	2	1	10	10	2	–	–	–	–	–	5	3	4	–	7	5	1	–	3	1	2	1	4	–	–
			F.	*17*	–	–	*1*	*2*	–	*1*	*18*	*4*	–	*1*	–	–	*1*	*2*	–	*3*	–	*3*	*4*	*2*	–	*1*	*1*	–	–	*3*	–	–
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	43	–	1	1	3	2	13	25	4	3	–	2	1	2	4	4	5	–	2	2	3	3	–	–	4	1	7	–	–
			F.	*33*	*2*	*2*	*4*	*1*	–	*8*	*20*	*5*	*1*	*1*	*1*	*1*	*2*	*5*	*3*	*3*	*1*	*5*	–	*2*	–	–	–	*7*	–	*4*	*1*	*2*
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	16	–	–	1	1	–	3	5	3	1	–	–	1	–	1	–	1	–	–	–	1	–	1	–	1	–	2	–	1
			F.	*18*	–	–	–	*3*	–	*3*	*9*	*1*	*1*	–	–	–	*1*	*1*	*1*	*2*	–	*3*	*1*	*1*	–	–	–	*2*	–	–	–	–
250, 251	61	Non-toxic goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre	M.	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
			F.	*2*	–	*1*	–	*1*	–	*1*	*2*	–	*1*	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–
260	63	Diabetes mellitus	M.	31	2	2	–	3	1	16	16	3	1	–	1	1	2	2	1	3	–	6	1	1	–	2	–	2	1	2	3	1
			F.	*91*	–	*3*	*5*	*3*	*5*	*38*	*30*	*5*	*3*	*2*	–	–	*7*	*6*	*7*	*4*	–	*16*	*4*	*1*	*1*	*3*	*1*	*13*	*2*	*7*	*2*	–
280-286	64	Avitaminosis and other deficiency states	M.	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*10*	–	–	–	–	–	*1*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	M.	11	4	–	–	–	–	1	1	1	–	–	–	–	1	1	1	–	–	–	1	2	–	–	–	2	–	1	1	–
			F.	*15*	*1*	*2*	–	*3*	*1*	*11*	*6*	*5*	–	–	*1*	–	*2*	*1*	*1*	–	*1*	*3*	*1*	*3*	*1*	*2*	–	*5*	–	*1*	–	*1*
291-293	65*b*	Other anæmias	M.	6	–	–	–	–	–	3	3	2	–	–	1	–	–	–	1	1	–	1	–	–	–	2	–	2	–	–	–	–
			F.	*20*	–	–	–	–	–	*9*	*8*	*1*	*1*	–	–	–	*1*	–	–	*1*	–	*2*	–	–	–	–	–	*1*	–	–	–	–
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders: all other endocrine, metabolic and blood diseases	M.	19	–	3	–	4	–	3	14	1	2	–	–	1	–	5	1	3	–	3	2	1	–	2	1	3	1	1	1	2
			F.	*42*	*2*	*2*	*1*	–	*2*	*12*	*20*	*2*	–	–	*1*	–	*3*	*7*	*4*	*2*	–	*4*	*4*	*1*	–	*2*	–	*4*	*1*	*2*	–	*3*
300-309	67	Psychoses	M.	25	–	–	1	–	1	1	4	–	1	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1
			F.	*57*	–	*1*	–	*1*	–	*1*	*17*	–	*1*	–	–	–	–	*1*	–	*1*	–	*4*	–	*1*	*2*	–	–	–	–	*1*	–	*1*
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	*1*	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–
325	69	Mental deficiency	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1
			F.	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

| | | |

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
470-475	87	Acute upper respiratory infections	M.	12	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*5*	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	88	Influenza	M.	171	4	4	7	–	4	2	1	3	10	3	–	–	3	3	–	–	2	1	3	4	1	–	9	2	4	2	1	–
			F.	*194*	*5*	*6*	*3*	–	–	*4*	*1*	*2*	*13*	–	*2*	*1*	*3*	*3*	–	*4*	*1*	–	*4*	–	*3*	–	*16*	–	*2*	*1*	–	*2*
		Pneumonia (Total 490-493)	M.	1207	36	21	48	3	26	18	8	10	37	10	5	4	3	9	6	16	14	13	29	23	9	11	33	1	9	2	–	11
			F.	*1266*	*35*	*24*	*60*	*10*	*18*	*14*	*3*	*4*	*25*	*13*	*4*	*3*	*3*	*7*	*6*	*27*	*10*	*6*	*32*	*10*	*8*	*11*	*47*	*4*	*5*	*9*	*3*	*6*
490	89	Lobar pneumonia	M.	185	–	4	7	1	5	4	2	2	6	–	–	–	1	1	–	2	3	1	6	1	1	–	–	1	2	–	–	5
			F.	*176*	*4*	*1*	*6*	*4*	*4*	*3*	–	*1*	*3*	*1*	–	*1*	*1*	–	–	*2*	–	*1*	*3*	–	*3*	*1*	*10*	*1*	*1*	*1*	–	*1*
491	90	Bronchopneumonia	M.	914	31	15	38	2	20	9	5	7	20	10	4	4	1	7	5	14	10	12	21	21	6	11	29	–	5	2	–	4
			F.	*972*	*30*	*23*	*51*	*6*	*14*	*6*	*3*	*2*	*15*	*12*	*4*	*1*	*2*	*6*	*6*	*22*	*10*	*5*	*23*	*8*	*4*	*8*	*33*	*3*	*4*	*8*	*1*	*3*
492, 493	91	Primary, atypical, other and unspecified pneumonia	M.	108	5	2	3	–	1	5	1	1	11	–	1	–	–	1	–	–	1	–	2	1	2	4	–	4	–	–	–	2
			F.	*118*	*1*	–	*3*	–	–	*5*	–	*1*	*7*	–	–	*1*	–	*1*	–	*3*	–	–	*6*	*2*	*1*	*2*	*4*	–	*1*	–	–	*2*
		Bronchitis (Total 500-502)	M.	1789	46	22	57	3	18	11	18	12	73	9	4	3	6	9	7	16	10	16	29	8	12	10	64	5	4	7	1	8
			F.	*727*	*18*	*11*	*15*	*9*	*10*	*12*	*7*	*14*	*24*	*7*	*2*	*3*	–	*6*	*5*	*7*	*7*	*6*	*10*	*3*	*6*	*8*	*22*	*2*	*4*	*3*	*1*	*1*
500	92	Acute bronchitis	M.	105	1	–	1	–	1	2	–	2	6	–	–	–	1	1	–	–	–	1	2	3	1	–	5	1	–	–	–	–
			F.	*124*	*3*	*2*	–	*2*	*3*	*6*	–	*1*	*4*	*2*	–	*1*	–	*1*	–	*2*	–	–	*3*	–	*1*	*1*	*1*	–	–	–	–	–
501*b*, 502*b*	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	1092	16	12	35	3	8	5	14	8	50	5	3	3	4	5	3	12	7	10	18	2	7	7	42	4	3	6	1	4
			F.	*416*	*8*	*6*	*9*	*4*	*5*	*5*	*4*	*10*	*16*	*3*	*1*	*2*	–	*4*	*4*	*4*	*7*	*4*	*6*	*1*	*3*	*4*	*12*	*1*	*2*	*2*	–	*4*
501*a*, 502*a*	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	592	29	10	21	–	9	4	4	2	17	4	1	–	–	1	3	4	4	5	9	3	4	3	17	–	1	1	–	–
			F.	*187*	*7*	*3*	*6*	*3*	*2*	*1*	*3*	*3*	*4*	*2*	*1*	–	–	*1*	*1*	*1*	–	*1*	*1*	*2*	*2*	*3*	*9*	–	*2*	*1*	–	*1*
510	94	Hypertrophy of tonsils and adenoids	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	M.	17	1	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	7	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–
519	96	Pleurisy	M.	6	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*6*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–
523, 524	97*a*	Pneumoconiosis	M.	245	2	1	–	–	–	–	–	–	20	–	–	–	–	2	1	2	–	1	1	8	1	3	29	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
511-517, 520, 522, 525-527 530-535	97*b*	All other respiratory diseases	M.	182	11	3	4	2	1	4	1	1	4	–	1	–	2	2	2	1	1	2	6	6	–	2	9	1	3	1	–	1
			F.	*126*	*2*	*2*	*3*	*1*	*1*	*1*	–	*2*	*5*	*1*	–	*2*	*1*	*1*	–	*1*	–	–	*2*	*3*	*3*	*2*	*5*	–	–	–	–	–
	98	Diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	M.	153	7	5	6	–	3	2	1	2	4	–	1	–	1	1	–	4	1	1	5	2	2	1	7	1	3	–	1	–
			F.	*87*	*3*	*3*	*4*	–	*1*	*1*	*3*	–	*5*	–	–	–	–	–	–	–	*1*	*1*	*3*	–	–	*1*	*6*	*1*	*1*	–	–	–
541	100	Ulcer of duodenum	M.	248	7	6	8	1	4	3	2	2	15	3	5	1	2	3	1	–	1	–	6	2	4	–	4	3	7	–	2	2
			F.	*67*	*3*	*5*	*5*	–	–	–	*1*	*1*	*3*	–	–	–	–	–	*3*	–	*3*	–	–	*1*	–	–	*2*	–	*1*	–	*1*	*1*
543	101	Gastritis and duodenitis	M.	4	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	*12*	–	*1*	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	102	Appendicitis	M.	50	3	3	2	–	1	2	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–	1	–	1
			F.	*37*	*3*	–	*2*	–	*1*	–	–	–	*1*	*1*	–	–	*1*	–	–	*1*	–	–	–	–	–	–	*4*	–	–	–	–	–
560, 561, 570	103	Intestinal obstruction and hernia	M.	203	6	5	8	1	7	–	1	4	9	–	2	2	1	2	2	2	1	–	5	1	2	2	8	1	1	1	–	1
			F.	*185*	*6*	*1*	*8*	–	*5*	*2*	–	*3*	*7*	*1*	–	*2*	*2*	*1*	*2*	*1*	*3*	*1*	*4*	*4*	*2*	–	*15*	*1*	*5*	*1*	–	*2*

571.1	104*b*	Gastro-enteritis, ages 2 years and over	F.	36	2	–	2	–	1	–	–	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1
572	104*c*	Chronic enteritis and ulcerative colitis	M.	65	2	1	1	–	1	1	1	1	4	–	–	–	–	–	1	1	1	–	–	–	–	2	5	1	1	1	–	–	–	–	–	–	–	–
			F.	76	6	–	1	2	–	–	–	1	3	–	2	–	–	–	1	–	–	–	1	1	1	1	1	2	1	–	–	–	–	–	–	1	–	1
581	105	Cirrhosis of liver	M.	134	4	3	3	1	–	2	1	–	2	3	1	–	–	–	–	1	2	1	4	5	1	–	8	–	–	1	–	1	–	–	–	–	–	–
			F.	100	3	1	4	–	–	1	1	–	6	1	–	–	1	1	1	1	3	–	1	–	1	3	4	2	1	–	–	–	–	–	–	–	–	1
584, 585	106	Cholelithiasis and cholecystitis	M.	51	2	5	1	–	2	1	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	1
			F.	140	5	6	6	–	1	3	2	2	3	–	–	1	–	–	1	2	2	–	2	1	1	1	4	1	2	–	–	1	–	–	–	–	–	1
580, 582, 583, 586	107*a*	Other diseases of liver	M.	14	1	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	41	–	2	2	–	2	1	–	–	4	1	–	1	–	–	–	1	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	108	5	4	6	–	2	1	1	–	9	1	–	–	–	–	–	2	–	–	1	–	2	2	5	1	2	–	–	2	–	–	–	–	–	2
			F.	102	7	1	8	1	2	2	–	–	6	1	1	–	1	–	–	–	1	1	5	–	2	–	4	1	–	–	–	–	–	–	–	–	–	–
590	108	Acute nephritis	M.	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	13	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
591-594	109	Chronic, other and unspecified nephritis	M.	155	5	4	7	–	1	3	2	1	8	4	1	3	2	2	–	–	1	–	1	1	1	2	10	1	–	1	1	1	–	–	–	–	–	–
			F.	160	8	6	3	–	2	1	1	–	13	1	–	3	2	2	–	4	1	1	4	1	1	2	6	2	5	–	2	–	–	–	–	–	–	–
600	110	Infections of kidney	M.	118	5	6	9	3	2	1	2	1	2	–	3	–	1	–	2	1	–	1	2	–	1	1	5	–	–	1	–	1	–	–	–	–	–	–
			F.	206	6	5	13	1	–	3	3	1	3	1	2	–	–	2	–	4	2	–	2	–	2	2	9	–	–	1	1	1	–	–	–	–	–	–
602, 604	111	Calculi of urinary system	M.	19	1	–	2	–	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	112	Hyperplasia of prostate	M.	366	16	20	14	2	4	4	1	–	14	6	4	2	2	4	1	3	5	3	5	3	1	3	18	2	6	5	–	3	–	–	–	–	–	–
620, 621	113	Diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	M.	17	–	1	–	–	1	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	14	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	45	3	1	2	–	–	1	–	–	2	–	–	–	3	1	–	–	–	–	1	–	2	1	2	–	–	–	–	1	–	–	–	–	–	–
			F.	41	–	–	2	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	3	–	–	2	–	1	–	1	–	–	–	–	–	–	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	12	–	1	–	–	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
642, 652 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	F.	6	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	F.	3	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	8	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-698	121	Infections of skin and subcutaneous tissue	M.	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
720-725	122	Arthritis and spondylitis	M.	51	2	–	2	–	–	–	–	1	3	–	2	–	–	–	–	1	2	–	2	–	1	–	3	1	1	1	–	–	–	–	–	–	–	–
			F.	149	6	3	6	–	2	5	1	–	1	2	4	1	2	–	–	3	2	1	2	1	1	3	6	–	4	2	2	–	–	–	–	–	–	–
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
730	124	Osteomyelitis and periostitis	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculo-skeletal deformities	M.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculo-skeletal system	M.	45	3	2	1	–	2	1	1	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
			F.	39	–	1	3	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow B	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
470-475	87	Acute upper respiratory infections	M.	1	–	1	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–
			F.	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–
480-483	88	Influenza	M.	32	2	1	1	1	–	14	13	5	–	–	3	1	–	–	1	–	1	6	–	2	–	1	5	4	1	1	2	2
			F.	*43*	*1*	*1*	–	*1*	*2*	*14*	*16*	*5*	*1*	*1*	–	–	–	*2*	*5*	*1*	*1*	*7*	*3*	–	*1*	*3*	*2*	*3*	–	–	–	*5*
		Pneumonia (Total 490-493)	M.	319	2	16	8	23	7	75	124	21	14	1	2	3	13	14	19	27	4	22	9	2	6	10	4	22	3	20	2	2
			F.	*326*	*11*	*10*	*9*	*16*	*8*	*76*	*163*	*21*	*3*	*3*	*9*	*4*	*8*	*21*	*12*	*16*	*2*	*32*	*11*	*12*	*6*	*7*	*3*	*28*	*2*	*27*	*5*	*8*
490	89	Lobar pneumonia	M.	54	–	2	–	1	1	15	16	4	2	–	–	–	1	5	7	4	1	5	1	1	1	2	1	2	–	3	–	1
			F.	*51*	*1*	*1*	*1*	*1*	*1*	*9*	*21*	*1*	*1*	*1*	*1*	–	*2*	–	*6*	*3*		*6*	–	*2*	*2*	–	*1*	*4*	*2*	*4*	–	–
491	90	Bronchopneumonia	M.	241	2	11	8	20	6	58	101	17	11	–	2	3	11	8	7	18	3	14	7	1	5	7	3	18	3	13	2	1
			F.	*251*	*8*	*7*	*8*	*13*	*6*	*63*	*124*	*19*	*1*	*2*	*8*	*4*	*5*	*20*	*4*	*11*	–	*23*	*8*	*7*	*4*	*7*	*2*	*21*	–	*22*	*4*	*7*
492, 493	91	Primary, atypical, other and unspecified pneumonia	M.	24	–	3	–	2	–	2	7	–	1	1	–	–	1	1	5	5	–	3	1	–	–	1	–	2	–	4	–	–
			F.	*24*	*2*	*2*	–	*2*	*1*	*4*	*18*	*1*	*1*	–	–	–	*1*	*1*	*2*	*2*	*2*	*3*	*3*	*3*	–	–	–	*3*	–	*1*	*1*	*1*
		Bronchitis (Total 500-502)	M.	540	12	22	17	33	21	134	177	35	8	1	1	–	16	15	32	43	10	40	12	9	6	25	12	37	3	32	3	5
			F.	*222*	–	*5*	*7*	*9*	*1*	*44*	*85*	*13*	*5*	–	*6*	*1*	*6*	*6*	*14*	*11*	*1*	*18*	*3*	*6*	*2*	*4*	*5*	*19*	–	*8*	*3*	–
500	92	Acute bronchitis	M.	24	2	1	1	1	1	12	12	4	3	–	–	–	1	2	2	–	1	1	–	–	–	1	2	2	–	4	–	–
			F.	*29*	–	*1*	*1*	–	–	*6*	*23*	*5*	–	–	*1*	*1*	*2*	*2*	–	*2*		*5*	–	*2*	–	*1*	*1*	*5*	–	*2*	–	–
501*b*, 502*b*	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	352	9	16	10	15	11	79	103	16	1	–	1	–	7	6	18	20	4	22	10	8	6	20	7	26	2	19	3	4
			F.	*141*	–	*2*	*4*	*5*	*1*	*25*	*38*	*7*	*4*	–	*3*	–	*4*	*4*	*9*	*5*	*1*	*6*	*1*	*3*	*2*	*2*	*3*	*11*	–	*4*	*3*	–
501*a*, 502*a*	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	164	1	5	6	17	9	43	62	15	4	1	–	–	8	7	12	23	5	17	2	1	–	4	3	9	1	9	–	1
			F.	*52*	–	*2*	*2*	*4*	–	*13*	*24*	*1*	*1*	–	*2*	–	–	–	*5*	*4*	–	*7*	*2*	*1*	–	*1*	*1*	*3*	–	*2*	–	–
510	94	Hypertrophy of tonsils and adenoids	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	M.	4	–	1	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
519	96	Pleurisy	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–
523, 524	97*a*	Pneumoconiosis	M.	6	7	3	4	12	–	99	2	9	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	20	–	8	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	36	2	2	1	–	1	6	18	3	2	–	1	–	1	2	2	5	1	5	1	2	1	–	2	13	1	–	2	1
			F.	*30*	–	*1*	–	*2*	–	*7*	*17*	*2*	*1*	–	–	*1*	*3*	*4*	*1*	*1*	*1*	*4*	–	*4*	–	*1*	*1*	*3*	–	*3*	*1*	–
530-535	98	Diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	M.	30	2	3	1	1	–	8	13	2	2	–	–	–	–	4	1	2	–	3	1	2	1	1	2	8	1	2	1	1
			F.	*17*	*1*	*1*	–	–	–	*2*	*10*	*4*	*1*	–	–	–	–	*3*	*1*	*3*	–	*4*	*2*	–	–	*1*	–	*1*	–	*1*	*1*	–
541	100	Ulcer of duodenum	M.	42	1	1	1	2	1	19	19	8	3	1	1	1	2	5	1	5	1	11	2	2	2	1	2	8	1	8	1	2
			F.	*9*	–	–	*1*	*2*	–	*4*	*5*	–	–	–	–	–	*1*	*3*	*1*	–	–	*3*	*1*	*1*	*1*	*1*	–	*2*	–	–	–	*2*
543	101	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	*1*	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–
550-553	102	Appendicitis	M.	5	1	–	–	2	–	5	6	1	–	–	–	–	1	3	–	–	2	1	–	–	–	1	–	3	–	2	–	–
			F.	*7*	–	–	–	–	*1*	*1*	*3*	–	–	–	–	–	–	–	–	*1*	–	*3*	*2*	*1*	*1*	–	–	–	–	–	*2*	–
560, 561, 570	103	Intestinal obstruction and hernia	M.	48	–	2	1	3	1	12	17	–	3	–	–	1	2	5	2	1	–	4	6	–	3	2	3	8	–	4	–	–
			F.	*32*	*2*	*1*	*1*	*3*	–	*10*	*17*	*1*	*1*	–	*1*	*1*	–	*6*	*4*	*4*	–	*6*	*4*	*1*	*2*	*1*	*1*	*5*	–	*2*	*2*	–
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	10	–	–	–	–	–	4	–	–	–	1	–	–	–	1	–	1	–	1	–	–	1	–	–	1	–	–	–	–
			F.	*12*	–	–	–	*1*	–	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

		Gastro-enteritis, ages 2 years and over	F.	8	–	–	1	2	–	3	4	2	1	–	–	–	–	1	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
572	104*c*	Chronic enteritis and ulcerative colitis	M.	12	1	1	–	1	–	5	6	–	–	–	–	1	–	1	–	–	–	3	3	2	–	–	–	1	–	2	–	1	–	–	–	–	–
			F.	11	1	–	–	3	1	2	14	1	1	–	–	1	1	3	2	1	–	–	2	1	–	1	–	3	–	1	1	–	–	–	–	–	–	–
581	105	Cirrhosis of liver	M.	34	–	1	1	3	–	6	15	1	–	–	–	2	3	1	2	1	–	8	5	2	–	1	1	3	–	–	–	–	–	–	–	–	–
			F.	31	–	2	–	1	–	6	6	–	–	–	–	–	–	4	1	3	–	2	4	2	–	–	1	1	–	–	–	–	–	–	–	–	–
584, 585	106	Cholelithiasis and cholecystitis	M.	6	1	–	–	2	–	3	3	–	1	–	–	–	–	2	1	–	1	3	2	–	1	–	1	1	–	1	–	1	–	–	–	–	–
			F.	30	–	2	3	2	4	12	13	2	–	–	–	1	4	2	–	5	–	3	2	–	–	–	2	4	1	1	–	–	–	–	–	–	–
580, 582, 583, 586	107*a*	Other diseases of liver	M.	2	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
			F.	6	–	1	–	1	–	4	5	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	21	–	–	–	–	1	5	11	1	3	–	1	1	–	3	2	1	–	–	2	3	2	–	1	1	–	3	–	–	–	–	–	–	–
			F.	16	2	1	–	–	1	7	8	4	–	1	1	1	1	1	1	–	–	2	4	1	–	1	1	2	–	1	1	–	–	–	–	–	–	–
590	108	Acute nephritis	M.	5	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
591-594	109	Chronic, other and unspecified nephritis	M.	30	2	2	–	4	–	7	14	3	3	–	1	1	–	2	5	2	–	2	4	1	–	1	–	3	–	2	3	–	–	–	–	–	–
			F.	20	1	1	–	1	1	13	10	1	1	–	2	1	1	3	4	3	1	2	2	3	2	1	2	7	1	2	2	1	–	–	–	–	–
600	110	Infections of kidney	M.	20	–	1	2	–	–	9	13	2	1	–	–	2	–	1	2	1	6	1	1	–	–	–	1	–	2	3	–	–	–	–	–	–	–
			F.	46	2	1	2	3	1	11	22	7	2	–	–	2	5	3	6	1	8	5	1	3	2	1	3	–	3	–	2	–	–	–	–	–	–
602, 604	111	Calculi of urinary system	M.	3	–	1	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
610	112	Hyperplasia of prostate	M.	49	3	6	3	3	4	14	30	10	4	–	2	1	3	10	5	9	2	14	5	4	5	3	3	11	2	5	4	1	–	–	–	–	–
620, 621	113	Diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	M.	4	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
			F.	4	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	7	–	–	–	–	–	1	4	1	–	–	–	–	1	1	–	1	–	2	1	–	–	1	2	3	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	1	4	2	–	–	–	–	–	1	1	1	1	–	1	1	2	–	–	3	–	1	–	–	–	–	–	–	–	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	F.	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
690-698	121	Infections of skin and subcutaneous tissue	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
720-725	122	Arthritis and spondylitis	M.	9	–	–	2	–	–	4	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	4	–	–	2	–	–	–	–	–	–	–
			F.	32	–	1	2	1	–	12	8	6	3	1	–	2	1	2	2	1	–	–	1	2	–	1	1	6	1	–	1	2	–	–	–	–	–	–
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
730	124	Osteomyelitis and periostitis	M.	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculo-skeletal deformities	M.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculo-skeletal system	M.	9	–	1	–	3	–	2	3	2	–	–	2	–	–	1	–	1	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
			F.	7	–	–	–	1	–	3	2	1	–	–	–	–	2	2	1	1	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dumb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	1262	30	20	45	1	15	8	9	12	78	11	5	3	3	7	4	9	13	5	24	9	7	9	54	3	9	–	3	4
			F.	*885*	*21*	*25*	*28*	*2*	*6*	*5*	*4*	*14*	*51*	*9*	–	*4*	*2*	*6*	*3*	–	*11*	*6*	*17*	*8*	*9*	*8*	*31*	*3*	*5*	*4*	*3*	*2*
751	127	Spina bifida and meningocele	M.	75	1	1	3	–	–	2	–	1	6	–	1	1	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–
			F.	*68*	*4*	–	*2*	–	*1*	–	–	*1*	*4*	*1*	–	–	*1*	*1*	–	*1*	–	–	*1*	–	–	–	*2*	*1*	–	–	–	–
754	128	Congenital malformations of circulatory system	M.	131	2	1	7	–	–	–	1	1	7	1	1	–	–	–	–	1	2	–	6	3	1	1	3	–	1	–	–	–
			F.	*129*	*3*	*6*	*2*	–	–	*3*	–	*3*	*6*	–	–	–	–	–	*1*	2	–	–	5	*1*	*2*	*1*	*4*	*1*	*2*	–	–	–
750, 752, 753, 755-759	129	All other congenital malformations	M.	205	6	5	12	–	4	1	1	2	9	3	1	–	–	1	–	3	1	1	1	1	1	1	10	1	3	–	–	2
			F.	*147*	*2*	*4*	*6*	–	*2*	–	*1*	*2*	*9*	*1*	–	–	–	–	–	–	*3*	–	–	*4*	*3*	*2*	*8*	–	*2*	–	–	*2*
760, 761	130	Birth injuries	M.	139	–	7	9	–	4	2	–	1	6	1	1	1	–	1	1	–	–	–	3	1	1	2	7	–	–	–	–	–
			F.	*92*	*1*	*6*	*6*	*1*	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*3*	–	–	*1*	*1*	–
762	131	Postnatal asphyxia and atelectasis	M.	348	11	4	8	–	4	–	4	3	16	2	–	–	–	1	3	5	6	2	8	–	2	2	13	2	4	–	–	2
			F.	*188*	*6*	*5*	*3*	–	*2*	–	*1*	*4*	*8*	*5*	–	*1*	*1*	*3*	*2*	*2*	*3*	*2*	*5*	–	*3*	*1*	*5*	*1*	–	*1*	–	–
763	132*a*	Pneumonia of newborn	M.	44	1	–	1	1	1	–	–	–	7	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	1	–	–	–
			F.	*38*	*2*	*1*	*3*	*1*	–	–	–	–	*3*	*2*	–	*1*	–	–	–	*2*	–	*1*	*1*	–	–	–	–	–	–	–	–	–
764	132*b*	Diarrhœa of newborn	M.	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	132*c*	Other infections of newborn	M.	12	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	*7*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
770	133	Hæmolytic disease of newborn	M.	28	–	1	2	–	–	–	–	–	5	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	*23*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–
769, 771, 772	134	All other defined diseases of early infancy	M.	27	1	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1
			F.	*21*	–	*1*	*2*	–	–	–	–	*1*	*1*	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	247	7	–	2	–	2	2	2	4	22	3	1	1	1	3	–	–	3	2	3	4	1	2	18	–	–	3	1	1
			F.	*169*	*2*	*2*	*3*	–	*1*	*2*	*2*	*3*	*17*	–	–	*1*	–	–	–	–	*1*	*3*	–	*2*	*1*	*4*	*8*	–	*1*	*2*	*1*	–
794	136	Senility without mention of psychosis	M.	125	–	–	2	–	3	3	1	2	5	–	1	1	2	1	–	–	–	–	5	–	2	–	3	2	17	–	–	3
			F.	*256*	–	*7*	*3*	*1*	*10*	*7*	–	*3*	*12*	*6*	*6*	*3*	*4*	*2*	–	*1*	*4*	*4*	*7*	*3*	*1*	–	*10*	–	*16*	*1*	–	–
780-793, 795	137	Ill-defined and unknown causes	M.	164	1	–	–	1	–	8	2	4	7	–	–	7	3	1	–	1	–	–	1	1	–	–	6	1	8	1	–	–
			F.	*102*	*1*	*5*	–	–	–	*2*	–	*1*	*5*	*2*	–	*5*	–	–	–	–	*3*	–	*3*	*1*	*2*	–	*3*	–	*2*	–	–	–
		Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	M.	1735	58	40	53	19	22	22	12	14	69	19	9	4	15	19	6	24	8	11	35	21	15	14	65	6	36	8	–	4
			F.	*1176*	*49*	*28*	*61*	*5*	*23*	*24*	*9*	*10*	*35*	*12*	*6*	*6*	*11*	*11*	*3*	*15*	*6*	*2*	*24*	*11*	*8*	*18*	*43*	*6*	*12*	*8*	–	*6*
E810-E835	138	Motor vehicle accidents	M.	516	12	17	9	4	9	4	3	6	28	7	3	1	4	–	3	15	2	3	12	6	6	2	19	3	11	3	1	2
			F.	*197*	*7*	*4*	*6*	–	*2*	–	*1*	*3*	*6*	*2*	*3*	*1*	*3*	–	–	*4*	*2*	*1*	*3*	*4*	–	*3*	*4*	*2*	*2*	*1*	–	–
E840-E845	139*a*	Other road vehicle accidents	M.	5	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	M.	60	2	2	2	–	–	1	–	–	2	1	–	–	1	–	–	1	–	1	1	–	–	2	–	5	1	–	–	–
			F.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E895	140	Accidental poisoning	M.	170	9	1	8	7	5	–	2	–	2	–	–	–	–	2	–	2	–	3	3	–	–	2	4	–	1	–	–	–
			F.	*164*	*10*	*2*	*16*	*2*	*4*	*1*	*1*	*1*	*3*	*1*	–	*1*	–	*1*	–	–	–	*1*	*3*	–	*2*	*2*	*3*	–	–	–	–	–
E900-E904	141	Accidental falls	M.	276	11	7	12	2	2	4	2	–	5	4	1	2	3	5	1	2	–	2	4	7	3	2	15	–	4	1	2	2
			F.	*481*	*15*	*16*	*24*	*1*	*14*	*15*	*4*	*3*	*15*	*3*	*2*	*4*	*5*	*5*	*2*	*5*	–	–	*9*	*5*	*2*	*6*	*23*	*3*	*9*	*4*	–	*3*
E912	142	Accident caused by machinery	M.	15	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	143	Accident caused by fire and explosion of combustible material	M.	42	1	–	2	1	–	–	1	–	5	1	1	–	–	–	–	–	1	–	1	–	–	–	2	–	–	1	–	1
			F.	*58*	*2*	–	–	–	–	*4*	*1*	*1*	*4*	–	–	–	–	–	–	*1*	*1*	–	–	–	*1*	–	*2*	–	1	–	*1*	–	–
E917, E918	144	Accident caused by hot substance, cor-	M.	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

E919	145	Accident caused by firearm . .	M.	14	1	–	–	–	2	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	146	Accidental drowning and submersion .	M.	135	3	5	4	–	–	5	3	–	9	1	2	1	3	1	–	1	–	–	3	1	5	1	1	1	6	–	–	–
			F.	*23*	*2*	*1*	*1*	–	–	*4*	*1*	–	–	*2*	–	–	–	–	–	*1*	–	–	*1*	–	–	–	*1*	–	–	–	–	–
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation .	M.	91	5	–	2	3	–	1	–	–	4	3	1	–	1	3	1	1	3	1	3	–	–	–	1	1	–	–	–	–
			F.	*63*	*3*	*1*	*3*	–	*1*	–	–	*1*	*2*	*1*	–	–	*2*	–	–	*2*	–	–	*1*	*1*	*1*	*2*	*6*	–	–	–	–	–
E910, E911 E913-E915, E920, E923, E926-E928, E930-E962	147*b*	All other accidental causes . .	M.	131	2	2	–	1	1	2	–	–	6	–	–	–	–	3	–	1	–	1	–	4	–	2	13	–	6	–	–	–
			F.	*13*	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–
E963, E970-E979	148	Suicide and self-inflicted injury .	M.	258	11	5	12	1	3	4	2	5	6	1	1	–	2	4	1	–	2	–	8	2	1	2	7	1	1	2	–	1
			F.	*151*	*9*	*4*	*11*	*2*	*2*	–	–	*1*	*4*	*2*	*1*	–	*1*	*4*	–	*2*	*3*	–	*6*	*1*	*2*	*5*	*4*	*1*	–	*1*	–	–
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war) .	M.	15	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
			F.	*8*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
E965, E990-E999	150	Injury resulting from operations of war	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 51. Causes of Death by sex in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	P'rt Glasgow B.	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	322	12	25	10	23	7	92	107	26	11	1	1	4	7	11	25	24	4	42	12	10	3	10	6	33	3	26	3	2
			F.	*250*	*6*	*7*	*7*	*12*	*5*	*75*	*61*	*16*	*5*	*1*	*2*	*1*	*2*	*7*	*15*	*20*	*10*	*26*	*7*	*7*	*2*	*7*	*3*	*22*	*2*	*13*	*1*	–
751	127	Spina bifida and meningocele	M.	19	3	3	–	–	1	5	11	1	1	–	–	–	–	–	3	1	–	1	–	–	–	1	–	3	–	2	–	–
			F.	*16*	–	–	–	*1*	–	*7*	*5*	*1*	–	–	–	–	–	*2*	*3*	–	*3*	*1*	*2*	–	*1*	–	*4*	–	–	–	–	–
754	128	Congenital malformations of circulatory system	M.	31	2	3	–	2	2	7	12	2	–	–	–	–	–	2	4	–	9	1	2	–	3	–	4	1	6	–	1
			F.	*41*	–	*1*	*1*	*2*	–	*6*	*9*	*4*	–	–	–	–	–	*2*	*3*	*1*	*7*	–	*1*	–	*2*	–	*3*	*1*	*3*	–	–
750, 752, 753, 755-759	129	All other congenital malformations	M.	50	2	3	1	4	1	11	18	9	2	1	1	–	1	1	3	1	–	10	4	3	–	1	2	5	–	3	–	–
			F.	*35*	*1*	*1*	*2*	*1*	*1*	*5*	*12*	*4*	*1*	*1*	*1*	–	–	*1*	*1*	*3*	*2*	*3*	–	*2*	*1*	*3*	*1*	*7*	–	*4*	*1*	–
760, 761	130	Birth injuries	M.	35	–	4	–	1	1	6	9	2	1	–	–	2	2	3	3	3	1	8	–	1	–	1	–	6	1	1	–	–
			F.	*37*	–	–	*1*	*2*	*3*	*5*	*1*	–	*1*	–	*1*	–	–	*1*	*4*	*3*	*3*	*4*	*1*	–	–	–	*1*	–	–	*1*	–	–
762	131	Postnatal asphyxia and atelectasis	M.	108	1	7	4	6	2	32	21	2	5	–	–	1	1	3	6	8	2	5	4	–	–	3	3	10	1	9	1	–
			F.	*56*	*4*	–	*1*	*2*	*1*	*27*	*7*	*3*	–	–	–	–	*1*	–	*1*	*3*	*2*	*3*	*3*	*1*	–	*1*	*1*	*5*	*1*	*1*	–	–
763	132*a*	Pneumonia of newborn	M.	9	–	1	3	1	–	4	3	–	–	–	–	–	2	1	–	–	–	–	1	–	–	1	–	–	–	2	–	–
			F.	*6*	–	*2*	*1*	*2*	–	*7*	*1*	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–
764	132*b*	Diarrhœa of newborn	M.	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	132*c*	Other infections of newborn	M.	4	–	–	–	2	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
770	133	Hæmolytic disease of newborn	M.	7	1	–	–	1	–	2	2	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	1
			F.	*9*	–	*2*	–	–	–	*3*	*3*	–	*1*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–
769, 771, 772	134	All other defined diseases of early infancy	M.	3	1	–	1	1	–	2	4	1	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	1	–	1	–	–
			F.	*4*	*1*	–	*1*	–	–	*2*	*2*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	53	2	4	1	5	–	23	22	9	2	–	–	1	1	3	3	7	1	7	2	4	3	–	–	4	–	1	2	–
			F.	*43*	–	*1*	–	*2*	–	*12*	*20*	*3*	*1*	–	–	*1*	*1*	*3*	*5*	*5*	–	*5*	*2*	*1*	*1*	–	–	*3*	–	*4*	–	–
794	136	Senility without mention of psychosis	M.	9	–	3	–	5	1	20	4	2	–	–	3	–	1	3	1	–	–	3	4	1	1	–	–	4	4	–	1	2
			F.	*28*	–	*2*	*1*	*2*	*1*	*24*	*14*	*2*	*2*	*1*	*4*	*1*	*1*	*8*	*4*	*2*	–	*4*	*12*	*5*	*4*	–	*1*	*8*	*9*	–	*1*	*4*
780-793, 795	137	Ill-defined and unknown causes	M.	65	1	–	2	1	–	8	2	4	3	–	–	–	–	–	6	1	1	4	3	–	–	–	–	4	1	3	1	1
			F.	*32*	*1*	–	*1*	*2*	*1*	*7*	*1*	–	*1*	–	*1*	*1*	–	*1*	*5*	*3*	–	*1*	–	–	*2*	–	–	*1*	*2*	*3*	*1*	–
		Accidents, Poisonings and Violence (*External Cause*) (Total E800-E999)	M.	379	13	11	13	17	10	102	175	41	18	6	4	8	12	41	24	29	9	41	19	13	5	11	12	41	6	34	7	6
			F.	*205*	*5*	*2*	*10*	*9*	*14*	*67*	*159*	*19*	*7*	*2*	*3*	*7*	*18*	*25*	*16*	*26*	*2*	*23*	*15*	*12*	*8*	*9*	*10*	*25*	*4*	*19*	*2*	*1*
E810-E835	138	Motor vehicle accidents	M.	100	3	2	3	8	3	46	45	16	1	2	1	2	4	15	2	6	1	16	4	5	2	5	2	15	2	9	2	1
			F.	*34*	–	–	*3*	*2*	*4*	*18*	*25*	*9*	*1*	–	–	–	*7*	*4*	–	*3*	–	*4*	*1*	–	*1*	–	*2*	*4*	–	*8*	*1*	–
E840-E845	139*a*	Other road vehicle accidents	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	M.	11	1	–	–	1	–	4	4	–	3	–	–	–	–	2	–	2	–	1	2	–	–	–	–	4	–	–	1	2
			F.	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–
E870-E895	140	Accidental poisoning	M.	35	1	1	2	–	1	4	36	6	1	–	–	–	4	2	2	6	2	3	–	2	–	–	4	3	–	4	–	–
			F.	*35*	*2*	–	*1*	–	*4*	*6*	*33*	–	*1*	–	–	*2*	*3*	*1*	*3*	*5*	–	*3*	*1*	*2*	–	*1*	*5*	*2*	–	–	–	–
E900-E904	141	Accidental falls	M.	69	1	2	1	3	2	11	21	4	4	2	–	2	1	5	6	7	3	4	2	–	2	1	5	3	6	–	2
			F.	*70*	*1*	*2*	*1*	*4*	*4*	*29*	*55*	*6*	*3*	*1*	*1*	*3*	*4*	*15*	*8*	*10*	*1*	*13*	*10*	*8*	*5*	*3*	*1*	*15*	*2*	*8*	–	*1*
E912	142	Accident caused by machinery	M.	2	–	1	–	–	–	1	2	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	143	Accident caused by fire and explosion of combustible material	M.	6	–	–	3	1	–	3	9	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
			F.	*14*	–	–	*1*	–	–	*2*	*13*	*1*	–	–	–	–	*1*	–	*1*	–	–	*1*	–	–	–	*1*	*1*	*1*	–	–	–	–
E917, E918	144	Accident caused by hot substance, cor-	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

| | | |

Table 52. Deaths from violent causes—Nature of injury according to external cause—July - December, 1961.

Intermediate List	Nature of Injury		External Cause of Injury (Intermediate List)															
			Total	AE138 Motor Vehicle Accident	AE139 Other Transport Accidents	AE140 Accidental Poisoning	AE141 Accidental Falls	AE142 Accident caused by Machinery	AE143 Accident caused by Fire and Explosion of Combustible Material	AE144 Accident caused by Hot Substance, Corrosive Liquid, Steam and Radiation	AE145 Accident caused by Firearm	AE146 Accidental Drowning and Submersion	AE147a Accidental Mechanical Suffocation	AE147b All other Accidental Causes	AE148 Suicide and Self-inflicted Injury	AE149 Homicide and Injury purposely inflicted by other Persons (Not in War)	AE150 Injury resulting from Operations of War
	Total	M.	841	279	28	79	124	6	17	–	9	65	42	57	124	10	1
		F.	*603*	*119*	*3*	*81*	*234*	–	*25*	*5*	–	*15*	*31*	*5*	*81*	*4*	–
AN138	Fracture of skull	M.	152	103	5	–	35	1	–	–	–	–	–	6	–	2	–
		F.	*50*	*34*	*1*	–	*10*	–	–	–	–	–	–	*3*	–	*2*	–
AN139	Fracture of spine and trunk	M.	38	21	2	–	8	1	–	–	–	–	–	6	–	–	–
		F.	*23*	*12*	–	–	*11*	–	–	–	–	–	–	–	–	–	–
AN140	Fracture of limbs	M.	64	8	–	–	54	1	–	–	–	–	–	1	–	–	–
		F.	*201*	*8*	–	–	*193*	–	–	–	–	–	–	–	–	–	–
AN141	Dislocation without fracture	M.	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
AN142	Sprains and strains of joints and adjacent muscles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
AN143	Head injury (excluding fracture)	M.	96	59	2	–	14	–	–	–	2	–	–	10	6	3	–
		F.	*47*	*34*	*2*	–	*10*	–	–	–	–	–	–	–	*1*	–	–
AN144	Internal injury of chest, abdomen and pelvis	M.	38	19	2	–	2	1	–	–	1	–	–	7	5	1	–
		F.	*12*	*9*	–	–	*2*	–	–	–	–	–	–	–	*1*	–	–
AN145	Lacerations and open wounds	M.	12	2	–	–	–	–	–	–	3	–	–	–	5	1	1
		F.	*2*	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–
AN146	Superficial injury, contusion and crushing with intact skin surface	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
AN147	Effects of foreign body entering through orifice	M.	22	–	–	–	–	–	–	–	–	–	22	–	–	–	–
		F.	*19*	–	–	–	–	–	–	–	–	–	*19*	–	–	–	–
AN148	Burns	M.	18	–	–	–	–	–	17	–	–	–	–	1	–	–	–
		F.	*26*	–	–	–	–	–	*21*	*5*	–	–	–	–	–	–	–
AN149	Effects of poisons	M.	154	–	–	77	–	–	–	–	–	–	–	–	77	–	–
		F.	*146*	–	–	*81*	–	–	*2*	–	–	–	–	–	*63*	–	–
AN150	All other and unspecified effects of external causes	M.	245	66	17	2	11	2	–	–	3	65	20	26	30	3	–
		F.	*76*	*21*	–	–	*7*	–	*2*	–	–	*15*	*12*	*2*	*15*	*2*	–

Table 53. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1961

International Nos.		Causes of Death	Sex	Numbers Aged													Not Stated	Death-rate per 100,000 at Ages											
Detailed List	Abbreviated List 'B'			All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over		All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
001-008	1	Tuberculosis of respiratory system	M.	316	–	–	1	–	1	9	32	69	86	78	37	3	–	13	–	–	0	–	0	3	10	21	33	55	60	30
			F.	*117*	–	–	–	–	–	*23*	*22*	*24*	*20*	*16*	*9*	*3*	–	*4*	–	–	–	–	–	*7*	*6*	*7*	*6*	*8*	*9*	*17*
010-019	2	Tuberculosis, other forms	M.	28	1	5	–	–	–	2	7	4	4	2	2	1	–	1	2	3	–	–	–	1	2	1	2	1	3	10
			F.	*20*	–	–	–	–	–	*2*	*3*	*2*	*2*	*4*	*5*	*2*	–	*1*	–	–	–	–	–	*1*	*1*	*1*	*1*	*2*	*5*	*11*
020-029	3	Syphilis and its sequelæ	M.	44	–	–	–	–	–	–	4	7	13	13	7	–	–	2	–	–	–	–	–	–	1	2	5	9	11	–
			F.	*17*	–	–	–	–	–	*1*	*1*	*2*	*1*	*8*	*4*	–	–	*1*	–	–	–	–	–	*0*	*0*	*1*	*0*	*4*	*4*	–
045-048	6	Dysentery, all forms	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	0	–	–	–	–	–	–	–	0	–	–	2	–
			F.	*2*	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	*0*	–	–	–	*0*	–	–	–	–	–	–	*1*	–
056	9	Whooping cough	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	0	4	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*0*	*4*	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	10	5	3	1	–	–	–	1	–	–	–	–	–	–	0	10	2	0	–	–	–	0	–	–	–	–	–
			F.	*6*	*3*	*3*	–	–	–	–	–	–	–	–	–	–	–	*0*	*6*	*2*	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomylelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	9	2	7	–	–	–	–	–	–	–	–	–	–	–	0	4	4	–	–	–	–	–	–	–	–	–	–
			F.	*9*	–	*6*	*2*	*1*	–	–	–	–	–	–	–	–	–	*0*	–	*3*	*1*	*0*	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	67	10	3	1	1	2	3	4	6	10	16	8	3	–	3	20	2	0	0	1	1	1	2	4	11	13	30
			F.	*76*	*9*	*2*	*1*	*4*	*1*	*4*	*7*	*9*	*15*	*12*	*9*	*3*	–	*3*	*19*	*1*	*0*	*2*	*0*	*1*	*2*	*3*	*5*	*6*	*9*	*17*
140-205	18	*Malignant neoplasms Total*	M.	6006	6	17	21	10	39	69	185	764	1766	1755	1179	195	–	241	12	9	10	4	11	21	57	233	676	1236	1920	1934
			F.	*5215*	–	*20*	*10*	*10*	*28*	*68*	*276*	*750*	*1218*	*1435*	*1117*	*283*	–	*193*	–	*11*	*5*	*5*	*8*	*20*	*81*	*212*	*392*	*675*	*1096*	*1598*
160-165	—	Malignant neoplasms of respiratory system	M.	2198	1	–	–	–	–	7	68	340	874	671	216	21	–	88	2	–	–	–	–	2	21	104	335	473	352	208
			F.	*412*	–	*1*	–	–	*1*	*6*	*17*	*73*	*117*	*120*	*67*	*10*	–	*15*	–	*1*	–	–	*0*	*2*	*5*	*21*	*38*	*56*	*66*	*56*
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	362	2	8	10	6	22	20	27	62	89	77	37	2	–	15	4	4	5	3	6	6	8	19	34	54	60	20
			F.	*294*	–	*10*	*6*	*6*	*10*	*12*	*22*	*31*	*82*	*66*	*43*	*6*	–	*11*	–	*5*	*3*	*3*	*3*	*4*	*6*	*9*	*26*	*31*	*42*	*34*
140-159, 170-199	—	Other malignant neoplasms	M.	3446	3	9	11	4	17	42	90	362	803	1007	926	172	–	139	6	5	5	2	5	13	28	110	307	709	1508	1706
			F.	*4509*	–	*9*	*4*	*4*	*17*	*50*	*237*	*646*	*1019*	*1249*	*1007*	*267*	–	*167*	–	*5*	*2*	*2*	*5*	*15*	*69*	*182*	*328*	*588*	*988*	*1508*
210-239	19	Benign and unspecified neoplasms	M.	53	2	3	1	1	2	3	2	13	11	9	5	1	–	2	4	2	0	0	1	1	1	4	4	6	8	10
			F.	*69*	*2*	*1*	*1*	*1*	*2*	*1*	*8*	*8*	*18*	*15*	*7*	*5*	–	*3*	*4*	*1*	*0*	*0*	*1*	*0*	*2*	*2*	*6*	*7*	*7*	*28*
260	20	Diabetes mellitus	M.	175	–	–	1	–	1	4	2	11	34	68	46	8	–	7	–	–	0	–	0	1	1	3	13	48	75	79

240-254, 270-289, 294-299	46.0	Other general diseases	M.	143	2	2	1	4	4	5	16	14	46	33	15	1	–	6	4	1	0	2	1	2	5	4	18	23	24	10
			F.	*224*	*1*	*2*	*1*	*1*	*8*	*7*	*9*	*24*	*40*	*68*	*51*	*12*	–	*8*	*2*	*1*	*0*	*0*	*2*	*2*	*3*	*7*	*13*	*32*	*50*	*68*
330-334	22	Vascular lesions affecting central nervous system	M.	4048	2	2	3	3	7	9	44	192	585	1188	1550	463	–	163	4	1	1	1	2	3	14	59	224	837	2524	4592
			F.	*5791*	*2*	–	*1*	*5*	*4*	*10*	*56*	*219*	*642*	*1661*	*2323*	*868*	–	*215*	*4*	–	*0*	*2*	*1*	*3*	*16*	*62*	*206*	*781*	*2278*	*4901*
340	23	Non-meningococcal meningitis	M.	21	8	4	–	1	1	–	2	–	2	2	1	–	–	1	16	2	–	0	0	–	1	–	1	1	2	–
			F.	*18*	*12*	*3*	–	–	*1*	–	–	*1*	–	–	*1*	–	–	*1*	*25*	*2*	–	–	*0*	–	–	*0*	–	–	*1*	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	438	15	13	8	6	16	18	33	55	84	96	78	16	–	18	31	7	4	3	5	5	10	17	32	68	127	159
			F.	*532*	*11*	*12*	*4*	*5*	*11*	*16*	*22*	*57*	*94*	*135*	*135*	*30*	–	*20*	*23*	*7*	*2*	*2*	*3*	*5*	*6*	*16*	*30*	*64*	*132*	*169*
400-402	24	Rheumatic fever	M.	4	–	–	–	–	1	1	–	–	1	1	–	–	–	0	–	–	–	–	0	0	–	–	0	1	–	–
			F.	*6*	–	–	*1*	*1*	–	*1*	*1*	*2*	–	–	–	–	–	*0*	–	–	*0*	*0*	–	*0*	*0*	*1*	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	277	–	–	–	–	7	19	52	65	58	53	21	2	–	11	–	–	–	–	2	6	16	20	22	37	34	20
			F.	*531*	–	–	*1*	*1*	*10*	*27*	*68*	*122*	*138*	*87*	*68*	*9*	–	*20*	–	–	*0*	*0*	*3*	*8*	*20*	*34*	*44*	*41*	*67*	*51*
420-422	26	Arteriosclerotic and degenerative heart disease	M.	10312	–	–	–	–	3	37	250	1020	2394	2884	2760	964	–	415	–	–	–	–	1	11	77	311	917	2031	4495	9561
			F.	*8897*	–	–	–	–	*2*	*6*	*46*	*265*	*991*	*2381*	*3512*	*1694*	–	*330*	–	–	–	–	*1*	*2*	*13*	*75*	*319*	*1120*	*3445*	*9566*
430-434	27	Other diseases of heart	M.	364	–	–	–	–	1	5	10	18	57	92	138	43	–	15	–	–	–	–	0	2	3	5	22	65	225	426
			F.	*527*	*1*	–	–	–	*2*	*5*	*8*	*21*	*50*	*138*	*223*	*79*	–	*20*	*2*	–	–	–	*1*	*1*	*2*	*6*	*16*	*65*	*219*	*446*
440-443	28	Hypertensive heart disease	M.	418	–	–	–	–	–	–	2	20	84	135	139	38	–	17	–	–	–	–	–	–	1	6	32	95	226	377
			F.	*722*	–	–	–	–	–	*2*	*4*	*18*	*95*	*247*	*279*	*77*	–	*27*	–	–	–	–	–	–	*1*	*1*	*5*	*31*	*116*	*274*	*435*
444-447	29	Other hypertensive disease	M.	246	–	–	–	–	2	5	21	24	49	64	69	12	–	10	–	–	–	–	1	2	7	7	19	45	112	119
			F.	*301*	–	–	–	*1*	–	–	*8*	*18*	*36*	*101*	*104*	*33*	–	*11*	–	–	–	*0*	–	–	*2*	*5*	*12*	*48*	*102*	*186*
450-468	46.2	Other circulatory disease	M.	918	–	–	–	–	–	5	5	29	77	205	390	207	–	37	–	–	–	–	–	2	2	9	29	144	635	2053
			F.	*1097*	–	–	–	–	*2*	*2*	*8*	*21*	*83*	*209*	*472*	*300*	–	*41*	–	–	–	–	*1*	*1*	*2*	*6*	*27*	*98*	*463*	*1694*
480-483	30	Influenza	M.	171	9	1	3	1	5	1	4	17	25	36	50	19	–	7	18	1	1	0	1	0	1	5	10	25	81	188
			F.	*194*	*5*	*1*	*1*	–	–	–	*4*	*12*	*15*	*35*	*79*	*42*	–	*7*	*10*	*1*	*0*	–	–	–	*1*	*3*	*5*	*16*	*77*	*237*
490-493	31	Pneumonia (except of newborn)	M.	1207	129	32	5	3	7	10	19	54	149	304	362	133	–	49	263	17	2	1	2	3	6	16	57	214	590	1319
			F.	*1266*	*108*	*23*	*4*	*5*	*8*	*7*	*24*	*39*	*90*	*264*	*457*	*237*	–	*47*	*226*	*13*	*2*	*2*	*2*	*2*	*7*	*11*	*29*	*124*	*448*	*1338*
500-502	32	Bronchitis	M.	1789	12	5	2	2	3	5	21	157	525	634	337	86	–	72	24	3	1	1	1	2	7	48	201	447	549	853
			F.	*727*	*14*	*9*	–	*1*	–	*5*	*18*	*45*	*97*	*212*	*238*	*88*	–	*27*	*29*	*5*	–	*0*	–	*1*	*5*	*13*	*31*	*100*	*233*	*497*
470-475, 510-527	46.3	Other respiratory diseases	M.	463	10	4	1	1	4	9	13	30	92	174	110	15	–	19	20	2	0	0	1	3	4	9	35	123	179	149
			F.	*145*	*3*	*2*	*1*	–	–	*1*	*11*	*14*	*32*	*40*	*30*	*11*	–	*5*	*6*	*1*	*0*	–	–	*0*	*3*	*4*	*10*	*19*	*29*	*62*
540, 541	33	Ulcer of stomach and duodenum	M.	401	–	–	–	–	–	6	10	42	97	134	91	21	–	16	–	–	–	–	–	2	3	13	37	94	148	208
			F.	*154*	–	–	–	–	–	*3*	*5*	*22*	*10*	*50*	*53*	*11*	–	*6*	–	–	–	–	–	*1*	*1*	*6*	*3*	*24*	*52*	*62*

NOTE.—Nos. in brackets after titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 53. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1961—*continued.*

International Nos.		Causes of Death	Sex	Numbers Aged													Not Stated	Death-rate per 100,000 at Ages											
Detailed List	Abbreviated List 'B'			All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over		All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
550-553	34	Appendicitis	M.	50	1	3	3	1	2	2	5	–	9	11	12	1	–	2	2	2	1	0	1	1	2	–	3	8	20	10
			F.	*37*	–	–	*1*	*1*	*4*	*4*	*1*	*2*	*6*	*7*	*9*	*2*	–	*1*	–	–	*0*	*0*	*1*	*1*	*0*	*1*	*2*	*3*	*9*	*11*
560, 561, 570	35	Intestinal obstruction and hernia	M.	203	12	–	–	–	1	1	3	14	42	57	54	19	–	8	24	–	–	–	0	0	1	4	16	40	88	188
			F.	*185*	*6*	*1*	–	*1*	–	*1*	*4*	*12*	*26*	*58*	*63*	*13*	–	*7*	*13*	*1*	–	*0*	–	*0*	*1*	*3*	*8*	*27*	*62*	*73*
543	36.0	Gastritis and duodenitis	M.	4	–	–	–	–	–	–	–	1	1	–	2	–	–	0	–	–	–	–	–	–	–	0	0	–	3	–
			F.	*12*	–	–	–	–	–	–	*1*	–	*3*	*2*	*3*	*3*	–	*0*	–	–	–	–	–	–	*0*	–	*1*	*1*	*3*	*17*
571, 572	36.1	Diarrhœa (except newborn)	M.	119	25	10	–	–	1	4	3	7	22	16	25	6	–	5	51	5	–	–	0	1	1	2	8	11	41	60
			F.	*141*	*27*	*7*	–	–	*1*	*3*	*6*	*5*	*13*	*31*	*35*	*13*	–	*5*	*57*	*4*	–	–	*0*	*1*	*2*	*1*	*4*	*15*	*34*	*73*
581	37	Cirrhosis of liver	M.	134	–	1	–	1	–	3	4	26	44	33	21	1	–	5	–	1	–	0	–	1	1	8	17	23	34	10
			F.	*100*	–	–	–	–	–	–	*5*	*13*	*34*	*28*	*15*	*5*	–	*4*	–	–	–	–	–	–	*1*	*4*	*11*	*13*	*15*	*28*
580, 582-586	46.4	Other diseases of liver	M.	65	1	1	–	–	–	1	2	4	15	19	15	7	–	3	2	1	–	–	–	0	1	1	6	13	24	69
			F.	*181*	*1*	–	–	–	*2*	*4*	*7*	*13*	*32*	*50*	*62*	*10*	–	*7*	*2*	–	–	–	*1*	*1*	*2*	*4*	*10*	*24*	*61*	*56*
530-539, 542, 544 545, 573-578, 587	46.5	Other digestive diseases	M.	108	14	3	–	–	–	–	9	15	21	24	17	5	–	4	29	2	–	–	–	–	3	5	8	17	28	50
			F.	*102*	*10*	*5*	–	–	*1*	*2*	*7*	*7*	*13*	*23*	*32*	*2*	–	*4*	*21*	*3*	–	–	*0*	*1*	*2*	*2*	*4*	*11*	*31*	*11*
590-594	38	Nephritis and nephrosis	M.	166	1	–	3	–	10	6	17	23	41	23	29	13	–	7	2	–	1	–	3	2	5	7	16	16	47	129
			F.	*173*	*2*	–	*1*	*1*	*8*	*6*	*10*	*19*	*29*	*57*	*30*	*10*	–	*6*	*4*	–	*0*	*0*	*2*	*2*	*3*	*5*	*9*	*27*	*29*	*56*
610	39	Hyperplasia of prostate	M	366	–	–	–	–	–	–	–	–	12	85	190	79	–	15	–	–	–	–	–	–	–	–	5	60	309	783
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	199	2	1	–	–	5	2	9	12	32	42	69	25	–	8	4	1	–	–	1	1	3	4	12	30	112	248
			F.	*266*	*1*	*2*	*1*	–	–	*3*	*16*	*30*	*51*	*71*	*70*	*21*	–	*10*	*2*	*1*	*0*	–	–	*1*	*5*	*8*	*16*	*33*	*69*	*119*
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	*15*	–	–	–	–	*4*	*9*	*2*	–	–	–	–	–	–	*1*	–	–	–	–	*1*	*3*	*1*	–	–	–	–	–
642-650, 652-680 683, 685-689	40.1	Other puerperal causes	F.	*22*	–	–	–	–	*2*	*11*	*9*	–	–	–	–	–	–	*1*	–	–	–	–	*1*	*3*	*3*	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	107	1	1	–	1	9	–	4	12	24	28	23	4	–	4	2	1	–	0	3	–	1	4	9	20	37	40
			F.	*206*	*2*	*1*	–	*1*	–	*3*	*5*	*13*	*27*	*67*	*69*	*18*	–	*8*	*4*	*1*	–	*0*	–	*1*	*1*	*4*	*9*	*32*	*68*	*102*
750-759	41	Congenital malformations	M.	411	315	32	10	4	10	4	4	6	12	9	5	–	–	17	641	17	5	2	3	1	1	2	5	6	8	–
			F.	*344*	*257*	*20*	*10*	*12*	*10*	*3*	*5*	*11*	*7*	*7*	*2*	–	–	*13*	*538*	*11*	*5*	*6*	*3*	*1*	*1*	*3*	*2*	*3*	*2*	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	487	487	–	–	–	–	–	–	–	–	–	–	–	–	20	992	–	–	–	–	–	–	–	–	–	–	–
			F.	*280*	*280*	–	–	–	–	–	–	–	–	–	–	–	–	*10*	*586*	–	–	–	–	–	–	–	–	–	–	–
			M.	*44*	*44*													2	90											

764	43.1	Diarrhœa of newborn	M.	0	0	–	–	–	–	–	–	–	–	–	–	–	–	–	0	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–																		
765-768	43.2	Other infections of the newborn	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	0	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*7*	*7*	–	–	–	–	–	–	–	–	–	–	–	–	–	*0*	*15*																
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	302	302	–	–	–	–	–	–	–	–	–	–	–	–	–	12	615	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*213*	*213*	–	–	–	–	–	–	–	–	–	–	–	–	–	*8*	*446*																
794	45.0	Senility without mention of psychosis	M.	125	–	–	–	–	–	–	–	–	–	2	55	68	–	5	–	–	–	–	–	–	–	–	–	1	90	674
			F.	*256*	–	–	–	–	–	–	–	–	–	*3*	*108*	*145*	–	*9*	–	–	–	–	–	–	–	–	–	*1*	*106*	*819*
780-793, 795	45.1	Ill-defined and unknown causes	M.	164	13	1	–	1	–	5	13	19	42	38	29	3	–	7	26	1	–	0	–	2	4	6	16	27	47	30
			F.	*102*	*17*	–	–	*2*	–	*1*	–	*9*	*13*	*28*	*28*	*4*	–	*4*	*36*	–	–	*1*	–	*0*	–	*3*	*4*	*13*	*27*	*23*
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	258	–	–	–	–	9	37	48	63	60	26	13	2	–	10	–	–	–	–	3	11	15	19	23	18	21	20
			F.	*151*	–	–	–	–	*8*	*11*	*31*	*29*	*41*	*23*	*6*	*2*	–	*6*	–	–	–	–	*2*	*3*	*9*	*8*	*13*	*11*	*6*	*11*
E810-E835	E47	Motor vehicle accidents	M.	516	1	37	24	21	116	55	55	63	55	47	31	11	–	21	2	19	11	9	33	17	17	19	21	33	50	109
			F.	*197*	*2*	*24*	*16*	*7*	*21*	*5*	*9*	*25*	*27*	*31*	*24*	*6*	–	*7*	*4*	*13*	*8*	*3*	*6*	*1*	*3*	*7*	*9*	*15*	*24*	*34*
E840-E845	E48.0	Other road vehicle accidents	M.	5	–	–	–	–	–	–	1	2	1	1	–	–	–	0	–	–	–	–	–	–	0	1	0	1	–	–
			F.	*4*	–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	–	*0*	–	–	–	–	–	–	–	-	*0*	*0*	*2*	–
E870-E936 (part) E961 (part) E962 (part)	E48.1	Accidents in the home	M.	483	64	23	5	4	9	15	38	38	65	65	112	45	–	19	130	12	2	2	3	5	12	12	25	46	182	446
			F.	*728*	*55*	*21*	*4*	*5*	*3*	*7*	*18*	*29*	*46*	*85*	*278*	*177*	–	*27*	*115*	*12*	*2*	*2*	*1*	*2*	*5*	*8*	*15*	*40*	*273*	*999*
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	473	3	20	27	18	53	82	66	68	76	31	24	5	–	19	6	11	13	8	15	25	20	21	29	22	39	50
			F.	*96*	*1*	*5*	*3*	*1*	*5*	*3*	*4*	*11*	*10*	*13*	*22*	*18*	–	*4*	*2*	*3*	*1*	*0*	*1*	*1*	*1*	*3*	*3*	*6*	*22*	*102*
		All Causes	M.	32819	1520	235	122	85	333	443	1021	2987	6833	8556	8147	2537	–	1320	3095	123	57	37	95	134	316	910	2616	6026	13267	25161
			F.	*31109*	*1095*	*171*	*67*	*70*	*149*	*270*	*757*	*1940*	*4189*	*7908*	*10210*	*4283*	–	*1154*	*2292*	*94*	*33*	*32*	*41*	*79*	*221*	*548*	*1347*	*3720*	*10014*	*24185*
		Both Sexes		63928	2615	406	189	155	482	713	1778	4927	11022	16464	18357	6820	–	1233	2699	109	45	35	67	106	267	722	1926	4644	11237	24539

NOTE.—Nos. in brackets after titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 54. Causes of Death (Abb. List "B") Numb
Ages at Death, Numbers and Ra

International Classification		Causes of Death	Numbers					
Detailed List Nos.	Abbreviated List "B"		1961	1960	1959	1958	1957	195
001-008	1	Tuberculosis of respiratory system	433	473	513	638	664	71
010-019	2	Tuberculosis, other forms	48	36	63	49	59	8
020-029	3	Syphilis and its sequelæ	61	64	79	58	94	8
045-048	6	Dysentery, all forms	4	4	11	2	8	
056	9	Whooping cough	4	10	8	4	21	1
057	10	Meningococcal infections	16	19	23	25	21	2
080	12	Acute poliomyelitis	—	—	1	16	11	
085	14	Measles	18	2	18	4	16	1
Rem. 030-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	143	117	113	119	108	11
140-205	18	*Malignant neoplasms. Total*	11,221	11,033	11,032	10,831	10,747	10,75
160-165	—	Malignant neoplasms of respiratory system	2,610	2,549	2,451	2,373	2,220	2,12
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	656	575	584	560	531	54
Rem. 140-199	—	Other malignant neoplasms	7,955	7,909	7,997	7,898	7,996	8,08
210-239	19	Benign and unspecified neoplasms	122	111	133	94	133	14
260	20	Diabetes mellitus	599	555	550	528	505	47
290-293	21	Anæmias	241	247	245	239	214	24
Rem. 240-299	46.0	Other general diseases	367	353	382	409	415	43
330-334	22	Vascular lesions affecting central nervous system	9,839	9,850	9,862	9,982	9,566	9,68
340	23	Non-meningococcal meningitis	39	56	46	58	59	4
Rem. 300-398	46.1	Other diseases of nervous system	970	938	878	898	817	85
400-402	24	Rheumatic fever	10	17	21	17	45	4
410-416	25	Chronic rheumatic heart disease	808	741	816	815	907	81
420-422	26	Arteriosclerotic and degenerative heart disease	19,209	18,580	18,364	18,507	17,840	18,44
430-434	27	Other diseases of heart	891	901	816	786	636	60
440-443	28	Hypertensive heart disease	1,140	1,151	1,126	1,238	1,182	1,28
444-447	29	Other hypertensive disease	547	520	555	637	624	70
450-468	46.2	Other circulatory disease	2,015	1,832	1,832	1,696	1,645	1,79
480-483	30	Influenza	365	104	583	143	680	26
490-493	31	Pneumonia (except of newborn)	2,473	2,008	2,557	2,108	2,042	1,91
500-502	32	Bronchitis	2,516	2,214	2,556	2,294	2,013	2,07
Rem. 470-527	46.3	Other respiratory diseases	608	544	577	610	539	59
540, 541	33	Ulcer of stomach and duodenum	555	562	507	534	564	60
550-553	34	Appendicitis	87	87	94	85	103	91
560, 561, 570	35	Intestinal obstruction and hernia	388	344	339	353	423	40
543	36.0	Gastritis and duodenitis	16	20	16	10	10	18
571, 572	36.1	Diarrhœa (except of newborn)	260	299	296	274	259	29
581	37	Cirrhosis of liver	234	225	213	221	243	21
580, 582-586	46.4	Other diseases of liver	246	262	226	268	241	24
Rem. 530-587	46.5	Other digestive diseases	210	189	224	167	180	19
590-594	38	Nephritis and nephrosis	339	353	411	417	511	52
610	39	Hyperplasia of prostate	366	359	362	382	389	42
Rem. 600-637	46.6	Other diseases of genito-urinary system	465	477	429	372	339	37
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	15	8	11	15	16	15
Rem. 642-689	40.1	Other puerperal causes	22	27	25	38	30	36
690-749	46.7	Diseases of skin and organs of locomotion	313	316	328	307	324	32
750-759	41	Congenital malformations	755	659	718	648	718	66
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	767	833	846	808	762	72
763	43.0	Pneumonia of newborn	82	90	97	99	95	11
764	43.1	Diarrhœa of newborn	9	15	20	10	18	15
765-768	43.2	Other infections of the newborn	19	12	17	17	23	18
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	515	513	522	575	630	60
794	45.0	Senility without mention of psychosis	381	450	483	558	580	74
780-793, 795	45.1	Ill-defined and unknown causes	266	317	257	252	273	25
E963, E970-E979	E49	Suicide and self-inflicted injury	409	408	442	439	420	40
E810-E835	E47	Motor vehicle accidents	713	676	612	598	563	55
E840-E845	E48.0	Other road vehicle accidents	9	15	21	34	22	30
E870-E936(part) E961 (part) E962 (part)	E48.1	Accidents in the home	1,211	1,050	1,086	1,108	1,060	1,00
Remainder of E800-E999	E48.2	Other violence (BE50)	569	718	699	671	736	64
		ALL CAUSES	63,928	61,764	63,061	62,065	61,143	61,79
		AGES AT DEATH.						
		Under 1	2,615	2,673	2,816	2,758	2,802	2,72
		1– 4	406	379	432	338	364	37
		5– 9	189	218	161	190	236	18
		10–14	155	162	169	158	193	15
		15–24	482	486	497	517	505	50
		25–34	713	785	784	862	899	94
		35–44	1,778	1,713	1,804	1,910	1,919	1,82
		45–54	4,927	4,916	4,951	4,997	5,121	5,05
		55–64	11,022	10,437	10,577	10,188	10,174	9,92
		65–74	16,464	16,038	16,347	16,200	15,822	16,18
		75–84	18,357	17,670	18,219	17,912	17,240	18,04
		85 and over	6,820	6,287	6,304	6,035	5,868	5,86
		Not stated	—	—	—	—	—	—
		ALL AGES	63,928	61,764	63,061	62,065	61,143	61,79

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis. See footnote Table 53 (page 301).

Numbers			Death-Rates per 100,000 of Population									Abbreviated List "B"
1954	1953	1952	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	
1,010	1,159	1,409	8	9	10	12	13	14	17	20	23	28	1
118	182	203	1	1	1	1	1	2	2	2	4	4	2
109	96	110	1	1	2	1	2	2	2	2	2	2	3
7	13	6	0	0	0	0	0	0	0	0	0	0	6
25	41	26	0	0	0	0	0	0	0	0	1	1	9
41	37	45	0	0	0	0	0	1	1	1	1	1	10
21	13	12	—	—	0	0	0	0	0	0	0	0	12
8	29	22	0	0	0	0	0	0	0	0	1	0	14
126	132	165	3	2	2	2	2	2	2	2	3	3	17
10,505	10,125	10,119	216	213	214	211	210	210	207	206	199	198	18
1,965	1,927	1,664	50	49	47	46	43	42	38	39	38	33	—
502	460	463	13	11	11	11	10	11	10	10	9	9	—
8,038	7,738	7,992	153	153	155	154	156	158	159	157	152	157	—
123	106	145	2	2	3	2	3	3	2	2	2	3	19
445	439	477	12	11	11	10	10	9	9	9	9	9	20
248	220	269	5	5	5	5	4	5	4	5	4	5	21
480	426	526	7	7	7	8	8	8	9	9	8	10	46.0
9,562	8,895	9,087	190	190	191	194	187	189	188	187	174	178	22
59	49	72	1	1	1	1	1	1	1	1	1	1	23
894	918	960	19	18	17	17	16	17	18	18	18	19	46.1
49	45	44	0	0	0	0	1	1	1	1	1	1	24
860	807	878	16	14	16	16	18	16	17	17	16	17	25
17,254	16,362	17,307	371	359	356	360	348	360	352	338	321	339	26
1,208	1,195	1,139	17	17	16	15	12	12	14	24	23	22	27
1,068	990	891	22	22	22	24	23	25	26	21	19	17	28
833	753	835	11	10	11	12	12	14	14	16	15	16	29
1,654	1,460	1,424	39	35	35	33	32	35	33	32	29	28	46.2
176	272	316	7	2	11	3	13	5	4	3	5	6	30
1,728	1,694	1,881	48	39	50	41	40	37	36	34	33	37	31
1,843	1,752	2,025	49	43	50	45	39	41	41	36	34	40	32
583	587	634	12	11	11	12	11	12	11	11	12	12	46.3
656	561	639	11	11	10	10	11	12	13	13	11	13	33
106	114	118	2	2	2	2	2	2	2	2	2	2	34
408	397	424	7	7	7	7	8	8	8	8	8	8	35
17	22	18	0	0	0	0	0	0	0	0	0	0	36.0
264	283	310	5	6	6	5	5	6	7	5	6	6	36.1
182	170	166	5	4	4	4	5	4	3	4	3	3	37
254	253	265	5	5	4	5	5	5	5	5	5	5	46·4
177	167	173	4	4	4	3	4	4	3	3	3	3	46.5
570	580	568	7	7	8	8	10	10	10	11	11	11	38
430	395	453	7	7	7	7	8	8	9	8	8	9	39
346	333	310	9	9	8	7	7	7	7	7	7	6	46.6
15	20	22	0	0	0	0	0	0	0	0	0	0	40.0
55	66	70	0	1	0	1	1	1	1	1	1	1	40.1
332	260	233	6	6	6	6	6	6	6	7	5	5	46.7
676	618	610	15	13	14	13	14	13	12	13	12	12	41
710	655	670	15	16	16	16	15	14	14	14	13	13	42
122	94	113	2	2	2	2	2	2	2	2	2	2	43.0
6	16	24	0	0	0	0	0	0	0	0	0	0	43.1
21	12	10	0	0	0	0	0	0	0	0	0	0	43.2
690	682	829	10	10	10	11	12	12	13	14	13	16	44
925	852	1,025	7	9	9	11	11	15	16	18	17	20	45.0
709	765	898	5	6	5	5	5	5	6	14	15	18	45.1
302	281	281	8	8	9	9	8	8	8	6	6	6	E49
526	563	451	14	13	12	12	11	11	12	10	11	9	E47
35	37	32	0	0	0	1	0	1	1	1	1	1	E48.0
1,106	1,134	1,023	23	20	21	22	21	20	22	22	22	20	E48.1
703	751	748	11	14	14	13	14	13	15	14	15	15	E48.2
61,380	58,878	61,510	1,233	1,193	1,222	1,207	1,193	1,207	1,206	1,203	1,155	1,206	

DEATH-RATES PER 1,000 OF AGE-GROUP POPULATION

2,861	2,800	3,181	27·0	27·9	29·0	28·9	30·5	29·7	31·8	32·5	32·2	37·2
435	499	539	1·1	1·0	1·2	1·0	1·0	1·1	1·2	1·3	1·4	1·5
229	286	282	0·5	0·5	0·4	0·4	0·5	0·4	0·6	0·5	0·6	0·7
152	189	162	0·3	0·4	0·4	0·4	0·5	0·4	0·5	0·4	0·5	0·4
633	709	787	0·7	0·7	0·7	0·7	0·7	0·7	0·8	0·9	1·0	1·1
1,138	1,172	1,213	1·1	1·1	1·1	1·2	1·3	1·3	1·5	1·5	1·6	1·7
1,978	2,118	2,188	2·7	2·6	2·7	2·8	2·8	2·6	2·8	2·9	3·0	3·0
5,340	5,078	5,224	7·2	7·1	7·1	7·2	7·4	7·3	7·5	7·8	7·5	7·8
9,811	9,171	9,500	19·3	18·5	19·1	18·7	19·0	18·9	19·0	19·5	18·5	19·3
15,705	15,461	16,274	46·4	45·3	46·5	46·3	45·4	46·8	46·6	45·5	44·9	47·3
17,614	16,446	17,002	112·4	108·3	112·4	110·6	106·9	114·2	113·4	113·7	108·4	114·5
5,484	4,947	5,158	245·4	235·0	257·6	251·3	249·2	256·8	258·8	247·1	228·6	246·1
—	2	—	—	—	—	—	—	—	—	—	—	—
61,380	58,878	61,510	12·33	11·93	12·22	12·07	11·93	12·07	12·06	12·03	11·55	12·06

NOTE: Population by age from 1961 Census not yet available to re-calculate age-specific death-rates from 1952 to 1960.

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961

International Classification		Causes of Death		ABERDEEN Co. of C. (inc. part in Kincardine Co.)														ABERDEEN COUNTY (excluding County of City)											
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		2233	50	22	4	5	4	8	24	59	150	401	608	642	256	1509	34	13	11	4	3	17	14	31	73	209	356	489	255
		Males		1129	30	13	3	3	2	6	14	37	92	242	326	269	92	758	14	5	8	4	1	12	8	11	44	110	195	239	107
		Females		*1104*	*20*	*9*	*1*	*2*	*2*	*2*	*10*	*22*	*58*	*159*	*282*	*373*	*164*	*751*	*20*	*8*	*3*	–	*2*	*5*	*6*	*20*	*29*	*99*	*161*	*250*	*148*
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	–	–	–	1	3	4	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	*1*	–	–	*1*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	238	–	–	–	–	1	1	9	22	79	72	45	9		117	–	–	2	–	1	1	3	11	26	40	27	6	
			F.	*202*	–	–	–	*1*	*1*	–	*5*	*13*	*29*	*47*	*63*	*36*	*7*	*130*	–	–	*1*	–	–	–	*1*	*11*	*18*	*36*	*32*	*27*	4	
160-165	—	Malignant neoplasms of respiratory system	M.	89	–	–	–	–	–	–	3	9	37	32	8	–		25	–	–	–	–	–	–	1	6	9	7	2	–	
			F.	*16*	–	–	–	–	–	–	*1*	*3*	*5*	*7*	–	–		*8*	–	–	–	–	–	–	–	*2*	*4*	*1*	*1*	–	
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	13	–	–	–	–	1	–	–	1	7	2	1	1		15	–	–	–	2	–	1	–	1	1	2	4	4	–	
			F.	*16*	–	–	*1*	*1*	–	*1*	*1*	*1*	*2*	*3*	*6*	–		*5*	–	–	–	–	–	–	*1*	–	*1*	*1*	*2*	–	–	
140-159, 170-199	—	Other malignant neoplasms	M.	136	–	–	–	–	–	1	6	12	35	38	36	8		77	–	–	–	–	–	–	1	1	4	15	29	21	6	
			F.	*170*	–	–	–	–	–	*4*	*11*	*25*	*40*	*53*	*30*	*7*		*117*	–	–	*1*	–	–	–	–	*11*	*15*	*31*	*29*	*26*	*4*	
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	11	–	–	–	–	–	–	–	–	5	3	3	–		5	–	–	–	–	–	–	–	–	–	1	2	2	–	
			F.	*10*	–	–	–	–	–	–	–	–	*4*	*4*	*2*	–		*8*	–	–	–	–	–	–	*1*	–	*2*	*3*	*2*	–	
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	*6*	–	–	–	–	–	–	–	–	*1*	*1*	*2*	*2*		*3*	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	
240-254, 270-289, 294-299	46.0	Other general diseases	M.	9	–	–	–	–	–	–	1	2	5	1	–			4	–	–	–	–	–	–	–	–	–	2	2	–	
			F.	*5*	–	–	–	–	–	–	–	–	*2*	*2*	*1*			*7*	–	–	–	–	–	*1*	–	–	*4*	–	*1*	*1*	
330-334	22	Vascular lesions affecting central nervous system	M.	124	–	–	–	–	–	–	1	7	12	45	45	14		122	–	–	–	–	–	–	1	1	5	9	27	56	23	
			F.	*197*	–	–	–	–	–	*1*	–	3	*22*	*53*	*84*	*34*		*155*	–	–	–	–	–	–	*1*	–	*3*	*25*	*43*	*51*	*32*	
340	23	Non-meningococcal meningitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	*1*	*1*	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	14	–	–	1	–	–	–	1	–	2	1	4	4	1	11	–	1	1	–	–	–	–	2	4	1	1	1	–
			F.	*27*	–	–	–	–	–	–	–	–	*2*	*6*	*6*	*8*	*5*	*11*	–	–	–	–	–	–	*1*	*1*	*1*	*3*	*3*	*2*	–	
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	15	–	–	–	–	1	2	1	6	3	2	–	–		4	–	–	–	–	–	–	–	–	–	1	1	2	–	
			F.	*14*	–	–	–	*1*	–	*1*	*1*	*2*	*6*	*3*	–	–		*4*	–	–	–	–	–	–	–	–	*2*	–	*2*	–	–	
420-422	26	Arteriosclerotic and degenerative heart disease	M.	360	–	–	–	–	–	2	14	29	74	110	97	34		258	–	–	–	–	–	–	1	1	14	43	69	82	48	
			F.	*347*	–	–	–	–	–	–	–	*9*	*37*	*88*	*143*	*70*		*212*	–	–	–	–	–	–	–	*2*	*2*	*15*	*49*	*89*	*55*	
430-434	27	Other diseases of heart	M.	10	–	–	–	–	–	–	1	–	–	2	5	2		8	–	–	–	–	–	–	–	–	–	–	2	5	1	
			F.	*10*	–	–	–	–	–	*1*	–	–	*2*	*2*	*2*	*3*		*7*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*4*	
440-443	28	Hypertensive heart disease	M.	25	–	–	–	–	–	–	–	1	3	6	9	6		20	–	–	–	–	–	–	–	–	–	4	5	8	3	
			F.	*39*	–	–	–	–	–	–	–	*2*	*5*	*11*	*18*	*3*		*20*	–	–	–	–	–	–	–	–	–	*1*	*6*	*11*	*2*	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		DUNDEE COUNTY OF CITY: All Ages	under 4 weeks	4 w'ks–1	1–5	5–10	10–15	15–25	25–35	35–45	45–55	55–65	65–75	75–85 and over	ARBROATH BURGH: All Ages	under 4 weeks	4 w'ks–1	1–5	5–10	10–15	15–25	25–35	35–45	45–55	55–65	65–75	75–85 and over
		ALL CAUSES—Both Sexes		2153	60	29	15	4	4	9	31	53	165	384	523	620	256	301	3	1	–	3	1	2	3	16	20	44	71	89	48
		Males		1046	35	18	9	2	2	7	16	31	96	227	272	248	83	151	1	1	–	2	–	1	2	8	8	28	39	39	22
		Females		*1107*	*25*	*11*	*6*	*2*	*2*	*2*	*15*	*22*	*69*	*157*	*251*	*372*	*173*	*150*	*2*	–	–	*1*	*1*	*1*	*1*	*8*	*12*	*16*	*32*	*50*	*26*
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	*7*	–	–	–	–	–	–	*1*	–	*1*	*1*	*2*	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	208	–	–	1	–	–	3	4	5	32	56	63	38	6	27	–	–	–	–	–	–	–	1	4	5	8	8	1
			F.	*236*	–	–	–	–	–	–	*6*	*13*	*36*	*54*	*56*	*55*	*16*	*29*	–	–	–	*1*	*1*	–	*4*	*5*	*6*	*8*	*2*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	85	–	–	–	–	–	–	2	3	14	27	29	9	1	12	–	–	–	–	–	–	–	–	3	3	4	1	1
			F.	*21*	–	–	–	–	–	–	–	*1*	*3*	*5*	*5*	*6*	*1*	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	8	–	–	–	–	2	1	–	2	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*15*	–	–	–	–	–	*2*	*1*	*2*	*3*	*1*	*5*	*1*	*2*	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	115	–	–	1	–	1	1	2	16	29	32	28	5	14	–	–	–	–	–	–	–	1	1	2	3	7	–
			F.	*200*	–	–	–	–	–	*4*	*11*	*31*	*46*	*50*	*44*	*14*	*26*	–	–	–	–	*1*	–	*4*	*5*	*6*	*6*	*2*	*2*
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	9	–	–	–	–	–	–	–	–	–	1	7	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–
			F.	*20*	–	–	–	–	–	–	–	–	*3*	*4*	*13*	–	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	5	–	–	1	–	–	–	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*6*	–	–	–	–	–	–	–	–	–	*3*	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	128	–	–	–	–	–	–	1	2	4	10	45	43	23	13	–	–	–	–	–	–	–	–	–	1	3	5	4
			F.	*163*	–	–	–	–	–	–	–	–	*2*	*18*	*41*	*80*	*22*	*25*	–	–	–	–	–	–	*1*	*2*	*1*	*3*	*12*	*6*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	15	–	1	–	–	–	–	–	–	2	6	2	1	3	2	–	–	–	1	–	–	–	–	–	–	1	–
			F.	*14*	–	*1*	*2*	–	–	–	–	–	*1*	*1*	*4*	*4*	*1*	*3*	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	10	–	–	–	–	–	–	2	2	3	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*25*	–	–	–	–	–	–	*1*	*2*	*9*	*4*	*4*	*4*	*1*	*3*	–	–	–	–	–	–	–	*1*	–	*2*	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	321	–	–	–	–	–	–	3	12	30	84	78	89	25	57	–	–	–	–	–	–	–	1	1	10	19	16	10
			F.	*317*	–	–	–	–	–	–	*1*	*1*	*7*	*38*	*72*	*118*	*80*	*40*	–	–	–	–	–	–	–	–	*2*	*3*	*10*	*18*	*7*
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	*22*	–	–	–	–	–	–	–	–	–	*2*	*8*	*8*	*4*	*3*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–
440-443	28	Hypertensive heart disease	M.	11	–	–	–	–	–	–	–	–	1	2	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		ANGUS COUNTY (ex. Co. of City and Large Burgh)														ARGYLL COUNTY												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		984	19	10	4	2	2	11	6	21	64	151	236	325	133	971	10	10	3	1	1	10	10	20	46	153	261	314	132
		Males		477	14	8	4	1	1	10	5	11	42	85	112	138	46	471	7	5	3	–	1	7	6	15	29	87	125	137	49
		Females		*507*	*5*	*2*	–	*1*	*1*	*1*	*1*	*10*	*22*	*66*	*124*	*187*	*87*	*500*	*3*	*5*	–	*1*	–	*3*	*4*	*5*	*17*	*66*	*136*	*177*	*83*
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	1	–	–	–	2	2	–	–	5	–	–	–	–	–	–	–	1	1	–	3	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
140-205	18	Malignant neoplasms . Total	M.	94	1	–	1	1	–	–	2	3	13	26	19	26	2	76	–	–	–	–	–	1	–	1	6	19	21	24	4
			F.	*77*	–	–	–	–	–	–	–	*7*	*7*	*24*	*22*	*13*	*4*	*82*	–	–	–	–	–	*1*	*1*	*3*	*5*	*21*	*28*	*21*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	20	–	–	–	–	–	–	–	–	5	12	3	–	–	21	–	–	–	–	–	–	–	–	2	9	5	4	1
			F.	*5*	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*2*	–	*3*	–	–	–	–	–	–	–	–	–	–	*3*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	10	1	–	1	1	–	–	–	1	1	3	2	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	*3*	–	–	–	–	–	–	–	–	–	*3*	–	–	–	*4*	–	–	–	–	–	*1*	–	*2*	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	64	–	–	–	–	–	2	2	7	11	14	26	2	51	–	–	–	–	–	–	–	–	–	1	4	9	14	19	3
			F.	*69*	–	–	–	–	–	–	*6*	*6*	*21*	*21*	*11*	*4*	*75*	–	–	–	–	–	–	*1*	*2*	*5*	*19*	*25*	*21*	*2*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*2*	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	–	–	–	3	2	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	*8*	–	–	–	–	–	–	–	–	–	*1*	*6*	*1*	–	*6*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*2*	*1*
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	54	–	–	–	–	–	–	1	1	6	16	26	4	58	–	–	–	–	–	–	1	2	3	6	16	19	11
			F.	*109*	–	–	–	–	–	–	*1*	*3*	*11*	*29*	*40*	*25*	*93*	–	–	–	–	–	–	–	–	*3*	*12*	*28*	*41*	*9*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	13	–	–	–	1	1	1	–	1	3	4	1	1	6	–	–	–	–	1	–	–	–	1	–	–	4	–	–
			F.	*4*	–	–	–	–	–	*1*	*1*	–	–	–	*1*	*1*	9	–	–	–	–	–	–	–	–	–	*3*	*2*	*4*	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	*5*	–	–	–	–	–	–	–	*1*	*1*	*2*	*1*	–	*3*	–	–	–	*1*	–	*1*	–	–	–	–	–	–	*1*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	151	–	–	–	–	–	–	4	17	25	35	49	21	179	–	–	–	–	–	–	–	3	12	37	50	58	19
			F.	*170*	–	–	–	–	–	–	–	*4*	*18*	*33*	*83*	*32*	*159*	–	–	–	–	–	–	–	*1*	–	*16*	*37*	*66*	*39*
430-434	27	Other diseases of heart	M.	7	–	–	–	–	–	–	–	1	2	–	3	1	9	–	–	–	–	–	–	–	–	–	–	–	4	2	3
			F	*6*	–	–	–	–	–	–	–	*1*	–	*3*	*2*	–	*11*	–	–	–	–	–	–	–	–	–	–	–	*3*	*4*	*4*
440-443	28	Hypertensive heart disease	M.	7	–	–	–	–	–	–	–	–	–	4	3	–	9	–	–	–	–	–	–	–	–	–	1	3	4	1	
			F.	*12*	–	–	–	–	–	–	–	–	*2*	*5*	*4*	*1*	*12*	–	–	–	–	–	–	–	–	–	–	–	–	–	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		AYR BURGH														KILMARNOCK BURGH												
				Ages All	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		566	14	1	–	–	1	5	–	14	49	117	132	176	57	556	22	6	3	1	1	8	7	13	44	90	157	146	58
		Males		279	9	–	–	–	1	3	–	9	29	65	71	71	21	264	10	2	2	1	1	3	4	7	20	50	80	58	26
		Females		*287*	*5*	*1*	–	–	–	*2*	–	*5*	*20*	*52*	*61*	*105*	*36*	*292*	*12*	*4*	*1*	–	–	*5*	*3*	*6*	*24*	*40*	*77*	*88*	*32*
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	54	–	–	–	–	–	–	–	2	5	15	12	19	1	38	–	–	–	–	–	–	1	2	2	7	15	9	2
			F.	*54*	–	–	–	–	–	–	–	*1*	*8*	*12*	*17*	*13*	*3*	*56*	–	–	–	–	–	–	*1*	*2*	*9*	*15*	*16*	*11*	*1*
160-165	—	Malignant neoplasms of respiratory system	M.	23	–	–	–	–	–	–	–	1	3	7	5	7	–	15	–	–	–	–	–	–	–	1	–	4	8	2	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*4*	–	–	–	–	–	–	*1*	–	–	*1*	*1*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*5*	–	–	–	–	–	–	–	–	–	*1*	*2*	*2*	–	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–
140-159, 170-199	—	Other malignant neoplasms	M.	28	–	–	–	–	–	–	–	1	1	7	6	12	1	22	–	–	–	–	–	–	1	1	2	2	7	7	2
			F.	*48*	–	–	–	–	–	–	–	*1*	*8*	*11*	*15*	*10*	*3*	*50*	–	–	–	–	–	–	*1*	–	*2*	*9*	*14*	*14*	*9*	*1*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*6*	–	–	–	–	–	–	–	–	*2*	*2*	*2*	–	–	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	3	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	25	–	–	–	–	1	–	–	3	6	8	6	1	–	21	–	–	–	1	–	–	–	1	2	6	11	–	–
			F.	*47*	–	–	–	–	–	–	*2*	*1*	*6*	*12*	*22*	*4*	–	*60*	–	–	–	–	–	–	–	*6*	*6*	*21*	*21*	*6*	–
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	*5*	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*2*	–	*3*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	4	–	–	–	–	–	1	–	–	3	–	–	–	–
			F.	*8*	–	–	–	–	–	–	–	*1*	*4*	*1*	*2*	–	–	*3*	–	–	–	–	–	–	–	–	*1*	–	*2*	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	109	–	–	–	–	–	–	–	1	12	33	26	26	11	102	–	–	–	–	–	–	–	1	9	19	36	23	14
			F.	*105*	–	–	–	–	–	–	–	*1*	*2*	*17*	*21*	*46*	*18*	*84*	–	–	–	–	–	–	*1*	–	*3*	*11*	*22*	*30*	*17*
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	6	–	–	–	–	–	–	–	–	–	1	4	–	1
			F.	*6*	–	–	–	–	–	–	–	–	–	*1*	*1*	*3*	*1*	*3*	–	–	–	–	–	–	–	–	–	–	*2*	*1*	–
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	–	–	–	2	2	1	–
			F.	*8*	–	–	–	–	–	–	–	–	–	*3*	*2*	*2*	*1*	*6*	–	–	–	–	–	–	–	–	–	2	2	1	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification	Abbreviated List "B"	Causes of Death		AYR COUNTY (excluding Large Burghs) All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	BANFF COUNTY All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List		ALL CAUSES—Both Sexes		3028	109	37	25	15	7	23	30	94	244	501	792	855	296	590	20	4	5	1	1	7	9	7	33	75	151	198	79
		Males		1547	63	20	15	10	4	18	20	52	142	309	409	379	106	283	12	3	3	1	1	4	6	4	12	48	73	89	27
		Females		*1481*	*46*	*17*	*10*	*5*	*3*	*5*	*10*	*42*	*102*	*192*	*383*	*476*	*190*	*307*	*8*	*1*	*2*	–	–	*3*	*3*	*3*	*21*	*27*	*78*	*109*	*52*
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	1	–	–	–	1	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	*1*	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	*2*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	4	–	–	–	1	–	–	1	–	–	1	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
140-205	18	Malignant neoplasms . Total	M.	244	–	–	–	1	1	3	4	6	36	64	74	43	12	56	–	–	–	–	–	2	–	–	3	14	16	20	1
			F.	*253*	–	–	*2*	–	–	*3*	*4*	*19*	*39*	*60*	*59*	*52*	*15*	*51*	–	–	*1*	–	–	*1*	–	*1*	*10*	*7*	*17*	*10*	*4*
160-165	—	Malignant neoplasms of respiratory system	M.	85	–	–	–	–	–	–	1	1	14	36	26	4	3	11	–	–	–	–	–	–	–	–	1	6	1	3	–
			F.	*11*	–	–	–	–	–	–	–	–	*3*	*3*	*4*	*1*	–	*3*	–	–	*1*	–	–	–	–	–	*1*	–	*1*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	17	–	–	–	1	1	3	1	2	2	4	2	1	–	4	–	–	–	–	–	2	–	–	–	–	–	2	–
			F.	*11*	–	–	*2*	–	–	–	–	*1*	*4*	*2*	*2*	–	–	*3*	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–
140-159, 170-199	—	Other malignant neoplasms	M.	142	–	–	–	–	–	–	2	3	20	24	46	38	9	41	–	–	–	–	–	–	–	–	2	8	15	15	1
			F.	*231*	–	–	–	–	–	*3*	*4*	*18*	*32*	*55*	*53*	*51*	*15*	*45*	–	–	–	–	–	*1*	–	*1*	*8*	*7*	*15*	*9*	*4*
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
260	20	Diabetes mellitus	M.	8	–	–	–	1	–	–	–	–	–	–	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*21*	–	–	–	*1*	–	–	–	–	*2*	*6*	*5*	*6*	*1*	*3*	–	–	–	–	–	–	–	–	–	–	*2*	*1*	–
290-293	21	Anæmias	M.	4	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*9*	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*2*	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	7	–	–	–	–	–	–	2	–	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*18*	–	–	–	*1*	–	*1*	–	*1*	*2*	*5*	*6*	*2*	–	*2*	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	174	–	–	–	–	–	–	2	9	26	47	75	15	40	–	–	–	–	–	–	–	–	1	2	6	10	15	6
			F.	*286*	–	*1*	–	–	*2*	–	–	*2*	*19*	*22*	*92*	*109*	*39*	*73*	–	–	–	–	–	–	–	–	*3*	*3*	*16*	*36*	*15*
340	23	Non-meningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*2*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	22	–	–	–	1	2	–	3	1	–	3	11	1	5	–	–	–	1	–	–	–	–	–	–	1	1	2	–
			F.	*25*	–	*1*	*1*	–	*1*	–	–	*2*	–	*8*	*6*	*5*	*1*	*9*	–	–	–	–	–	–	–	–	*2*	*1*	*3*	*3*	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	18	–	–	–	–	–	1	2	3	3	3	4	2	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	*28*	–	–	–	–	–	–	*1*	*2*	*5*	*5*	*11*	*4*	–	*5*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	581	–	–	–	–	–	2	16	61	126	175	155	46	86	–	–	–	–	–	–	1	1	4	15	28	30	7
			F.	*468*	–	–	–	–	–	–	*2*	*14*	*46*	*134*	*181*	*91*	*79*	–	–	–	–	–	–	–	–	*1*	*9*	*22*	*32*	*15*
430-434	27	Other diseases of heart	M.	16	–	–	–	–	–	–	–	1	4	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*32*	–	–	–	–	–	–	*1*	*2*	*2*	*8*	*14*	*5*	*3*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–
440-443	28	Hypertensive heart disease	M.	23	–	–	–	–	–	–	–	–	4	8	9	2	5	–	–	–	–	–	–	–	–	1	–	2	1	1
			F.	*33*	–	–	–	–	–	–	*1*	–	*2*	*3*	*11*	*14*	*2*	*6*	–	–	–	–	–	–	–	–	–	–	*2*	*3*	*1*

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued.*

International Classification		Causes of Death		BERWICK COUNTY														BUTE COUNTY											
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		343	5	1	1	–	–	2	3	–	23	49	86	114	59	289	6	2	1	1	–	–	3	4	10	33	96	98	35
		Males		174	5	–	1	–	–	2	2	–	14	29	49	53	19	132	2	2	–	1	–	–	3	2	5	24	44	37	12
		Females		*169*	–	*1*	–	–	–	–	*1*	–	*9*	*20*	*37*	*61*	*40*	*157*	*4*	–	*1*	–	–	–	–	*2*	*5*	*9*	*52*	*61*	*23*
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	32	–	–	–	–	–	–	–	–	3	12	9	5	3	26	–	–	–	–	–	–	–	1	2	5	11	6	1
			F.	*22*	–	–	–	–	–	–	–	–	*2*	*6*	*3*	*9*	*2*	*26*	–	–	–	–	–	–	–	*1*	*2*	*3*	*12*	*6*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	7	–	–	–	–	–	–	–	–	1	5	1	–	–	9	–	–	–	–	–	–	–	–	1	3	4	1	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	1	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	23	–	–	–	–	–	–	–	–	1	7	8	4	3	15	–	–	–	–	–	–	–	–	1	2	6	5	1
			F.	*20*	–	–	–	–	–	–	–	–	*1*	*5*	*3*	*9*	*2*	*25*	–	–	–	–	–	–	–	*1*	*2*	*3*	*12*	*5*	*2*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*3*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	3	5	11	4	18	–	–	–	–	–	–	–	–	–	2	5	8	3
330-334	22	Vascular lesions affecting central nervous system	M.	23	–	–	–	–	–	–	–	–	2	3	8	16	11	30	–	–	–	–	–	–	–	–	–	2	7	12	9
			F.	*40*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*4*	–	–	*1*	–	–	–	–	–	–	*1*	*2*	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	2	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	55	–	–	–	–	–	–	–	–	7	8	14	19	7	38	–	–	–	–	–	–	2	–	–	7	15	10	4
			F.	*51*	–	–	–	–	–	–	–	–	*1*	*6*	*16*	*15*	*13*	*46*	–	–	–	–	–	–	–	–	*1*	*3*	*18*	*18*	*6*
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	–	–	–	–	–	*4*	–	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–	–
440-443	28	Hypertensive heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
			F.	*4*	–	–	–	–	–	–	–	–	–	–	–	*3*	*1*	*6*	–	–	–	–	–	–	–	–	*1*	–	*1*	*4*	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		CAITHNESS COUNTY														CLACKMANNAN COUNTY												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		347	4	3	2	1	3	8	6	7	26	52	80	100	55	437	11	7	1	–	1	4	5	8	29	76	109	141	45
		Males		183	3	1	1	–	2	5	4	5	15	39	38	46	24	227	6	6	1	–	–	3	3	3	14	56	62	58	15
		Females		*164*	*1*	*2*	*1*	*1*	*1*	*3*	*2*	*2*	*11*	*13*	*42*	*54*	*31*	*210*	*5*	*1*	–	–	*1*	*1*	*2*	*5*	*15*	*20*	*47*	*83*	*30*
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	29	–	–	–	–	–	–	1	–	4	7	8	8	1	37	–	–	–	–	–	–	–	–	1	18	8	7	3
			F.	*27*	–	–	*1*	–	–	–	*1*	*5*	*3*	*5*	*5*	*5*	*7*	*38*	–	–	–	–	*1*	–	–	*2*	*6*	*4*	*10*	*13*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	6	–	–	–	–	–	–	–	–	2	1	3	–	–	13	–	–	–	–	–	–	–	–	–	8	3	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	*2*	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
		Other malignant neoplasms	M.	22	–	–	–	–	–	1	–	2	5	5	8	1		22	–	–	–	–	–	–	–	–	1	9	5	4	3
140-159, 170-199	—		F.	*25*	–	–	–	–	–	–	*1*	*4*	*3*	*5*	*5*	*7*		*35*	–	–	–	–	*1*	–	–	*2*	*6*	*4*	*8*	*12*	*2*
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	1	–	–	1	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	2	–	–		*3*	–	–	–	–	–	–	–	–	–	–	2	–	*1*
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	1	–	–	–		2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–		*3*	–	–	–	–	–	–	–	–	–	–	2	*1*	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	1	–		*3*	–	–	–	–	–	–	–	–	–	–	3	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	22	–	–	–	–	–	–	–	4	3	6	6	3		27	–	–	–	–	–	1	–	–	1	4	8	11	2
			F.	*33*	–	–	–	–	–	–	–	*2*	*1*	*10*	*13*	*7*		*32*	–	–	–	–	–	–	*2*	*1*	*3*	*8*	*15*	*3*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	5	–	–	–	1	2	–	–	1	–	1	–	–		5	–	–	–	–	–	–	1	1	1	1	1	–	–
			F.	*3*	–	–	–	–	–	–	–	*1*	*1*	–	*1*	–		*4*	–	–	–	–	–	–	–	–	*1*	*2*	*1*	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–		2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–		*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	58	–	–	–	–	–	–	–	3	12	12	18	13		67	–	–	–	–	–	–	–	7	19	20	16	5	
			F.	*43*	–	–	–	–	–	–	–	*1*	*2*	*12*	*18*	*10*		*55*	–	–	–	–	–	–	–	*1*	*1*	*4*	*7*	*29*	*13*
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	1	–	–	1	1	2	–		2	–	–	–	–	–	–	–	–	–	–	2	–	
			F.	*3*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–		*6*	–	–	–	–	–	–	–	*1*	*2*	*2*	*1*	–	
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	1	–	–	1		4	–	–	–	–	–	–	–	1	–	1	2	–	
			F.	*4*	–	–	–	–	–	–	–	–	*1*	*2*	*1*	–		*4*	–	–	–	–	–	–	–	–	–	*2*	*2*	–	
444-447	29	Other hypertensive disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–		1	–	–	–	–	–	–	–	–	–	1	–	–	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		DUMFRIES BURGH														DUMFRIES COUNTY (excluding Large Burghs)											
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		353	6	1	–	2	–	3	2	6	21	73	90	115	34	692	16	6	8	3	3	8	6	14	51	105	184	214	74
		Males		171	4	1	–	1	–	2	–	3	10	51	45	45	9	337	10	3	4	–	1	8	4	7	29	68	91	93	19
		Females		*182*	*2*	–	–	*1*	–	*1*	*2*	*3*	*11*	*22*	*45*	*70*	*25*	*355*	*6*	*3*	*4*	*3*	*2*	–	*2*	*7*	*22*	*37*	*93*	*121*	*55*
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*2*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
140-205	18	Malignant neoplasms . Total	M.	46	–	–	–	1	–	–	–	–	7	19	11	7	1	56	–	–	1	–	–	1	1	1	10	16	13	12	1
			F.	*31*	–	–	–	–	–	*1*	–	*1*	*2*	*4*	*12*	*10*	*1*	*49*	–	–	*1*	*1*	–	–	–	*2*	*9*	*11*	*14*	*9*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	15	–	–	–	–	–	–	–	–	3	6	4	2	–	15	–	–	–	–	–	–	–	–	2	9	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*4*	–	–	–	–	–	–	–	–	*2*	–	–	*1*	*1*
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	–	–	1	–	1	–	–	–	–
			F.	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*3*	–	–	*1*	*1*	–	–	–	–	–	*1*	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	30	–	–	–	1	–	–	–	–	4	12	7	5	1	38	–	–	–	–	–	1	–	1	7	7	11	10	1
			F.	*30*	–	–	–	–	–	–	–	*1*	*2*	*4*	*12*	*10*	*1*	*42*	–	–	–	–	–	–	–	*2*	*7*	*10*	*14*	*8*	*1*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*6*	–	–	–	–	–	–	–	*1*	–	–	*4*	*1*	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	1	–	–	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–
330-334	22	Vascular lesions affecting central nervous system	M.	18	–	–	–	–	–	–	–	–	–	4	7	5	2	48	–	1	–	–	–	–	–	2	3	15	26	1	
			F.	*35*	–	–	–	–	–	–	–	–	*1*	*4*	*9*	*15*	*6*	*65*	–	–	–	–	–	–	*1*	–	*1*	*8*	*21*	*27*	*7*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	1	1	1	–		
			F.	*4*	–	–	–	–	–	–	–	–	*2*	*2*	–	–	–	*5*	–	–	*1*	*1*	–	–	–	–	–	*1*	*2*	–	
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*2*	–	–	–	–	*7*	–	–	–	–	–	–	*1*	–	*1*	*1*	*3*	*1*	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	56	–	–	–	–	–	–	–	2	16	19	16	3		107	–	–	–	–	–	–	1	1	7	27	34	31	6	
			F.	*63*	–	–	–	–	–	–	*1*	*1*	*7*	*17*	*25*	*12*		*93*	–	–	–	–	–	–	–	–	*3*	*7*	*21*	*46*	*16*	
430-434	27	Other diseases of heart	M	2	–	–	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	–	2	2	–	2	–	
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*6*	–	–	–	–	–	–	–	–	–	*1*	*1*	*3*	*1*	
440-443	28	Hypertensive heart disease	M.	5	–	–	–	–	–	–	–	1	1	1	2	–		4	–	–	–	–	–	–	–	–	–	–	3	1	–	
			F.	*7*	–	–	–	–	–	–	–	–	*1*	*1*	*3*	*2*		*12*	–	–	–	–	–	–	–	–	–	*2*	*3*	*4*	*3*	
444-447	29	Other hypertensive disease	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification	Abbreviated List "B"	Causes of Death		CLYDEBANK BURGH All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	DUMBARTON BURGH All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List		ALL CAUSES—Both Sexes		503	22	8	5	3	1	2	2	21	59	87	126	129	38	296	11	7	1	–	3	3	1	16	30	53	80	73	18
		Males		268	13	3	1	2	–	–	2	11	40	50	67	62	17	165	4	5	–	–	1	2	1	10	21	35	43	37	6
		Females		*235*	*9*	*5*	*4*	*1*	*1*	*2*	–	*10*	*19*	*37*	*59*	*67*	*21*	*131*	*7*	*2*	*1*	–	*2*	*1*	–	*6*	*9*	*18*	*37*	*36*	*12*
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	–	–	3	4	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	43	–	–	–	–	–	1	2	11	10	14	4	1	20	–	–	–	–	–	–	1	4	4	6	5	–	
			F.	*47*	–	–	*1*	–	*1*	–	*4*	*6*	*9*	*15*	*10*	*1*	*31*	–	–	–	*2*	*1*	–	*2*	*4*	*9*	*3*	*9*	*1*	
160-165	—	Malignant neoplasms of respiratory system	M.	20	–	–	–	–	–	–	1	6	6	6	1	–	8	–	–	–	–	–	–	–	1	3	3	1	–	
			F.	*6*	–	–	–	–	–	–	–	*1*	*2*	*1*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	
			F.	*4*	–	–	–	*1*	–	–	–	*1*	*1*	–	*1*	–	*2*	–	–	–	–	*2*	–	–	–	–	–	–	–	–	
140-159, 170-199	—	Other malignant neoplasms	M.	21	–	–	–	–	–	1	–	4	4	8	3	1	11	–	–	–	–	–	–	1	3	1	2	4	–	
			F.	*37*	–	–	–	–	*1*	–	*4*	*4*	*6*	*14*	*7*	*1*	*29*	–	–	–	–	*1*	–	*2*	*4*	*9*	*3*	*9*	*1*	
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	–	*1*	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*1*	–	–	–	–	–	–	–	–	1	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	
			F.	*2*	–	–	–	–	–	–	–	*1*	–	*1*	–	–	*2*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	
330-334	22	Vascular lesions affecting central nervous system	M.	33	–	–	1	–	–	–	–	2	5	11	11	3	16	–	–	–	–	–	–	–	1	3	3	8	1	
			F.	*27*	–	–	–	–	–	–	–	*2*	*8*	*7*	*8*	*2*	*24*	–	–	–	–	–	–	*1*	*1*	*1*	*13*	*5*	*3*	
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	
300-326, 341-398	46.1	Other diseases of nervous system	M.	2	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	
			F.	*3*	–	–	*1*	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	*1*	–	*1*	–	–	1	–	–	*2*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	97	–	–	–	–	–	–	3	14	24	22	24	10	58	–	–	–	–	–	–	4	9	12	15	15	3	
			F.	*62*	–	–	–	–	–	–	–	*4*	*11*	*11*	*29*	*7*	*27*	–	–	–	–	–	–	*1*	*1*	*5*	*7*	*10*	*3*	
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*5*	–	–	–	–	–	–	–	–	*1*	–	*3*	*1*	*4*	–	–	–	–	–	–	–	–	–	*2*	*2*	–	
440-443	28	Hypertensive heart disease	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	
			F.	*7*	–	–	–	–	–	–	–	–	–	*2*	*3*	*2*	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death	DUNBARTON COUNTY (excluding Large Burghs)															EAST LOTHIAN COUNTY										
			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	1293	31	20	14	5	6	7	17	34	91	232	352	351	133	660	13	5	4	1	1	1	8	8	47	99	169	222	82
		Males	641	18	10	6	3	5	6	11	21	48	133	192	139	49	342	8	2	3	–	–	1	8	6	29	63	78	111	33
		Females	*652*	*13*	*10*	*8*	*2*	*1*	*1*	*6*	*13*	*43*	*99*	*160*	*212*	*84*	*318*	*5*	*3*	*1*	*1*	*1*	–	–	*2*	*18*	*36*	*91*	*111*	*49*
001-008	1	Tuberculosis of respiratory system	M. 6	–	–	–	–	–	–	–	1	3	1	1	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F. *1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–		–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M. 1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M. 1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. *1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M. 1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. *1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M. 4	–	–	–	–	–	–	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F. *3*	–	*1*	–	–	–	–	–	–	*2*	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M 119	–	–	–	1	1	–	3	1	11	32	45	22	3	53	–	–	–	–	–	–	–	10	15	15	11	2
			F. *102*	–	–	–	–	–	–	*1*	*4*	*11*	*31*	*29*	*25*	*1*	*54*	–	–	–	–	–	–	–	*1*	*7*	*10*	*16*	*13*	*7*
160-165	—	Malignant neoplasms of respiratory system	M. 36	–	–	–	–	–	–	1	–	4	9	16	5	1	18	–	–	–	–	–	–	–	–	3	4	6	3	2
			F. *10*	–	–	–	–	–	–	–	–	*1*	*6*	*2*	*1*	–	*6*	–	–	–	–	–	–	–	–	–	*3*	*2*	*1*	
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M. 7	–	–	–	–	1	–	2	1	1	2	–	–	–	3	–	–	–	–	–	–	–	–	2	1	–	–	–
			F. *8*	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*4*	–	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–	–
140-159, 170-199	—	Other malignant neoplasms	M. 76	–	–	–	1	–	–	–	–	6	21	29	17	2	32	–	–	–	–	–	–	–	–	5	10	9	8	–
			F. *84*	–	–	–	–	–	–	*1*	*4*	*9*	*23*	*26*	*20*	*1*	*46*	–	–	–	–	–	–	–	*1*	*7*	*10*	*11*	*11*	*6*
210-239	19	Benign and unspecified neoplasms	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. *1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*
260	20	Diabetes mellitus	M. 2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	
			F. *6*	–	–	–	–	–	–	–	–	*1*	*3*	*1*	–	*1*	*5*	–	–	–	–	–	–	–	–	–	*3*	–	–	*2*
290-293	21	Anæmias	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. *3*	–	–	–	–	–	–	–	–	–	*2*	*1*	–	–	*3*	–	–	–	–	–	–	–	–	–	–	*3*	–	
240-254, 270-289, 294-299	46.0	Other general diseases	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. *3*	–	–	*1*	–	–	–	–	–	*1*	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	
330-334	22	Vascular lesions affecting central nervous system	M. 85	–	–	–	–	1	–	1	1	1	12	28	36	5	62	–	–	–	–	–	–	–	–	3	8	12	29	10
			F. *126*	–	–	–	–	–	–	*1*	*3*	*10*	*16*	*32*	*47*	*17*	*85*	–	–	–	–	–	–	–	–	*2*	*9*	*31*	*35*	*8*
340	23	Non-meningococcal meningitis	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. *1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M. 8	–	–	–	1	–	–	–	–	2	1	4	–	–	3	–	–	1	–	–	–	1	–	–	–	–	1	–
			F. *11*	–	*2*	–	–	–	–	–	–	*2*	*4*	*2*	*1*	–	*4*	–	–	–	–	–	–	–	–	–	*2*	*2*	–	–
400-402	24	Rheumatic fever	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M. 3	–	–	–	–	–	–	1	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	–	1	–	1	–
			F. *10*	–	–	–	–	–	*1*	–	*1*	*2*	*2*	*3*	*1*	–	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	
420-422	26	Arteriosclerotic and degenerative heart disease	M. 214	–	–	–	–	–	–	–	8	21	55	64	42	24	91	–	–	–	–	–	–	–	1	1	6	23	20	31	9
			F. *190*	–	–	–	–	–	–	–	*1*	*8*	*22*	*63*	*63*	*33*	*74*	–	–	–	–	–	–	–	–	–	*3*	*8*	*22*	*30*	*11*
430-434	27	Other diseases of heart	M. 5	–	–	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1
			F. *11*	–	–	–	–	–	–	–	–	–	*2*	*2*	*5*	*2*	*3*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*
440-443	28	Hypertensive heart disease	M. 5	–	–	–	–	–	–	–	–	–	2	2	1	–	9	–	–	–	–	–	–	–	–	1	–	5	2	1
			F. *11*	–	–	–	–	–	–	–	–	–	–	*1*	*10*	–	*4*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*2*	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification	Abbreviated List "B"	Causes of Death		DUNFERMLINE BURGH All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KIRKCALDY BURGH All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List		ALL CAUSES—Both Sexes		517	13	2	7	1	–	9	8	12	42	97	119	148	59	597	14	7	3	–	5	3	5	9	46	109	154	187	55
		Males		248	6	1	4	1	–	4	2	5	19	51	65	68	22	292	8	3	–	–	3	2	4	5	25	60	88	80	14
		Females		*269*	*7*	*1*	*3*	–	–	*5*	*6*	*7*	*23*	*46*	*54*	*80*	*37*	*305*	*6*	*4*	*3*	–	*2*	*1*	*1*	*4*	*21*	*49*	*66*	*107*	*41*
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	54	–	–	1	1	–	–	–	1	4	12	18	13	4	56	–	–	–	–	–	–	1	1	7	13	23	10	1
			F.	*48*	–	–	–	–	–	*2*	*2*	*8*	*15*	*13*	*6*	*2*	*2*	*48*	–	–	*1*	–	–	–	–	*2*	*10*	*9*	*15*	*8*	*3*
160-165	—	Malignant neoplasms of respiratory system	M.	12	–	–	–	–	–	–	–	–	–	6	2	3	1	13	–	–	–	–	–	–	–	–	1	5	7	–	–
			F.	*2*	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	1	1	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	*5*	–	–	–	–	–	*2*	*1*	*1*	*1*	–	–	–	–	*3*	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–
140-159, 170-199	—	Other malignant neoplasms	M.	38	–	–	–	–	–	–	1	4	6	14	10	3	41	–	–	–	–	–	–	1	1	5	7	16	10	1
			F.	*41*	–	–	–	–	–	*1*	*6*	*14*	*12*	*6*	*2*	*44*	–	–	*1*	–	–	–	–	*2*	*8*	*9*	*14*	*7*	*3*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	*5*	–	–	–	–	–	–	*1*	–	*1*	–	*3*	–	–	*3*	–	–	–	–	–	–	–	–	–	–	*3*	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	23	–	–	–	–	–	–	–	–	4	8	7	4	33	–	–	–	–	–	–	–	–	7	9	17	–	–
			F.	*59*	–	–	–	–	–	–	–	*5*	*7*	*13*	*24*	*10*	*43*	–	–	–	–	–	–	–	–	*2*	*4*	*14*	*18*	*5*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	1	–	–	–	2	–	–	–	5	–	–	–	–	1	1	–	–	1	2	–	–	–	–
			F.	*6*	–	–	*1*	–	*1*	–	*1*	*1*	*1*	–	*1*	–	*5*	–	–	–	–	–	–	*1*	–	–	*2*	–	*2*	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–
			F.	*4*	–	–	–	–	–	*1*	–	*3*	–	–	–	–	*9*	–	–	–	–	–	–	–	–	*2*	*3*	*2*	*2*	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	71	–	–	–	–	–	1	2	7	19	19	18	5	108	–	–	–	–	–	–	1	9	25	31	34	8	–	–
			F.	*65*	–	–	–	–	–	–	–	*4*	*12*	*15*	*20*	*14*	*98*	–	–	–	–	–	–	–	*1*	*12*	*22*	*45*	*18*	–	–
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	2	3	2	–	6	–	1	–	–	–	–	–	–	–	2	1	1	1	–
440-443	28	Hypertensive heart disease	M.	5	–	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	2	–	5	–	7	–	–	–	–	–	–	–	–	–	3	1	2	1	–
444-447	29	Other hypertensive disease	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	–	–	1	1	2	–	–	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		FIFE COUNTY (excluding large burghs)															INVERNESS BURGH										
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		2650	71	33	18	4	5	14	28	78	166	418	723	795	297	335	4	3	2	1	–	3	2	10	28	62	91	92	37
		Males		1405	46	19	9	1	3	11	17	48	117	268	376	386	104	195	3	1	1	1	–	3	–	8	21	41	52	49	15
		Females		*1245*	*25*	*14*	*9*	*3*	*2*	*3*	*11*	*30*	*49*	*150*	*347*	*409*	*193*	*140*	*1*	*2*	*1*	–	–	–	*2*	*2*	*7*	*21*	*39*	*43*	*22*
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	–	–	3	2	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	5	–	1	1	–	–	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	*4*	–	–	–	–	*1*	–	–	–	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	228	–	–	–	1	–	1	3	9	26	61	68	52	7	38	–	–	–	1	–	1	–	1	3	9	16	5	2
			F.	*194*	–	–	*1*	–	–	*1*	*4*	*8*	*23*	*40*	*62*	*42*	*13*	*22*	–	–	*1*	–	–	–	–	*1*	*3*	*7*	*7*	*1*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	81	–	–	–	–	–	–	–	4	14	35	18	10	–	13	–	–	–	–	–	–	–	–	2	3	7	1	–
			F.	*10*	–	–	–	–	–	–	–	–	*2*	*3*	*3*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	16	–	–	–	1	–	1	1	1	3	2	6	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*8*	–	–	*1*	–	–	–	–	*2*	*1*	*1*	*2*	*1*	–	*2*	–	–	–	–	–	–	–	–	*2*	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	131	–	–	–	–	–	2	4	9	24	44	41	7	24	–	–	1	–	1	–	1	1	6	8	4	2	
			F.	*176*	–	–	–	–	*1*	*4*	*6*	*20*	*36*	*57*	*39*	*13*	*20*	–	–	*1*	–	–	–	–	*1*	*3*	*5*	*7*	*1*	*2*	
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	7	–	–	–	–	–	–	–	1	–	2	3	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*22*	–	–	–	–	–	–	–	–	*7*	*8*	*4*	*3*	*3*	*3*	–	–	–	–	–	–	–	*1*	*1*	–	*1*	–	–
290-293	21	Anæmias	M.	5	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*9*	–	–	–	–	–	–	–	–	–	*3*	*5*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	8	–	–	–	–	–	–	–	1	1	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*6*	–	–	*1*	–	–	–	*1*	*1*	*1*	*1*	–	*1*	–	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	199	–	–	–	–	–	–	–	3	12	30	60	68	26	32	–	–	–	–	–	–	–	–	3	7	9	12	1
			F.	*223*	–	–	–	–	–	–	–	*6*	*4*	*18*	*70*	*77*	*48*	*24*	–	–	–	–	–	–	*1*	–	*1*	*2*	*6*	*7*	*7*
340	23	Non-meningococcal meningitis	M.	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	19	–	1	1	–	–	–	–	2	2	4	4	4	1	3	–	–	1	–	–	–	–	1	1	–	–	–	–
			F.	*26*	–	–	–	*1*	–	–	*1*	–	*3*	*4*	*5*	*10*	*2*	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	8	–	–	–	–	–	–	2	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*11*	–	–	–	–	–	–	*2*	*4*	*1*	–	*3*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	461	–	–	–	–	–	–	1	8	39	106	129	140	38	76	–	–	–	–	–	–	–	2	11	12	22	21	8
			F.	*387*	–	–	–	–	–	–	–	*1*	*9*	*44*	*112*	*145*	*76*	*56*	–	–	–	–	–	–	*1*	–	*1*	*7*	*15*	*23*	*9*
430-434	27	Other diseases of heart	M.	18	–	–	–	–	–	–	–	1	–	3	4	8	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*16*	–	–	–	–	–	–	–	–	*1*	*2*	*3*	*7*	*3*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertensive heart disease	M.	15	–	–	–	–	–	–	–	–	1	2	5	6	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*27*	–	–	–	–	–	–	–	*1*	*1*	*2*	*9*	*12*	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
			M.	15	–	–	–	–	–	–	–	1	–	1	7	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification	Abbreviated List "B"	Causes of Death		INVERNESS COUNTY (excluding Large Burghs) All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	INSULAR PORTION OF INVERNESS COUNTY All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List		ALL CAUSES—Both Sexes		730	10	9	3	4	2	11	13	17	49	109	176	199	128	297	3	3	1	–	1	4	5	4	13	38	62	94	69
		Males		393	8	4	2	4	1	10	12	11	37	68	78	102	56	153	1	1	–	–	–	3	4	3	10	22	25	51	33
		Females		337	2	5	*1*	–	*1*	*1*	*1*	*6*	*12*	*41*	*98*	*97*	*72*	*144*	*2*	*2*	*1*	–	*1*	*1*	*1*	*1*	*3*	*16*	*37*	*43*	*36*
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	2	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	69	–	–	–	1	–	3	1	1	13	16	10	19	5	17	–	–	–	–	–	1	–	–	1	6	1	7	1
			F.	*50*	–	–	–	–	–	*1*	–	*1*	*4*	*11*	*14*	*15*	*4*	*15*	–	–	–	–	–	–	–	–	1	*3*	*5*	5	–
160-165	—	Malignant neoplasms of respiratory system	M.	17	–	–	–	–	–	–	–	–	4	8	1	3	1	5	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*5*	–	–	–	–	–	–	–	–	*1*	–	*4*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	8	–	–	–	1	–	2	1	1	1	1	–	1	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	44	–	–	–	–	–	1	–	–	8	7	9	15	4	10	–	–	–	–	–	–	–	–	–	2	1	6	1
			F.	*44*	–	–	–	–	–	*1*	–	*1*	*3*	*11*	*9*	*15*	*4*	*14*	–	–	–	–	–	–	–	–	*1*	*3*	*4*	*5*	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	*1*	–	–	–	–	–	*2*	–	–	–	*3*	–	–	–	–	–	*1*	–	–	–	*2*	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	3	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	55	–	–	–	–	–	–	–	1	1	8	13	24	8	26	–	–	–	–	–	–	–	–	–	2	5	13	6
			F.	*73*	–	–	–	–	–	–	–	–	–	*1*	*24*	*31*	*17*	*33*	–	–	–	–	–	–	–	–	–	*1*	*11*	*13*	8
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*4*	–	*2*	–	–	–	–	–	–	–	–	*2*	–	–	*2*	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	*3*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	121	–	–	–	–	–	–	2	10	27	33	29	20	41	–	–	–	–	–	–	–	–	4	8	10	11	8
			F.	*92*	–	–	–	–	–	–	–	*1*	*13*	*31*	*24*	*23*	*33*	–	–	–	–	–	–	–	–	–	3	*7*	*12*	*11*
430-434	27	Other diseases of heart	M.	6	–	–	–	–	–	–	1	–	1	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	*7*	–	–	–	–	–	–	–	–	–	*1*	*3*	*2*	*1*	2	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	3	*2*	*1*
			F.	*11*	–	–	–	–	–	–	–	–	*2*	*3*	*4*	*2*	*1*	*7*	–	–	–	–	–	–	–	–	–	–	1	2	1

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification	Abbreviated List "B"	Causes of Death		KINCARDINE COUNTY All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KINROSS COUNTY All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List		ALL CAUSES—Both Sexes		351	5	1	–	1	–	2	1	6	22	57	79	119	58	94	6	–	–	–	1	–	1	2	4	22	25	24	9
		Males		172	–	1	–	1	–	1	–	3	13	28	47	53	25	34	3	–	–	–	–	–	–	1	1	12	6	9	2
		Females		*179*	*5*	–	–	–	–	*1*	*1*	*3*	*9*	*29*	*32*	*66*	*33*	*60*	*3*	–	–	–	*1*	–	*1*	*1*	*3*	*10*	*19*	*15*	*7*
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	35	–	–	–	–	–	–	1	2	9	11	12	–	6	–	–	–	–	–	–	–	–	1	3	2	–	–
			F.	*35*	–	–	–	–	*1*	–	*2*	*4*	*10*	*5*	*12*	*1*	*17*	–	–	–	–	–	–	–	–	*1*	*4*	*6*	*4*	*1*
160-165	—	Malignant neoplasms of respiratory system	M.	10	–	–	–	–	–	–	–	–	5	3	2	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
200-205		Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	*1*	–	–	–	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	23	–	–	–	–	–	–	1	2	3	8	9	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	*31*	–	–	–	–	–	–	*2*	*4*	*9*	*5*	*10*	*1*	*15*	–	–	–	–	–	–	–	–	–	*1*	*4*	*5*	*4*	*1*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*4*	–	–	–	–	–	*1*	–	–	*2*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	21	–	–	–	–	–	–	–	3	1	6	7	4	7	–	–	–	–	–	–	–	–	–	2	–	5	–
			F.	*23*	–	–	–	–	–	–	–	*1*	–	*4*	*9*	*9*	*11*	–	–	–	–	–	–	–	–	–	*1*	*6*	*3*	*1*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	*2*	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	*3*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	52	–	–	–	–	–	–	2	2	7	21	14	6	9	–	–	–	–	–	–	–	–	–	3	3	2	1
			F.	57	–	–	–	–	–	–	*1*	*1*	*6*	*12*	*24*	*13*	*13*	–	–	–	–	–	–	–	–	–	*2*	*3*	*4*	*4*
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification Detailed List	Abbreviated List "B"	Causes of Death		KIRKCUDBRIGHT COUNTY All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	GLASGOW COUNTY OF CITY All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		394	6	2	3	–	2	1	2	7	31	70	79	137	54	13366	470	234	90	45	32	97	169	439	1179	2566	3554	3429	1062
		Males		202	5	1	–	–	–	1	1	3	19	45	40	68	19	7017	269	119	47	31	13	69	100	264	732	1634	1843	1486	410
		Females		*192*	*1*	*1*	*3*	–	*2*	–	*1*	*4*	*12*	*25*	*39*	*69*	*35*	*6349*	*201*	*115*	*43*	*14*	*19*	*28*	*69*	*175*	*447*	*932*	*1711*	*1943*	*652*
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	128	–	–	–	–	–	–	5	18	27	29	36	11	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*54*	–	–	–	–	–	–	*11*	*13*	*11*	*9*	*8*	*2*	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	1	1	–	–	–	–	2	2	2	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*5*	–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	*2*
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	–	4	2	5	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*4*	–	–	–	–	–	–	–	–	–	–	*2*	*2*	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	2	2	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	*2*	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	2	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	*3*	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	11	–	1	–	–	–	–	1	1	2	3	3	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*22*	–	*6*	–	–	*1*	–	*2*	*2*	*2*	*4*	*4*	*1*	–
140-205	18	Malignant neoplasms . Total	M.	28	–	–	–	–	–	–	–	1	4	10	5	7	1	1375	–	2	5	3	2	6	20	52	182	455	391	225	32
			F.	*29*	–	–	–	–	–	–	*1*	*3*	*3*	*7*	*8*	*3*	*4*	*1042*	–	–	*7*	*1*	*1*	*2*	*16*	*45*	*173*	*236*	*296*	*215*	*50*
160-165	—	Malignant neoplasms of respiratory system	M.	8	–	–	–	–	–	–	–	–	2	5	–	1	–	611	–	–	–	–	–	–	1	19	94	252	189	51	5
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*134*	–	–	–	–	–	–	*5*	*5*	*29*	*37*	*34*	*22*	*2*
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	69	–	–	2	–	1	3	5	3	11	18	17	8	1
			F.	*2*	–	–	–	–	–	–	–	*2*	–	–	–	–	–	*50*	–	–	*4*	*1*	–	*1*	*1*	*3*	*3*	*15*	*16*	*5*	*1*
140-159, 170-199	—	Other malignant neoplasms	M.	17	–	–	–	–	–	–	–	1	2	4	3	6	1	695	–	2	3	3	1	3	14	30	77	185	185	166	26
			F.	*26*	–	–	–	–	–	–	*1*	*1*	*2*	*7*	*8*	*3*	*4*	*858*	–	–	*3*	–	*1*	*1*	*10*	*37*	*141*	*184*	*246*	*188*	*47*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16	–	2	1	–	–	1	1	1	3	3	4	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*18*	–	–	–	–	–	*1*	*1*	*4*	*1*	*5*	*5*	–	*1*
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	31	–	–	–	–	–	–	1	1	3	7	11	5	3
			F.	*6*	–	–	*1*	–	–	–	–	–	–	*1*	*2*	*2*	–	*91*	–	–	–	–	–	–	–	–	*1*	*21*	*42*	*26*	*1*
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	1	–	1	–	–	1	–	–	3	3	6	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*35*	–	–	–	*1*	*1*	–	–	*1*	–	*1*	*9*	*15*	*7*
240-254, 270-289, 294-299 330-334	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	24	–	–	1	–	–	–	2	–	6	7	3	4	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*55*	–	–	–	–	–	*2*	*2*	*1*	*7*	*7*	*16*	*17*	*3*
	22	Vascular lesions affecting central nervous system	M.	29	–	–	–	–	–	–	–	–	3	3	5	14	4	819	–	1	1	–	–	2	–	9	45	142	252	277	90
			F.	38	–	–	–	*1*	–	–	–	–	–	*7*	*5*	*18*	*7*	*1146*	–	–	–	*1*	*2*	*1*	*2*	*3*	*50*	*150*	*331*	*465*	*141*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	1	1	1	–	–	–	–	2	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*6*	*2*	*2*	*1*	–	–	*1*	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	102	–	4	2	1	–	2	4	9	11	19	26	19	5
			F.	*6*	–	*1*	–	–	–	–	*1*	*3*	–	–	*1*	–	–	*143*	–	–	*4*	–	*2*	*2*	*4*	*6*	*10*	*23*	*35*	*46*	*11*
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	79	–	–	–	–	–	2	5	14	21	19	15	3	–
			F.	*2*	–	–	–	–	–	–	–	–	–	..	*1*	*1*	–	*145*	–	–	–	–	–	*1*	*8*	*27*	*27*	*41*	*21*	*16*	*4*
420-422	26	Arteriosclerotic and degenerative heart disease	M.	80	–	–	–	–	–	–	–	1	7	20	18	26	8	1914	–	–	–	–	–	–	7	51	234	508	538	455	121
			F.	*70*	–	–	–	–	–	–	–	–	*3*	*7*	*16*	*27*	*17*	*1628*	–	–	–	–	–	–	–	*9*	*61*	*230*	*498*	*604*	*226*
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	72	–	–	–	–	–	–	–	3	4	13	21	24	7
			F.	*4*	–	–	–	–	–	–	–	–	–	–	–	*4*	–	*112*	–	–	–	–	–	*1*	*1*	*5*	*4*	*8*	*28*	*50*	*15*
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	83	–	–	–	–	–	–	–	1	5	19	32	21	5
			F.	7	–	–	–	–	–	–	–	–	*1*	*3*	*2*	*1*	–	*131*	–	–	–	–	–	–	–	–	*5*	*25*	*44*	*49*	*8*
444-447	29	Other hypertensive diseases	M.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	60	–	–	–	–	–	–	–	11	4	11	20	13	1

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		AIRDRIE BURGH														COATBRIDGE BURGH												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		358	13	11	4	2	–	3	5	17	20	63	105	87	28	576	27	10	4	3	1	3	4	14	57	98	162	149	44
		Males		199	7	8	2	1	–	3	5	8	8	35	65	43	14	344	21	6	2	3	1	2	2	7	41	69	78	87	25
		Females		*159*	*6*	*3*	*2*	*1*	–	–	–	*9*	*12*	*28*	*40*	*44*	*14*	*232*	*6*	*4*	*2*	–	–	*1*	*2*	*7*	*16*	*29*	*84*	*62*	*19*
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	–	–	2	1	1	1	–	3	–	–	–	–	–	–	1	–	–	1	1	–	–
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	*Malignant neoplasms* Total	M.	29	–	–	1	–	–	–	1	1	–	12	11	3	–	50	–	–	–	–	–	–	–	2	7	15	16	9	1
			F.	*27*	–	–	–	–	–	–	–	*4*	*5*	*6*	*7*	*3*	*2*	*44*	–	–	–	–	–	–	*1*	*1*	*7*	*7*	*20*	*7*	*1*
160-165	—	Malignant neoplasms of respiratory system	M.	13	–	–	–	–	–	–	–	–	–	7	6	–	–	24	–	–	–	–	–	–	–	2	3	11	6	2	–
			F.	*2*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*4*	–	–	–	–	–	–	–	–	–	*1*	*3*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	*2*	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	16	–	–	1	–	–	–	1	1	–	5	5	3	–	24	–	–	–	–	–	–	–	–	4	4	9	6	1
			F.	*23*	–	–	–	–	–	–	–	*4*	*3*	*5*	*7*	*2*	*2*	*38*	–	–	–	–	–	–	–	*1*	*1*	*6*	*6*	*17*	*6*	*1*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	–	–	–	–	–	*1*	*2*	–	–
290-293	21	Anæmias	M.	4	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1	1	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	*3*	–	–	–	–	–	–	*1*	–	–	2	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	26	–	–	–	–	–	–	2	1	2	12	7	2	–	37	–	–	–	1	–	–	–	–	1	5	10	18	2
			F.	*20*	–	–	–	–	–	–	*1*	*1*	*3*	*6*	*9*	–	–	*34*	–	–	–	–	–	–	–	*2*	*3*	*3*	*12*	*11*	*3*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	1	–	–	1	–	1	1	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	*6*	–	–	*1*	–	–	–	*1*	–	–	*4*	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*6*	–	–	–	–	–	–	–	*2*	–	*2*	*1*	*1*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	55	–	–	–	–	–	–	1	1	3	9	22	13	6	111	–	–	–	–	–	–	–	2	13	25	23	35	13
			F.	*58*	–	–	–	–	–	–	–	*2*	*2*	*9*	*18*	*21*	*6*	*72*	–	–	–	–	–	–	–	–	*5*	*6*	*30*	*22*	*9*
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	7	–	–	–	–	–	–	–	–	1	1	3	2	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–
440-443	28	Hypertensive heart disease	M.	8	–	–	–	–	–	–	–	–	–	1	1	6	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	*4*	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	*2*	–	–	–	–	–	–	–	–	–	*2*	*4*	*1*	–
			M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	1	3	1	–	1

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		HAMILTON BURGH														MOTHERWELL AND WISHAW BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		474	15	10	3	3	1	6	2	17	37	77	136	129	38	815	30	19	8	4	1	5	8	26	65	146	218	225	60
		Males		253	10	2	1	1	–	4	–	11	22	48	69	69	16	462	19	12	4	3	1	1	3	18	36	91	121	124	29
		Females		*221*	*5*	*8*	*2*	*2*	*1*	*2*	*2*	*6*	*15*	*29*	*67*	*60*	*22*	*353*	*11*	*7*	*4*	*1*	–	*4*	*5*	*8*	*29*	*55*	*97*	*101*	*31*
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	8	–	–	–	–	–	–	–	–	1	3	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	2	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	43	–	–	–	1	–	2	–	–	4	10	14	12	–	73	–	–	–	1	1	–	1	4	11	19	21	14	1
			F.	*35*	–	–	–	–	–	–	*1*	*3*	*4*	*10*	*11*	*6*	–	*61*	–	–	*1*	–	–	–	*1*	*3*	*12*	*17*	*18*	*7*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	13	–	–	–	–	–	–	–	–	3	4	4	2	–	34	–	–	–	–	–	–	1	2	8	11	10	2	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*4*	–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	–	1	–	1	–	–	–	–	2	–	–	5	–	–	–	–	1	–	–	1	2	–	1	–	–
			F.	*5*	–	–	–	–	–	–	*1*	–	*3*	*1*	–	–	–	*3*	–	–	–	–	–	–	–	–	–	*2*	*1*	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	26	–	–	–	–	1	–	–	1	6	8	10	–		34	–	–	–	1	–	–	–	1	1	8	10	12	1
			F.	*29*	–	–	–	–	–	*1*	*2*	*4*	*7*	*10*	*5*	–		*54*	–	–	*1*	–	–	–	*1*	*2*	*11*	*14*	*16*	*7*	*2*
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1		1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*3*	–	–	*1*	–	–	–	–	–	–	–	*1*	*1*	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		3	–	–	–	–	–	–	–	–	–	–	3	–	–
			F.	*5*	–	–	–	–	–	–	–	–	–	*3*	*2*	–		*3*	–	–	–	–	–	–	–	–	–	*2*	*1*	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*3*	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*
240-254, 270-289, 294-299	46.0	Other general diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–		4	–	–	–	–	–	–	–	2	–	1	1	–	–
			F.	*2*	–	–	–	–	–	–	–	*1*	–	–	*1*	–		*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
330-334	22	Vascular lesions affecting central nervous system	M.	34	–	–	–	–	–	–	2	3	2	14	11	2		58	–	–	–	–	–	–	–	–	3	8	18	25	4
			F.	*40*	–	–	–	–	–	–	–	*2*	*3*	*12*	*16*	*7*		*72*	–	–	–	–	–	*1*	–	*1*	*5*	*7*	*20*	*28*	*10*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	4	–	–	–	–	1	–	1	–	–	–	2	–		8	–	1	–	–	–	–	–	–	1	2	3	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*12*	*1*	–	–	–	–	*1*	–	–	*3*	*2*	*2*	*3*	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	–	1	–	–		1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*7*	–	–	–	–	–	*1*	–	*1*	*3*	*1*	*1*	–		*3*	–	–	–	–	–	–	–	–	*2*	*1*	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	83	–	–	–	–	–	–	–	3	7	23	22	21	7	141	–	–	–	–	–	–	–	6	14	32	36	42	11
			F.	*73*	–	–	–	–	–	–	–	*2*	*1*	*9*	*27*	*27*	*7*	*94*	–	–	–	–	–	–	–	–	*3*	*13*	*36*	*30*	*12*
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	5	–	–	–	–	–	–	–	–	–	–	–	3	2
			F.	*3*	–	–	–	–	–	–	*1*	–	–	–	–	*2*	–	*4*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	4	–	–	–
			F.	*4*	–	–	–	–	–	–	–	–	–	*1*	*2*	–	–	*9*	–	–	–	–	–	–	–	–	–	–	*5*	*3*	*1*

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death	RUTHERGLEN BURGH													LANARK CO. (ex County of City and Large Burghs)											
			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes	339	12	2	1	1	1	1	5	9	28	68	93	88	30	3993	152	74	35	18	11	41	42	137	325	719	1047	1031	361
		Males	169	7	2	–	1	1	1	2	5	17	39	44	34	16	2148	81	42	22	12	7	27	22	76	195	449	558	506	151
		Females	*170*	*5*	–	*1*	–	–	–	*3*	*4*	*11*	*29*	*49*	*54*	*14*	*1845*	*71*	*32*	*13*	*6*	*4*	*14*	*20*	*61*	*130*	*270*	*489*	*525*	*210*
001-008	1	Tuberculosis of respiratory system	M. 1	–	–	–	–	–	–	–	–	–	–	–	–	21	–	–	–	–	–	–	3	4	8	5	3	1	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	*9*	–	–	–	–	–	–	*3*	*2*	*2*	*1*	*1*	–	–
010-019	2	Tuberculosis, other forms	M. –	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	1
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
020-029	3	Syphilis and its sequelæ	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M. 1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M. –	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M. –	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	1	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	–
140-205	18	Malignant neoplasms . Total	M. 36	–	–	–	–	–	1	1	6	10	13	5	–	363	–	–	2	–	–	5	2	17	50	104	109	63	11
			F. *20*	–	–	–	–	–	–	–	*4*	*6*	*5*	*4*	*1*	*269*	–	–	*1*	–	–	*2*	*4*	*19*	*40*	*63*	*66*	*60*	*14*
160-165	—	Malignant neoplasms of respiratory system	M. 16	–	–	–	–	–	–	–	2	3	8	3	–	125	–	–	–	–	–	–	–	6	20	54	34	10	1
			F. *1*	–	–	–	–	–	–	–	–	*1*	–	–	–	*22*	–	–	–	–	–	–	–	*2*	*5*	*7*	*4*	*4*	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M. 3	–	–	–	–	–	1	1	–	1	–	–	–	23	–	–	–	–	–	2	2	4	4	5	4	2	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	*9*	–	–	–	–	–	*1*	*1*	*1*	*1*	*2*	*2*	*1*	–
140-159, 170-199	—	Other malignant neoplasms	M. 17	–	–	–	–	–	–	–	4	6	5	2	–	215	–	–	2	–	–	3	–	7	26	45	71	51	10
			F. *19*	–	–	–	–	–	–	–	*4*	*5*	*5*	*4*	*1*	*238*	–	–	*1*	–	–	*1*	*3*	*16*	*34*	*54*	*60*	*55*	*14*
210-239	19	Benign and unspecified neoplasms	M. –	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	1	–	–	1	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	*3*	–	–	–	–	*1*	–	–	–	*1*	*1*	–	–	–
260	20	Diabetes mellitus	M. 1	–	–	–	–	–	–	–	–	–	1	–	–	16	–	–	–	–	–	–	–	1	–	1	7	6	1
			F. *5*	–	–	–	–	–	–	–	–	*2*	*2*	*1*	–	*38*	–	–	–	–	–	–	–	–	*2*	*11*	*14*	*8*	*3*
290-293	21	Anæmias	M. –	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	2	1	1	–	–
			F. *1*	–	–	–	–	–	–	–	–	–	*1*	–	–	*20*	–	–	–	*1*	–	–	–	*1*	*2*	–	*4*	*3*	*7*	*2*
240-254, 270-289, 294-299	46.0	Other general diseases	M. 1	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–
			F. *2*	–	–	–	–	–	–	–	–	*2*	–	–	–	*14*	–	–	–	–	–	–	*3*	*1*	–	*1*	*4*	*5*	–
330-334	22	Vascular lesions affecting central nervous system	M. 11	–	–	–	–	–	–	1	2	2	3	3	261	–	–	1	–	–	1	2	5	10	44	84	94	20	
			F. *24*	–	–	–	–	–	–	*1*	*1*	*2*	*8*	*10*	*2*	*333*	–	–	–	–	–	–	–	*7*	*24*	*50*	*115*	*104*	*33*	
340	23	Non-meningococcal meningitis	M. –	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M. 3	–	–	–	–	1	–	–	1	–	1	–	–	24	1	1	–	3	1	–	–	2	2	8	2	4	–
			F. *2*	–	–	–	–	–	–	–	–	–	*2*	–	–	*32*	*1*	*1*	–	*1*	*1*	*3*	–	*2*	*5*	*3*	*9*	*6*	–
400-402	24	Rheumatic fever	M. –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F. –	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M. 1	–	–	–	–	–	–	1	–	–	–	–	–	16	–	–	–	–	–	1	–	7	2	2	3	1	–
			F. *8*	–	–	–	–	–	–	–	*1*	*3*	*2*	*2*	–	*37*	–	–	–	–	–	*1*	*2*	*5*	*9*	*10*	*5*	*5*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M. 51	–	–	–	–	–	–	3	5	13	11	14	5	651	–	–	–	–	–	2	4	18	70	150	173	167	67
			F. *48*	–	–	–	–	–	–	–	*1*	*6*	*19*	*16*	*6*	*500*	–	–	–	–	–	–	–	*4*	*23*	*62*	*138*	*188*	*85*
430-434	27	Other diseases of heart	M. 1	–	–	–	–	–	–	–	–	–	–	1	–	27	–	–	–	–	–	–	–	–	1	7	5	12	2
			F. *3*	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	*33*	–	–	–	–	–	–	–	*1*	*3*	*4*	*11*	*12*	*2*

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		EDINBURGH COUNTY OF CITY														MIDLOTHIAN COUNTY (excluding County of City)												
				All Ages	under 4 weeks	4 wks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		6210	142	48	31	10	11	33	64	149	499	1019	1597	1858	749	1237	35	13	14	5	3	7	16	43	98	198	323	354	128
		Males		3019	89	32	18	4	6	23	41	80	307	610	825	753	231	648	23	8	9	3	1	5	10	28	62	124	173	158	44
		Females		*3191*	*53*	*16*	*13*	*6*	*5*	*10*	*23*	*69*	*192*	*409*	*772*	*1105*	*518*	*589*	*12*	*5*	*5*	*2*	*2*	*2*	*6*	*15*	*36*	*74*	*150*	*196*	*84*
001-008	1	Tuberculosis of respiratory system	M.	11	–	–	–	–	–	–	–	1	–	3	6	1	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–
			F.	*4*	–	–	–	–	–	*1*	–	–	*3*	–	–	–	*2*	–	–	–	–	–	–	*2*	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*2*	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	4	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	7	–	2	–	–	–	–	–	–	–	1	2	2	–	2	–	1	–	–	–	–	–	–	–	–	1	–
			F.	*7*	–	–	–	–	*1*	–	–	*1*	*2*	–	*1*	*2*	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
140-205	18	Malignant neoplasms. Total	M.	654	–	–	2	–	–	4	6	14	92	197	204	115	20	107	–	1	–	–	–	–	–	6	14	27	35	22	2
			F.	*577*	–	–	*2*	*2*	*2*	*3*	*8*	*23*	*80*	*126*	*171*	*120*	*40*	*102*	–	–	–	–	–	–	*1*	*1*	*9*	*13*	*29*	*21*	*22*	*6*
160-165	—	Malignant neoplasms of respiratory system	M.	273	–	–	–	–	–	–	1	9	41	98	90	34	–	39	–	–	–	–	–	–	–	2	10	11	12	4	–
			F.	*52*	–	–	–	–	–	–	–	*1*	*4*	*18*	*18*	*8*	*3*	*5*	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*1*	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	35	–	–	1	–	–	2	1	1	9	13	5	3	–	6	–	–	–	–	–	–	–	1	–	3	1	1	–
			F.	*38*	–	–	*1*	*1*	*1*	*1*	*2*	*3*	*4*	*10*	*10*	*4*	*1*	*9*	–	–	–	–	–	*1*	–	*2*	*1*	*2*	*1*	*1*	*1*
140-159, 170-199	—	Other malignant neoplasms	M.	346	–	–	1	–	–	2	4	4	42	86	109	78	20	62	–	1	–	–	–	–	–	3	4	13	22	17	2
			F.	*487*	–	–	*1*	*1*	*1*	*2*	*6*	*19*	*72*	*98*	*143*	*108*	*36*	*88*	–	–	–	–	–	–	*1*	*7*	*11*	*25*	*19*	*20*	*5*
210-239	19	Benign and unspecified neoplasms	M.	5	–	–	1	–	1	–	–	–	1	–	2	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	*9*	*1*	–	–	–	–	–	–	*1*	–	*4*	*2*	*1*	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	16	–	–	–	–	–	1	–	–	1	5	7	2	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	*30*	–	–	–	–	–	–	–	–	*2*	*9*	*9*	*10*	–	*5*	–	–	–	–	–	–	–	–	–	–	*3*	*2*	–
290-293	21	Anæmias	M.	4	–	–	1	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	*14*	–	–	–	–	–	–	–	–	–	*1*	*5*	*7*	*1*	*6*	–	–	–	–	–	–	–	–	–	–	*6*	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	15	–	1	–	–	–	–	–	3	–	3	5	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*24*	–	*1*	–	–	–	–	–	*3*	*2*	*4*	*7*	*5*	*2*	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	349	–	–	–	–	–	–	–	2	18	37	105	139	48	73	–	–	–	–	–	–	2	1	3	7	24	31	5
			F.	*616*	–	–	–	–	–	–	*1*	*3*	*18*	*63*	*145*	*273*	*113*	*111*	–	–	–	–	–	–	*1*	*1*	*3*	*14*	*29*	*49*	*14*
340	23	Non-meningococcal meningitis	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	35	–	–	2	–	–	1	–	2	4	6	11	9	–	10	–	–	2	–	–	–	–	2	3	1	1	1	–
			F.	*59*	–	–	–	–	–	*1*	*1*	*1*	*5*	*12*	*20*	*15*	*4*	*7*	–	–	–	–	*1*	–	*1*	*2*	–	*1*	*1*	*1*	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	27	–	–	–	–	–	1	3	4	9	4	4	1	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	*52*	–	–	–	–	–	–	*1*	*10*	*11*	*19*	*6*	*5*	–	*6*	–	–	–	–	–	–	–	–	*1*	*4*	*1*	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	916	–	–	–	–	–	–	4	22	96	214	267	230	83	218	–	–	–	–	–	–	–	10	24	47	69	48	20
			F.	*839*	–	–	–	–	–	–	–	*2*	*25*	*84*	*196*	*346*	*186*	*186*	–	–	–	–	–	–	–	*1*	*6*	*15*	*49*	*71*	*44*
430-434	27	Other diseases of heart	M.	32	–	–	–	–	–	–	1	2	3	5	6	11	4	8	–	–	–	–	–	–	–	–	–	1	2	4	1
			F.	*53*	–	–	–	–	–	*1*	–	–	*2*	*3*	*15*	*21*	*11*	*8*	–	–	–	–	–	–	–	–	*1*	–	*5*	*1*	*1*
440-443	28	Hypertensive heart disease	M.	32	–	–	–	–	–	–	–	1	2	5	8	11	5	6	–	–	–	–	–	–	–	–	–	1	2	3	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		MORAY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	NAIRN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		498	13	7	5	2	4	3	8	17	36	68	120	157	58	117	2	–	1	–	–	1	2	6	6	14	23	34	28
		Males		266	9	5	3	1	3	3	5	9	19	47	67	75	20	55	1	–	1	–	–	1	2	2	4	10	9	11	14
		Females		*232*	*4*	*2*	*2*	*1*	*1*	–	*3*	*8*	*17*	*21*	*53*	*82*	*38*	*62*	*1*	–	–	–	–	–	–	*4*	*2*	*4*	*14*	*23*	*14*
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*2*	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	*2*	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–
140-205	18	Malignant neoplasms . Total	M.	40	–	–	–	–	–	–	1	3	12	15	7	2	10	–	–	–	–	–	–	–	1	3	2	3	1		
			F.	*40*	–	–	–	–	–	*2*	*2*	*6*	*6*	*13*	*9*	*2*	*8*	–	–	–	–	–	–	*1*	–	*3*	*2*	*2*	–		
160-165	—	Malignant neoplasms of respiratory system	M.	16	–	–	–	–	–	–	–	1	7	5	3	–	2	–	–	–	–	–	–	–	–	1	1	–	–		
			F.	*4*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–		
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–		
140-159, 170-199	—	Other malignant neoplasms	M.	21	–	–	–	–	–	–	–	1	4	10	4	2	8	–	–	–	–	–	–	–	1	2	1	3	1		
			F.	*35*	–	–	–	–	–	*1*	*2*	*6*	*5*	*12*	*8*	*1*	*5*	–	–	–	–	–	–	*1*	–	*1*	*2*	*1*	–		
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*3*	–	–	–	–	–	–	–	*1*	–	–	*2*	–	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–		
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–		
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
330-334	22	Vascular lesions affecting central nervous system	M.	36	–	–	–	–	–	–	–	2	4	10	20	–	4	–	–	–	–	–	–	–	–	–	1	–	3		
			F.	*43*	–	–	–	–	–	–	*2*	*4*	*2*	*13*	*16*	*6*	*12*	–	–	–	–	–	–	–	*2*	–	–	*4*	*6*		
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
300-326, 341-398	46.1	Other diseases of nervous system	M.	6	–	–	–	–	–	2	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*3*	–	–	–	*1*	–	–	*1*	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–		
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*2*	–	–	–	–	–	–	*1*	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–		
420-422	26	Arteriosclerotic and degenerative heart disease	M.	85	–	–	–	–	–	–	2	7	18	23	24	11	25	–	–	–	–	–	–	2	2	4	5	4	8		
			F.	*74*	–	–	–	–	–	–	*1*	*1*	*5*	*14*	*32*	*21*	*19*	–	–	–	–	–	–	*2*	–	–	*3*	*9*	*5*		
430-434	27	Other diseases of heart	M.	4	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*5*	–	–	–	–	–	–	–	–	–	*2*	*3*	–	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–		
440-443	28	Hypertensive heart disease	M.	4	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–		
			F.	*4*	–	–	–	–	–	–	–	–	–	*2*	*2*	–	*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–		

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		ORKNEY COUNTY														PEEBLES COUNTY											
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		277	1	1	2	–	–	4	2	4	17	42	61	104	39	230	5	–	–	2	–	–	2	8	16	41	49	69	38
		Males		130	–	–	1	–	–	2	2	2	11	25	29	45	13	103	4	–	–	2	–	–	2	4	8	22	23	25	13
		Females		*147*	*1*	*1*	*1*	–	–	*2*	–	*2*	*6*	*17*	*32*	*59*	*26*	*127*	*1*	–	–	–	–	–	–	*4*	*8*	*19*	*26*	*44*	*25*
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	25	–	–	–	–	–	–	–	6	6	6	6	1	12	–	–	–	–	–	–	–	1	6	2	2	1		
			F.	*13*	–	–	–	–	–	–	–	*2*	*5*	*4*	*2*	–	*18*	–	–	–	–	–	–	*1*	*3*	*5*	–	*7*	*2*		
160-165	—	Malignant neoplasms of respiratory system	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–	1	1	–	–	1		
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–		
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–		
140-159, 170-199	—	Other malignant neoplasms	M.	21	–	–	–	–	–	–	–	4	5	6	5	1	8	–	–	–	–	–	–	–	–	5	1	2	–		
			F.	*12*	–	–	–	–	–	–	–	*2*	*4*	*4*	*2*	–	*17*	–	–	–	–	–	–	*1*	*3*	*4*	–	*7*	*2*		
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–		
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–		
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–		
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
330-334	22	Vascular lesions affecting central nervous system	M.	23	–	–	–	–	–	1	–	–	2	2	16	2	13	–	–	–	–	–	–	–	1	1	4	3	3	1	
			F.	*28*	–	–	–	–	–	–	–	–	*5*	*9*	*11*	*3*	*25*	–	–	–	–	–	–	–	*1*	*1*	*4*	*6*	*10*	*3*	
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	
			F.	*3*	–	–	–	–	–	*1*	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	
420-422	26	Arteriosclerotic and degenerative heart disease	M.	44	–	–	–	–	–	–	2	3	11	12	12	4	45	–	–	–	–	–	–	–	1	4	7	12	13	8	
			F.	*43*	–	–	–	–	–	–	*1*	–	*1*	7	*20*	*14*	*49*	–	–	–	–	–	–	–	–	*2*	*5*	*10*	*21*	*11*	
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	*6*	–	–	–	–	–	–	–	–	–	–	*4*	*2*	*2*	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			F.	*2*	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*2*	–	–	–	–	–	–	–	–	–	–	*2*	–	–	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		PERTH BURGH													PERTH COUNTY											
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		548	9	4	1	1	1	2	5	11	52	88	139	172	63	1190	16	4	8	1	4	11	7	20	71	166	269	394	219
		Males		273	7	3	–	1	–	1	3	9	30	55	79	64	21	572	11	4	6	–	3	9	3	13	42	100	125	177	79
		Females		*275*	*2*	*1*	*1*	–	*1*	*1*	*2*	*2*	*22*	*33*	*60*	*108*	*42*	*618*	*5*	–	*2*	*1*	*1*	*2*	*4*	*7*	*29*	*66*	*144*	*217*	*140*
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	4	–	–	–	–	–	–	–	1	1	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	54	–	–	–	1	–	–	–	1	4	13	19	13	3	101	–	–	–	–	–	–	1	4	8	25	24	29	10
			F.	*49*	–	–	–	–	–	–	*1*	*4*	*15*	*13*	*13*	*3*		*89*	–	–	–	*1*	*1*	*1*	–	*2*	*10*	*20*	*21*	*17*	*16*
160-165	—	Malignant neoplasms of respiratory system	M.	24	–	–	–	–	–	–	–	–	4	7	9	2	2	20	–	–	–	–	–	–	–	1	1	12	5	1	–
			F.	*4*	–	–	–	–	–	–	–	*1*	–	*2*	*1*	–		*8*	–	–	–	–	–	–	–	–	*1*	*2*	*3*	*1*	*1*
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	1	–	–	–	–	–	–	1	–		9	–	–	–	–	–	–	–	1	1	3	2	2	–
			F.	*3*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–		*7*	–	–	–	–	*1*	*1*	–	–	*1*	*2*	*1*	–	*1*
140-159, 170-199	—	Other malignant neoplasms	M.	28	–	–	–	–	–	–	–	1	–	6	10	10	1	72	–	–	–	–	–	–	1	2	6	10	17	26	10
			F.	*42*	–	–	–	–	–	–	–	*1*	*3*	*14*	*10*	*11*	*3*	*74*	–	–	–	*1*	–	–	–	–	*2*	*8*	*16*	*17*	*16*	*14*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	*7*	–	–	–	–	–	–	–	–	–	–	*3*	*3*	*1*	*6*	–	–	–	–	–	–	–	–	–	*3*	*1*	*1*	*1*
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*3*	–	–	–	–	–	–	–	–	–	–	*1*	*2*		*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	–	1	1	1	–	1	–
			F.	*3*	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	*8*	–	–	–	–	–	–	–	–	*1*	–	*4*	*2*	*1*
330-334	22	Vascular lesions affecting central nervous system	M.	38	–	–	–	–	–	–	–	2	2	9	8	13	4	80	–	–	–	–	1	–	–	–	4	8	19	28	*20*
			F.	*65*	–	–	–	–	–	–	–	–	*2*	*5*	*16*	*29*	*13*	*114*	–	–	–	–	–	–	–	–	*1*	*2*	*9*	*36*	*41*	*25*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	2	1	–	–		5	–	–	–	–	–	–	–	–	–	3	1	1	
			F.	*3*	–	–	–	–	–	–	–	–	*2*	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*5*	–	–	–	–	–	–	*1*	–	*2*	–	–	*2*	–	*10*	–	–	–	–	–	–	–	–	*4*	*4*	–	*2*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	90	–	–	–	–	–	–	–	3	14	18	26	23	6	206	–	–	–	–	–	–	–	3	19	38	49	68	29
			F.	*72*	–	–	–	–	–	–	–	*1*	*3*	*4*	*19*	*33*	*12*	*205*	–	–	–	–	–	–	*1*	*1*	*6*	*14*	*46*	*84*	*53*
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	6	–	–	–	–	–	–	–	–	1	–	3	2	
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*19*	–	–	–	–	–	*1*	–	–	*1*	*2*	*2*	*8*	*5*
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	6	–	–	–	–	–	–	–	–	–	2	1	2	1
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*15*	–	–	–	–	–	–	–	–	*1*	–	*5*	*7*	*2*

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		GREENOCK BURGH														PAISLEY BURGH											
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		907	38	8	5	3	–	8	16	28	60	151	247	258	85	1217	38	12	9	4	–	11	9	39	112	218	334	325	106
		Males		490	24	6	3	2	–	4	11	17	36	91	133	120	43	627	21	6	6	3	–	8	7	21	70	147	174	134	36
		Females		*417*	*14*	*2*	*2*	*1*	–	*4*	*5*	*11*	*24*	*60*	*114*	*138*	*42*	*590*	*17*	*6*	*3*	*1*	–	*3*	*2*	*18*	*42*	*71*	*160*	*191*	*76*
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	1	1	–	1	3	1	–	15	–	–	–	–	–	–	–	–	7	6	–	2	–
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*3*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–
140-205	18	Malignant neoplasms . Total	M.	95	–	–	1	1	–	1	1	2	14	24	32	15	4	127	–	1	–	1	–	–	1	4	21	38	35	23	3
			F.	*75*	–	–	–	*1*	–	–	–	*3*	*5*	*19*	*21*	*22*	*4*	*113*	–	–	*1*	*1*	–	–	–	*10*	*13*	*20*	*32*	*28*	*8*
160-165	—	Malignant neoplasms of respiratory system	M.	27	–	–	–	–	–	–	–	*1*	5	7	12	1	1	48	–	–	–	–	–	–	–	2	10	20	12	4	–
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*10*	–	–	–	–	–	–	–	*2*	–	*4*	*3*	*1*	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	7	–	–	1	–	–	–	–	–	1	1	3	1	–	9	–	1	–	1	–	–	–	–	3	3	1	–	–
			F.	*3*	–	–	–	–	–	–	–	–	–	*2*	*1*	–	–	*6*	–	–	*1*	–	–	–	–	–	–	–	*5*	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	61	–	–	–	1	–	1	1	1	8	16	17	13	3	70	–	–	–	–	–	–	1	2	8	15	22	19	3
			F.	*70*	–	–	–	*1*	–	–	–	*3*	*5*	*16*	*19*	*22*	*4*	*97*	–	–	–	*1*	–	–	–	*8*	*13*	*16*	*24*	*27*	*8*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	*7*	–	–	–	–	–	–	–	*1*	*1*	*3*	–	*2*	–	*4*	–	–	–	–	–	–	–	–	*1*	–	*2*	*1*	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	*4*	–	–	–	–	*1*	*1*	–	*1*	*1*	–	–	–	–	*3*	–	–	–	–	–	–	–	–	–	*2*	–	*1*	–
330-334	22	Vascular lesions affecting central nervous system	M.	57	–	–	–	–	–	1	1	–	17	18	16	4	71	–	–	–	–	–	–	–	1	3	9	26	25	7
			F.	*57*	–	–	–	–	–	–	–	*1*	*8*	*23*	*19*	*6*	*111*	–	–	–	–	–	–	–	*1*	*3*	*11*	*40*	*43*	*13*
340	23	Non-meningococcal meningitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	6	–	–	–	–	–	–	–	1	1	1	3	–	–	4	–	–	–	–	–	1	1	–	–	2	–	–	–
			F.	*2*	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	*6*	–	–	–	–	–	–	–	–	*3*	*1*	*2*	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	3	1	–	1	–	–
			F.	*8*	–	–	–	–	–	*1*	*2*	*1*	*1*	*2*	–	*1*	–	*14*	–	–	–	–	–	*1*	*1*	*2*	*7*	*2*	–	*1*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	159	–	–	–	–	–	–	2	3	11	24	41	54	24	206	–	–	–	–	–	–	–	7	20	59	56	50	14
			F.	*125*	–	–	–	–	–	*1*	–	*1*	*3*	*15*	*32*	*51*	*22*	*194*	–	–	–	–	–	–	–	*1*	*4*	*18*	*53*	*78*	*40*
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	1	1	–	–	2	–	–	7	–	–	–	–	–	–	–	1	2	3	1	–	–
			F.	*8*	–	–	–	–	–	–	–	–	–	–	*4*	*4*	–	*9*	–	–	–	–	–	–	*1*	–	*1*	–	*1*	*5*	*1*
440-443	28	Hypertensive heart disease	M.	7	–	–	–	–	–	–	–	–	–	3	1	2	1	4	–	–	–	–	–	–	–	–	–	2	2	–	–
			F.	*17*	–	–	–	–	–	–	–	–	*1*	*1*	*10*	*5*	–	*5*	–	–	–	–	–	–	–	–	–	*1*	*3*	*1*	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		PORT GLASGOW BURGH														RENFREW COUNTY(excluding Large Burghs)												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		223	15	3	1	–	–	2	7	11	19	38	54	56	17	1793	48	29	4	7	9	10	27	52	135	332	449	523	168
		Males		116	5	1	1	–	–	2	3	7	11	25	28	26	7	923	31	20	2	6	7	5	20	21	82	222	225	220	62
		Females		*107*	*10*	*2*	–	–	–	–	*4*	*4*	*8*	*13*	*26*	*30*	*10*	*870*	*17*	*9*	*2*	*1*	*2*	*5*	*7*	*31*	*53*	*110*	*224*	*303*	*106*
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	–	–	2	1	–	–	–	12	–	–	–	–	–	–	1	4	3	2	2	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*4*	–	–	–	–	–	–	*1*	*2*	*1*	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	19	–	–	–	–	–	–	2	1	6	7	3	–		172	–	–	1	2	2	1	5	3	17	63	39	33	6
			F.	*21*	–	–	–	–	–	*1*	*3*	*4*	*3*	*6*	*3*	*1*		*144*	–	–	–	–	–	*1*	*2*	*10*	*22*	*33*	*38*	*33*	*5*
160-165	—	Malignant neoplasms of respiratory system	M.	8	–	–	–	–	–	–	1	–	4	3	–	–		74	–	–	–	–	–	–	–	–	12	31	24	7	–
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–		*12*	–	–	–	–	–	–	*3*	*2*	*1*	*3*	*3*	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M	–	–	–	–	–	–	–	–	–	–	–	–	–		9	–	–	1	–	1	1	–	1	–	1	3	1	–
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–		*8*	–	–	–	–	–	–	*1*	*1*	–	*3*	*2*	*1*	–
140-159, 170-199	—	Other malignant neoplasms	M.	11	–	–	–	–	–	–	1	1	2	4	3	–		89	–	–	–	2	1	–	5	2	5	31	12	25	6
			F.	*18*	–	–	–	–	–	*1*	*3*	*3*	*3*	*5*	*2*	*1*		*124*	–	–	–	–	–	*1*	*1*	*6*	*20*	*29*	*33*	*29*	*5*
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*3*	–	–	–	*1*	–	–	–	*1*	–	*1*	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		6	–	–	–	–	–	–	–	–	1	2	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*16*	–	–	–	–	–	–	–	*1*	*2*	*2*	*9*	*2*	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–		*5*	–	–	–	–	–	–	–	–	*1*	*2*	*2*	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		4	–	–	–	–	–	–	1	1	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*4*	–	–	–	–	–	–	–	–	*2*	–	*2*	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	16	–	–	–	–	–	–	–	–	2	6	6	2		119	–	–	–	–	–	–	–	1	6	24	28	49	11
			F.	*18*	–	–	–	–	–	–	–	–	*3*	*5*	*9*	*1*		*187*	–	–	–	–	–	*1*	*1*	*5*	*3*	*27*	*49*	*74*	*27*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	1	–	1	–	–	–	1	–		13	–	1	–	1	–	–	2	–	2	2	3	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		*13*	–	–	–	–	–	*1*	*1*	*1*	*1*	*1*	*5*	*3*	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		7	–	–	–	–	–	–	–	1	1	3	1	1	–
			F.	*2*	–	–	–	–	–	–	2	–	–	–	–	–		*16*	–	–	–	–	–	–	–	*3*	*5*	*4*	*1*	*2*	*1*
420-422	26	Arteriosclerotic and degenerative heart disease	M.	30	–	–	–	–	–	–	–	–	7	6	10	4	3	305	–	–	–	–	–	–	1	7	33	80	92	70	22
			F.	*27*	–	–	–	–	–	–	–	*3*	*2*	*9*	*10*	*3*		*246*	–	–	–	–	–	–	–	*1*	*5*	*22*	*67*	*107*	*44*
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	1	–	–	1	1	1	–	13	–	–	–	–	–	–	–	–	1	1	2	8	1
			F.	*4*	–	–	–	–	–	–	–	–	–	*2*	–	*2*	–	*16*	–	–	–	–	–	–	–	*1*	*1*	*1*	*5*	*7*	*1*
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	–	–	–	1	2	2	3	–
			F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*24*	–	–	–	–	–	–	–	–	–	*4*	*9*	*10*	*1*

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		ROSS & CROMARTY COUNTY														INSULAR PORTION OF ROSS AND CROMARTY												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		811	17	2	7	–	3	4	12	20	45	114	163	299	125	333	4	2	1	–	–	1	3	7	12	41	78	123	61
		Males		404	10	–	5	–	3	3	10	6	29	67	90	131	50	151	2	–	1	–	–	1	2	2	7	21	41	50	21
		Females		*407*	*7*	*2*	*2*	–	–	*1*	*2*	*14*	*16*	*47*	*73*	*168*	*75*	*182*	*2*	*2*	–	–	–	–	*1*	*5*	*5*	*17*	*37*	*73*	*40*
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	75	–	–	–	–	1	–	1	2	3	18	25	20	5	26	–	–	–	–	–	–	–	1	–	6	11	7	1
			F.	*68*	–	–	–	–	*1*	–	*4*	*9*	*20*	*11*	*23*	–	–	*27*	–	–	–	–	–	–	–	*1*	*2*	*8*	*6*	*10*	–
160-165	—	Malignant neoplasms of respiratory system	M.	16	–	–	–	–	–	–	1	1	7	6	1	–	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	7	–	–	–	1	–	1	–	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*4*	–	–	–	–	–	–	–	*2*	*2*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	52	–	–	–	–	–	–	1	–	10	17	19	5	20	–	–	–	–	–	–	–	–	1	–	3	8	7	1
			F.	*62*	–	–	–	–	*1*	–	*4*	*7*	*17*	*11*	*22*	–	*25*	–	–	–	–	–	–	–	*1*	2	*6*	*6*	*10*	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	*4*	–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	3	–	–	–	–	–	1	–	–	–	1	1	–	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–
			F.	*4*	–	–	–	–	–	–	–	–	–	*2*	*1*	*1*	–	*2*	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*
330-334	22	Vascular lesions affecting central nervous system	M.	64	–	–	–	–	–	–	–	–	8	15	29	12	17	–	–	–	–	–	–	–	–	–	–	3	4	6	4
			F.	*77*	–	–	–	–	–	–	*3*	*1*	*5*	*18*	*39*	*11*	*30*	–	–	–	–	–	–	–	*1*	*3*	*8*	*12*	*6*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	9	–	–	–	–	–	1	–	–	3	2	3	–	5	–	–	–	–	–	–	–	1	–	–	1	1	2	–
			F.	*3*	–	*1*	–	–	–	–	*1*	–	*1*	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*6*	–	–	–	–	–	*1*	–	*1*	*1*	–	*3*	–	–	*4*	–	–	–	–	–	–	–	–	*1*	*1*	–	*2*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	114	–	–	–	–	–	–	1	15	23	18	42	15	46	–	–	–	–	–	–	–	1	4	6	10	19	6
			F.	*120*	–	–	–	–	–	–	*1*	*2*	*12*	*19*	*44*	*42*	*53*	–	–	–	–	–	–	–	–	*1*	*2*	*10*	*16*	*24*
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	2	2	1	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
			F.	*7*	–	–	–	–	–	–	–	–	*1*	*1*	*4*	*1*	*4*	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*1*
440-443	28	Hypertensive heart disease	M.	9	–	–	–	–	–	–	–	1	–	2	3	3	6	–	–	–	–	–	–	–	–	–	–	–	2	2	2
			F.	*19*	–	–	–	–	–	–	*1*	–	–	*5*	*10*	*3*	*15*	–	–	–	–	–	–	–	–	*1*	–	–	*4*	*8*	*2*
444-447	29	Other heart disease	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		ROXBURGH COUNTY														SELKIRK COUNTY												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		679	13	5	3	5	–	2	5	13	53	97	170	236	77	327	4	3	2	–	–	1	1	5	16	41	93	110	51
		Males		317	8	2	2	3	–	2	3	7	28	54	86	94	28	160	3	1	1	–	–	1	–	3	9	27	50	45	20
		Females		*362*	*5*	*3*	*1*	*2*	–	–	*2*	*6*	*25*	*43*	*84*	*142*	*49*	*167*	*1*	*2*	*1*	–	–	–	*1*	*2*	*7*	*14*	*43*	*65*	*31*
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	57	–	–	–	1	–	–	–	3	6	18	16	13	–	28	–	–	–	–	–	–	–	3	–	7	11	7	–
			F.	*58*	–	–	–	–	–	–	*2*	*2*	*10*	*14*	*16*	*10*	*4*	*19*	–	–	–	–	–	–	*1*	*1*	*2*	*6*	*2*	*7*	–
160-165	—	Malignant neoplasms of respiratory system	M.	17	–	–	–	–	–	–	–	1	3	8	5	–	–	11	–	–	–	–	–	–	–	3	–	5	3	–	–
			F.	*4*	–	–	–	–	–	–	–	–	*1*	*2*	*1*	–	–	*3*	–	–	–	–	–	–	–	–	*1*	*2*	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	–	–	–	–	–	–	1	2	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	*4*	–	–	–	–	–	–	–	–	–	*3*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	36	–	–	–	1	–	–	–	2	2	8	10	13	–	14	–	–	–	–	–	–	–	–	–	1	7	6	–
			F.	*50*	–	–	–	–	–	–	*2*	*2*	*9*	*9*	*14*	*10*	*4*	*16*	–	–	–	–	–	–	*1*	*1*	*1*	*4*	*2*	*7*	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	56	–	–	–	–	–	–	1	1	9	12	27	6	27	–	–	–	–	–	–	–	2	–	8	13	4	
			F.	*77*	–	–	–	–	–	–	–	*2*	*9*	*20*	*36*	*10*	*35*	–	–	–	–	–	–	–	*1*	*1*	*13*	*14*	*6*	
340	23	Non-meningococcal meningitis	M	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	–	–	1	1	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–
			F.	*3*	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	*4*	–	–	–	–	–	–	–	–	–	–	–	*4*	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	
			F.	*6*	–	–	–	–	–	–	–	*1*	*3*	*1*	–	*1*	–	*3*	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	
420-422	26	Arteriosclerotic and degenerative heart disease	M.	108	–	–	–	–	–	–	–	2	9	16	35	38	8	54	–	–	–	–	–	–	–	–	4	11	20	12	7
			F.	*123*	–	–	–	–	–	–	–	*2*	*5*	*9*	*28*	*58*	*21*	*47*	–	–	–	–	–	–	–	–	*1*	*1*	*11*	*20*	*14*	
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	
			F.	*6*	–	–	–	–	–	–	–	*2*	*1*	*1*	*1*	*1*	–	*8*	–	–	–	–	–	–	–	–	–	–	*4*	*3*	*1*	
440-443	28	Hypertensive heart disease	M.	5	–	–	–	–	–	–	–	1	–	2	2	–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*3*	–	–	–	–	–	–	–	–	–	*1*	–	*2*	

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		FALKIRK BURGH														STIRLING BURGH												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		451	13	7	1	–	–	5	4	12	40	87	108	140	34	346	8	5	4	1	1	3	5	12	25	64	86	100	32
		Male		257	9	2	1	–	–	4	2	6	25	65	56	69	18	182	5	3	3	1	1	1	3	11	16	39	43	45	11
		Female		*194*	*4*	*5*	–	–	–	*1*	*2*	*6*	*15*	*22*	*52*	*71*	*16*	*164*	*3*	*2*	*1*	–	–	*2*	*2*	*1*	*9*	*25*	*43*	*55*	*21*
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms. Total	M.	47	–	–	–	–	–	1	–	4	15	13	12	2		40	–	–	–	–	–	–	–	3	6	15	9	6	1
			F.	*36*	–	–	–	–	–	–	*2*	*7*	*7*	*12*	*7*	*1*		*27*	–	–	–	–	–	–	*1*	*1*	*3*	*9*	*8*	*4*	*1*
160-165	—	Malignant neoplasms of respiratory system	M.	17	–	–	–	–	–	–	–	1	9	6	1	–		11	–	–	–	–	–	–	–	1	2	5	2	1	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–		*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	–	–	–	–	–	1	–	–	1	–	1	–		1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–		*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*
140-159, 170-199	—	Other malignant neoplasms	M.	27	–	–	–	–	–	–	–	3	5	7	10	2		28	–	–	–	–	–	–	–	1	4	10	7	5	1
			F.	*34*	–	–	–	–	–	–	*2*	*7*	*7*	*11*	*6*	*1*		*25*	–	–	–	–	–	–	*1*	*1*	*3*	*8*	*8*	*4*	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	2	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	*1*	*2*	–	–		*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	1	1	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	3	–	–	–	–	–	–	1	–	1	1	–	–		1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	*1*	–	*1*	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	36	–	–	–	–	–	–	–	3	9	6	17	1		27	–	–	–	–	–	1	–	–	–	2	12	8	4
			F.	*31*	–	–	–	–	–	–	*1*	–	*1*	*11*	*15*	*3*		*35*	–	–	–	–	–	–	–	*2*	*3*	*13*	*11*	*6*
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	*2*	–	–	–	–	–	*1*	–	–	–	*1*	–	–		*3*	–	–	–	–	–	–	–	–	–	*3*	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–		2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–		*2*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	77	–	–	–	–	–	1	1	9	22	18	18	8		44	–	–	–	–	–	–	–	3	4	8	11	16	2
			F.	*59*	–	–	–	–	–	*1*	*1*	*3*	*3*	*16*	*29*	*6*		*43*	–	–	–	–	–	–	–	–	–	*4*	*9*	*18*	*12*
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	1	–	1	2	–		1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–		*5*	–	–	–	–	–	–	–	–	–	–	*3*	*2*	–
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–		1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	*6*	–	–	–	–	–	–	–	–	–	*1*	*4*	*1*		*4*	–	–	–	–	–	–	–	*1*	*1*	*2*	–	–	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification		Causes of Death		STIRLING COUNTY (excluding Large Burghs)														SUTHERLAND COUNTY											
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		1375	43	19	10	3	8	19	19	36	126	269	345	357	121	199	3	3	1	–	1	–	2	2	12	36	40	69	30
		Males		733	27	12	7	3	3	10	12	25	74	161	176	178	45	111	2	2	1	–	1	–	–	1	9	25	25	35	10
		Females		*642*	*16*	*7*	*3*	–	*5*	*9*	*7*	*11*	*52*	*108*	*169*	*179*	*76*	*88*	*1*	*1*	–	–	–	–	*2*	*1*	*3*	*11*	*15*	*34*	*20*
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	3	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	108	–	1	1	–	1	1	2	1	26	29	18	27	1	17	–	–	–	–	1	–	–	1	2	7	3	3	–
			F.	*97*	–	–	–	–	*1*	*1*	–	*7*	*18*	*24*	*31*	*13*	*2*	*10*	–	–	–	–	–	–	*1*	–	*1*	*3*	*1*	*4*	–
160-165	—	Malignant neoplasms of respiratory system	M.	34	–	1	–	–	–	–	–	1	8	12	5	7	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	*4*	–	–	–	–	–	–	–	*2*	*1*	*1*	–	–	–	*2*	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	6	–	–	–	–	–	1	–	–	4	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	*7*	–	–	–	–	–	–	*1*	–	*4*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	68	–	–	1	–	1	1	1	–	14	17	12	20	1	12	–	–	–	–	1	–	–	–	6	2	3	–
			F.	*86*	–	–	–	*1*	*1*	–	*6*	*16*	*19*	*28*	*13*	*2*	*8*	–	–	–	–	–	–	*1*	–	–	*2*	*1*	*4*	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*13*	–	–	–	–	–	–	–	–	*6*	*5*	*2*	–	–	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–
290-293	21	Anæmias	M.	4	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*6*	–	–	–	–	–	–	–	–	*2*	–	*2*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	4	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	*6*	–	–	–	–	–	–	–	–	*1*	*3*	*2*	–	–	*2*	–	–	–	–	–	–	–	–	–	*1*	–	*1*
330-334	22	Vascular lesions affecting central nervous system	M.	75	–	–	–	–	–	–	–	4	16	26	22	7	–	21	–	–	–	–	–	–	–	1	3	7	8	2
			F.	*96*	–	–	–	–	–	–	–	*2*	*15*	*41*	*26*	*12*	–	*13*	–	–	–	–	–	–	–	*1*	*1*	*3*	*1*	*4*	*3*
340	23	Non-meningococcal meningitis	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	14	–	2	1	–	–	2	1	–	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*9*	–	–	–	–	*1*	*1*	–	*1*	*3*	*2*	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	9	–	–	–	–	–	–	2	–	4	2	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–
			F.	*10*	–	–	–	–	*1*	*1*	*1*	*3*	*3*	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	232	–	–	–	–	1	1	4	19	61	61	69	16	–	31	–	–	–	–	–	–	–	1	5	9	13	3
			F.	*185*	–	–	–	–	*1*	–	–	*7*	*32*	*46*	*69*	*30*	–	*21*	–	–	–	–	–	–	–	*1*	*2*	*4*	*9*	*5*
430-434	27	Other diseases of heart	M.	12	–	–	–	–	–	–	–	–	4	3	3	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1
			F.	*9*	–	–	–	–	–	–	–	–	*3*	*2*	*3*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–
440-443	28	Hypertensive heart disease	M.	11	–	–	–	–	–	–	–	–	1	2	4	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	*25*	–	–	–	–	–	–	–	–	*2*	*3*	*7*	*11*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		WEST LOTHIAN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	WIGTOWN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		917	31	16	7	4	4	15	14	30	70	172	227	248	79	401	4	1	–	1	–	2	–	9	32	69	93	140	50
		Males		522	22	6	5	1	3	8	13	15	43	119	119	134	34	199	4	–	–	–	–	1	–	3	21	43	48	55	24
		Females		*395*	*9*	*10*	*2*	*3*	*1*	*7*	*1*	*15*	*27*	*53*	*108*	*114*	*45*	*202*	–	*1*	–	*1*	–	*1*	–	*6*	*11*	*26*	*45*	*85*	*26*
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	87	–	–	–	–	2	2	4	14	22	20	17	6		24	–	–	–	–	–	–	–	1	3	7	10	3	–
			F.	*71*	–	–	–	–	*2*	–	*5*	*12*	*21*	*19*	*11*	*1*		*22*	–	–	–	–	–	–	–	*2*	*3*	*4*	*2*	*9*	*2*
160-165	—	Malignant neoplasms of respiratory system	M.	17	–	–	–	–	–	–	1	3	8	4	1	–		8	–	–	–	–	–	–	–	–	1	5	2	–	–
			F.	*3*	–	–	–	–	*1*	–	–	–	–	*2*	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	11	–	–	–	–	1	1	2	2	3	2	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*7*	–	–	–	–	*1*	–	–	–	*4*	*1*	*1*	–		*1*	–	–	–	–	–	–	–	–	*1*	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	59	–	–	–	–	1	1	1	9	11	14	16	6		16	–	–	–	–	–	–	–	1	2	2	8	3	–
			F.	*61*	–	–	–	–	–	–	*5*	*12*	*17*	*16*	*10*	*1*		*21*	–	–	–	–	–	–	–	*2*	*3*	*3*	*2*	*9*	*2*
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	1	1	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	2	–	–	–	–	–	–		3	–	–	–	–	–	–	–	–	1	–	1	1	–
			F.	7	–	–	–	–	–	–	–	–	*2*	*3*	*2*	–		*2*	–	–	–	–	–	–	–	–	–	–	–	*2*	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–		1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	1	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*2*	–	–	–	–	–	–	–	*1*	–	–	–	*1*		–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	55	–	–	–	–	–	–	–	4	8	16	21	6		31	–	–	–	–	–	–	–	–	1	7	5	11	7
			F.	*76*	–	*1*	–	–	*1*	–	*3*	*2*	*6*	*23*	*34*	*6*		*61*	–	–	–	–	–	–	–	*1*	*2*	*8*	*13*	*28*	*9*
340	23	Non-meningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	7	–	–	1	–	–	–	1	2	2	1	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*4*	–	–	–	–	–	–	*1*	–	*1*	*2*	–	–		*3*	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	1	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	2	1	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*6*	–	–	–	–	–	–	*1*	*1*	*2*	*1*	*1*	–		6	–	–	–	–	–	–	–	*1*	*1*	*1*	*2*	*1*	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	156	–	–	–	–	–	1	2	11	46	45	39	12		85	–	–	–	–	–	–	–	1	9	21	25	20	9
			F.	*105*	–	–	–	–	–	–	–	*4*	*11*	*37*	*38*	*15*		*73*	–	–	–	–	–	–	–	–	*9*	*23*	*35*	*6*	
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	1	–	1	1	1	1		2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	*5*	–	–	–	–	–	–	–	–	*1*	*2*	*2*	–		*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
440-443	28	Hypertensive heart disease	M.	5	–	–	–	–	–	–	–	–	3	2	–	–		4	–	–	–	–	–	–	–	–	–	–	4	–	–
			F.	*6*	–	–	–	–	–	–	–	–	*3*	*2*	*1*	–		*4*	–	–	–	–	–	–	–	–	*1*	*1*	–	*2*	–

| | | |

Table 55. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1961—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ZETLAND COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		282	1	2	2	1	1	2	4	5	13	33	54	104	60
		Males		134	1	1	2	1	1	1	2	5	9	18	32	41	20
		Females		*148*	–	*1*	–	–	–	*1*	*2*	–	*4*	*15*	*22*	*63*	*40*
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
140-205	18	Malignant neoplasms . Total	M.	11	–	–	–	–	–	–	–	–	1	1	2	5	2
			F.	*20*	–	–	–	–	–	*1*	–	–	*2*	*6*	*1*	*9*	*1*
160-165	—	Malignant neoplasms of respiratory system	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*2*	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–
140-159, 170-199	—	Other malignant neoplasms	M.	9	–	–	–	–	–	–	–	–	–	1	2	4	2
			F.	*17*	–	–	–	–	–	–	–	–	*2*	*5*	*1*	*8*	*1*
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	–	–	*1*	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	1	–	–	1	–	–	–	–	–
			F.	*3*	–	–	–	–	–	–	–	–	–	2	–	*1*	–
330-334	22	Vascular lesions affecting central nervous system	M.	21	–	–	–	1	–	–	–	1	2	2	6	7	2
			F.	*35*	–	–	–	–	–	–	–	–	*1*	*1*	*7*	*18*	*8*
340	23	Non-meningococcal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	4	–	1	–	–	–	–	1	–	–	–	–	1	1
			F.	*3*	–	–	–	–	–	–	–	–	–	*2*	–	*1*	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	53	–	–	–	–	–	–	–	1	3	7	18	15	9
			F.	*46*	–	–	–	–	–	–	*1*	–	–	–	*9*	*21*	*15*
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	*2*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–
444-447	29	Other hypertensive disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–

| | | |

Table 56. Causes of Death and Ages at Death in Scotland, the Cities,

International Classification: Detailed List	International Classification: Abbreviated List "B"	Causes of Death	Scotland	Counties of Cities
001-008	1	Tuberculosis of respiratory system	433	217
010-019	2	Tuberculosis, other forms	48	23
020-029	3	Syphilis and its sequelæ	61	30
045-048	6	Dysentery, all forms	4	3
056	9	Whooping cough	4	1
057	10	Meningococcal infections	16	9
080	12	Acute poliomyelitis	—	—
085	14	Measles	18	9
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	143	55
140-205	18	Malignant neoplasms. Total	11,221	4,532
160-165	—	Malignant neoplasms of respiratory system	2,610	1,281
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	656	244
140-159, 170-199	—	Other malignant neoplasms	7,955	3,007
210-239	19	Benign and unspecified neoplasms	122	56
260	20	Diabetes mellitus	599	218
290-293	21	Anæmias	241	80
240-254, 270-289, 294-299	46.0	Other general diseases	367	143
330-334	22	Vascular lesions affecting central nervous system	9,839	3,542
340	23	Non-meningococcal meningitis	39	18
300-326, 341-398	46.1	Other diseases of nervous system	970	409
400-402	24	Rheumatic fever	10	6
410-416	25	Chronic rheumatic heart disease	808	367
420-422	26	Arteriosclerotic and degenerative heart disease	19,209	6,642
430-434	27	Other diseases of heart	891	316
440-443	28	Hypertensive heart disease	1,140	409
444-447	29	Other hypertensive disease	547	199
450-468	46.2	Other circulatory disease	2,015	717
480-483	30	Influenza	365	123
490-493	31	Pneumonia (except of newborn)	2,473	1,111
500-502	32	Bronchitis	2,516	1,160
470-475, 510-527	46.3	Other respiratory diseases	608	153
540, 541	33	Ulcer of stomach and duodenum	555	188
550-553	34	Appendicitis	87	31
560, 561, 570	35	Intestinal obstruction and hernia	388	142
543	36.0	Gastritis and duodenitis	16	3
571, 572	36.1	Diarrhœa (except of newborn)	260	102
581	37	Cirrhosis of liver	234	100
580, 582-586	46.4	Other diseases of liver	246	84
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	210	82
590-594	38	Nephritis and nephrosis	339	106
610	39	Hyperplasia of prostate	366	109
600-609, 611-637	46.6	Other diseases of genito-urinary system	465	185
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	15	3
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	22	7
690-749	46.7	Diseases of skin and organs of locomotion	313	107
750-759	41	Congenital malformations	755	309
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	767	318
763	43.0	Pneumonia of newborn	82	26
764	43.1	Diarrhœa of newborn	9	7
765-768	43.2	Other infections of the newborn	19	12
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	515	192
794	45.0	Senility without mention of psychosis	381	60
780-793, 795	45.1	Ill-defined and unknown causes	266	102
E963, E970-E979	E49	Suicide and self-inflicted injury	409	194
E810-E835	E47	Motor vehicle accidents	713	238
E840-E845	E48.0	Other road vehicle accidents	9	7
E870-E936 (part), E961 (part), E962 (part), Remainder of E800-E999	E48.1	Accidents in the home	1,211	504
	E48.2	Other violence (BE50)	569	196
		ALL CAUSES	63,928	23,962
		AGES AT DEATH		
		Under 1	2,615	1,055
		1– 4	406	140
		5– 9	189	64
		10–14	155	51
		15–24	482	147
		25–34	713	288
		35–44	1,778	700
		45–54	4,927	1,993
		55–64	11,022	4,370
		65–74	16,464	6,282
		75–84	18,357	6,549
		85 and over	6,820	2,323
		Not stated	—	—
		ALL AGES	63,928	23,962

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Large Burghs, Small Burghs and Landward Areas—1961.

Numbers				Rates per 100,000 of population						
Large Burghs	Counties, (ex Counties of Cities and Large Burghs)	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties (ex Counties of Cities and Large Burghs)	Small Burghs	Landward	Abb. List "B" Nos.
84	132	59	73	8	11	10	5	7	5	1
10	15	10	5	1	1	1	1	1	0	2
10	21	12	9	1	2	1	1	1	1	3
—	1	1	—	0	0	—	0	0	—	6
1	2	2	—	0	0	0	0	0	—	9
1	6	3	3	0	0	0	0	0	0	10
—	—	—	—	—	—	—	—	—	—	12
3	6	2	4	0	0	0	0	0	0	14
16	72	32	40	3	3	2	3	4	3	17
1,863	4,826	1,981	2,845	216	239	213	200	224	186	18
413	916	409	507	50	67	47	38	46	33	—
105	307	109	198	13	13	12	13	12	13	—
1,345	3,603	1,463	2,140	153	158	154	149	166	140	—
17	49	21	28	2	3	2	2	2	2	19
90	291	108	183	12	11	10	12	12	12	20
39	122	47	75	5	4	4	5	5	5	21
62	162	62	100	7	8	7	7	7	7	46.0
1,476	4,821	1,942	2,879	190	187	169	200	220	188	22
7	14	8	6	1	1	1	1	1	0	23
127	434	173	261	19	22	15	18	20	17	46.1
—	4	—	4	0	0	—	0	—	0	24
127	314	121	193	16	19	15	13	14	13	25
3,246	9,321	3,874	5,447	371	350	371	386	439	356	26
139	436	166	270	17	17	16	18	19	18	27
176	555	213	342	22	22	20	23	24	22	28
76	272	102	170	11	10	9	11	12	11	29
282	1,016	426	590	39	38	32	42	48	39	46.2
46	196	69	127	7	6	5	8	8	8	30
372	990	372	618	48	59	43	41	42	40	31
463	893	356	537	49	61	53	37	40	35	32
89	366	105	261	12	8	10	15	12	17	46.3
81	286	132	154	11	10	9	12	15	10	33
11	45	13	32	2	2	1	2	1	2	34
58	188	84	104	7	7	7	8	10	7	35
4	9	4	5	0	0	0	0	0	0	36.0
46	112	47	65	5	5	5	5	5	4	36.1
38	96	50	46	5	5	4	4	6	3	37
46	116	34	82	5	4	5	5	4	5	46.4
25	103	38	65	4	4	3	4	4	4	46.5
49	184	65	119	7	6	6	8	7	8	38
62	195	97	98	7	6	7	8	11	6	39
75	205	76	129	9	10	9	8	9	8	46.6
4	8	4	4	0	0	0	0	0	0	40.0
1	14	8	6	0	0	0	1	1	0	40.1
48	158	59	99	6	6	5	7	7	6	46.7
119	327	137	190	15	16	14	14	16	12	41
140	309	115	194	15	17	16	13	13	13	42
20	36	12	24	2	1	2	1	1	2	43.0
2	—	—	—	0	0	0	—	—	—	43.1
2	5	—	5	0	1	0	0	—	0	43.2
87	236	95	141	10	10	10	10	11	9	44
45	276	82	194	7	3	5	11	9	13	45.0
39	125	49	76	5	5	4	5	6	5	45.1
69	146	65	81	8	10	8	6	7	5	E49
104	371	93	278	14	13	12	15	11	18	E47
—	2	1	1	0	0	—	0	0	0	E48.0
203	504	225	279	23	27	23	21	25	18	E48.1
78	295	104	191	11	10	9	12	12	12	E48.2
0,278	29,688	11,956	17,732	1,233	1,262	1,176	1,231	1,354	1,160	All causes
										Ages at d'th
454	1,106	434	672	2,699	...	...	...	...	...	Under 1
62	204	72	132	109	...	...	...	...	...	1– 4
33	92	37	55	45	...	...	...	...	...	5– 9
18	86	29	57	35	...	...	...	...	...	10–14
87	248	58	190	67	...	...	...	...	...	15–24
100	325	112	213	106	...	...	...	...	...	25–34
313	765	282	483	267	...	...	...	...	...	35–44
854	2,080	780	1,300	722	...	...	...	...	...	45–54
1,830	4,822	1,922	2,900	1,926	...	...	...	...	...	55–64
2,702	7,480	3,104	4,376	4,644	...	...	...	...	...	65–74
2,884	8,924	3,686	5,238	11,237	...	...	...	...	...	75–84
941	3,556	1,440	2,116	24,539	...	...	...	...	...	85 and over
—	—	—	—	—	...	...	...	...	...	Not stated
0,278	29,688	11,956	17,732	1,233	...	...	...	...	...	All ages

Table 56—*continued*

Abb. List "B" Nos.	Aberdeen County	Aberdeen C. of C.	Ballater S.B.	Ellon S.B.	Fraserburgh S.B.	Huntly S.B.	Inverurie S.B.	Kintore S.B.	Oldmeldrum S.B.	Peterhead S.B.	Rosehearty S.B.	Turriff S.B.	Landward
	ABERDEEN COUNTY												
1	11	9	—	1	—	—	—	—	—	—	—	—	1
2	2	2	—	—	—	—	—	—	—	—	—	—	—
3	3	3	—	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—
17	6	5	—	—	—	—	—	—	—	—	—	—	1
18	687	440	3	5	22	7	14	—	2	27	4	2	161
—	138	105	1	—	6	1	4	—	—	4	1	—	16
—	49	29	1	—	3	—	2	—	—	1	—	—	13
—	500	306	1	5	13	6	8	—	2	22	3	2	132
19	3	3	—	—	—	—	—	—	—	—	—	—	—
20	34	21	—	—	—	1	1	—	—	2	—	2	7
21	10	7	—	—	—	—	—	—	1	—	—	1	1
46.0	25	14	—	—	—	—	1	1	—	—	—	—	9
22	598	321	3	6	17	15	6	2	2	10	1	2	213
23	3	3	—	—	—	—	—	—	—	—	—	—	—
46.1	63	41	—	—	2	—	—	1	—	2	—	—	17
24	2	1	—	—	—	—	—	—	—	—	—	—	1
25	37	29	—	—	—	—	—	—	1	—	—	—	7
26	1,177	707	11	1	43	12	20	2	3	43	6	12	317
27	35	20	—	1	1	1	1	1	—	—	1	—	9
28	104	64	—	1	3	—	1	—	—	2	—	—	33
29	38	21	—	1	—	—	4	—	—	3	—	—	9
46.2	122	68	—	3	1	2	2	—	2	6	1	1	36
30	19	9	—	1	1	—	—	—	2	—	—	1	5
31	116	71	2	2	3	—	4	1	2	5	1	—	25
32	97	64	—	1	6	1	3	—	1	4	—	—	17
46.3	23	16	—	—	—	1	1	—	—	—	—	—	5
33	39	20	—	—	4	1	1	—	1	2	—	—	10
34	9	6	—	—	—	—	—	—	—	—	—	—	3
35	18	12	—	—	—	—	1	—	2	—	—	—	3
36.0	2	—	—	—	—	1	—	—	—	—	—	—	1
36.1	15	13	—	—	—	—	—	—	1	—	—	—	1
37	11	7	—	—	—	—	—	—	1	—	—	—	3
46.4	22	8	—	—	1	—	—	—	3	2	—	—	8
46.5	17	12	—	—	—	1	—	—	—	—	—	—	4
38	24	13	—	—	1	1	1	—	—	2	—	—	6
39	36	16	—	—	4	2	—	—	1	3	—	—	10
46.6	28	15	—	—	—	—	1	—	—	3	—	—	9
40.0	1	—	—	—	—	—	—	—	—	—	—	—	1
40.1	—	—	—	—	—	—	—	—	—	—	—	—	—
46.7	20	12	—	—	3	1	1	—	—	—	—	1	2
41	35	18	—	2	1	—	2	1	—	4	1	—	6
42	40	18	—	—	—	—	1	—	—	5	1	3	12
43.0	4	3	—	—	—	—	—	—	—	—	—	—	1
43.1	—	—	—	—	—	—	—	—	—	—	—	—	—
43.2	3	2	—	—	—	—	—	—	—	—	—	—	1
44	14	10	—	—	—	—	—	—	—	1	1	—	2
45.0	7	—	—	—	—	—	—	—	—	—	—	1	6
45.1	7	2	—	—	—	—	—	—	—	—	—	—	5
E49	29	20	—	—	—	—	—	—	—	—	—	—	9
E47	40	19	—	—	2	—	—	1	1	—	—	—	17
E48.0	1	1	—	—	—	—	—	—	—	—	—	—	—
E48.1	75	51	—	—	2	—	2	—	—	4	—	—	16
E48.2	30	16	—	—	2	1	—	—	—	1	—	—	10
All causes	3,742	2,233	19	25	119	48	68	10	26	131	17	26	1,020
Ages at death													
Under 1	119	72	—	3	3	—	3	—	1	9	2	3	23
1– 4	15	4	—	—	—	—	—	2	—	2	—	—	7
5– 9	9	5	—	—	1	—	—	—	—	—	—	—	3
10–14	7	4	—	—	1	—	—	—	—	—	—	—	2
15–24	25	8	—	—	1	—	1	—	—	1	—	—	14
25–34	38	24	1	—	2	1	—	—	—	—	—	—	10
35–44	90	59	—	2	5	—	2	—	—	3	—	1	18
45–54	223	150	—	1	8	1	1	1	1	7	—	—	53
55–64	610	401	2	3	17	7	12	3	1	21	3	4	136
65–74	964	608	2	3	20	18	21	3	8	30	4	5	242
75–84	1,131	642	5	6	50	16	17	—	7	46	6	6	330
85 and over	511	256	9	7	11	5	11	1	8	12	2	7	182
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
All ages	3,742	2,233	19	25	119	48	68	10	26	131	17	26	1,020

Table 56—*continued*

Angus County	Dundee C. of C.	Arbroath L.B.	Brechin S.B.	Carnoustie S.B.	Forfar S.B.	Kirriemuir S.B.	Monifieth S.B.	Montrose S.B.	Landward	Abb. List "B" Nos.
				ANGUS COUNTY						
20	11	2	1	—	1	—	2	1	2	1
3	3	—	—	—	—	—	—	—	—	2
4	2	1	—	—	—	—	—	—	1	3
1	1	—	—	—	—	—	—	—	—	6
—	—	—	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	14
6	3	—	—	1	—	—	—	2	—	17
671	444	56	15	11	28	10	9	26	72	18
144	106	13	1	1	5	1	1	4	12	—
39	23	3	—	—	2	—	—	3	8	—
488	315	40	14	10	21	9	8	19	52	—
7	5	—	—	—	1	—	—	—	1	19
46	29	4	—	1	—	—	1	5	6	20
6	3	1	—	—	1	—	—	—	1	21
14	11	1	—	—	—	—	—	—	2	46.0
492	291	38	26	11	34	11	13	26	42	22
1	1	—	—	—	—	—	—	—	—	23
51	29	5	3	2	3	2	1	1	5	46.1
1	1	—	—	—	—	—	—	—	—	24
47	35	4	3	—	—	1	—	—	4	25
1,056	638	97	37	39	46	18	19	75	87	26
45	27	5	1	2	2	2	1	1	4	27
52	25	8	1	3	5	1	—	3	6	28
12	10	—	—	—	—	—	—	2	—	29
75	39	7	7	1	2	3	1	6	9	46.2
14	10	—	—	—	1	—	—	—	3	30
165	108	13	5	7	4	3	4	5	16	31
112	72	12	3	2	8	2	1	4	8	32
18	12	3	1	—	1	—	—	—	1	46.3
32	23	1	—	3	1	2	—	—	2	33
6	4	—	—	—	—	—	—	—	2	34
29	16	1	—	2	—	3	—	4	3	35
—	—	—	—	—	—	—	—	—	—	36.0
14	9	2	1	—	—	—	—	2	—	36.1
8	7	1	—	—	—	—	—	—	—	37
15	10	—	—	—	—	—	—	2	3	46.4
19	14	1	2	—	—	—	1	—	1	46.5
15	11	1	—	1	—	—	—	—	2	38
20	14	2	—	—	1	1	—	1	1	39
39	28	4	1	—	2	—	—	—	4	46.6
—	—	—	—	—	—	—	—	—	—	40.0
1	1	—	—	—	—	—	—	—	—	40.1
21	14	2	1	—	1	1	—	1	1	46.7
39	32	—	—	—	2	—	1	—	4	41
37	26	1	2	1	2	—	—	—	5	42
7	4	2	—	—	—	—	—	—	1	43.0
—	—	—	—	—	—	—	—	—	—	43.1
1	1	—	—	—	—	—	—	—	—	43.2
13	10	—	1	—	—	—	—	1	1	44
19	5	1	—	1	1	3	2	4	2	45.0
1	—	1	—	—	—	—	—	—	—	45.1
31	23	3	—	—	—	1	1	2	1	E49
30	15	4	1	1	2	—	—	—	7	E47
—	—	—	—	—	—	—	—	—	—	E48.0
104	65	15	3	2	4	5	2	1	7	E48.1
18	11	2	—	1	—	—	—	—	4	E48.2
3,438	2,153	301	115	92	153	69	59	175	321	All causes
										Ages at death
122	89	4	4	2	5	—	1	5	12	Under 1
19	15	—	1	—	—	—	1	—	2	1– 4
9	4	3	—	—	—	—	—	—	2	5– 9
7	4	1	—	—	—	1	—	—	1	10–14
22	9	2	3	1	1	—	—	—	6	15–24
40	31	3	2	—	—	—	—	—	4	25–34
90	53	16	2	1	1	1	1	6	9	35–44
249	165	20	4	11	7	5	2	9	26	45–54
579	384	44	14	9	28	11	8	31	50	55–64
830	523	71	32	22	41	13	13	49	66	65–74
1,034	620	89	36	31	52	24	23	57	102	75–84
437	256	48	17	15	18	14	10	18	41	85 and over
—	—	—	—	—	—	—	—	—	—	Not stated
3,438	2,153	301	115	92	153	69	59	175	321	All ages

Table 56—*continued*

Abb. List "B" Nos.	Argyll County	Campbeltown S.B.	Dunoon S.B.	Inveraray S.B.	Lochgilphead S.B.	Oban S.B.	Tobermory S.B.	Landward	Ayr County	Ayr L.B.	Kilmarnock L.B.	Ardrossan S.B.	Cumnock and Holmhead S.B.	Darvel S.B.
	Argyll County								Ayr County					
1	6	1	3	—	—	—	—	2	12	1	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	3	—	1	—	—	1	—	1	6	—	2	1	—	—
6	1	—	—	—	—	1	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	2	—	—	—	1	—
10	—	—	—	—	—	—	—	—	1	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	2	—	—	—	—	1	—	1	9	2	2	1	2	1
18	158	20	26	2	5	19	4	82	699	108	94	27	8	8
—	24	3	7	—	—	1	—	13	139	24	19	3	3	—
—	8	—	—	—	—	3	—	5	39	8	3	1	—	—
—	126	17	19	2	5	15	4	64	521	76	72	23	5	8
19	2	—	—	—	—	2	—	—	6	—	2	—	—	—
20	8	—	1	—	—	—	—	7	40	8	3	4	—	—
21	4	—	—	—	—	—	—	4	17	3	1	—	—	—
46.0	6	—	—	—	—	2	1	3	31	4	2	—	3	1
22	151	18	32	—	9	13	—	79	613	72	81	12	5	9
23	—	—	—	—	—	—	—	—	4	—	1	—	—	—
46.1	15	—	4	—	—	—	—	11	58	6	5	1	—	1
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	5	1	—	—	—	—	—	4	63	10	7	5	—	2
26	338	30	64	2	9	35	6	192	1,449	214	186	28	23	13
27	20	3	2	1	—	1	—	13	64	7	9	2	1	—
28	20	4	3	—	—	4	—	9	76	9	11	2	2	1
29	7	1	1	1	—	—	—	4	28	3	2	—	—	—
46.2	30	2	4	—	—	2	—	22	123	14	18	1	4	2
30	6	—	3	—	—	1	—	2	30	2	5	1	—	—
31	32	6	6	—	—	5	—	15	87	11	14	4	2	—
32	23	1	7	—	—	5	—	10	148	25	26	6	7	1
46.3	7	—	—	—	1	—	—	6	36	1	3	—	2	—
33	6	2	—	—	—	2	—	2	39	7	5	1	—	—
34	2	—	—	—	—	—	—	2	1	—	—	—	—	—
35	2	—	1	—	—	1	—	—	24	1	7	—	—	—
36.0	1	—	—	—	—	—	—	1	2	1	1	—	—	—
36.1	2	1	—	—	—	1	—	—	13	1	3	—	—	—
37	3	—	—	1	—	—	—	2	10	2	—	—	—	—
46.4	5	—	1	—	—	1	—	3	14	3	2	1	—	—
46.5	3	—	2	—	—	—	—	1	16	1	—	—	1	—
38	4	—	1	—	—	1	—	2	26	3	1	2	1	—
39	4	1	—	—	—	—	—	3	15	1	—	—	2	—
46.6	6	—	—	—	—	1	—	5	17	6	2	—	—	—
40.0	1	—	—	—	—	1	—	—	2	1	—	—	—	—
40.1	1	—	—	—	—	1	—	—	2	—	—	—	—	—
46.7	8	2	2	—	—	2	—	2	8	2	1	—	—	—
41	6	1	—	—	—	2	—	3	54	3	10	3	1	—
42	2	—	1	—	—	—	1	—	45	5	8	2	—	2
43.0	—	—	—	—	—	—	—	—	10	—	—	—	—	—
43.1	—	—	—	—	—	—	—	—	1	1	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
44	5	—	1	—	—	—	—	4	58	4	8	—	1	1
45.0	10	2	—	—	—	—	1	7	23	1	5	—	—	—
45.1	10	—	3	—	—	4	1	2	19	2	5	—	—	—
E49	4	—	2	—	—	—	—	2	18	2	6	—	—	—
E47	4	—	—	—	1	—	—	3	47	4	9	—	—	1
E48.0	—	—	—	—	—	—	—	—	1	—	—	—	—	—
E48.1	21	3	8	—	—	2	—	8	58	11	8	1	—	1
E48.2	17	2	—	1	—	2	—	12	25	4	1	3	2	—
All causes	971	101	179	8	25	113	14	531	4,150	566	556	109	68	45
Ages at death														
Under 1	20	3	3	—	—	4	1	9	189	15	28	6	3	3
1– 4	3	—	—	—	—	—	—	3	28	—	3	—	—	1
5– 9	1	—	—	—	—	—	—	1	16	—	1	1	1	1
10–14	1	—	—	—	—	—	—	1	9	1	1	—	1	—
15–24	10	1	—	—	—	1	—	8	36	5	8	—	—	—
25–34	10	1	—	1	—	3	—	5	37	—	7	1	—	1
35–44	20	3	—	—	2	3	—	12	121	14	13	5	4	1
45–54	46	3	13	1	—	7	—	22	337	49	44	8	7	4
55–64	153	20	27	3	2	20	2	79	708	117	90	25	13	7
65–74	261	33	57	1	9	30	3	128	1,081	132	157	27	17	13
75–84	314	26	59	2	9	31	5	182	1,177	176	146	28	20	7
85 and over	132	11	20	—	3	14	3	81	411	57	58	8	2	7
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All ages	971	101	179	8	25	113	14	531	4,150	566	556	109	68	45

Table 56—*continued*

AYR COUNTY—*continued*

Galston S.B.	Girvan S.B.	Irvine S.B.	Kilwinning S.B.	Largs S.B.	Maybole S.B.	Newmilns and Greenholm S.B.	Prestwick S.B.	Saltcoats S.B.	Stevenston S.B.	Stewarton S.B.	Troon S.B.	Landward	Abb. List "B" Nos.
—	—	—	—	—	2	2	—	2	—	—	—	3	1
—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	1	1	—	—	—	1	3
—	—	—	—	—	1	—	—	—	—	—	—	—	6
—	—	—	1	—	—	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	14
—	—	—	—	—	—	—	—	—	—	—	—	1	17
10	16	33	13	22	10	4	36	37	15	6	31	221	18
2	2	9	1	3	1	2	10	7	4	1	8	40	—
1	2	2	1	—	—	—	—	1	—	1	2	17	—
7	12	22	11	19	9	2	26	29	11	4	21	164	—
—	—	1	—	—	—	—	—	—	—	—	—	3	19
—	1	—	1	3	1	1	—	—	2	—	1	15	20
—	—	—	—	2	1	—	2	—	—	—	1	7	21
—	—	—	—	1	1	—	4	1	—	—	2	12	46.0
14	20	32	5	28	8	12	25	37	15	10	20	208	22
—	—	—	—	—	—	—	—	—	1	—	—	2	23
2	1	4	1	1	3	1	2	2	1	—	3	24	46.1
—	—	—	—	—	—	—	—	—	—	—	—	—	24
—	—	1	3	9	—	—	1	2	2	1	2	18	25
22	31	76	35	80	19	15	75	56	39	19	47	471	26
1	2	3	3	3	—	—	1	3	1	1	2	25	27
2	2	6	1	4	3	—	—	1	1	1	2	28	28
2	—	2	—	2	1	—	—	2	—	—	—	14	29
3	4	2	—	11	3	3	6	2	4	—	5	41	46.2
—	—	—	—	3	—	2	—	2	1	—	—	14	30
1	—	4	2	3	—	2	1	3	3	—	—	37	31
2	4	11	1	3	2	3	7	7	3	2	3	35	32
3	—	3	—	2	1	1	—	2	—	—	1	17	46.3
—	1	3	—	3	2	1	2	2	2	—	2	8	33
—	—	—	—	—	—	—	1	—	—	—	—	—	34
1	—	1	—	1	—	—	1	—	—	—	—	12	35
—	—	—	—	—	—	—	—	—	—	—	—	—	36.0
—	—	—	—	2	—	—	1	—	1	1	—	4	36.1
—	—	—	—	—	2	1	2	—	—	—	—	3	37
—	—	—	—	—	—	—	—	1	—	—	—	7	46.4
—	1	—	—	2	—	—	—	1	—	—	1	9	46.5
—	1	1	1	—	—	—	1	—	2	2	1	10	38
1	1	1	1	1	—	—	—	2	—	1	—	4	39
—	—	—	1	—	1	—	—	—	—	—	—	7	46.6
—	—	—	—	—	—	—	—	—	—	—	—	1	40.0
—	—	—	—	—	—	—	—	1	—	—	—	1	40.1
—	—	1	—	—	—	—	—	—	—	1	—	3	46.7
2	—	4	3	1	—	3	1	2	2	—	1	18	41
1	—	4	—	—	1	—	—	5	1	—	2	14	42
1	—	—	—	—	1	—	1	1	1	1	—	4	43.0
—	—	—	—	—	—	—	—	—	—	—	—	—	43.1
—	—	—	—	—	—	—	—	—	—	—	—	—	43.2
—	2	2	—	—	4	—	2	6	2	1	2	23	44
1	—	1	—	4	—	—	1	—	—	—	1	9	45.0
—	—	—	—	3	—	1	—	1	—	—	—	7	45.1
—	1	1	—	—	1	—	1	—	—	—	—	6	E49
—	1	6	—	1	1	—	1	2	—	1	—	20	E47
—	—	—	—	—	—	—	—	—	—	—	—	1	E48.0
2	—	3	2	4	—	2	3	—	3	—	2	16	E48.1
—	—	1	—	1	—	—	2	1	—	—	1	9	E48.2
71	89	207	74	200	69	54	181	185	102	48	133	1,393	All causes
													Ages at death
4	3	10	2	4	7	4	4	14	6	3	6	67	Under 1
1	1	2	3	—	1	—	1	—	1	—	1	13	1– 4
—	—	1	2	—	—	—	—	1	—	—	2	6	5– 9
—	—	1	—	—	—	—	—	—	1	1	—	3	10–14
—	—	2	—	—	—	—	1	2	2	—	—	16	15–24
—	1	4	—	—	1	—	—	4	—	—	—	18	25–34
2	—	11	5	3	1	2	3	4	4	1	2	46	35–44
3	4	18	7	7	6	2	9	13	10	4	9	133	45–54
15	14	39	13	20	17	6	29	32	19	11	27	214	55–64
14	25	51	16	62	18	18	58	43	30	11	35	354	65–74
23	24	53	22	75	15	18	54	51	25	10	37	393	75–84
9	17	15	4	29	3	4	22	21	4	7	14	130	85 and over
—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated
71	89	207	74	200	69	54	181	185	102	48	133	1,393	All ages

Table 56—*continued*

Abb. List "B" Nos.	Banff County	Aberchirder S.B.	Aberlour S.B.	Banff S.B.	Buckie S.B.	Cullen S.B.	Dufftown S.B.	Findochty S.B.	Keith S.B.	Macduff S.B.	Portknockie S.B.	Portsoy S.B.	Landward
	Banff County												
1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	—	—	—	—	—	—	—	1	1	—	—	—
3	2	1	—	1	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—
17	3	—	—	—	1	—	—	—	—	—	—	—	—
18	107	—	1	16	24	4	4	3	10	8	1	3	3
—	14	—	1	1	5	1	1	—	—	2	—	1	—
—	7	—	—	2	1	—	1	—	—	—	—	—	—
—	86	—	—	13	18	3	2	3	10	6	1	2	2
19	1	—	—	—	—	—	1	—	—	—	—	—	—
20	3	—	—	1	1	—	—	—	—	1	—	—	—
21	—	—	—	—	—	—	—	—	—	—	—	—	—
46.0	3	—	—	—	2	—	—	—	1	—	—	—	—
22	113	3	1	13	21	2	6	1	10	10	4	7	3
23	1	—	—	—	1	—	—	—	—	—	—	—	—
46.1	14	—	—	1	4	—	—	—	1	2	1	—	—
24	—	—	—	—	—	—	—	—	—	—	—	—	—
25	8	—	—	2	1	—	—	—	—	2	—	—	—
26	165	4	7	11	30	12	5	7	20	9	11	7	4
27	3	—	—	—	—	—	—	—	—	2	—	—	—
28	11	—	—	—	1	2	1	1	2	—	—	—	—
29	5	—	—	—	1	—	—	—	1	1	—	—	—
46.2	20	1	—	—	4	—	1	—	4	—	—	1	—
30	3	—	—	—	—	—	—	—	2	—	—	1	—
31	23	2	1	2	7	—	—	—	1	2	—	1	—
32	16	1	1	—	3	—	2	1	1	3	—	—	—
46.3	1	—	—	—	—	—	—	—	1	—	—	—	—
33	3	—	—	—	—	—	—	—	2	1	—	—	—
34	1	—	—	—	—	—	—	—	—	—	—	—	—
35	1	—	—	—	—	—	—	—	—	—	—	—	—
36.0	—	—	—	—	—	—	—	—	—	—	—	—	—
36.1	—	—	—	—	—	—	—	—	—	—	—	—	—
37	4	1	—	—	1	—	—	—	1	—	—	—	—
46.4	1	—	—	—	—	—	—	—	—	1	—	—	—
38.5	2	1	—	—	—	—	—	—	—	—	—	1	—
46	6	—	—	1	3	—	—	—	—	1	—	—	—
39	6	—	—	—	1	—	—	1	—	1	1	—	—
46.6	1	—	—	1	—	—	—	—	—	—	—	—	—
40.0	—	—	—	—	—	—	—	—	—	—	—	—	—
40.1	—	—	—	—	—	—	—	—	—	—	—	—	—
46.7	2	—	—	—	—	—	—	—	—	—	—	—	—
41	6	—	—	1	—	1	1	—	1	1	—	—	—
42	8	—	1	1	1	2	—	—	—	3	—	—	—
43.0	2	—	—	—	—	—	—	1	1	—	—	—	—
43.1	—	—	—	—	—	—	—	—	—	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—	—	—	—	—
44	4	—	—	2	1	—	—	—	—	1	—	—	—
45.0	6	—	—	—	—	1	—	—	—	2	—	3	—
45.1	2	—	—	—	—	—	—	—	—	1	—	—	—
E49	3	—	—	—	1	—	1	—	—	—	—	—	—
E47	9	—	—	1	1	—	2	—	1	1	—	—	—
E48.0	1	—	—	—	—	—	—	—	—	1	—	—	—
E48.1	12	—	—	2	2	1	—	—	2	—	—	2	—
E48.2	6	—	—	—	1	—	—	—	—	—	—	—	—
All causes	590	14	12	56	113	25	24	15	63	55	18	26	16
Ages at death													
Under 1	24	—	1	4	3	4	1	1	2	5	—	1	—
1– 4	5	—	1	—	1	—	—	—	1	1	—	—	—
5– 9	1	—	—	—	—	—	—	—	—	—	—	—	—
10–14	1	—	—	—	1	—	—	—	—	—	—	—	1
15–24	7	—	—	—	1	—	—	—	—	2	—	—	—
25–34	9	—	—	—	2	—	2	—	—	1	—	—	—
35–44	7	—	—	—	2	—	—	—	3	—	—	—	—
45–54	33	1	—	6	5	2	3	—	2	2	1	2	—
55–64	75	1	1	3	21	—	3	4	9	5	3	5	2
65–74	151	6	3	18	22	8	4	5	15	12	4	2	5
75–84	198	4	4	19	38	9	7	4	19	18	9	11	5
85 and over	79	2	2	6	17	2	4	1	12	9	1	5	1
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
All ages	590	14	12	56	113	25	24	15	63	55	18	26	16

Table 56—*continued*

Berwick County						Bute County				Caithness County				Abb. List "B" Nos.
Berwick County	Coldstream S.B.	Duns S.B.	Eyemouth S.B.	Lauder S.B.	Landward	Bute County	Millport S.B.	Rothesay S.B.	Landward	Caithness County	Thurso S.B.	Wick S.B.	Landward	
—	—	—	—	—	—	3	1	1	1	—	—	—	—	1
1	—	—	—	—	1	1	—	1	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	1	—	—	1	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
1	1	—	—	—	—	1	1	—	—	—	—	—	—	17
54	—	4	9	5	36	52	2	33	17	56	12	20	24	18
8	—	1	2	—	5	9	2	5	2	6	3	1	2	—
3	—	—	—	—	3	3	—	1	2	3	1	1	1	—
43	—	3	7	5	28	40	—	27	13	47	8	18	21	—
—	—	—	—	—	—	—	—	—	—	3	1	—	2	19
5	—	—	1	—	4	2	1	1	—	2	—	1	1	20
—	—	—	—	—	—	—	—	—	—	2	1	1	—	21
1	—	—	1	—	—	—	—	—	—	2	—	—	2	46.0
63	8	6	5	2	42	48	5	23	20	55	10	16	29	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
4	—	—	1	—	3	5	1	1	3	8	2	3	3	46.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
3	—	—	—	—	3	3	—	1	2	4	1	1	2	25
106	9	16	12	2	67	84	9	45	30	101	18	18	65	26
5	—	1	—	—	4	2	1	1	—	8	3	1	4	27
7	1	1	1	—	4	9	1	4	4	6	—	2	4	28
4	—	1	1	—	2	5	—	1	4	2	—	1	1	29
12	1	—	1	1	9	6	—	3	3	14	2	—	12	46.2
2	—	—	—	—	2	1	—	—	1	6	2	1	3	30
9	1	1	—	1	6	7	1	4	2	4	—	1	3	31
6	—	—	4	—	2	6	1	2	3	6	—	5	1	32
2	—	1	—	1	—	3	—	3	—	3	—	1	2	46.3
6	—	2	—	1	3	1	1	—	—	3	1	1	1	33
—	—	—	—	—	—	—	—	—	—	1	—	—	1	34
2	—	—	—	—	2	4	—	2	2	3	—	1	2	35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	36.0
2	—	—	—	—	2	—	—	—	—	—	—	—	—	36.1
1	—	—	—	—	1	—	—	—	—	1	—	—	1	37
2	—	—	1	—	1	2	—	2	—	—	—	—	—	46.4
1	—	—	—	—	1	—	—	—	—	1	—	—	1	46.5
1	1	—	—	—	—	6	2	2	2	4	1	1	2	38
4	—	1	—	—	3	2	1	1	—	2	1	—	1	39
6	—	1	—	1	4	1	—	—	1	4	2	2	—	46.6
—	—	—	—	—	—	1	—	1	—	—	—	—	—	40.0
—	—	—	—	—	—	—	—	—	—	2	2	—	—	40.1
6	—	—	2	—	4	1	1	—	—	3	1	2	—	46.7
3	—	—	—	—	3	1	—	—	1	1	—	1	—	41
1	—	—	1	—	—	2	—	2	—	2	1	1	—	42
—	—	—	—	—	—	1	—	1	—	—	—	—	—	43.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.2
1	—	—	—	—	1	3	—	2	1	2	—	1	1	44
7	—	1	—	—	6	4	1	1	2	6	1	2	3	45.0
—	—	—	—	—	—	12	1	9	2	3	—	—	3	45.1
2	—	1	—	1	—	—	—	—	—	3	—	2	1	E49
6	—	—	—	—	6	2	—	1	1	7	3	1	3	E47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	E48.0
5	1	—	—	1	3	6	1	4	1	10	—	3	7	E48.1
2	—	—	1	—	1	2	—	2	—	6	—	1	5	E48.2
343	23	37	41	16	226	289	32	154	103	347	65	91	191	All causes
														Ages at death
6	1	—	1	—	4	8	—	6	2	7	1	3	3	Under 1
1	—	—	—	—	1	1	—	—	1	2	1	1	—	1– 4
—	—	—	—	—	—	1	—	—	1	1	1	—	—	5– 9
—	—	—	—	—	—	—	—	—	—	3	1	—	2	10–14
2	—	—	—	—	2	—	—	—	—	8	2	2	4	15–24
3	—	—	1	—	2	3	—	3	—	6	3	—	3	25–34
—	—	—	—	—	—	4	—	4	—	7	3	1	3	35–44
23	2	3	—	1	17	10	1	6	3	26	8	12	6	45–54
49	5	8	7	2	27	33	6	13	14	52	8	15	29	55–64
86	5	6	16	3	56	96	6	56	34	80	17	21	42	65–74
114	9	12	7	7	79	98	15	46	37	100	13	26	61	75–84
59	1	8	9	3	38	35	4	20	11	55	7	10	38	85 and over
—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated
343	23	37	41	16	226	289	32	154	103	347	65	91	191	All ages

Table 56—*continued*

Abb. List "B" Nos.	Clackmannan County	Alloa S.B.	Alva S.B.	Dollar S.B.	Tillicoultry S.B.	Landward	Dumfries County	Dumfries L.B.	Annan S.B.	Langholm S.B.	Lochmaben S.B.	Lockerbie S.B.	Moffat S.B.	Sanquhar S.B.	Landward
	CLACKMANNAN COUNTY						DUMFRIES COUNTY								
1	1	—	1	—	—	—	5	1	—	—	—	—	—	—	4
2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—
18	75	22	11	5	8	29	182	77	8	3	—	9	9	3	73
—	15	6	1	—	3	5	34	15	2	—	—	2	1	1	13
—	3	1	—	1	—	1	8	2	2	—	—	—	—	—	4
—	57	15	10	4	5	23	140	60	4	3	—	7	8	2	56
19	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
20	4	2	—	—	—	2	11	2	1	—	—	2	1	—	5
21	5	2	1	—	—	2	5	1	—	—	—	—	1	1	2
46.0	3	—	1	—	1	1	7	1	—	—	—	—	—	—	6
22	59	19	13	3	10	14	166	53	19	7	1	3	3	7	73
23	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
46.1	9	5	—	—	1	3	13	4	1	1	—	1	—	1	5
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	3	1	1	—	—	1	13	4	—	—	1	—	—	—	8
26	122	44	16	7	13	42	319	119	16	15	2	14	7	11	135
27	8	6	—	—	—	2	16	4	—	—	—	—	1	—	11
28	8	1	2	—	2	3	28	12	1	1	—	4	—	—	10
29	3	2	—	—	—	1	10	4	2	—	—	1	—	—	3
46.2	22	14	3	—	1	4	36	9	3	—	1	4	1	2	16
30	6	1	4	—	—	1	4	—	—	1	—	—	—	—	3
31	16	5	4	—	2	5	55	12	9	1	—	2	6	—	25
32	15	4	3	1	3	4	35	12	4	2	—	2	—	1	14
46.3	5	3	1	—	—	1	8	3	—	1	1	—	—	—	3
33	5	1	—	—	1	3	8	4	—	—	—	1	—	—	3
34	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
35	3	—	1	—	2	—	7	4	1	—	—	1	—	—	1
36.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36.1	—	—	—	—	—	—	7	3	—	—	—	1	—	—	3
37	1	—	1	—	—	—	3	1	—	—	—	—	—	—	2
46.4	—	—	—	—	—	—	4	1	—	—	—	—	—	—	3
46.5	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1
38	4	2	1	—	1	—	4	—	1	—	—	—	—	—	3
39	4	4	—	—	—	—	4	1	—	—	1	1	—	—	1
46.6	5	1	1	—	1	2	7	2	—	—	—	1	—	—	4
40.0	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
40.1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—
46.7	—	—	—	—	—	—	8	1	—	1	—	—	—	1	5
41	3	2	1	—	—	—	6	1	1	—	—	—	—	—	4
42	5	2	—	—	1	2	13	6	2	—	—	—	—	—	5
43.0	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
43.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
44	5	2	—	—	—	3	1	—	—	1	—	—	—	—	—
45.0	3	1	—	—	—	2	1	—	—	—	—	—	—	—	1
45.1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1
E49	8	3	2	—	2	1	3	1	1	—	—	—	—	—	1
E47	—	—	—	—	—	—	22	3	1	—	—	1	1	—	16
E48.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E48.1	14	6	3	1	—	4	13	2	1	—	1	1	1	1	6
E48.2	8	3	—	—	—	5	10	3	—	—	—	—	—	—	7
All causes	437	160	72	17	50	138	1,045	353	72	34	9	50	34	28	465
Ages at death															
Under 1	18	7	2	—	1	8	29	7	4	1	1	1	1	1	13
1– 4	1	—	—	—	1	—	8	—	—	1	1	—	—	—	6
5– 9	—	—	—	—	—	—	5	2	1	—	—	—	—	—	2
10–14	1	—	—	—	—	1	3	—	1	—	—	—	—	—	2
15–24	4	2	—	—	—	2	11	3	—	—	—	—	—	—	8
25–34	5	3	—	—	—	2	8	2	1	—	—	—	—	—	5
35–44	8	1	—	2	1	4	20	6	1	1	—	1	1	—	10
45–54	29	5	11	—	4	9	72	21	6	—	—	1	4	2	38
55–64	76	27	13	1	11	24	178	73	11	5	—	7	4	5	73
65–74	109	52	10	5	18	24	274	90	24	8	2	16	7	8	119
75–84	141	45	28	8	13	47	329	115	17	11	4	17	8	10	147
85 and over	45	18	8	1	1	17	108	34	6	7	1	7	9	2	42
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All ages	437	160	72	17	50	138	1,045	353	72	34	9	50	34	28	465

Table 56—*continued*

Dunbarton County	Clydebank L.B.	Dumbarton L.B.	Bearsden S.B.	Cove and Kilcreggan S.B.	Helensburgh S.B.	Kirkintilloch S.B.	Milngavie S.B.	Landward	Abb. List "B" Nos.
				DUNBARTON COUNTY					
20	9	4	1	—	—	—	—	6	1
1	1	—	—	—	—	—	—	—	2
1	—	—	1	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	6
—	—	—	—	—	—	—	—	—	9
2	—	—	—	—	—	—	1	1	10
—	—	—	—	—	—	—	—	—	12
2	—	—	—	—	—	—	—	2	14
8	1	—	—	—	1	1	—	5	17
362	90	51	35	5	27	20	21	113	18
80	26	8	9	2	8	4	3	20	—
24	6	3	5	—	1	1	2	6	—
258	58	40	21	3	18	15	16	87	—
3	1	1	1	—	—	—	—	—	19
12	4	—	—	—	—	2	—	6	20
5	1	1	—	—	—	—	—	3	21
11	4	4	1	—	2	—	—	—	46.0
311	60	40	33	—	22	31	20	105	22
3	1	1	—	—	—	1	—	—	23
26	5	2	5	—	—	4	2	8	46.1
—	—	—	—	—	—	—	—	—	24
20	5	2	2	—	—	2	—	9	25
648	159	85	52	9	44	66	30	203	26
29	9	4	2	—	1	3	2	8	27
30	10	4	2	—	2	1	—	11	28
11	3	3	—	—	—	2	—	3	29
75	14	9	6	1	11	3	3	28	46.2
10	3	—	1	—	1	1	1	3	30
104	24	19	10	—	4	3	5	39	31
78	17	22	5	—	3	7	6	18	32
15	2	3	1	—	—	4	2	3	46.3
22	6	2	1	—	1	2	—	10	33
2	1	—	—	—	1	—	—	—	34
14	4	1	1	—	4	1	1	2	35
—	—	—	—	—	—	—	—	—	36.0
5	2	1	—	—	1	—	—	1	36.1
11	5	1	2	—	1	—	1	1	37
6	2	—	—	—	—	—	—	4	46.4
8	1	1	2	—	1	1	—	2	46.5
8	2	1	2	1	—	1	1	—	38
13	5	3	2	—	1	1	—	1	39
11	3	1	1	—	1	2	—	3	46.6
—	—	—	—	—	—	—	—	—	40.0
2	—	—	1	—	—	—	—	1	40.1
14	4	2	4	—	—	—	1	3	46.7
28	8	1	2	—	1	2	2	12	41
30	9	4	1	—	1	3	—	12	42
4	2	1	—	—	—	—	—	1	43.0
—	—	—	—	—	—	—	—	—	43.1
—	—	—	—	—	—	—	—	—	43.2
14	5	5	—	—	1	1	—	2	44
20	4	4	—	—	1	7	1	3	45.0
7	3	—	1	—	1	—	—	2	45.1
19	5	—	2	—	3	—	2	7	E49
23	4	4	2	—	—	—	1	12	E47
—	—	—	—	—	—	—	—	—	E48.0
32	5	7	1	—	3	4	2	10	E48.1
12	—	2	1	—	1	—	2	6	E48.2
2,092	503	296	184	16	141	176	107	669	All causes
									Ages at death
99	30	18	3	—	6	6	1	35	Under 1
20	5	1	2	—	1	2	1	8	1– 4
8	3	—	—	—	—	1	2	2	5– 9
10	1	3	1	—	1	—	1	3	10–14
12	2	3	—	—	2	—	—	5	15–24
20	2	1	2	—	—	2	1	12	25–34
71	21	16	8	—	1	3	6	16	35–44
180	59	30	11	—	9	11	8	52	45–54
372	87	53	31	2	15	36	23	125	55–64
558	126	80	53	7	37	47	18	190	65–74
553	129	73	50	2	45	52	36	166	75–84
189	38	18	23	5	24	16	10	55	85 and over
—	—	—	—	—	—	—	—	—	Not stated
2,092	503	296	184	16	141	176	107	669	All ages

Table 56—*continued*

Abb. List "B" Nos.	East Lothian County	Cockenzie and Port Seton S.B.	Dunbar S.B.	East Linton S.B.	Haddington S.B.	North Berwick S.B.	Prestonpans S.B.	Tranent S.B.	Landward
	East Lothian County								
1	4	—	—	—	—	—	1	2	1
2	—	—	—	—	—	—	—	—	—
3	1	—	—	—	—	—	—	—	1
6	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—
17	2	—	—	—	—	—	—	1	1
18	107	7	11	1	11	10	5	11	51
—	24	2	4	—	3	3	1	2	9
—	5	—	—	—	1	1	—	2	1
—	78	5	7	1	7	6	4	7	41
19	1	—	—	—	—	1	—	—	—
20	7	—	—	1	—	—	—	—	6
21	3	—	—	—	1	—	—	—	2
46.0	1	—	1	—	—	—	—	—	—
22	147	3	17	3	12	32	9	7	64
23	—	—	—	—	—	—	—	—	—
46.1	7	1	—	—	—	—	—	1	5
24	—	—	—	—	—	—	—	—	—
25	5	—	1	—	1	1	—	1	1
26	165	14	12	2	19	13	9	18	78
27	6	—	—	—	2	2	—	—	2
28	13	—	1	1	2	—	2	3	4
29	5	—	—	—	1	1	—	1	2
46.2	36	1	12	2	3	5	1	2	10
30	4	—	—	—	3	—	—	—	1
31	33	4	4	—	4	2	1	4	14
32	11	—	—	1	—	—	1	2	7
46.3	17	—	—	—	2	2	1	2	10
33	5	1	—	1	1	—	—	2	—
34	—	—	—	—	—	—	—	—	—
35	5	1	1	—	1	—	—	—	2
36.0	—	—	—	—	—	—	—	—	—
36.1	3	—	1	—	—	1	1	—	—
37	5	—	—	—	—	1	—	1	3
46.4	3	—	—	—	—	—	—	—	3
46.5	—	—	—	—	—	—	—	—	—
38	2	—	—	—	—	—	—	—	2
39	3	—	—	—	1	—	—	—	2
46.6	3	—	1	—	1	—	—	1	—
40.0	—	—	—	—	—	—	—	—	—
40.1	—	—	—	—	—	—	—	—	—
46.7	2	—	1	—	—	—	—	—	1
41	8	1	1	—	—	—	—	2	4
42	2	—	—	—	—	—	—	—	2
43.0	—	—	—	—	—	—	—	—	—
43.1	—	—	—	—	—	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—
44	7	—	—	—	1	—	—	—	6
45.0	3	—	—	1	—	—	—	—	2
45.1	2	—	—	—	—	—	1	—	1
E49	3	—	—	—	1	2	—	—	—
E47	10	—	—	—	1	—	—	2	7
E48.0	—	—	—	—	—	—	—	—	—
E48.1	11	—	1	—	1	2	—	2	5
E48.2	8	1	1	—	—	—	—	3	3
All causes	660	34	66	13	69	75	32	68	303
Ages at death									
Under 1	18	—	—	—	1	—	2	2	13
1– 4	4	—	1	—	—	—	—	1	2
5– 9	1	1	—	—	—	—	—	—	—
10–14	1	—	—	—	—	—	—	—	1
15–24	1	—	—	—	—	—	—	—	1
25–34	8	—	1	—	2	—	—	2	3
35–44	8	1	2	—	1	—	—	—	4
45–54	47	3	4	—	5	3	3	9	20
55–64	99	2	7	1	9	8	2	19	51
65–74	169	11	17	3	24	12	9	13	80
75–84	222	10	26	8	16	35	13	17	97
85 and over	82	6	8	1	11	17	3	5	31
Not stated	—	—	—	—	—	—	—	—	—
All ages	660	34	66	13	69	75	32	68	303

Table 56—*continued*

Fife County	Fife County: Dunfermline L.B.	Kirkcaldy L.B.	Auchtermuchty S.B.	Buckhaven and Methil S.B.	Burntisland S.B.	Cowdenbeath S.B.	Crail S.B.	Culross S.B.	Cupar S.B.	Elie and Earlsferry S.B.	Falkland S.B.	Inverkeithing S.B.	Kilrenny and Anstruther S.B.	Abb. List "B" Nos.
10	—	3	—	1	1	—	—	—	—	—	—	1	—	1
3	—	—	—	1	—	—	—	—	—	—	—	—	—	2
4	2	—	—	—	1	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
2	—	—	—	1	—	—	—	—	1	—	—	—	—	14
12	2	1	—	2	—	—	—	—	—	—	—	—	—	17
628	102	104	2	34	18	21	3	—	10	5	3	3	10	18
119	14	14	—	9	2	1	—	—	—	—	1	—	4	—
38	9	5	1	—	1	—	—	—	2	1	—	—	1	—
471	79	85	1	25	15	20	3	—	8	4	2	3	5	—
7	1	1	—	—	—	1	—	—	—	—	—	—	—	19
40	6	5	—	2	—	3	—	—	—	1	—	—	—	20
19	3	2	—	2	—	1	—	—	—	—	—	—	—	21
19	1	4	—	1	—	2	—	—	—	—	—	—	1	46.0
580	82	76	1	49	13	29	2	1	14	3	4	5	10	22
3	—	1	—	1	—	—	—	—	—	—	—	—	—	23
64	9	10	—	6	—	1	—	—	1	—	—	—	—	46.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
37	6	12	1	2	—	1	—	—	—	—	—	2	—	25
1,190	136	206	10	112	39	41	5	4	25	10	6	20	15	26
53	12	7	—	4	—	—	—	—	1	—	1	—	—	27
64	12	10	—	4	1	1	—	1	1	—	—	1	—	28
43	3	7	—	6	1	3	—	—	—	—	—	—	—	29
128	17	21	—	11	4	2	3	—	2	—	3	1	2	46.2
29	4	—	—	—	—	1	—	—	1	—	—	1	—	30
119	17	22	1	4	2	4	—	—	3	1	2	2	—	31
122	18	18	—	9	2	9	1	—	1	—	—	—	—	32
56	4	7	—	4	—	4	—	—	1	—	—	—	—	46.3
27	6	2	—	1	1	1	—	—	—	—	—	2	1	33
7	1	—	1	—	—	—	—	—	—	—	—	1	—	34
27	2	2	—	4	1	1	—	—	—	—	—	—	—	35
2	—	1	—	—	—	—	—	—	—	—	—	—	—	36.0
18	3	5	—	—	—	1	—	—	—	—	—	—	—	36.1
17	2	3	—	—	—	—	1	—	—	1	—	—	1	37
15	4	1	—	—	1	1	—	—	—	—	—	—	—	46.4
15	4	2	—	1	1	—	—	—	—	—	—	—	—	46.5
23	2	4	—	3	—	—	—	—	1	—	—	—	—	38
22	1	3	—	—	1	2	—	—	—	—	—	1	1	39
29	7	4	—	3	1	—	—	—	—	—	—	—	—	46.6
2	—	—	—	1	1	—	—	—	—	—	—	—	—	40.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	40.1
20	4	4	—	—	1	—	—	—	—	—	1	—	1	46.7
39	7	4	1	1	2	—	—	—	1	—	—	—	—	41
39	6	5	—	4	—	5	—	—	—	—	—	—	—	42
2	—	—	—	—	—	—	—	—	—	—	—	—	—	43.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.1
1	—	—	—	—	—	—	—	—	—	—	—	—	—	43.2
37	3	8	—	5	—	1	—	—	—	—	—	—	—	44
16	3	—	—	6	—	—	—	—	—	—	—	2	—	45.0
11	2	—	—	—	—	3	—	—	—	—	—	—	—	45.1
21	3	7	—	2	—	1	—	—	—	—	—	—	—	E49
34	6	5	—	3	2	—	—	—	—	—	—	1	—	E47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	E48.0
69	8	13	1	3	5	1	—	—	—	1	—	—	2	E48.1
39	6	7	—	3	1	2	—	—	1	—	—	2	—	E48.2
3,764	517	597	18	296	100	143	15	6	64	22	20	45	44	All causes
														Ages at death
140	15	21	1	15	2	7	—	—	1	—	—	1	—	Under 1
28	7	3	1	2	2	—	—	—	—	—	—	—	—	1– 4
5	1	—	—	—	—	—	—	—	1	—	—	—	—	5– 9
10	—	5	—	1	—	—	—	—	—	—	—	—	—	10–14
26	9	3	—	2	—	—	—	—	1	—	—	2	—	15–24
41	8	5	—	2	—	2	—	—	—	—	—	2	—	25–34
99	12	9	1	15	3	2	—	—	3	1	2	1	—	35–44
254	42	46	—	14	6	12	—	—	1	2	—	1	1	45–54
624	97	109	—	47	19	26	5	—	10	4	2	6	6	55–64
996	119	154	7	81	25	39	5	2	15	4	4	15	13	65–74
1,130	148	187	4	89	31	42	4	3	17	7	2	10	17	75–84
411	59	55	4	28	12	13	1	1	15	4	10	7	7	85 and over
—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated
3,764	517	597	18	296	100	143	15	6	64	22	20	45	44	All ages

Table 56—*continued*

Abb. List "B" Nos.	Fife County—*continued*												
	Kinghorn S.B.	Ladybank S.B.	Leslie S.B.	Leven S.B.	Lochgelly S.B.	Markinch S.B.	Newburgh S.B.	Newport-on-Tay S.B.	Pittenweem S.B.	St. Andrews S.B.	St. Monance S.B.	Tayport S.B.	Landward
1	1	—	—	—	—	—	—	—	—	—	—	1	2
2	—	—	—	—	—	1	—	—	—	1	—	—	—
3	—	—	—	—	—	—	—	—	—	—	—	—	1
6	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—
17	—	—	—	2	—	—	—	—	—	—	—	—	5
18	6	8	9	29	16	7	1	9	5	18	3	11	191
—	1	4	1	7	4	2	—	2	2	3	—	2	46
—	—	—	—	1	1	—	—	—	—	—	—	1	15
—	5	4	8	21	11	5	1	7	3	15	3	8	130
19	—	—	—	—	—	—	—	—	—	2	1	—	1
20	1	—	1	1	3	—	2	1	—	—	1	—	13
21	1	—	1	2	—	—	—	1	—	—	—	—	6
46.0	—	—	—	—	—	—	—	—	—	—	—	—	10
22	1	5	6	15	15	10	1	9	1	14	7	3	204
23	—	—	—	—	—	—	—	—	—	—	—	—	1
46.1	—	—	1	4	—	—	—	1	—	6	—	—	25
24	—	—	—	—	—	—	—	—	—	—	—	—	—
25	—	—	—	—	1	1	—	—	—	2	1	—	8
26	7	1	15	31	21	16	14	24	8	34	8	15	367
27	—	—	—	2	1	1	1	—	—	3	—	4	16
28	—	—	3	2	—	1	—	—	—	1	—	1	25
29	—	—	2	2	2	—	2	—	1	2	—	1	11
46.2	—	—	2	5	5	—	—	1	1	17	1	1	29
30	1	—	1	—	—	1	—	1	—	1	—	—	17
31	2	—	—	2	4	1	1	4	—	3	—	—	44
32	—	—	3	4	3	1	—	—	1	5	1	—	46
46.3	—	—	—	2	2	—	—	—	1	2	1	—	28
33	—	—	—	1	1	1	1	—	1	1	—	—	7
34	1	1	—	—	—	—	—	—	—	—	—	—	2
35	—	—	—	2	1	—	—	1	—	1	—	1	11
36.0	—	—	—	—	—	—	—	—	—	—	—	—	1
36.1	1	—	—	2	—	—	1	—	1	—	—	—	4
37	—	—	—	2	3	—	—	—	—	—	—	1	3
46.4	—	—	—	2	—	—	—	—	—	1	—	—	5
46.5	—	—	—	1	—	—	—	—	—	1	—	—	5
38	2	—	—	—	—	—	—	1	—	—	—	—	10
39	—	—	1	1	2	—	—	2	—	2	—	—	5
46.6	—	1	—	—	1	—	1	—	—	1	—	1	9
40.0	—	—	—	—	—	—	—	—	—	—	—	—	—
40.1	—	—	—	—	—	—	—	—	—	—	—	—	—
46.7	—	—	1	1	—	—	—	2	—	—	1	—	4
41	—	—	—	2	3	—	1	—	—	2	—	1	14
42	—	—	—	1	3	—	—	—	—	2	—	—	13
43.0	—	—	—	—	—	—	—	—	—	1	—	—	1
43.1	—	—	—	—	—	—	—	—	—	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—	—	—	—	1
44	—	—	—	6	1	—	—	—	—	—	—	—	13
45.0	—	—	—	—	—	—	—	—	—	—	—	—	5
45.1	—	—	—	—	—	—	—	—	1	—	—	—	5
E49	1	—	—	—	2	—	—	—	—	2	—	—	3
E47	—	—	—	1	1	—	—	—	—	—	—	—	15
E48.0	—	—	—	—	—	—	—	—	—	—	—	—	—
E48.1	1	—	1	4	—	—	1	2	—	3	—	1	22
E48.2	—	—	—	—	2	—	1	1	—	1	—	—	12
All causes	26	16	47	129	93	41	28	60	21	129	25	42	1,220
Ages at death													
Under 1	—	—	—	10	7	—	1	1	—	6	—	—	52
1– 4	—	—	—	2	1	—	—	—	—	1	—	1	8
5– 9	—	—	—	1	—	—	—	—	—	—	—	—	2
10–14	—	—	—	—	—	—	—	—	1	—	—	—	3
15–24	—	—	—	—	—	—	—	—	—	—	—	—	9
25–34	1	—	—	—	2	2	—	—	—	1	—	—	16
35–44	—	—	—	2	1	1	2	1	—	2	—	1	40
45–54	3	—	5	7	4	2	—	2	2	6	—	2	96
55–64	7	2	3	16	18	8	5	6	3	16	3	6	200
65–74	2	8	16	38	28	11	6	12	5	24	13	18	332
75–84	12	4	18	41	29	14	7	26	7	56	7	10	338
85 and over	1	2	5	12	3	3	7	12	3	17	2	4	124
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
All ages	26	16	47	129	93	41	28	60	21	129	25	42	1,220

Table 56—*continued*

Inverness County	Inverness L.B.	Fort William S.B.	Kingussie S.B.	Landward	Kincardine County	Banchory S.B.	Inverbervie S.B.	Laurencekirk S.B.	Stonehaven S.B.	Landward	Kinross County	Kinross S.B.	Landward	Abb. List "B" Nos.
6	2	—	—	4	2	1	—	—	—	1	—	—	—	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
1	1	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
—	—	—	—	—	1	1	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
3	1	—	—	2	2	—	—	—	—	2	—	—	—	17
179	60	7	4	108	70	7	3	6	14	40	23	14	9	18
35	13	1	1	20	11	1	—	—	5	5	4	3	1	—
12	3	—	—	9	5	1	1	—	—	3	1	1	—	—
132	44	6	3	79	54	5	2	6	9	32	18	10	8	—
1	—	—	—	1	1	—	—	1	—	—	—	—	—	19
9	4	—	—	5	5	1	—	—	1	3	1	—	1	20
2	—	—	—	2	—	—	—	—	—	—	—	—	—	21
5	2	—	—	3	3	1	—	—	—	2	1	—	1	46.0
184	56	3	3	122	44	4	1	4	10	25	18	8	10	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
12	5	1	—	6	7	—	1	—	1	5	1	1	—	46.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
5	—	2	—	3	3	—	—	—	1	2	1	—	1	25
345	132	7	6	200	109	11	10	7	25	56	22	10	12	26
15	2	1	—	12	2	—	—	—	2	—	2	1	1	27
15	2	1	—	12	3	—	—	1	—	2	2	1	1	28
11	1	—	—	10	6	1	—	—	1	4	—	—	—	29
30	9	—	3	18	27	1	2	1	7	16	—	—	—	46.2
8	2	1	—	5	3	2	—	—	—	1	1	1	—	30
19	5	—	—	14	11	3	1	—	3	4	3	1	2	31
15	7	—	1	7	10	—	—	—	2	8	2	1	1	32
5	1	—	—	4	1	—	—	—	—	1	—	—	—	46.3
17	5	—	—	12	—	—	—	—	—	—	4	2	2	33
—	—	—	—	—	1	—	—	—	—	1	—	—	—	34
8	2	—	—	6	2	1	—	—	1	—	—	—	—	35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	36.0
7	3	1	—	3	2	—	—	—	—	2	—	—	—	36.1
3	2	—	1	—	1	—	—	—	—	1	—	—	—	37
3	1	—	—	2	—	—	—	—	—	—	—	—	—	46.4
4	2	—	—	2	—	—	—	—	—	—	—	—	—	46.5
8	3	—	—	5	1	—	—	—	—	1	3	—	3	38
8	2	—	1	5	5	1	—	1	1	2	—	—	—	39
3	—	1	1	1	2	—	—	1	—	1	2	1	1	46.6
—	—	—	—	—	—	—	—	—	—	—	—	—	—	40.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	40.1
8	2	—	—	6	5	1	1	1	—	2	2	2	—	46.7
11	3	—	—	8	—	—	—	—	—	—	—	—	—	41
7	3	—	—	4	2	1	—	—	1	—	1	—	1	42
1	—	—	—	1	—	—	—	—	—	—	—	—	—	43.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.1
—	—	—	—	—	—	—	—	—	—	—	1	—	1	43.2
1	—	—	—	1	2	—	—	—	1	1	4	1	3	44
35	2	1	2	30	1	—	—	—	—	1	—	—	—	45.0
11	1	—	—	10	1	1	—	—	—	—	—	—	—	45.1
3	2	—	—	1	3	—	—	—	1	2	—	—	—	E49
18	5	1	—	12	4	—	—	—	1	3	—	—	—	E47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	E48.0
12	4	—	1	7	7	1	—	—	1	5	—	—	—	E48.1
27	1	—	1	25	2	—	—	—	1	1	—	—	—	E48.2
065	335	27	24	679	351	39	19	23	75	195	94	44	50	All causes
														Ages at death
26	7	1	—	18	6	2	—	—	2	2	6	1	5	Under 1
5	2	1	—	2	—	—	—	—	—	—	—	—	—	1– 4
5	1	—	—	4	1	—	—	—	—	1	—	—	—	5– 9
2	—	—	1	1	—	—	—	—	—	—	1	—	1	10–14
14	3	—	1	10	2	—	—	—	—	2	—	—	—	15–24
15	2	—	—	13	1	1	—	—	—	—	1	1	—	25–34
27	10	—	1	16	6	—	—	—	1	5	2	1	1	35–44
77	28	2	3	44	22	1	—	—	4	17	4	2	2	45–54
171	62	11	4	94	57	4	4	6	10	33	22	16	6	55–64
267	91	5	5	166	79	10	7	3	15	44	25	8	17	65–74
291	92	5	6	188	119	14	4	12	31	58	24	10	14	75–84
165	37	2	3	123	58	7	4	2	12	33	9	5	4	85 and over
—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated
065	335	27	24	679	351	39	19	23	75	195	94	44	50	All ages

Table 56—*continued*

Abb. List "B" Nos.	Kirkcudbright County	Castle Douglas S.B.	Dalbeattie S.B.	Gatehouse S.B.	Kirkcudbright S.B.	New Galloway S.B.	Landward	Lanark County	Glasgow C. of C.	Airdrie L.B.	Coatbridge L.B.	Hamilton L.B.	Motherwell and Wishaw
	KIRKCUDBRIGHT COUNTY							LANARK COUNTY					
1	1	—	1	—	—	—	—	235	182	6	4	2	1
2	—	—	—	—	—	—	—	21	14	1	1	1	
3	—	—	—	—	—	—	—	17	17	—	—	—	
6	—	—	—	—	—	—	—	2	2	—	—	—	
9	—	—	—	—	—	—	—	1	—	—	—	—	
10	—	—	—	—	—	—	—	8	7	—	—	—	
12	—	—	—	—	—	—	—	—	—	—	—	—	
14	—	—	—	—	—	—	—	8	7	1	—	—	
17	1	—	—	—	—	—	1	42	33	—	1	1	
18	57	3	7	—	4	—	43	3,467	2,417	56	94	78	13
—	9	—	2	—	1	—	6	1,004	745	15	28	14	3
—	5	—	1	—	1	—	3	177	119	2	4	9	
—	43	3	4	—	2	—	34	2,286	1,553	39	62	55	8
19	—	—	—	—	—	—	—	45	34	—	—	1	
20	7	—	—	—	—	—	7	200	122	2	5	5	
21	—	—	—	—	—	—	—	87	52	5	2	—	
46.0	1	—	—	—	—	—	1	114	79	2	6	2	
22	67	6	6	1	9	2	43	2,915	1,965	46	71	74	13
23	—	—	—	—	—	—	—	14	12	—	—	—	
46.1	7	1	—	—	4	—	2	343	245	3	10	4	2
24	—	—	—	—	—	—	—	5	3	—	—	—	
25	4	—	—	—	1	—	3	310	224	2	9	9	
26	150	18	14	2	12	—	104	5,479	3,542	113	183	156	23
27	5	—	—	—	—	—	5	274	184	2	9	6	
28	9	1	—	—	2	—	6	339	214	12	11	5	1
29	7	2	2	—	—	—	3	181	127	3	9	—	
46.2	8	2	—	—	2	—	4	548	362	9	15	16	1
30	2	—	—	—	—	—	2	113	75	3	2	1	
31	17	1	4	1	3	—	8	906	645	13	26	17	3
32	9	2	—	1	1	—	5	1,067	762	12	27	24	4
46.3	1	—	—	—	—	—	1	239	86	9	8	5	1
33	3	1	1	—	—	—	1	149	98	4	5	3	
34	1	—	—	—	—	—	1	22	12	1	—	—	
35	3	—	1	—	—	—	2	116	80	2	3	2	
36.0	—	—	—	—	—	—	—	4	3	—	1	—	
36.1	3	—	—	—	—	—	3	88	55	2	1	3	
37	1	—	—	—	1	—	—	85	65	—	3	1	
46.4	2	—	1	—	—	—	1	79	44	1	3	3	
46.5	2	—	—	—	—	—	2	54	37	2	1	—	
38	1	—	—	—	1	—	—	93	56	3	3	—	
39	3	—	1	—	1	—	1	82	49	3	6	3	
46.6	3	—	—	—	1	—	2	133	96	2	3	4	
40.0	—	—	—	—	—	—	—	4	3	—	—	—	
40.1	—	—	—	—	—	—	—	8	5	—	—	—	
46.7	—	—	—	—	—	—	—	97	61	—	4	4	
41	2	—	—	—	—	—	2	271	192	8	11	4	1
42	2	—	—	—	—	—	2	346	236	5	11	6	1
43.0	—	—	—	—	—	—	—	36	15	—	3	4	
43.1	—	—	—	—	—	—	—	6	6	—	—	—	
43.2	—	—	—	—	—	—	—	7	4	—	—	—	
44	2	—	—	—	—	—	2	187	119	5	7	3	
45.0	3	—	1	—	—	—	2	96	37	—	5	1	
45.1	—	—	—	—	—	—	—	121	97	2	—	3	
E49	1	—	—	—	—	—	1	122	94	1	1	4	
E47	3	—	—	—	—	—	3	226	134	3	2	6	
E48.0	—	—	—	—	—	—	—	3	3	—	—	—	
E48.1	5	1	2	—	—	1	1	333	229	9	4	9	
E48.2	1	—	—	—	—	—	1	173	124	5	6	4	
All causes	394	38	41	5	42	3	265	19,921	13,366	358	576	474	8
Ages at death													
Under 1	8	—	—	—	1	—	7	1,079	704	24	37	25	
1– 4	3	—	—	—	1	—	2	145	90	4	4	3	
5– 9	—	—	—	—	—	—	—	76	45	2	3	3	
10–14	2	—	—	—	—	—	2	47	32	—	1	1	
15–24	1	—	—	—	—	—	1	156	97	3	3	6	
25–34	2	—	—	—	—	—	2	235	169	5	4	2	
35–44	7	—	3	1	1	—	2	659	439	17	14	17	
45–54	31	—	3	—	8	1	19	1,711	1,179	20	57	37	
55–64	70	8	8	1	7	—	46	3,737	2,566	63	98	77	1
65–74	79	9	5	1	9	—	55	5,315	3,554	105	162	136	2
75–84	137	18	17	2	11	1	88	5,138	3,429	87	149	129	2
85 and over	54	3	5	—	4	1	41	1,623	1,062	28	44	38	
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	
All ages	394	38	41	5	42	3	265	19,921	13,366	358	576	474	8

Table 56—*continued*

Lanark County—*continued*				Midlothian County								Abb. List "B" Nos.
Rutherglen L.B.	Biggar S.B.	Lanark S.B.	Landward	Midlothian County	Edinburgh C. of C.	Bonnyrigg and Lasswade S.B.	Dalkeith S.B.	Loanhead S.B.	Musselburgh S.B.	Penicuik S.B.	Landward	
1	—	1	29	20	15	—	2	—	—	1	2	1
—	—	—	3	5	4	—	1	—	—	—	—	2
—	—	—	—	8	8	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	6
1	—	—	—	1	1	—	—	—	—	—	—	9
—	—	—	1	3	2	—	—	—	—	—	1	10
—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	2	2	—	—	—	—	—	—	14
—	—	—	6	17	14	—	—	—	—	—	3	17
56	5	13	614	1,440	1,231	12	25	9	41	13	109	18
17	—	1	146	369	325	1	9	3	14	3	14	—
3	—	—	32	88	73	2	—	—	—	3	10	—
36	5	12	436	983	833	9	16	6	27	7	85	—
—	—	—	6	18	14	—	—	—	—	—	4	19
6	—	3	51	54	46	—	2	—	—	1	5	20
1	—	3	21	27	18	—	1	—	3	—	5	21
3	—	—	17	42	39	1	1	—	1	—	—	46.0
35	3	18	573	1,149	965	12	21	12	36	6	97	22
—	—	—	1	2	2	—	—	—	—	—	—	23
5	—	—	56	111	94	1	1	1	4	1	9	46.1
—	—	—	2	1	1	—	—	—	—	—	—	24
9	—	3	50	87	79	—	2	1	1	1	3	25
99	8	57	1,086	2,159	1,755	32	38	25	76	19	214	26
4	—	—	60	101	85	—	2	1	—	1	12	27
6	—	3	75	124	106	3	1	—	4	3	7	28
3	1	1	30	50	41	1	1	—	1	—	6	29
14	—	5	108	292	248	1	4	1	7	1	30	46.2
2	—	—	28	39	29	—	4	2	—	—	4	30
15	—	2	149	329	287	—	2	2	8	2	28	31
22	1	3	174	310	262	5	3	4	11	2	23	32
1	—	—	116	54	39	2	3	1	2	1	6	46.3
1	—	1	32	61	47	—	1	—	4	—	9	33
1	1	—	5	10	9	—	—	—	1	—	—	34
1	—	2	20	35	34	—	—	—	—	—	1	35
—	—	—	—	1	—	1	—	—	—	—	—	36.0
1	—	1	18	29	25	—	1	—	—	—	3	36.1
—	—	3	9	22	21	—	—	—	1	—	—	37
4	—	—	19	26	22	—	1	—	—	—	3	46.4
2	—	—	12	24	19	—	—	1	—	—	4	46.5
1	—	—	25	30	26	—	—	1	—	1	2	38
4	—	1	13	40	30	—	—	2	5	—	3	39
1	—	1	23	61	46	—	3	—	1	2	9	46.6
—	—	—	1	—	—	—	—	—	—	—	—	40.0
1	—	—	2	1	1	—	—	—	—	—	—	40.1
—	—	1	22	29	20	—	—	—	—	2	7	46.7
5	—	2	39	88	67	2	2	1	5	2	9	41
7	—	2	68	45	38	—	1	—	3	1	2	42
—	—	—	11	4	4	—	—	—	—	—	—	43.0
—	—	—	—	1	1	—	—	—	—	—	—	43.1
—	—	—	1	6	5	—	—	—	—	—	1	43.2
—	—	2	42	66	53	1	2	1	2	1	6	44
2	1	1	42	22	18	—	—	—	—	—	4	45.0
1	—	—	15	7	3	—	1	—	—	—	3	45.1
3	—	—	16	64	57	—	1	1	1	1	3	E49
7	1	1	62	95	70	—	1	—	1	1	22	E47
—	—	—	—	3	3	—	—	—	—	—	—	E48.0
10	1	1	62	179	159	—	1	2	3	1	13	E48.1
4	—	1	24	53	45	—	—	1	2	—	5	E48.2
339	22	132	3,839	7,447	6,210	74	129	69	224	64	677	All causes Ages at death
14	—	9	217	238	190	3	6	1	10	5	23	Under 1
1	—	1	34	45	31	—	—	1	—	—	13	1– 4
1	1	—	17	15	10	—	1	1	—	—	3	5– 9
1	—	2	9	14	11	—	—	—	1	—	2	10–14
1	—	—	41	40	33	—	—	—	—	—	7	15–24
5	—	1	41	80	64	—	2	—	1	1	12	25–34
9	—	2	135	192	149	2	3	4	5	3	26	35–44
28	1	8	316	597	499	5	11	8	15	7	52	45–54
68	1	21	697	1,217	1,019	18	20	8	24	16	112	55–64
93	5	38	1,004	1,920	1,597	14	35	17	65	18	174	65–74
88	11	31	989	2,212	1,858	26	39	20	71	10	188	75–84
30	3	19	339	877	749	6	12	9	32	4	65	85 and over
—	—	—	—	—	—	—	—	—	—	—	—	Not stated
339	22	132	3,839	7,447	6,210	74	129	69	224	64	677	All ages

Table 56—*continued*

Abb. List "B" Nos.	Moray County	Moray County	Burghead S.B.	Elgin S.B.	Forres S.B.	Grantown on Spey S.B.	Lossiemouth & Branderburgh S.B.	Rothes S.B.	Landward	Nairn County	Nairn S.B.	Landward	Orkney County	Kirkwall S.B.	Stromness S.B.	Landward
1	1	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	2	1	1	—	—	—	—	—	—	3	3	—	1	—	—	1
18	80	3	27	9	1	5	3	32	18	13	5	38	8	4	26	
—	20	1	4	3	—	3	1	8	3	2	1	2	—	1	1	
—	4	—	—	—	—	—	—	4	2	2	—	3	—	—	3	
—	56	2	23	6	1	2	2	20	13	9	4	33	8	3	22	
19	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
20	4	—	2	—	—	—	—	2	2	2	—	1	—	—	1	
21	2	—	—	—	—	—	—	2	—	—	—	2	—	—	2	
46.0	3	—	2	—	—	1	—	—	—	—	—	1	—	—	1	
22	79	3	15	13	3	19	1	25	16	9	7	51	13	8	30	
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
46.1	9	—	2	1	—	—	1	5	1	1	—	5	2	—	3	
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	3	—	1	—	—	—	—	2	1	1	—	4	—	—	4	
26	159	8	38	21	5	15	7	65	44	28	16	87	17	9	61	
27	9	—	1	—	2	—	—	6	2	1	1	7	2	1	4	
28	8	—	—	2	—	2	—	4	3	2	1	4	—	2	2	
29	5	—	1	2	1	—	—	1	—	—	—	8	2	—	6	
46.2	18	1	8	—	—	4	1	4	6	5	1	12	2	2	8	
30	1	—	1	—	—	—	—	—	1	1	—	3	1	—	2	
31	17	—	7	2	—	—	—	8	4	4	—	11	2	1	8	
32	13	1	4	2	—	2	—	4	1	—	1	7	—	—	7	
46.3	3	—	1	—	—	1	—	1	—	—	—	1	—	1	—	
33	6	—	1	1	—	2	—	2	1	1	—	1	—	1	—	
34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
35	4	1	2	—	—	—	—	1	—	—	—	1	—	—	1	
36.0	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
36.1	4	—	2	—	—	1	—	1	—	—	—	1	—	—	1	
37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
46.4	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
46.5	3	—	—	—	—	1	—	2	1	1	—	2	—	1	1	
38	4	1	—	—	—	—	—	3	—	—	—	3	—	—	3	
39	4	—	—	1	—	—	—	3	—	—	—	2	—	—	2	
46.6	4	—	1	—	—	—	—	3	—	—	—	—	—	—	—	
40.0	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	
40.1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	
46.7	3	—	2	—	—	—	—	1	1	—	1	3	1	—	2	
41	4	—	1	—	1	—	—	2	2	1	1	2	—	—	2	
42	7	—	2	1	—	—	—	4	—	—	—	1	—	1	—	
43.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
43.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
43.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
44	5	—	—	3	—	—	—	2	—	—	—	—	—	—	—	
45.0	2	—	—	2	—	—	—	—	1	—	1	7	—	—	7	
45.1	4	—	—	2	—	1	—	1	—	—	—	1	—	—	1	
E49	3	—	2	—	—	—	—	1	2	—	2	1	1	—	—	
E47	2	—	1	—	—	—	—	1	2	1	1	1	—	—	1	
E48.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E48.1	11	—	3	1	—	2	—	5	3	2	1	1	—	—	1	
E48.2	9	1	1	—	—	1	—	6	1	1	—	4	1	1	2	
All causes	498	20	130	64	13	58	13	200	117	78	39	277	52	32	193	
Ages at death																
Under 1	20	1	3	5	1	1	—	9	2	1	1	2	—	1	1	
1– 4	5	1	1	—	—	1	—	2	1	1	—	2	—	—	2	
5– 9	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
10–14	4	—	2	—	—	—	—	2	—	—	—	—	—	—	—	
15–24	3	—	—	—	—	1	—	2	1	1	—	4	2	—	2	
25–34	8	—	4	—	—	—	—	4	2	—	2	2	—	1	1	
35–44	17	3	2	—	—	5	—	7	6	5	1	4	1	—	3	
45–54	36	—	10	5	—	6	—	15	6	3	3	17	5	—	12	
55–64	68	4	14	11	2	9	3	25	14	9	5	42	8	4	30	
65–74	120	6	31	15	3	17	4	44	23	19	4	61	11	8	42	
75–84	157	3	44	21	6	16	4	63	34	25	9	104	22	13	69	
85 and over	58	2	19	6	1	1	2	27	28	14	14	39	3	5	31	
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
All ages	498	20	130	64	13	58	13	200	117	78	39	277	52	32	193	

Table 56—*continued*

Peebles County				Perth County											Abb. List "B" Nos.
Peebles County	Innerleithen S.B.	Peebles S.B.	Landward	Perth County	Perth L.B.	Aberfeldy S.B.	Abernethy S.B.	Alyth S.B.	Auchterarder S.B.	Blairgowrie and Rattray S.B.	Callander S.B.	Coupar Angus S.B.	Crieff S.B.	Doune S.B.	
—	—	—	—	6	2	—	—	—	—	1	—	1	—	—	1
1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	2
—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	14
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	17
30	5	14	11	293	103	6	—	8	7	17	6	4	10	2	18
3	1	1	1	56	28	2	—	1	—	1	2	—	2	—	—
2	—	1	1	21	5	—	—	—	—	—	1	—	2	1	—
25	4	12	9	216	70	4	—	7	7	16	3	4	6	1	—
1	—	1	—	3	1	—	—	—	—	—	—	—	1	—	19
1	—	1	—	17	9	—	—	3	—	—	1	—	1	—	20
—	—	—	—	6	4	—	1	—	—	—	—	—	—	—	21
1	—	1	—	16	3	—	1	1	—	2	—	—	—	1	46.0
38	3	20	15	297	103	3	1	7	10	12	5	5	30	1	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
1	1	—	—	12	6	—	—	1	1	—	—	—	—	—	46.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
3	—	2	1	19	8	—	—	—	1	2	1	—	—	—	25
94	9	51	34	573	162	10	2	7	15	34	6	11	36	6	26
2	2	—	—	28	3	1	—	1	1	1	1	3	2	—	27
2	—	2	—	24	3	3	—	1	1	—	1	—	3	—	28
1	—	—	1	17	5	1	1	1	—	—	—	—	—	—	29
7	1	5	1	64	16	1	—	—	2	1	2	1	2	—	46.2
1	1	—	—	2	—	—	—	—	—	—	—	1	—	—	30
7	—	4	3	56	21	—	—	1	3	6	1	3	6	—	31
1	—	1	—	43	22	2	1	—	1	—	1	1	2	—	32
1	1	—	—	13	5	—	—	—	1	1	—	1	1	—	46.3
1	—	—	1	18	3	1	—	—	2	4	2	—	—	1	33
—	—	—	—	4	1	—	—	—	—	1	—	—	—	—	34
2	2	—	—	13	2	—	—	1	1	2	—	1	—	—	35
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	36.0
2	—	2	—	8	1	—	—	1	—	—	1	—	1	—	36.1
2	—	2	—	8	3	—	—	1	—	1	1	—	—	—	37
2	—	1	1	6	4	—	—	—	—	—	1	—	—	—	46.4
2	—	1	1	5	1	—	—	—	—	1	—	—	—	—	46.5
2	—	1	1	6	1	—	—	—	—	—	—	—	—	—	38
1	—	—	1	13	3	—	—	—	—	—	1	—	1	—	39
—	—	—	—	15	7	—	—	1	—	—	—	—	—	—	46.6
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	40.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	40.1
2	—	2	—	9	3	—	—	—	1	—	—	—	1	—	46.7
—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	41
3	2	1	—	11	4	—	—	—	—	—	—	—	1	—	42
—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	43.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.2
2	—	1	1	8	2	—	—	—	—	—	—	—	2	—	44
1	—	—	1	13	2	—	—	—	1	—	—	—	—	1	45.0
1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	45.1
3	2	—	1	10	5	1	—	—	1	—	—	—	—	—	E49
2	1	—	1	30	11	—	—	1	—	2	—	—	1	1	E47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E48.0
7	2	1	4	41	14	1	1	2	1	4	1	—	2	—	E48.1
3	—	—	3	15	—	—	—	—	—	—	2	1	1	—	E48.2
230	32	116	82	1,738	548	30	8	37	50	92	34	33	104	13	All causes
															Ages at death
5	2	2	1	33	13	—	1	—	—	—	—	—	4	—	Under 1
—	—	—	—	9	1	—	—	—	1	—	—	—	1	—	1– 4
2	1	—	1	2	1	—	—	—	—	—	—	—	—	—	5– 9
—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	10–14
—	—	—	—	13	2	—	—	1	—	—	—	—	1	—	15–24
2	—	1	1	12	5	1	—	—	1	1	—	—	1	—	25–34
8	—	2	6	31	11	—	—	—	1	1	—	2	—	2	35–44
16	4	6	6	123	52	1	—	2	2	5	3	1	5	—	45–54
41	5	22	14	254	88	7	—	3	7	14	9	5	6	1	55–64
49	8	25	16	408	139	5	2	12	15	24	11	9	22	4	65–74
69	10	31	28	566	172	13	4	13	16	32	7	8	41	6	75–84
38	2	27	9	282	63	3	1	6	7	15	4	8	23	—	85 and over
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated
230	32	116	82	1,738	548	30	8	37	50	92	34	33	104	13	All ages

Table 56—*continued*

Abb. List "B" Nos.	Perth County—*cont.*			Renfrew County								
	Dunblane S.B.	Pitlochry S.B.	Landward	Renfrew County	Greenock L.B.	Paisley L.B.	Port Glasgow L.B.	Barrhead S.B.	Gourock S.B.	Johnstone S.B.	Renfrew S.B.	Landward
1	1	—	1	47	8	18	5	1	2	2	4	7
2	—	—	—	4	3	—	1	—	—	—	—	—
3	1	—	1	5	2	1	—	—	—	—	—	2
6	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	1	1	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	1	2	1	1	—	—	—	—	—	—
17	—	—	1	7	2	1	—	1	—	—	—	3
18	7	5	118	766	170	240	40	29	29	30	42	186
—	1	—	19	183	29	58	10	10	9	8	17	42
—	2	—	10	43	10	15	1	2	1	1	1	12
—	4	5	89	540	131	167	29	17	19	21	24	132
19	—	—	1	7	1	3	—	—	—	1	1	1
20	1	—	2	37	8	7	—	1	3	3	4	11
21	—	—	1	13	3	3	1	2	—	—	—	4
46.0	—	—	8	20	6	6	—	2	1	—	1	4
22	6	5	109	636	114	182	34	21	18	28	34	205
23	—	—	—	2	1	—	—	—	1	—	—	—
46.1	—	—	4	47	8	10	3	3	—	3	5	15
24	—	—	—	—	—	—	—	—	—	—	—	—
25	—	—	7	53	8	20	2	2	—	6	4	11
26	23	15	246	1,292	284	400	57	53	35	55	51	357
27	1	—	14	65	12	16	8	6	1	5	2	15
28	3	2	8	68	24	9	3	2	2	4	6	18
29	—	—	9	32	5	8	3	1	2	—	4	9
46.2	1	3	35	105	18	26	5	5	2	7	2	40
30	—	—	1	22	6	1	2	—	—	—	1	12
31	—	—	15	134	31	43	6	4	5	4	5	36
32	2	2	9	169	46	54	11	5	3	4	16	30
46.3	—	—	4	23	5	6	3	—	2	—	—	7
33	—	—	5	36	4	10	1	2	3	—	4	12
34	—	—	2	6	—	1	2	—	—	—	—	3
35	—	—	6	21	6	5	—	—	—	1	4	5
36.0	—	—	1	—	—	—	—	—	—	—	—	—
36.1	—	—	4	10	2	2	2	—	1	2	—	1
37	—	—	2	17	3	4	—	1	1	1	2	5
46.4	—	—	1	17	3	6	—	—	2	—	—	6
46.5	—	—	3	6	3	1	—	—	1	—	—	1
38	—	—	5	21	9	5	1	1	—	—	—	5
39	—	—	8	30	5	9	2	1	2	1	3	7
46.6	1	—	6	36	5	11	3	2	2	4	—	9
40.0	—	—	—	1	1	—	—	—	—	—	—	—
40.1	—	—	—	—	—	—	—	—	—	—	—	—
46.7	—	—	4	11	3	3	2	1	—	—	1	1
41	—	—	4	62	11	15	3	7	1	6	3	16
42	—	—	6	59	14	17	8	2	1	3	4	10
43.0	—	—	1	2	1	—	1	—	—	—	—	—
43.1	—	—	—	—	—	—	—	—	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—	—	—	—
44	1	—	3	43	14	12	2	4	1	3	—	7
45.0	—	1	8	14	5	2	—	—	2	—	—	5
45.1	—	—	1	21	11	4	1	—	2	—	1	2
E49	—	—	3	23	6	9	1	1	—	3	—	3
E47	—	—	14	32	2	9	1	2	2	3	3	10
E48.0	—	—	—	—	—	—	—	—	—	—	—	—
E48.1	—	—	15	80	20	29	7	4	1	5	1	13
E48.2	—	—	11	35	12	8	2	2	2	1	—	8
All causes	48	33	708	4,140	907	1,217	223	168	130	185	208	1,102
Ages at death												
Under 1	1	—	14	191	46	50	18	15	4	15	8	35
1– 4	—	—	6	19	5	9	1	2	—	—	—	2
5– 9	—	—	1	14	3	4	—	2	—	2	1	2
10–14	1	—	3	9	—	—	—	1	—	1	1	6
15–24	—	—	9	31	8	11	2	2	—	—	3	5
25–34	—	—	3	59	16	9	7	3	4	2	3	15
35–44	1	—	13	130	28	39	11	6	1	6	8	31
45–54	3	3	46	326	60	112	19	11	6	29	17	72
55–64	6	5	103	739	151	218	38	32	16	36	47	201
65–74	7	7	151	1,084	247	334	54	42	34	48	55	270
75–84	11	13	230	1,162	258	325	56	38	48	38	56	343
85 and over	18	5	129	376	85	106	17	14	17	8	9	120
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
All ages	48	33	708	4,140	907	1,217	223	168	130	185	208	1,102

Table 56—*continued*

Ross and Cromarty County	Ross and Cromarty County							Roxburgh County						Abb. List "B" Nos.
	Cromarty S.B.	Dingwall S.B.	Fortrose S.B.	Invergordon S.B.	Stornoway S.B.	Tain S.B.	Landward	Roxburgh County	Hawick S.B.	Jedburgh S.B.	Kelso S.B.	Melrose S.B.	Landward	
3	—	2	—	1	—	—	—	1	—	1	—	—	—	1
1	—	—	—	—	—	—	1	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
—	—	—	—	—	—	—	—	1	—	—	—	—	1	17
143	2	7	2	9	15	3	105	115	41	12	14	8	40	18
18	—	3	—	1	5	—	9	21	11	3	1	1	5	—
11	1	—	1	2	1	—	6	8	1	1	—	1	5	—
114	1	4	1	6	9	3	90	86	29	8	13	6	30	—
1	—	—	—	—	—	—	1	2	—	—	—	—	2	19
5	—	1	—	—	—	—	4	2	—	—	1	—	1	20
2	—	—	—	—	—	—	2	5	—	1	2	—	2	21
7	—	1	—	—	2	—	4	2	2	—	—	—	—	46.0
141	1	8	3	3	12	3	111	133	52	14	7	7	53	22
—	—	—	—	—	—	—	—	1	—	—	—	—	1	23
12	—	—	1	—	—	—	11	6	1	1	2	1	1	46.1
—	—	1	—	—	—	—	—	—	—	—	—	—	—	24
9	—	1	—	—	1	—	7	8	2	3	1	1	1	25
234	—	12	3	5	17	12	185	231	103	15	14	22	77	26
12	—	—	1	—	1	—	10	11	8	1	—	—	2	27
28	—	1	—	—	4	—	23	6	1	2	1	—	2	28
7	—	—	—	1	1	—	5	7	2	—	—	—	5	29
24	2	2	1	—	3	1	15	28	12	1	2	1	12	46.2
3	—	—	—	—	—	—	3	2	—	—	2	—	—	30
20	—	1	—	—	3	—	16	14	7	2	—	—	5	31
15	1	1	—	1	1	—	11	15	7	1	2	1	4	32
4	—	—	—	—	—	—	4	7	2	1	2	1	1	46.3
6	1	—	—	—	3	—	2	5	2	2	—	—	1	33
3	—	—	—	—	—	—	3	1	—	1	—	—	—	34
10	—	1	1	—	—	1	7	1	—	—	—	—	1	35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	36.0
5	—	—	—	1	1	—	3	4	2	—	1	—	1	36.1
9	—	2	—	1	2	—	4	4	2	—	—	—	2	37
4	—	—	—	1	—	1	2	—	—	—	—	—	—	46.4
6	—	—	—	—	1	—	5	4	1	—	—	—	3	46.5
7	—	—	—	—	1	1	5	4	1	—	—	1	2	38
5	1	—	—	—	—	—	4	4	1	—	1	1	1	39
9	—	—	—	1	1	—	7	3	—	2	—	—	1	46.6
—	—	—	—	—	—	—	—	—	—	—	—	—	—	40.0
1	—	—	—	1	—	—	—	—	—	—	—	—	—	40.1
3	—	—	—	—	—	—	3	4	1	—	—	—	3	46.7
6	—	2	—	—	—	—	4	10	5	—	—	—	5	41
8	—	—	—	1	—	1	6	2	2	—	—	—	—	42
1	—	—	—	—	—	—	1	—	—	—	—	—	—	43.0
—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	43.2
4	—	1	—	—	2	—	1	5	2	—	1	—	2	44
16	—	—	3	—	—	—	13	6	3	—	1	—	2	45.0
3	—	—	—	—	1	—	2	—	—	—	—	—	—	45.1
1	—	—	—	—	—	—	1	3	1	—	—	1	1	E49
5	—	—	—	1	—	1	3	5	—	1	—	—	4	E47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	E48.0
14	—	1	—	2	1	1	9	13	7	1	3	—	2	E48.1
14	—	3	—	1	1	—	9	4	1	1	2	—	—	E48.2
811	8	47	15	30	74	25	612	679	271	63	59	45	241	All causes
														Ages at death
19	—	4	—	1	3	1	10	18	10	1	1	—	6	Under 1
7	—	1	—	—	—	—	6	3	2	—	—	—	1	1– 4
—	—	—	—	—	—	—	—	5	1	1	1	—	2	5– 9
3	—	—	—	1	—	—	2	—	—	—	—	—	—	10–14
4	—	—	—	—	1	—	3	2	—	—	—	—	2	15–24
12	—	4	—	—	1	—	7	5	2	2	—	—	1	25–34
20	—	1	—	1	3	1	14	13	1	2	1	3	6	35–44
45	1	9	1	2	2	5	25	53	17	8	3	4	21	45–54
114	—	5	3	9	11	6	80	97	42	8	11	8	28	55–64
163	4	10	5	7	21	1	115	170	70	14	10	10	66	65–74
299	2	11	5	9	17	7	248	236	99	18	22	16	81	75–84
125	1	2	1	—	15	4	102	77	27	9	10	4	27	85 and over
—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated
811	8	47	15	30	74	25	612	679	271	63	59	45	241	All ages

Table 56—*continued*

Abb. List "B" Nos.	Selkirk County	Galashiels S.B.	Selkirk S.B.	Landward	Stirling County	Falkirk L.B.	Stirling L.B.	Bridge of Allan S.B.	Denny and Dunipace S.B.	Grangemouth S.B.	Kilsyth S.B.	Landward
	Selkirk County				Stirling County							
1	—	—	—	—	9	5	1	—	1	—	—	2
2	—	—	—	—	—	—	—	—	—	—	—	—
3	1	1	—	—	1	—	—	—	—	1	—	—
6	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—
17	—	—	—	—	5	—	1	—	2	—	—	2
18	47	31	12	4	355	83	67	5	9	34	15	142
—	14	11	3	—	68	18	12	1	1	7	6	23
—	3	2	1	—	19	4	2	—	1	3	—	9
—	30	18	8	4	268	61	53	4	7	24	9	110
19	—	—	—	—	4	1	—	—	1	—	—	2
20	1	—	—	1	21	5	1	1	3	1	3	7
21	1	1	—	—	14	4	—	—	—	3	1	6
46.0	—	—	—	—	16	5	1	—	2	1	—	7
22	62	43	17	2	300	67	62	9	13	23	8	118
23	1	1	—	—	2	—	1	—	—	1	—	—
46.1	7	4	2	1	30	2	5	1	1	2	3	16
24	—	—	—	—	—	—	—	—	—	—	—	—
25	5	2	1	2	25	2	4	2	1	2	3	11
26	101	48	41	12	640	136	87	7	23	60	37	290
27	9	7	2	—	32	5	6	—	—	1	—	20
28	6	1	4	1	48	7	5	1	3	6	6	20
29	1	1	—	—	22	3	4	—	—	3	1	11
46.2	8	5	2	1	59	16	10	2	2	4	5	20
30	1	1	—	—	18	4	7	—	—	—	1	6
31	12	10	1	1	74	17	7	2	3	4	4	37
32	8	5	3	—	102	29	17	—	5	5	3	43
46.3	2	2	—	—	43	2	4	—	3	1	2	31
33	4	3	—	1	26	3	4	—	1	2	4	12
34	1	1	—	—	4	1	—	—	—	—	—	3
35	5	3	1	1	20	3	4	—	2	1	1	9
36.0	—	—	—	—	1	—	—	—	—	—	1	—
36.1	2	2	—	—	9	2	—	1	—	2	—	4
37	—	—	—	—	7	1	2	—	1	—	—	3
46.4	1	—	1	—	10	—	3	—	—	1	2	4
46.5	2	2	—	—	6	1	2	—	2	—	—	1
38	2	2	—	—	15	2	2	—	—	1	—	10
39	5	3	1	1	17	3	3	—	2	—	1	8
46.6	7	3	2	2	17	4	3	1	1	2	—	6
40.0	—	—	—	—	—	—	—	—	—	—	—	—
40.1	—	—	—	—	—	—	—	—	—	—	—	—
46.7	—	—	—	—	13	1	1	—	—	—	1	10
41	1	—	1	—	40	11	3	—	1	7	2	16
42	—	—	—	—	31	5	5	1	3	—	3	14
43.0	—	—	—	—	1	1	—	—	—	—	—	—
43.1	—	—	—	—	1	—	1	—	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—	—	—	—
44	4	3	1	—	8	—	—	—	—	2	—	6
45.0	5	4	1	—	13	—	1	—	—	—	1	11
45.1	2	2	—	—	5	—	—	—	—	—	1	4
E49	4	2	2	—	11	3	4	—	—	—	—	4
E47	3	1	1	1	28	5	4	—	1	5	1	12
E48.0	—	—	—	—	—	—	—	—	—	—	—	—
E48.1	6	4	1	1	45	9	11	1	4	3	2	15
E48.2	—	—	—	—	24	3	3	—	2	4	4	8
All causes	327	198	97	32	2,172	451	346	34	92	182	116	951
Ages at death												
Under 1	7	5	2	—	95	20	13	1	4	9	4	44
1– 4	2	2	—	—	15	1	4	—	1	2	2	5
5– 9	—	—	—	—	4	—	1	—	—	1	1	1
10–14	—	—	—	—	9	—	1	—	—	2	—	6
15–24	1	—	—	1	27	5	3	—	1	2	2	14
25–34	1	1	—	—	28	4	5	1	2	1	1	14
35–44	5	5	—	—	60	12	12	—	3	6	1	26
45–54	16	14	1	1	191	40	25	—	9	16	6	95
55–64	41	22	12	7	420	87	64	3	24	34	26	182
65–74	93	55	31	7	539	108	86	11	19	45	34	236
75–84	110	67	32	11	597	140	100	9	23	50	28	247
85 and over	51	27	19	5	187	34	32	9	6	14	11	81
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
All ages	327	198	97	32	2,172	451	346	34	92	182	116	951

Table 56—*continued*

Sutherland County			West Lothian County								
Sutherland County	Dornoch S.B.	Landward	West Lothian County	Armadale S.B.	Bathgate S.B.	Bo'ness S.B.	Linlithgow S.B.	Queensferry S.B.	Whitburn S.B.	Landward	Abb. List "B" Nos.
—	—	—	5	—	1	1	1	—	—	2	1
—	—	—	1	—	1	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	6
—	—	—	—	—	—	—	—	—	—	—	9
—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	—	12
—	—	1	—	—	—	—	—	—	—	1	14
1	—	1	3	1	1	—	—	—	—	1	17
27	1	26	158	12	25	19	5	5	11	81	18
5	—	5	20	2	2	1	—	—	2	13	—
2	—	2	18	2	5	3	—	—	1	7	—
20	1	19	120	8	18	15	5	5	8	61	—
—	—	—	2	1	—	—	—	—	—	1	19
3	1	2	9	1	2	1	—	—	—	5	20
—	—	—	2	1	1	—	—	—	—	—	21
3	1	2	3	—	—	—	—	1	1	1	46.0
34	3	31	131	8	15	13	7	3	2	83	22
—	—	—	1	—	—	—	—	—	—	1	23
1	—	1	11	1	1	2	1	—	1	5	46.1
—	—	—	1	—	—	—	—	—	—	1	24
3	—	3	9	—	1	—	—	—	—	8	25
52	2	50	261	17	31	26	20	8	16	143	26
3	—	3	10	2	1	2	1	—	2	2	27
1	—	1	11	1	—	—	1	—	1	8	28
5	—	5	9	—	1	3	1	—	—	4	29
13	2	11	45	5	9	5	2	1	1	22	46.2
1	—	1	1	—	—	—	—	—	—	1	30
5	—	5	47	3	4	5	1	2	3	29	31
3	—	3	40	4	3	2	1	—	1	29	32
2	—	2	11	1	3	1	—	—	2	4	46.3
2	—	2	11	2	—	—	2	—	1	6	33
—	—	—	2	—	—	—	—	1	—	1	34
—	—	—	6	—	2	1	—	—	—	3	35
1	—	1	—	—	—	—	—	—	—	—	36.0
1	—	1	4	—	—	—	1	—	—	3	36.1
—	—	—	—	—	—	—	—	—	—	—	37
1	—	1	4	—	—	1	—	—	—	3	46.4
—	—	—	4	1	—	—	—	—	—	3	46.5
1	1	—	4	—	—	—	—	—	—	4	38
2	—	2	5	—	3	—	—	—	—	2	39
—	—	—	7	1	—	—	—	—	—	6	46.6
—	—	—	—	—	—	—	—	—	—	—	40.0
—	—	—	—	—	—	—	—	—	—	—	40.1
3	—	3	—	—	—	—	—	—	—	—	46.7
2	—	2	18	1	6	1	—	—	1	9	41
3	1	2	12	—	1	2	—	—	—	9	42
—	—	—	2	—	—	—	—	—	1	1	43.0
—	—	—	—	—	—	—	—	—	—	—	43.1
—	—	—	—	—	—	—	—	—	—	—	43.2
—	—	—	7	—	1	1	—	—	—	5	44
13	1	12	—	—	—	—	—	—	—	—	45.0
3	—	3	6	—	1	—	—	—	2	3	45.1
1	—	1	8	—	—	—	—	1	—	7	E49
2	—	2	17	—	2	2	—	—	1	12	E47
—	—	—	—	—	—	—	—	—	—	—	E48.0
7	—	7	14	1	4	—	—	1	—	8	E48.1
—	—	—	14	1	1	3	1	1	1	6	E48.2
199	13	186	917	65	121	91	45	24	48	523	All causes
											Ages at death
6	1	5	47	1	9	6	—	1	4	26	Under 1
1	—	1	7	—	3	—	—	—	1	3	1– 4
—	—	—	4	1	2	—	—	—	—	1	5– 9
1	—	1	4	—	1	1	—	—	—	2	10–14
—	—	—	15	1	2	1	—	1	—	10	15–24
2	—	2	14	1	2	1	1	—	1	8	25–34
2	—	2	30	2	2	2	—	—	4	20	35–44
12	—	12	70	8	10	8	6	—	4	34	45–54
36	4	32	172	10	17	16	5	5	10	109	55–64
40	3	37	227	15	25	21	14	9	12	131	65–74
69	5	64	248	22	34	29	16	7	9	131	75–84
30	—	30	79	4	14	6	3	1	3	48	85 and over
—	—	—	—	—	—	—	—	—	—	—	Not stated
199	13	186	917	65	121	91	45	24	48	523	All ages

Table 56—*continued*

Abb. List "B" Nos.	Wigtown County	Newton Stewart S.B.	Stranraer S.B.	Whithorn S.B.	Wigtown S.B.	Landward	Zetland County	Lerwick S.B.	Landward
	Wigtown County						Zetland County		
1	3	—	—	—	1	2	1	1	—
2	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	2	2	—
18	46	1	19	—	5	21	31	9	22
—	8	1	5	—	—	2	3	2	1
—	1	—	—	—	—	1	2	—	2
—	37	—	14	—	5	18	26	7	19
19	—	—	—	—	—	—	1	—	1
20	5	—	1	1	—	3	1	1	—
21	1	—	—	—	1	—	1	1	—
46.0	1	—	1	—	—	—	5	1	4
22	92	9	26	6	3	48	56	12	44
23	—	—	—	—	—	—	—	—	—
46.1	3	1	—	—	1	1	7	4	3
24	—	—	—	—	—	—	—	—	—
25	6	2	1	—	1	2	2	—	2
26	158	12	57	9	7	73	99	29	70
27	3	2	—	—	—	1	5	2	3
28	8	1	2	—	1	4	3	1	2
29	3	—	—	—	—	3	2	—	2
46.2	9	—	3	1	—	5	13	2	11
30	2	—	1	—	—	1	7	2	5
31	7	3	—	—	—	4	10	2	8
32	6	—	2	—	—	4	5	—	5
46.3	3	—	1	—	—	2	1	—	1
33	3	1	—	—	—	2	5	2	3
34	2	—	1	—	—	1	—	—	—
35	2	1	1	—	—	—	—	—	—
36.0	—	—	—	—	—	—	—	—	—
36.1	1	—	—	—	—	1	1	—	1
37	—	—	—	—	—	—	—	—	—
46.4	—	—	—	—	—	—	1	—	1
46.5	1	—	1	—	—	—	—	—	—
38	6	—	2	—	—	4	1	—	1
39	4	—	2	—	1	1	1	—	1
46.6	4	—	1	—	—	3	2	1	1
40.0	—	—	—	—	—	—	—	—	—
40.1	—	—	—	—	—	—	1	—	1
46.7	5	—	—	—	—	5	2	—	2
41	1	—	1	—	—	—	1	—	1
42	1	—	—	—	—	1	—	—	—
43.0	—	—	—	—	—	—	—	—	—
43.1	—	—	—	—	—	—	—	—	—
43.2	—	—	—	—	—	—	—	—	—
44	2	—	—	—	—	2	1	1	—
45.0	2	—	—	—	—	2	6	1	5
45.1	2	—	—	—	—	2	1	1	—
E49	2	—	—	—	—	2	—	—	—
E47	3	—	—	—	—	3	1	—	1
E48.0	—	—	—	—	—	—	—	—	—
E48.1	2	—	1	—	—	1	1	—	1
E48.2	2	1	—	—	—	1	5	3	2
All causes	401	34	124	17	21	205	282	78	204
Ages at death									
Under 1	5	—	1	—	—	4	3	2	1
1– 4	—	—	—	—	—	—	2	1	1
5– 9	1	—	—	—	—	1	1	—	1
10–14	—	—	—	—	—	—	1	—	1
15–24	2	—	1	—	—	1	2	1	1
25–34	—	—	—	—	—	—	4	1	3
35–44	9	1	6	—	—	2	5	2	3
45–54	32	1	12	1	3	15	13	4	9
55–64	69	6	21	3	5	34	33	13	20
65–74	93	9	30	5	6	43	54	19	35
75–84	140	14	43	6	4	73	104	23	81
85 and over	50	3	10	2	3	32	60	12	48
Not stated	—	—	—	—	—	—	—	—	—
All ages	401	34	124	17	21	205	282	78	204

Table 57. Deaths in Scotland from non-transport accidents, by place of occurrence, age and sex, 1961.

International Detailed List Nos.	Cause of Death	Age group	Total		Home		Farm and Forest		Mine and Quarry		Industrial Place and Premises		Street and Highway		Residential Institution		Other Specified Places		Place not Specified	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
E870-E888	Accidental poisoning by solid and liquid substances	0–	5	3	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		5–	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–	16	12	14	10	—	—	—	—	—	—	—	—	—	—	1	1	1	1
		45–	13	22	12	21	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		65 and over	5	5	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	39	43	34	40	2	—	—	—	1	—	—	—	—	1	1	1	1	1
E890-E895	Accidental poisoning by gases and vapours	0–	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5–	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–	26	9	26	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		45–	52	23	51	23	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		65 and over	48	88	47	88	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		All Ages	131	121	129	121	—	—	—	—	1	—	—	—	—	—	1	—	—	—
E900-E904	Accidental Falls	0–	8	4	7	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		5–	5	1	1	1	—	—	—	—	—	—	—	—	—	—	4	—	—	—
		15–	45	5	8	3	1	—	1	—	16	—	2	—	1	—	15	2	1	—
		45–	55	21	20	17	—	—	—	—	19	2	4	—	4	1	7	1	1	—
		65 and over	163	450	136	407	—	—	—	—	3	—	9	10	12	29	3	3	—	1
		All Ages	276	481	172	432	1	—	1	—	38	2	15	10	17	30	30	6	2	1
E910	Blow from falling or projected object or missile	0–	3	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		5–	6	—	1	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—
		15–	29	—	—	—	—	—	17	—	10	—	2	—	—	—	—	—	—	—
		45–	25	1	—	—	1	—	15	—	8	—	—	—	—	—	—	1	1	—
		65 and over	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		All Ages	63	3	2	1	1	—	32	—	19	—	2	—	—	—	6	2	1	—
E911	Accident caused by vehicle	0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–	3	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
		45–	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		65 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	4	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—
E912	Accident caused by machinery	0–	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–	5	—	—	—	1	—	1	—	3	—	—	—	—	—	—	—	—	—
		45–	9	—	—	—	—	—	3	—	6	—	—	—	—	—	—	—	—	—
		65 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	15	—	—	—	1	—	4	—	9	—	—	—	—	—	1	—	—	—

E914	Accident caused by electric current	5–	1	*1*	—	*1*	—	—	—	—	—	—	—	—	1	—	—	—
		15–	12	—	1	—	1	—	2	—	7	—	—	—	—	—	1	—	—	—
		45–	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
		65 and over	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	16	*1*	2	*1*	1	—	2	—	9	—	—	—	—	—	2	—	—	—
E916-E918	Accident caused by fire, explosion of combustible material, hot substance, etc.	0–	1	*9*	1	*9*	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5–	2	*4*	2	*4*	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–	6	*4*	4	*4*	—	—	—	—	2	—	—	—	—	—	—	—	—	—
		45–	11	*14*	8	*13*	—	—	1	—	2	*1*	—	—	—	—	—	—	—	—
		65 and over	27	*37*	27	*37*	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	47	*68*	42	*67*	—	—	1	—	4	*1*	—	—	—	—	—	—	—	—
E919	Accident caused by firearm	0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5–	3	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—
		15–	6	—	1	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—
		45–	5	—	3	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		65 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	14	—	4	—	1	—	—	—	1	—	—	—	—	—	8	—	—	—
E921, E922, E924, E925	Accidental mechanical suffocation	0–	63	*55*	63	*54*	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—
		5–	1	*1*	—	*1*	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		15–	14	*2*	6	*2*	—	—	—	—	—	—	—	—	—	—	8	—	—	—
		45–	9	*3*	7	*1*	—	—	1	—	—	—	—	—	—	*1*	1	*1*	—	—
		65 and over	4	*2*	4	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	91	*63*	80	*60*	—	—	1	—	—	—	—	—	—	*2*	10	*1*	—	—
E928	Accidents caused by animals (excluding bites and stings of venemous animals and insects)	0–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		5–	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		45–	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		65 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	Accidental drowning and submersion	0–	16	*5*	5	*1*	—	*1*	—	—	—	—	—	—	—	—	11	*3*	—	—
		5–	26	*2*	2	—	—	—	1	—	—	—	—	—	—	—	22	*2*	1	—
		15–	41	*4*	1	—	—	—	—	—	1	—	—	—	—	—	39	*4*	—	—
		45–	29	*7*	2	—	—	—	—	—	—	—	—	—	—	—	27	*7*	—	—
		65 and over	23	*5*	1	*1*	—	—	—	—	—	—	—	—	1	—	21	*4*	—	—
		ALL AGES	135	*23*	11	*2*	—	*1*	1	—	1	—	—	—	1	—	120	*20*	1	—
Rem. E913-E936, E961, E962	Other accidental causes	0–	5	*4*	4	*4*	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		5–	6	—	1	—	—	—	—	—	—	—	—	—	—	—	4	—	1	—
		15–	11	—	1	—	—	—	—	—	—	—	1	—	—	—	6	—	3	—
		45–	12	*2*	—	—	—	—	1	—	3	—	—	—	—	—	1	—	7	*2*
		65 and over	7	*2*	1	—	—	—	—	—	—	—	1	—	—	—	2	*1*	3	*1*
		ALL AGES	41	*8*	7	*4*	—	—	1	—	3	—	2	—	—	—	14	*1*	14	*3*
E870-E936 E961, E962	Total	0–	105	*81*	87	*76*	2	*1*	—	—	1	—	—	—	—	*1*	15	*3*	—	—
		5–	52	*11*	9	*9*	1	—	1	—	—	—	—	—	—	—	39	*2*	2	—
		15–	215	*36*	62	*28*	4	—	23	—	40	—	5	—	1	—	75	*7*	5	*1*
		45–	224	*93*	103	*75*	2	—	21	—	43	*3*	4	—	4	*3*	38	*10*	9	*2*
		65 and over	278	*590*	222	*540*	—	—	—	—	4	—	10	*10*	13	*29*	26	*9*	3	*2*
		ALL AGES	874	*811*	483	*728*	9	*1*	45	—	88	*3*	19	*10*	18	*33*	193	*31*	19	*5*

Table 58. Deaths from Poisoning in Scotland in 1961

Accidental Poisoning

International Detailed List Nos.		Both Sexes	M.	F.
E870	Morphine and other opium derivatives:			
	Morphine	1	1	–
E871	Barbituric acids and derivatives:			
	Butobarbitone	1	–	1
	Carbrital	3	1	2
	Cyclobarbitone and quinalbarbitone	1	1	–
	Ethobral	1	–	1
	Medinal	3	2	1
	Nembutal	5	–	5
	Pentobarbitone	3	1	2
	Phenobarbitone	9	6	3
	Phenobarbitone and sodium amytal	1	–	1
	Seconal	1	–	1
	Sodium amytal	8	6	2
	Sodium phenobarbitone and sodium amytal	1	1	–
	Sodium seconal	2	–	2
	Soneryl	1	–	1
	Tuinal	6	4	2
	Barbiturate (unspecified)	11	2	9
E872	Aspirin and salicylates:			
	Aspirin	1	1	–
	Salicylate	2	1	1
E874	Other analgesic and soporific drugs:			
	Pethidine	1	1	–
	Hypnotic drug (unspecified)	1	–	1
	Carried forward	63	28	35
	Brought forward	63	28	35
E878	Other and unspecified drugs:			
	Amylbarbitone	1	–	1
	Digoxin	1	1	–
	Ferrous sulphate	1	–	1
	Pipadone	1	–	1
	Podophyllin	1	1	–
	Unspecified	2	2	–
E880	Alcohol:			
	Alcohol	2	1	1
	Methylated spirits	1	–	1
E883	Corrosive aromatics, acids and caustic alkalis:			
	Hydrocyanic acid	1	1	–
	Lysol	2	1	1
	Phenol	1	–	1
	Unspecified	2	2	–
E888	Other and unspecified solid and liquid substances:			
	Cyanide	1	–	1
	Furniture polish	1	1	–
	Tractor oil	1	1	–
E890	Utility (Illuminating) gas	249	129	120
E891	Motor vehicle exhaust gas	2	2	–
E894	Other specified gas vapours:			
	Paraffin fumes	1	–	1
	Total	334	170	164

Suicidal and Self-inflicted Poisoning

International Detailed List Nos.		Both Sexes	M.	F.
E970	Analgesic and soporific substances			
	Amytal	3	–	3
	Aspirin	5	3	2
	Carbrital	3	–	3
	Codeine	1	–	1
	Chloral Hydrate	1	1	–
	Cyclobarbitone	2	1	1
	Cyclobarbitone and aspirin	1	–	1
	Largactil librium	1	1	–
	Nembutal	4	–	4
	Nembutal, seconal and phenobarbitone	1	–	1
	Nembutal and sodium barbitone	1	1	–
	Panadol and tranquopal	1	–	1
	Pentobarbitone	2	1	1
	Pentobarbitone and carbromal	1	1	–
	Peritrate	1	1	–
	Phenobarbitone	3	1	2
	Phenobarbitone, sodium amytal and nembutal	1	–	1
	Salicylate	2	2	–
	Seconal	3	2	1
	Sodium amylobarbitone	1	–	1
	Sodium amytal	3	–	3
	Sodium amytal and alconal	1	–	1
	Sodium pentobarbitone	1	1	–
	Sodium seconal	1	1	–
	Sonalgin	1	1	–
	Soneryl	1	1	–
	Tuinal	7	3	4
	Carried forward	53	22	31
	Brought forward	53	22	31
E970 (cont).	Barbiturate (unspecified)	13	6	7
	Hypnotic drug (unspecified)	1	1	–
E971	Other solid and liquid substances:			
	Ammonia	1	–	1
	Carbolic acid	1	1	–
	Cyanide	1	1	–
	Doriden	1	–	1
	Lysol	5	1	4
	Oxalic acid	1	–	1
	Phosphorus	1	1	–
	Unspecified	2	–	2
E972	Gases in domestic use	199	126	73
E973	Other gases:			
	Carbon monoxide	3	3	–
	Total	282	162	120

Table 59. Deaths during surgical procedures associated with anæsthesia, classified by age, sex and primary cause—Scotland 1961.

International Detailed List Numbers	Cause of Death	Total		Under 1		1–4		5–9		10–14		15–24		25–34		35–44		45–54		55–64		65–74		75–84		85 and over	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
010-019	Tuberculosis, other than respiratory	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	9	17	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3	2	7	3	4	3	2	—	1
210-239	Benign neoplasms and neoplasms of unspecified nature	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
250-254	Diseases of thyroid gland	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
260	Diabetes mellitus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
330-334	Vascular lesions affecting central nervous system	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
410-416	Chronic rheumatic heart disease	—	7	—	—	—	—	—	—	—	—	—	1	—	1	—	3	—	2	—	—	—	—	—	—	—	—
444-447	Hypertension without mention of heart	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
450-456	Diseases of arteries	4	4	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	1	1	2	—	—	1	—	—
460-468	Diseases of veins and other diseases of circulatory system	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
470-475	Acute upper respiratory infections	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
510	Hypertrophy of tonsils and adenoids	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
536-539	Diseases of œsophagus	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
540, 541	Ulcer of stomach and duodenum	12	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	3	—	5	1	2	—	—	—
542	Gastrojejunal ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
550-553	Appendicitis	1	3	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	1	—	—
560, 561, 570	Intestinal obstruction and hernia	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	1	1	1	1	1	—
571, 572	Diarrhœa (except of newborn)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
573-578	Other diseases of intestine and peritoneum	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
581	Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
580, 582-586	Other diseases of liver, gallbladder and pancreas	—	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	2	—	1	—	—
610	Hyperplasia of prostate	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—
600-609, 611-637	Other diseases of genito-urinary system	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
640-689	Deliveries and complications of pregnancy, childbirth and puerperium	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
690-749	Diseases of skin and organs of locomotion	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
750-759	Congenital malformations	5	2	1	—	2	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Remainder	All other natural causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E810-E835	Motor vehicle accidents	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
E870-E936 (Part) E961 (Part) E962 (Part)	Accidents in the home	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Remainder of E800-E999	Other violence	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
	Total	58	57	1	1	2	2	1	1	—	—	2	2	3	3	1	6	4	7	15	18	16	8	11	8	2	1

Table 60. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), England and Wales, Scotla

International Detailed List Numbers	Cause of Death	Country	S.M.R All Ages		Death Rates per Million Population						
					All Ages		1–4		5–14		15–24
			M.	F.	M.	F.	M.	F.	M.	F.	M.
	All causes	England and Wales	99	98	12,565	11,376	1,039	803·7	436·8	283·7	1,011
		Scotland	111	114	13,195	11,536	1,234	940·4	468·8	324·3	949·0
		Northern Ireland	101	109	12,106	10,504	1,091	955·7	499·1	270·6	983·8
		Irish Republic	99	113	13,250	11,441	1,450	1,323	473·7	389·0	737·4
001-008	Tuberculosis of respiratory system	England and Wales	93	87	100·2	32·0	*3·38*	–	*0·28*	–	*1·63*
		Scotland	128	127	127·0	43·4	–	–	*2·26*	–	*2·85*
		Northern Ireland	102	86	96·3	27·3	–	–	–	–	–
		Irish Republic	168	312	172·4	97·9	–	–	–	*3·57*	*9·22*
010-019	Tuberculosis, other forms	England and Wales	89	93	7·43	6·97	*1·35*	*5·00*	*0·56*	*1·78*	*4·23*
		Scotland	140	105	11·3	7·42	*26·3*	–	–	–	–
		Northern Ireland	147	200	*11·5*	*13·7*	–	*35·4*	*7·34*	–	*9·28*
		Irish Republic	193	176	15·5	*12·1*	*17·4*	*35·7*	*13·7*	*3·57*	*9·22*
020-029	Syphilis and its sequelæ	England and Wales	107	110	24·9	14·4	–	–	*0·28*	–	–
		Scotland	83	54	17·7	*6·30*	–	–	–	–	–
		Northern Ireland	91	78	*18·7*	*8·20*	–	–	–	–	–
		Irish Republic	15	7	*3·53*	*0·71*	–	–	–	–	–
057	Meningococcal infections	England and Wales	96	109	2·91	2·73	15·6	*12·8*	*0·56*	*1·78*	*0·65*
		Scotland	119	81	*4·02*	*2·22*	*15·8*	*16·5*	*2·26*	–	–
		Northern Ireland	153	44	*5·75*	*1·37*	*33·6*	*17·7*	–	–	–
		Irish Republic	98	45	*3·53*	*1·43*	*8·69*	–	*6·86*	*3·57*	–
080	Acute poliomyelitis	England and Wales	109	88	1·97	*0·63*	*5·41*	*2·86*	*2·54*	*0·89*	*3·58*
		Scotland	–	–	–	–	–	–	–	–	–
		Northern Ireland	147	323	*2·87*	*2·73*	*16·8*	*17·7*	–	–	–
		Irish Republic	112	325	*2·12*	*2·86*	–	*8·94*	*3·43*	*10·7*	–
Rem. 001-138	Other infective and parasitic diseases	England and Wales	94	92	27·0	25·7	69·0	47·8	16·9	13·6	7·49
		Scotland	111	122	32·2	33·0	*52·5*	*44·0*	*4·53*	*21·3*	*5·70*
		Northern Ireland	120	120	35·9	32·8	*16·8*	*70·8*	*22·0*	*15·5*	*27·8*
		Irish Republic	160	179	48·8	50·0	*95·5*	*125·1*	*20·6*	*39·3*	*4·61*
140-148	Malignant neoplasm of buccal cavity and pharynx	England and Wales	96	95	47·9	27·1	*0·68*	–	*0·85*	*0·59*	*1·63*
		Scotland	111	129	51·5	32·6	–	–	*2·26*	*2·37*	–
		Northern Ireland	115	123	53·2	28·7	–	–	*7·34*	–	–
		Irish Republic	139	121	73·5	28·6	–	–	–	–	–
150	œsophagus	England and Wales	98	97	60·7	44·3	–	–	–	–	–
		Scotland	105	132	59·5	53·0	–	–	–	–	–
		Northern Ireland	85	85	47·4	31·4	–	–	–	–	–
		Irish Republic	124	114	79·1	43·6	–	–	–	–	–
151	stomach	England and Wales	99	98	348·3	252·1	–	–	–	–	*0·98*
		Scotland	108	114	348·2	257·4	–	–	–	–	–
		Northern Ireland	100	108	314·8	224·1	–	–	–	–	–
		Irish Republic	95	111	336·4	237·9	–	–	–	–	*4·61*
153	large intestine	England and Wales	97	98	164·6	229·0	–	*0·71*	–	–	*1·63*
		Scotland	128	121	199·0	248·8	–	–	–	–	*2·85*
		Northern Ireland	98	98	152·4	185·9	–	–	–	–	–
		Irish Republic	95	108	168·2	212·2	–	–	–	–	*9·22*
154	rectum	England and Wales	102	102	130·6	101·9	–	–	–	–	*1·95*
		Scotland	102	103	119·4	90·9	–	–	–	–	*2·85*
		Northern Ireland	80	103	93·4	83·4	–	–	–	–	–
		Irish Republic	70	61	92·6	51·4	–	–	–	–	–
161	larynx	England and Wales	100	94	29·2	6·93	–	–	–	–	–
		Scotland	93	119	24·9	7·79	–	–	–	–	–
		Northern Ireland	60	68	*15·8*	*4·10*	–	–	–	–	–
		Irish Republic	123	198	36·7	*12·1*	–	–	–	–	–
162, 163	trachea, bronchus, and lung	England and Wales	103	102	870·8	140·6	–	*0·71*	*0·56*	–	*3·58*
		Scotland	110	107	850·7	134·2	–	–	–	–	–
		Northern Ireland	62	58	455·7	65·6	–	–	*14·7*	–	–
		Irish Republic	43	69	349·8	77·9	–	–	–	*3·57*	*9·22*
170	breast	England and Wales	105	101	3·62	389·8	–	–	–	–	–
		Scotland	76	104	*2·41*	362·3	–	–	–	–	–
		Northern Ireland	47	74	*1·44*	236·4	–	–	–	–	–
		Irish Republic	82	79	*2·83*	253·6	–	–	–	–	–
171	cervix uteri	England and Wales	–	104	–	105·1	–	*1·43*	–	–	–
		Scotland	–	101	–	92·7	–	–	–	–	–
		Northern Ireland	–	63	–	53·3	–	–	–	–	–
		Irish Republic	–	30	–	25·7	–	–	–	–	–
172	corpus uteri	England and Wales	–	113	–	52·3	–	–	–	–	–
		Scotland	–	30	–	12·2	–	–	–	–	–
		Northern Ireland	–	25	–	*9·57*	–	–	–	–	–
		Irish Republic	–	9	–	*3·57*	–	–	–	–	–
177	prostate	England and Wales	101	–	163·7	–	*1·35*	–	–	–	–
		Scotland	106	–	157·6	–	–	–	–	–	–
		Northern Ireland	85	–	130·8	–	–	–	–	–	–
		Irish Republic	85	–	154·1	–	–	–	–	–	–

NOTE. Rates based upon less

ecific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1961, in rthern Ireland and Irish Republic

Death Rates per Million Population														Deaths under 1 Year per thousand live births		I.S.C. Nos.
25–34		35–44		45–54		55–64		65–74		75–84		85 and over				
I.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
53	733·1	2,420	1,755	7,250	4,449	21,976	10,729	54,321	30,872	124,000	87,137	257,446	227,102	23·9	18·8	
44	790·4	3,164	2,212	9,104	5,481	26,161	13,471	60,260	37,204	132,674	100,142	251,612	241,854	29·2	22·3	
84	825·9	2,789	1,825	7,631	4,787	22,747	11,693	52,747	36,164	121,092	101,684	260,024	231,397	32·9	21·7	
38	1,156	2,929	2,149	7,265	5,141	18,918	12,502	51,945	38,346	121,488	99,491	304,112	227,311	33·5	27·4	
·9	21·2	57·1	39·4	116·6	44·5	270·7	51·9	473·8	70·3	433·8	99·0	304·3	*63·4*	*0·00*	–	001-008
·3	67·3	99·2	64·3	210·3	67·8	329·3	64·3	549·4	*75·3*	602·5	*88·3*	*297·5*	*169·4*	–	–	
·1	*33·9*	*151·7*	*33·2*	*135·0*	*11·5*	357·9	*80·6*	*398·3*	*114·6*	*55·1*	*39·9*	*294·8*	–	–	–	
·5	*79·7*	161·7	178·6	230·4	178·9	581·3	190·6	752·8	220·3	*320·7*	*201·3*	*135·7*	*85·3*	–	–	
·48	*3·47*	*6·10*	*2·83*	10·7	6·71	11·9	8·24	20·3	15·7	*21·8*	27·5	*10·9*	*29·3*	*0·01*	*0·02*	010-019
·07	*5·85*	*21·7*	*8·76*	*12·2*	*5·65*	*15·3*	*6·43*	*14·1*	*18·8*	*32·6*	*49·0*	*99·2*	*112·9*	*0·02*	–	
–	–	–	–	*12·3*	*11·5*	*15·6*	*40·3*	*49·8*	*38·2*	*110·3*	*79·8*	–	–	–	–	
·1	*13·3*	*24·9*	–	*5·76*	*11·9*	*14·4*	*36·7*	*32·7*	*10·5*	*21·4*	*36·6*	–	–	*0·03*	–	
·39	*0·35*	*5·14*	*1·26*	20·2	6·40	57·6	24·0	147·4	55·6	174·2	102·7	*87·0*	*92·7*	–	–	020-029
–	*2·93*	*12·4*	*2·92*	*21·3*	*5·65*	*49·8*	*3·22*	*91·6*	*37·6*	*114·0*	*39·2*	–	–	–	–	
–	–	–	–	–	*11·5*	*140·0*	*13·4*	*49·8*	*38·2*	*110·3*	*79·8*	–	–	–	–	
–	–	–	–	*5·76*	–	*14·4*	–	–	*10·5*	*42·8*	–	–	–	–	–	
·68	*0·69*	*0·32*	–	*0·32*	*0·61*	*0·40*	*0·34*	*1·40*	*0·95*	*1·68*	*3·67*	–	–	0·07	0·07	057
–	–	*3·10*	–	–	–	–	–	–	–	–	–	–	–	*0·10*	*0·06*	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	*0·12*	–	
–	–	–	–	–	–	*7·18*	–	–	–	–	–	–	–	*0·03*	*0·03*	
·73	*1·04*	*1·93*	*0·31*	*0·32*	*0·30*	*0·40*	–	–	–	–	–	–	–	–	*0·00*	080
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	*15·6*	–	–	–	–	–	–	–	–	*0·06*	
–	–	*6·22*	–	–	–	*7·18*	–	–	–	–	–	–	–	–	–	
·55	10·4	14·1	11·7	21·8	24·7	33·0	26·5	52·4	41·3	67·0	61·4	*173·9*	229·3	0·15	0·13	Rem.
·10	*11·7*	*12·4*	*20·5*	*21·3*	*25·4*	*38·3*	*48·2*	*112·7*	*56·5*	*146·6*	*98·1*	*297·5*	*169·4*	*0·27*	*0·22*	001-138
·1	–	*35·0*	*33·2*	*24·5*	*34·4*	*62·2*	*80·6*	*24·9*	*38·2*	*110·3*	*39·9*	–	–	*0·24*	*0·19*	
·1	*33·2*	*12·4*	*28·8*	*57·6*	*35·8*	*50·2*	*14·7*	*43·6*	*42·0*	*85·5*	*109·8*	*135·7*	*511·8*	0·68	*0·34*	
·41	*2·78*	8·99	7·87	30·3	24·1	88·2	50·2	204·1	90·7	537·7	130·2	1,000	243·9	–	–	140-148
·03	*5·85*	*3·10*	*8·76*	*21·3*	*31·1*	99·5	*57·9*	260·6	117·6	814·3	235·4	*495·9*	*225·9*	–	–	
–	–	–	*11·1*	*12·3*	*23·0*	*124·5*	*80·6*	*398·3*	*114·6*	*496·3*	*159·6*	*589·6*	*371·1*	–	–	
·05	–	*24·9*	–	*23·0*	*11·9*	*122·0*	*110·0*	338·2	*104·9*	748·3	*183·0*	*1,628*	*170·6*	–	–	
·36	*1·74*	7·06	*5·35*	37·6	26·2	131·6	67·0	305·4	155·3	618·1	304·3	804·3	453·7	–	–	150
·03	–	*12·4*	*14·6*	*21·3*	*36·7*	137·8	83·6	302·9	230·5	863·1	333·5	*396·7*	*847·0*	–	–	
·1	–	–	–	*36·8*	*23·0*	*77·8*	*40·3*	*298·7*	*210·0*	*606·6*	*279·4*	*294·8*	–	–	–	
–	–	*12·4*	*5·76*	*86·4*	*77·5*	172·2	*102·7*	458·2	*157·3*	513·1	*183·0*	*678·5*	*682·4*	–	–	
·6	11·1	65·2	38·1	276·5	114·6	843·8	339·1	1,802	933·0	2,839	1,851	2,957	2,454	–	–	151
·2	*2·93*	65·1	*35·1*	371·8	161·0	899·7	463·1	1,747	988·0	3,371	2,060	2,777	3,388	–	–	
·5	–	*58·3*	*33·2*	319·0	*80·4*	777·9	336·0	1,842	1,069	2,647	2,394	*2,653*	*2,227*	–	–	
·2	*26·6*	*87·1*	*46·1*	218·9	161·0	861·2	417·9	1,724	1,196	2,715	1,812	*2,036*	*2,047*	–	–	
·82	8·69	32·1	40·3	109·3	133·8	298·9	326·0	825·3	759·6	1,762	1,612	2,413	2,693	–	–	153
·07	*20·5*	*24·8*	61·4	118·9	138·4	421·2	443·8	979·0	870·4	2,492	2,001	4,265	3,670	–	–	
·2	*11·3*	*23·3*	*55·3*	*135·0*	*160·7*	*217·8*	295·7	995·7	687·4	1,654	1,676	*1,769*	*2,783*	–	–	
·1	*33·2*	*37·3*	*46·1*	144·0	125·2	308·6	476·6	731·0	1,028	1,775	1,336	*1,357*	2,218	–	–	
·46	*2·78*	20·9	20·8	72·4	70·4	264·7	148·1	654·1	344·9	1,365	674·6	2,022	1,112	–	–	154
·07	*5·85*	*40·3*	*17·5*	91·4	76·3	256·5	192·9	648·0	329·3	1,270	637·5	*1,388*	*734·1*	–	–	
–	–	–	*22·1*	*85·9*	*114·8*	*202·3*	*134·4*	497·8	*190·9*	1,158	917·9	*1,179*	*1,113*	–	–	
·1	*6·64*	*6·22*	*5·76*	*51·9*	*47·7*	*136·4*	*88·0*	534·6	230·7	983·5	420·9	*678·5*	*426·5*	–	–	
·34	–	*2·89*	*2·20*	21·2	7·62	63·6	14·8	153·0	19·5	278·1	33·9	326·1	*58·5*	–	–	161
–	–	*3·10*	–	*9·14*	*19·8*	*61·3*	*16·1*	176·1	*9·41*	*211·7*	*49·0*	*396·7*	*112·9*	–	–	
–	–	–	–	*12·3*	–	*46·7*	*13·4*	*74·7*	–	*110·3*	*39·9*	*589·6*	*185·6*	–	–	
–	–	*6·22*	–	*28·8*	*11·9*	*71·8*	*36·7*	*196·4*	*52·4*	*320·7*	*73·2*	*407·1*	*85·3*	–	–	
·9	8·34	163·4	51·3	890·7	158·5	2,880	322·9	4,491	479·8	3,690	537·1	1,891	502·4	–	–	162, 163
·2	*17·6*	201·4	*49·7*	1,015	172·3	3,258	334·4	4,515	517·5	3,290	549·3	*1,686*	*395·3*	–	–	
·1	*11·3*	*116·7*	*33·2*	588·9	*80·4*	1,960	*147·8*	2,539	*267·3*	1,323	*478·9*	*884·4*	–	–	–	
·1	–	*99·5*	*23·0*	409·0	125·2	1,321	249·3	1,909	346·1	919·4	*274·5*	*271·4*	*85·3*	–	–	
–	33·0	*0·64*	187·1	*3·79*	584·8	7·95	804·9	20·3	1,043	*25·1*	1,514	*32·6*	2,376	–	–	170
–	*38·1*	*3·10*	236·7	*3·05*	596·1	*7·66*	752·5	*7·04*	1,087	*16·3*	1,609	–	2,372	–	–	
–	*11·3*	–	*188·0*	–	424·8	*15·6*	604·8	–	801·9	–	957·8	–	*1,299*	–	–	
–	*13·3*	*6·22*	218·9	–	447·3	–	615·9	–	807·6	*42·8*	1,080	*135·7*	1,706	–	–	
–	15·6	–	92·0	–	171·3	–	213·0	–	255·1	–	335·5	–	385·4	–	–	171
–	*14·6*	–	93·5	–	186·5	–	199·4	–	272·9	–	196·2	–	*338·8*	–	–	
–	–	–	*55·3*	–	*126·3*	–	*80·6*	–	*190·9*	–	*279·4*	–	–	–	–	
–	*19·9*	–	*34·6*	–	*29·8*	–	*44·0*	–	*94·4*	–	*128·1*	–	–	–	–	
–	*0·35*	–	7·87	–	44·8	–	122·0	–	196·7	–	219·1	–	312·2	–	–	172
–	–	–	–	–	*11·3*	–	*19·3*	–	*47·0*	–	*127·5*	–	–	–	–	
–	–	–	–	–	*11·5*	–	*13·4*	–	*76·4*	–	*39·9*	–	–	–	–	
–	–	–	–	–	*11·9*	–	*7·33*	–	*21·0*	–	–	–	–	–	–	
–	–	*1·61*	–	13·6	–	139·9	–	868·6	–	2,772	–	3,880	–	*0·00*	–	177
–	–	–	–	*9·14*	–	206·7	–	901·5	–	2,768	–	3,670	–	–	–	
–	–	–	–	*24·5*	–	*124·5*	–	846·3	–	2,261	–	*1,769*	–	–	–	
–	–	–	–	*23·0*	–	*136·4*	–	796·5	–	2,160	–	2,850	–	–	–	

eaths shown in italic figures

I.S.C. Nos.	Cause of Death	Country	S.M.R. All Ages M.	S.M.R. All Ages F.	Death Rates per Million Population All Ages M.	All Ages F.	1–4 M.	1–4 F.	5–14 M	5–14 F.	15–24 M.	15–24
181	bladder and other urinary organs	England and Wales	104	101	96·3	38·9	*1·35*	*0·71*	–	*0·30*	*0·33*	
		Scotland . .	114	101	97·3	33·7	–	–	–	–	–	
		Northern Ireland.	41	80	34·5	*24·6*	–	–	–	–	–	
		Irish Republic .	50	78	48·1	25·0	*8·69*	–	–	–	–	
204	Leukæmia and aleukæmia .	England and Wales	99	102	63·0	51·9	60·2	38·5	30·2	24·0	27·0	1
		Scotland . .	107	93	65·1	44·5	*36·8*	*49·5*	*29·4*	*23·7*	*28·5*	
		Northern Ireland.	109	102	66·1	46·5	*16·8*	–	*36·7*	*30·9*	*27·8*	2
		Irish Republic .	96	74	62·2	34·3	*78·2*	*26·8*	*13·7*	*21·4*	*13·8*	
Rem. 140-205	Other malignant neoplasms . .	England and Wales	99	97	412·7	511·0	60·9	47·8	35·8	35·8	63·2	4
		Scotland . .	113	118	439·0	563·7	*52·5*	*60·5*	*38·5*	*21·3*	76·9	5
		Northern Ireland.	94	114	356·5	498·8	*67·1*	*35·4*	*36·7*	*15·5*	*120·7*	3
		Irish Republic .	104	114	428·9	502·3	*69·5*	*44·7*	*51·5*	*21·4*	*36·9*	5
140-205	All malignant neoplasms and neoplasms of the lymphatic and hæmatopoietic tissues .	England and Wales	101	100	2,392	1,951	124·4	89·9	67·4	60·7	100·3	6
		Scotland . .	110	110	2,415	1,934	*89·3*	110·0	70·2	47·4	111·1	7
		Northern Ireland.	81	93	1,722	1,492	*83·9*	*35·4*	*95·4*	*46·4*	*148·5*	8
		Irish Republic .	77	92	1,832	1,508	*156·3*	*71·5*	*65·2*	*46·4*	*73·7*	6
260	Diabetes mellitus .	England and Wales	96	94	59·6	106·5	*4·06*	*0·71*	*2·82*	*3·85*	*3·26*	
		Scotland . .	123	159	70·4	157·2	–	*5·50*	*2·26*	*4·74*	*2·85*	
		Northern Ireland.	78	85	44·6	77·9	–	–	–	*7·73*	–	
		Irish Republic .	133	113	86·9	106·5	–	–	*3·43*	*7·14*	*9·22*	2
290-293	Anæmias . .	England and Wales	95	95	25·6	47·7	*2·03*	*2·14*	*1·98*	*2·07*	*2·93*	
		Scotland . .	128	139	32·2	59·7	*5·25*	–	*4·53*	*7·10*	*5·70*	
		Northern Ireland.	116	141	30·2	57·4	–	*17·7*	–	–	–	
		Irish Republic .	121	108	36·0	46·4	*8·69*	–	*3·43*	*3·57*	*4·61*	
330-334	Vascular lesions affecting central nervous system .	England and Wales	99	97	1,394	1,925	*2·70*	*2·14*	7·62	*2·37*	17·6	1
		Scotland . .	125	128	1,628	2,147	*10·5*	–	*13·6*	*14·2*	*19·9*	1
		Northern Ireland.	99	117	1,330	1,846	*16·8*	–	*7·34*	–	*18·6*	3
		Irish Republic .	83	94	1,280	1,589	*8·69*	–	*3·43*	*14·3*	*23·0*	2
345	Multiple sclerosis .	England and Wales	86	92	15·0	23·1	*1·35*	–	*0·28*	*0·59*	*1·63*	
		Scotland . .	169	140	27·7	33·4	–	–	–	–	–	
		Northern Ireland.	170	157	*25·9*	34·2	–	–	–	–	–	
		Irish Republic .	193	154	30·4	32·9	–	–	–	–	–	1
400–402, 410–416	Rheumatic fever and chronic rheumatic heart disease .	England and Wales	100	101	118·0	207·3	*0·68*	*0·71*	*3·10*	*2·96*	12·4	1
		Scotland . .	103	106	113·0	199·1	–	–	–	*9·47*	*22·8*	2
		Northern Ireland.	104	95	107·8	164·0	–	–	*7·34*	–	*18·6*	3
		Irish Republic .	93	75	103·2	130·0	*8·69*	–	*10·3*	*14·3*	*18·4*	2
420	Arteriosclerotic heart disease, including coronary disease .	England and Wales	99	98	2,613	1,569	–	–	*0·56*	–	*4·23*	
		Scotland . .	121	125	2,941	1,716	–	–	–	–	*5·70*	
		Northern Ireland.	120	118	2,856	1,498	–	–	–	–	*9·28*	
		Irish Republic .	74	80	1,980	1,060	–	–	–	–	*9·22*	
421, 422, 430–434	Other heart diseases	England and Wales	93	95	1,149	1,647	*4·06*	*3·57*	*3·95*	*2·37*	12·4	9
		Scotland . .	118	124	1,352	1,778	–	–	–	–	*5·70*	
		Northern Ireland.	117	126	1,430	1,759	*33·6*	*17·7*	–	*7·73*	*9·28*	9
		Irish Republic .	162	151	2,293	2,301	–	–	*3·43*	–	*27·7*	1
440–447	Hypertensive disease	England and Wales	101	99	330·8	424·1	–	–	*0·56*	*0·30*	*5·21*	
		Scotland . .	89	104	267·0	379·4	–	–	–	*2·37*	*5·70*	
		Northern Ireland.	102	113	309·0	386·8	–	–	–	–	–	
		Irish Republic .	96	112	331·4	406·5	–	–	–	–	*13·8*	
450-468	Other circulatory diseases . .	England and Wales	101	100	370·0	451·4	*0·68*	*2·14*	*0·85*	*0·89*	*4·56*	
		Scotland . .	108	108	369·1	406·8	–	–	–	–	–	
		Northern Ireland.	92	92	329·2	330·7	–	–	*7·34*	*7·73*	–	
		Irish Republic .	84	83	347·0	322·9	–	*8·94*	–	–	–	
480-483	Influenza . .	England and Wales	96	92	156·0	151·8	*11·5*	*8·57*	*5·08*	*4·15*	11·7	1
		Scotland . .	45	51	68·8	71·9	*5·25*	*5·50*	*9·06*	*2·37*	*14·2*	
		Northern Ireland.	134	198	207·0	263·8	–	*17·7*	–	–	*9·28*	
		Irish Republic .	230	296	400·7	419·4	*86·9*	*35·7*	–	*7·14*	*9·22*	2
490-493	Pneumonia . .	England and Wales	104	102	630·4	637·6	152·8	115·6	20·0	20·4	21·8	1
		Scotland . .	85	87	485·3	469·5	168·0	126·5	*18·1*	*21·3*	*19·9*	2
		Northern Ireland.	96	120	573·5	624·6	*184·6*	*194·7*	*29·4*	*15·5*	*18·6*	1
		Irish Republic .	65	74	439·5	415·8	260·6	196·6	*10·3*	*35·7*	*13·8*	1
500-502	Bronchitis . .	England and Wales	105	102	993·6	384·6	56·1	33·5	*5·36*	*5·03*	*5·21*	
		Scotland . .	82	83	719·3	269·6	*26·3*	*49·5*	*9·06*	*2·37*	*8·55*	
		Northern Ireland.	77	104	671·3	319·8	–	–	*7·34*	–	*18·6*	
		Irish Republic .	64	95	637·4	307·9	*26·1*	*26·8*	*6·86*	–	–	1
470-475, 510-527	Other respiratory diseases . .	England and Wales	98	99	160·9	74·3	25·0	18·6	*4·51*	*4·74*	8·79	
		Scotland . .	122	81	186·2	53·8	*21·0*	*11·0*	*4·53*	*2·37*	*11·4*	
		Northern Ireland.	85	130	127·9	82·0	–	*17·7*	*7·34*	*30·9*	–	
		Irish Republic .	97	142	162·5	94·3	*52·1*	*35·7*	*3·43*	*7·14*	*4·61*	
540, 541	Ulcer of stomach and duodenum .	England and Wales	98	99	132·0	61·1	–	–	–	*0·30*	*1·95*	
		Scotland . .	130	108	161·2	57·1	–	–	–	–	–	
		Northern Ireland.	96	119	117·9	58·8	–	–	–	–	*9·28*	
		Irish Republic .	83	86	115·9	44·3	–	–	–	–	–	

NOTE. Rates based upon less th

tinued

Death Rates per Million Population														Deaths under 1 Year per thousand live births		I.S.C. Nos.
25–34		35–44		45–54		55–64		65–74		75–84		85 and over				
I.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
1·71	*0·35*	12·2	*5·35*	53·4	15·5	195·9	49·8	531·8	149·6	939·7	266·7	1,326	512·2	–	–	181
–	*2·93*	*9·30*	*17·5*	*51·8*	*8·48*	233·5	*57·9*	626·8	141·1	1,042	235·4	*793·4*	*508·2*	–	–	
–	–	–	–	*49·1*	*11·5*	*108·9*	*107·5*	*124·5*	*95·5*	*386·0*	*159·6*	*294·8*	–	–	–	
–	–	–	–	*46·1*	*23·9*	*93·3*	*44·0*	240·0	*125·9*	*384·9*	*164·7*	*814·2*	*341·2*	–	–	
3·2	17·4	31·1	25·8	50·9	46·0	111·3	78·0	209·6	134·4	304·9	194·3	271·7	214·6	*0·04*	*0·02*	204
1·2	*11·7*	*31·0*	*17·5*	*51·9*	*36·7*	130·2	102·9	267·6	103·5	358·3	*186·4*	*99·2*	*225·9*	*0·02*	–	
3·3	*22·6*	*35·0*	*22·1*	*24·5*	*57·4*	*108·9*	*53·8*	*348·5*	*133·7*	*275·7*	*199·5*	*294·8*	*371·1*	*0·06*	–	
3·2	*39·9*	*31·1*	*5·76*	*69·1*	*5·96*	*129·2*	*88·0*	218·2	*146·8*	*213·8*	*73·2*	*135·7*	–	*0·07*	–	
7·0	76·4	177·8	182·7	448·3	510·1	970·2	1,018	1,646	1,582	2,355	2,239	2,978	3,112	0·05	*0·03*	Rem.
3·5	79·0	179·7	254·2	557·8	644·1	1,049	1,193	1,930	2,037	2,703	2,737	3,372	3,162	*0·10*	–	140-205
9·7	*101·8*	*186·7*	*154·8*	368·0	723·3	700·1	1,223	1,917	1,489	2,316	3,113	*1,769*	4,454	–	–	
5·8	*119·6*	205·3	236·2	495·5	626·2	818·2	1,093	1,844	2,045	2,715	2,544	4,207	2,985	*0·03*	–	
4·7	178·6	523·9	666·8	2,008	1,908	5,996	3,553	11,711	6,144	17,487	9,912	19,902	14,429	0·09	*0·04*	140-205
9·3	199·1	573·2	806·4	2,329	2,119	6,761	3,917	12,361	6,751	19,200	10,956	19,339	15,981	*0·12*	–	
5·9	*158·4*	420·1	575·1	1,656	1,837	4,465	3,132	9,882	5,327	13,234	10,695	12,087	12,804	*0·06*	–	
4·5	259·1	516·2	622·2	1,596	1,706	4,170	3,373	8,990	6,356	13,492	8,271	15,199	10,747	*0·10*	–	
9·89	*6·60*	18·6	8·82	36·7	28·0	75·9	123·3	285·8	429·0	705·2	846·0	869·6	897·6	*0·00*	*0·01*	260
2·1	*2·93*	*6·20*	*14·6*	*33·5*	*45·2*	130·2	331·2	478·9	766·9	749·1	1,157	*793·4*	*847·0*	–	–	
2·1	–	–	–	*24·5*	*34·4*	*62·2*	*67·2*	*298·7*	381·9	*496·3*	798·1	*884·4*	*1,485*	–	–	
1·2	–	*37·3*	*11·5*	*63·4*	*35·8*	*122·0*	227·3	447·3	503·4	791·1	841·8	*678·5*	*853·0*	–	–	
2·73	*1·74*	*3·53*	*5·67*	6·64	11·6	27·8	34·4	99·2	141·6	371·9	419·8	837·0	965·9	*0·01*	*0·01*	290-293
3·03	*5·85*	*3·10*	*8·76*	*6·10*	*2·83*	*38·3*	64·3	162·0	197·6	407·1	559·1	*1,190*	1,807	*0·02*	–	
–	*11·3*	–	*11·1*	*12·3*	*11·5*	*46·7*	*26·9*	*149·4*	*324·6*	*386·0*	*478·9*	*1,179*	*1,299*	–	–	
–	*6·64*	–	*23·0*	*11·5*	*23·9*	*43·1*	*66·0*	*141·8*	251·7	470·4	366·0	*678·5*	*170·6*	–	–	
4·3	32·3	112·7	113·1	436·7	455·2	1,849	1,441	6,567	5,583	19,139	17,790	40,446	41,517	*0·04*	*0·01*	330-334
7·3	*29·3*	136·3	163·6	585·2	618·7	2,240	2,065	8,367	7,814	25,242	22,785	45,919	49,015	*0·04*	*0·04*	
2·4	*45·3*	*105·0*	*99·5*	490·7	574·0	1,945	1,734	6,696	7,676	17,811	21,430	43,927	40,082	–	–	
5·4	*59·8*	174·2	224·7	495·5	662·0	1,550	1,958	6,033	6,471	14,881	15,664	29,448	27,039	–	–	
5·12	10·4	20·9	31·8	25·6	49·1	40·5	50·2	37·7	38·0	*15·1*	21·1	*21·7*	9·76	–	*0·00*	345
8·2	*20·5*	*31·0*	*29·2*	*54·9*	79·1	*68·9*	83·6	*98·6*	*84·7*	*48·9*	*9·81*	–	–	–	–	
3·3	*90·5*	*23·3*	*33·2*	*36·8*	*34·4*	*108·9*	*121·0*	*24·9*	*38·2*	*55·1*	–	–	–	–	–	
3·2	*26·6*	*43·5*	*46·1*	*74·9*	*83·5*	*57·4*	*73·3*	*87·3*	*52·4*	*64·1*	*54·9*	–	–	–	–	
2·3	49·7	106·6	142·4	177·9	279·0	278·6	409·8	373·9	560·6	474·0	727·8	510·9	1,005	*0·00*	–	400-402,
9·7	82·0	161·1	201·6	198·1	350·3	225·9	443·8	380·3	409·3	342·0	667·0	*198·4*	508·2	–	–	410-416
9·3	*11·3*	*140·0*	298·6	269·9	275·5	*233·4*	416·7	*248·9*	*324·6*	*441·1*	*518·8*	–	*556·7*	–	–	
5·4	*79·7*	*112·0*	*92·2*	144·0	244·5	186·6	212·6	316·4	377·6	598·7	640·5	*542·8*	*426·5*	–	–	
3·0	7·30	478·7	65·2	2,038	328·0	6,037	1,634	13,226	5,943	22,630	13,144	28,707	21,785	*0·00*	*0·00*	420
9·1	*14·6*	700·2	108·1	2,914	652·6	8,201	2,592	15,903	7,720	22,848	15,173	29,158	20,329	–	–	
9·3	*11·3*	793·4	*66·4*	2,625	493·7	7,577	2,500	16,130	7,561	25,420	14,087	30,366	20,598	–	–	
7·6	*13·3*	422·9	149·8	1,769	506·9	4,615	1,884	10,332	5,307	14,432	8,582	20,220	11,685	–	–	
7·3	20·2	56·5	41·6	185·8	121·6	812·8	486·4	3,980	3,043	19,025	16,386	61,543	62,849	*0·02*	*0·02*	421, 422,
7·3	*17·6*	105·3	*49·7*	249·9	155·4	1,183	755·7	5,057	4,131	24,346	21,460	70,713	79,790	–	*0·02*	430-434
9·2	*11·3*	*116·7*	*55·3*	*98·1*	*137·8*	1,105	739·2	4,281	4,315	25,917	22,428	75,767	78,122	*0·06*	*0·13*	
9·3	*46·5*	161·7	*74·9*	593·4	280·3	1,694	1,400	8,172	7,143	31,110	26,588	89,972	70,283	–	0·03	
2·3	*5·91*	48·5	23·9	164·9	96·6	542·9	368·6	1,604	1,309	3,948	3,989	7,022	7,361	–	–	440-447
5·2	*5·85*	71·3	*35·1*	134·1	101·7	509·2	421·3	1,402	1,637	3,387	3,757	4,959	6,212	–	–	
2·1	*22·6*	*58·3*	*33·2*	*171·8*	*91·8*	606·8	349·5	1,494	1,547	3,695	4,510	8,550	9,278	–	–	
1·1	*6·64*	*74·6*	*28·8*	184·4	*113·3*	502·4	432·6	1,800	1,825	3,036	4,190	5,835	6,994	–	–	
9·2	10·1	25·4	31·8	99·5	78·4	372·8	232·9	1,528	1,006	5,436	4,196	15,783	14,454	*0·01*	*0·01*	450-468
5·2	*5·85*	*15·5*	*23·4*	88·4	59·3	294·8	266·9	1,444	983·3	6,351	4,629	20,530	16,941	–	–	
2·1	*33·9*	*70·0*	*11·1*	*122·7*	*80·4*	373·4	*255·4*	1,294	878·3	4,852	4,350	13,856	10,206	–	–	
1·05	*13·3*	*43·5*	*28·8*	*103·7*	*89·5*	315·8	*124·7*	1,189	923·0	4,618	3,715	13,028	10,235	–	–	
5·7	19·8	29·2	20·8	73·6	39·3	252·4	115·8	728·9	429·0	1,647	1,240	3,913	3,424	0·05	*0·03*	480-483
1·03		*12·4*	*11·7*	*51·8*	*33·9*	95·7	48·2	253·5	164·7	814·3	774·9	*1,884*	2,372	*0·17*	*0·10*	
4·2	*11·3*	*35·0*	*22·1*	*36·8*	*23·0*	373·4	268·8	995·7	859·2	2,206	2,953	8,255	8,536	*0·12*	*0·06*	
1·1	*19·9*	*56·0*	*46·1*	184·4	*71·6*	416·3	286·0	1,593	1,384	4,298	4,575	12,892	10,235	*0·39*	*0·45*	
9·6	27·1	65·5	51·3	191·5	116·5	654·2	348·7	2,364	1,375	8,144	5,464	22,163	18,059	2·17	1·78	490-493
4·3	*20·5*	*58·9*	70·1	164·6	110·2	570·5	289·4	2,141	1,242	5,895	4,482	13,191	13,383	2·48	2·20	
2·1	*22·6*	*70·0*	*77·4*	*98·1*	*149·2*	544·6	430·1	1,892	1,718	7,279	6,186	20,342	19,113	3·29	2·58	
4·3	*39·9*	*56·0*	*69·1*	*109·5*	143·1	416·3	315·3	1,429	1,196	4,062	3,294	8,278	6,909	3·65	2·99	
9·9	8·69	52·0	31·2	377·6	101·2	2,062	341·8	5,548	1,192	9,894	3,159	16,065	7,512	0·44	0·34	500-502
3·2	*14·6*	65·1	*52·6*	478·5	127·1	2,010	311·9	4,465	997·4	5,488	2,334	8,529	4,969	*0·23*	*0·28*	
–	*33·9*	*70·0*	*22·1*	466·2	*126·3*	1,992	*255·4*	3,510	1,566	5,790	3,153	12,382	6,866	*0·24*	*0·06*	
3·2	*13·3*	*93·3*	*17·3*	288·1	143·1	1,356	344·6	3,240	1,122	5,602	3,056	10,313	6,227	*0·13*	*0·10*	
4·3	8·69	34·3	23·9	103·9	32·9	374·4	81·1	812·7	178·1	1,121	461·0	2,304	1,649	0·14	0·12	470-475,
7·3	*2·93*	*40·3*	*32·1*	91·4	*39·6*	352·2	102·9	1,225	188·2	1,791	294·2	*1,488*	*621·2*	*0·19*	*0·06*	510-527
2·1	*33·9*	*81·7*	*22·1*	*61·3*	*91·8*	420·1	*67·2*	497·8	*114·6*	*716·8*	*718·3*	*1·179*	*1,485*	*0·67*	*0·32*	
1·05	*26·6*	*43·5*	–	*92·2*	*29·8*	236·8	*95·3*	807·4	346·1	1,304	823·5	3,257	2,132	*0·20*	*0·03*	
2·19	*2·43*	23·8	6·61	78·4	26·2	274·2	63·2	647·1	178·1	1,340	529·8	1,946	990·2	*0·01*	–	540, 541
4·2	*8·78*	*31·0*	*14·6*	128·0	62·2	371·4	*32·2*	943·8	235·2	1,482	519·8	2,083	*621·2*	–	–	
1·1	–	–	–	*61·3*	–	*248·9*	*53·8*	423·2	229·1	1,875	758·2	2,358	1,485	–	–	
3·2	*6·64*	*37·3*	*17·3*	121·0	*23·9*	294·2	*44·0*	567·3	220·3	791·1	402·6	*407·1*	*426·5*	–	–	

leaths shown in italic figures.

I.S.C Nos.	Cause of Death	Country	S.M.R. All Ages M.	S.M.R. All Ages F.	Death Rates per Million Population: All Ages M.	All Ages F.	1–4 M.	1–4 F.	5–14 M.	5–14 F.	15–24 M.	15–24 F.
550-553	Appendicitis	England and Wales	99	99	16·2	11·9	*6·09*	*4·28*	*5·36*	*3·55*	6·51	*5*
		Scotland	130	126	20·1	13·7	*15·8*	–	*9·06*	*4·74*	*5·70*	*1*
		Northern Ireland	84	79	*12·9*	*8·20*	–	–	*7·34*	–	–	
		Irish Republic	72	74	*12·0*	*7·86*	*17·4*	*8·94*	*6·86*	*3·57*	–	
560, 561 570	Intestinal obstruction and hernia	England and Wales	100	100	68·2	69·9	*10·1*	*6·42*	*0·85*	*1·18*	*3·26*	*3*
		Scotland	127	112	81·6	68·6	–	*5·50*	–	*2·37*	*2·85*	
		Northern Ireland	72	80	47·4	46·5	–	*17·7*	–	–	–	*9*
		Irish Republic	75	89	55·1	53·6	–	*26·8*	–	*3·57*	*9·22*	
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhœa of newborn)	England and Wales	98	100	46·4	64·9	44·6	20·0	*2·54*	*2·37*	*6·18*	*6*
		Scotland	107	96	49·5	56·7	*52·5*	*38·5*	–	–	*2·85*	*3*
		Northern Ireland	96	86	46·0	49·2	*83·9*	*70·8*	–	–	–	*9*
		Irish Republic	115	118	58·7	70·7	*69·5*	*71·5*	*10·3*	*7·14*	*4·61*	*1*
581	Cirrhosis of liver	England and Wales	94	96	33·0	26·6	*0·68*	*1·43*	*1·41*	*0·59*	*1·95*	*1*
		Scotland	165	148	53·9	37·1	*5·25*	–	*2·26*	–	–	
		Northern Ireland	116	114	35·9	*26·0*	–	–	*7·34*	–	–	
		Irish Republic	88	75	29·7	17·1	–	–	*3·43*	–	–	
584, 585	Cholelithiasis, cholecystitis	England and Wales	101	96	17·2	36·6	–	–	–	–	–	*1*
		Scotland	131	158	20·5	51·9	–	–	–	–	–	
		Northern Ireland	63	112	*10·1*	34·2	–	–	–	–	–	
		Irish Republic	50	69	*9·19*	22·1	*8·69*	–	–	–	–	
Rem. 530-587	Other digestive diseases	England and Wales	96	94	42·8	43·5	*11·5*	*17·8*	*4·80*	*5·03*	*2·60*	*4*
		Scotland	115	128	49·1	53·0	*21·0*	*27·5*	–	–	–	*8*
		Northern Ireland	115	149	48·9	58·8	*33·6*	*17·7*	–	–	*27·8*	*9*
		Irish Republic	133	129	61·5	52·2	*34·7*	*26·8*	*3·43*	*3·57*	*4·61*	*3*
590-594	Nephritis and nephrosis	England and Wales	96	94	83·5	68·5	*6·09*	*3·57*	5·93	7·70	20·8	18
		Scotland	82	98	66·7	64·2	–	–	*6·79*	*4·74*	*28·5*	*2*
		Northern Ireland	106	132	84·8	80·6	–	–	–	*15·5*	*18·6*	*9*
		Irish Republic	187	206	162·5	128·6	*17·4*	*26·8*	–	–	*36·9*	*1*
610	Hyperplasia of prostate	England and Wales	100	–	137·6	–	–	–	–	–	–	
		Scotland	115	–	147·2	–	–	–	–	–	–	
		Northern Ireland	101	–	138·0	–	–	–	–	–	–	
		Irish Republic	83	–	133·6	–	–	–	–	–	–	
611-609, 609-637	Other diseases of the genito-urinary system	England and Wales	99	100	72·0	93·1	*4·06*	*5·00*	*2·54*	*3·85*	*5·86*	*8*
		Scotland	118	120	80·0	98·6	*5·25*	*11·0*	–	*2·37*	*14·2*	
		Northern Ireland	114	102	79·1	77·9	–	*17·7*	*7·34*	–	–	*9*
		Irish Republic	80	58	62·9	45·7	*17·4*	–	–	–	*4·61*	*1*
640-689	Complications of pregnancy, childbirth, and the puerperium	England and Wales	–	93	–	11·5	–	–	–	–	–	*2*
		Scotland	–	109	–	13·7	–	–	–	–	–	*1*
		Northern Ireland	–	185	–	*23·2*	–	–	–	–	–	*2*
		Irish Republic	–	164	–	19·3	–	–	–	–	–	*2*
750-759	Congenital malformations	England and Wales	95	96	119·5	106·0	125·1	131·3	42·0	30·5	22·5	21
		Scotland	118	105	165·2	127·6	168·0	110·0	*31·7*	52·1	*28·5*	*2*
		Northern Ireland	115	117	176·8	159·9	*83·9*	*123·9*	*44·0*	*23·2*	*27·8*	*1*
		Irish Republic	131	134	194·3	187·2	191·1	241·3	*54·9*	*57·1*	*27·7*	*2*
760–776	Certain diseases of early infancy	England and Wales	96	98	260·8	164·8	*0·68*	*0·71*	–	–	–	
		Scotland	110	104	342·1	200·6	–	–	–	–	–	
		Northern Ireland	132	98	462·8	217·3	–	–	–	–	–	
		Irish Republic	119	125	395·7	283·7	–	–	–	–	–	
Rem. 210-795	All other diseases	England and Wales	87	92	352·5	528·8	94·0	91·4	45·7	43·5	69·7	4
		Scotland	102	99	394·8	488·4	126·0	*104·5*	54·3	*37·9*	91·2	6
		Northern Ireland	100	71	403·9	341·7	*218·1*	*88·5*	*88·1*	*38·7*	*83·5*	*2*
		Irish Republic	290	264	1,294	1,354	*156·3*	196·6	75·5	*64·2*	*87·6*	*5*
E963, E970-E979	Suicide	England and Wales	106	109	135·4	91·4	–	–	*0·56*	*0·59*	51·1	*2*
		Scotland	86	71	103·7	56·0	–	–	–	–	*25·6*	*2*
		Northern Ireland	60	47	67·6	34·2	–	–	–	–	*27·8*	*2*
		Irish Republic	42	19	49·5	*13·6*	–	–	–	–	*18·4*	
E810-E845	Motor vehicle and other road transport accidents	England and Wales	101	102	217·1	80·9	92·6	77·8	82·7	31·1	430·0	8
		Scotland	100	99	209·5	74·5	194·3	132·0	101·9	54·5	330·6	5
		Northern Ireland	97	93	205·5	68·3	*117·5*	*106·2*	*88·1*	*30·9*	306·3	5
		Irish Republic	81	66	174·5	48·6	*95·5*	*35·7*	85·8	*25·0*	179·7	*4*
E870 E936 (part)	Accidents in the home and residential institutions	England and Wales	96	98	111·0	184·8	90·6	68·5	16·4	10·4	20·5	1
		Scotland	180	174	201·4	282·2	120·8	121·0	*20·4*	*21·3*	*25·6*	*8*
		Northern Ireland	75	66	87·7	105·2	*117·5*	*70·8*	*14·7*	*23·2*	*27·8*	
		Irish Republic	40	25	50·2	42·9	*34·7*	*89·4*	*13·7*	*7·14*	*4·61*	*9*
Rem. E800-E999	Other violence	England and Wales	96	92	147·5	48·5	72·3	29·3	80·7	14·5	138·7	2
		Scotland	122	49	182·9	23·4	105·0	*22·0*	101·9	*9·47*	151·0	*1*
		Northern Ireland	98	197	145·2	91·6	*50·3*	–	*51·4*	*7·73*	*167·1*	*1*
		Irish Republic	123	296	184·4	144·3	*69·5*	*53·6*	*65·2*	*21·4*	129·0	*2*
Estimated mid-year population (in thousands)		England and Wales			22,346	23,820	1,479	1,401	3,544	3,377	3,072	3,0
		Scotland			2,487	2,697	190	182	442	422	351	3
		Northern Ireland			696	732	60	57	136	129	108	1
		Irish Republic			1,415	1,400	115	112	291	280	217	1

NOTE. Rates based upon less th

ontinued

Death Rates per Million Population														Deaths under 1 Year per thousand live births		I.S.C. Nos.
25–34		35–44		45–54		55–64		65–74		75–84		85 and over				
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
1·09	*2·08*	8·67	*5·04*	14·5	7·32	26·6	18·2	51·0	32·8	107·2	62·3	228·3	102·4	*0·01*	*0·00*	550-553
5·07	*11·7*	*15·5*	*2·92*	–	*5·65*	*34·5*	*19·3*	*77·5*	*32·9*	*195·4*	*88·3*	*99·2*	*112·9*	*0·02*	–	
–	–	–	*11·1*	*36·8*	–	*31·1*	*13·4*	*24·9*	*57·3*	*55·1*	*39·9*	*294·8*	–	–	–	
7·05	–	*18·7*	–	*11·5*	*5·96*	*21·5*	*22·0*	*10·9*	*10·5*	*42·8*	*73·2*	*135·7*	–	–	–	
5·46	*4·52*	8·35	7·87	24·3	23·2	104·9	70·8	304·7	220·0	767·2	530·7	1,326	1,044	0·23	0·18	560, 561,
3·03	*2·93*	*9·30*	*11·7*	*42·7*	*33·9*	160·8	83·6	401·5	272·9	879·4	617·9	*1,884*	*734·1*	*0·23*	*0·12*	570
2·1	–	–	*11·1*	*49·1*	*23·0*	*108·9*	*13·4*	*273·8*	*248·2*	*386·0*	*439·0*	*589·6*	*742·3*	*0·06*	–	
7·05	–	*12·4*	*17·3*	*23·0*	*41·7*	*78·9*	*66·0*	*207·3*	*230·7*	577·3	*292·8*	*1·086*	*597·1*	*0·13*	*0·24*	
9·21	7·30	8·35	10·4	21·8	20·1	72·3	60·1	147·4	186·2	326·6	421·6	619·6	902·4	0·42	0·40	543, 571,
2·1	*8·78*	*9·30*	*20·5*	*24·4*	*14·1*	88·1	*51·5*	*112·7*	155·3	439·7	372·7	*595·1*	*903·5*	*0·48*	0·55	572
2·1	*22·6*	–	*11·1*	–	*23·0*	*31·1*	*40·3*	*49·8*	*38·2*	*275·7*	*239·4*	*884·4*	*1,113*	*0·85*	*0·58*	
–	*13·3*	*12·4*	*23·0*	*23·0*	*53·7*	*57·4*	*36·7*	*98·2*	*188·8*	*299·3*	*256·2*	*542·8*	*511·8*	0·98	0·96	
5·12	*1·74*	17·0	8·19	50·6	23·5	83·5	56·7	135·6	103·1	127·3	102·7	*130·4*	102·4	*0·01*	*0·01*	581
9·10	–	*12·4*	*14·6*	79·2	*36·7*	168·5	109·3	232·4	131·7	342·0	*147·1*	*99·2*	*282·3*	–	–	
2·1	–	*23·3*	–	*36·8*	*68·9*	*93·4*	*94·1*	*224·0*	*95·5*	*110·3*	*39·9*	*294·8*	–	–	–	
–	*13·3*	*18·7*	–	*34·6*	*47·7*	*100·5*	*36·7*	*130·9*	*42·0*	*106·9*	*91·5*	*135·7*	–	–	–	
1·02	*0·69*	*2·89*	*4·09*	7·27	9·15	20·3	33·7	83·2	114·5	244·6	312·6	369·6	697·6	–	–	584, 585
3·03	*2·93*	–	*5·84*	*9·14*	*19·8*	*49·8*	90·0	*105·6*	202·3	*211·7*	490·4	*595·1*	*508·2*	–	–	
–	–	–	–	–	*23·0*	*15·6*	*40·3*	*49·8*	*114·6*	*220·6*	*359·2*	–	*927·8*	–	–	
–	–	–	*5·76*	–	–	*7·18*	*44·0*	*54·6*	*83·9*	*106·9*	*256·2*	*135·7*	*170·6*	–	–	
6·48	*4·86*	15·1	8·82	39·2	19·5	75·9	53·2	154·4	133·5	306·5	273·1	489·1	458·5	0·20	0·11	Rem.
–	*14·6*	*34·1*	*25·1*	*48·8*	*36·7*	88·1	*54·7*	197·2	141·1	*309·4*	431·6	*595·1*	*169·4*	*0·29*	*0·22*	530-587
–	*11·3*	*11·7*	–	*12·3*	*80·4*	*93·4*	*53·8*	*174·2*	*343·7*	*386·0*	*319·3*	*1,474*	*556·7*	*0·12*	–	
4·1	*6·64*	*37·3*	*34·6*	*51·9*	*47·7*	*107·7*	*95·3*	240·0	230·7	*342·1*	*219·6*	*678·5*	*341·2*	*0·20*	*0·07*	
4·1	19·1	51·4	27·4	82·8	47·6	160·6	92·1	264·8	197·6	614·7	376·7	1,011	726·8	*0·02*	*0·01*	590-594
8·2	*17·6*	*52·7*	*29·2*	70·1	*53·7*	157·0	93·3	162·0	268·2	472·3	294·2	*1,289*	*564·7*	*0·02*	*0·04*	
0·3	*33·9*	*70·0*	–	*110·4*	*11·5*	*108·9*	*147·8*	*273·8*	*305·5*	*827·1*	*598·6*	*884·4*	*1,485*	*0·06*	*0·13*	
0·5	*26·6*	*74·6*	*40·3*	*63·4*	*95·4*	301·4	154·0	632·8	555·9	1,283	951·5	3,393	1,706	*0·07*	*0·03*	
–	–	–	–	*4·74*	–	58·8	–	528·3	–	2,506	–	7,174	–	–	–	610
–	–	–	–	–	–	*45·9*	–	598·7	–	3,094	–	7,835	–	–	–	
–	–	–	–	–	–	*77·8*	–	522·7	–	2,261	–	8,550	–	–	–	
–	–	–	–	*11·5*	–	*50·2*	–	480·1	–	1,882	–	6,514	–	–	–	
9·89	12·2	17·0	24·3	36·0	48·2	91·4	122·6	308·9	273·6	849·2	625·1	1,848	1,337	0·08	*0·03*	600-609,
6·07	*8·78*	*27·9*	*46·7*	*36·6*	84·8	122·5	164·0	295·8	334·0	1,124	686·6	2,479	1,186	*0·04*	*0·02*	611-637
2·1	*22·6*	*11·7*	*11·1*	*61·3*	*34·4*	*171·1*	*121·0*	*248·9*	477·3	1,103	*319·3*	*1,179*	*927·8*	*0·12*	*0·13*	
4·1	*26·6*	*6·22*	*17·3*	*34·6*	*23·9*	*93·3*	*80·7*	218·2	*146·8*	598·7	*329·4*	*2,036*	*597·1*	*0·03*	*0·03*	
–	35·4	–	28·3	–	*0·61*	–	–	–	–	–	–	–	–	–	–	640-689
–	58·5	–	*32·1*	–	–	–	–	–	–	–	–	–	–	–	–	
–	*45·3*	–	*110·6*	–	–	–	–	–	–	–	–	–	–	–	–	
–	*66·4*	–	*92·2*	–	–	–	–	–	–	–	–	–	–	–	–	
8·1	18·1	22·8	21·4	38·9	26·5	33·8	35·7	40·5	32·3	43·6	32·1	*65·2*	*4·88*	4·42	4·47	750-759
2·1	*8·78*	*12·4*	*14·6*	*18·3*	*31·1*	*45·9*	*22·5*	*63·4*	*32·9*	*81·4*	*19·6*	–	–	6·06	5·23	
8·3	–	*35·0*	–	*24·5*	*45·9*	*31·1*	*53·8*	*24·9*	*19·1*	*55·1*	–	–	–	5·85	6·19	
1·2	*6·64*	*6·22*	*17·3*	*5·76*	*29·8*	*21·5*	*29·3*	*10·9*	–	–	*18·3*	–	–	7·23	6·86	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	13·9	9·97	760-776
–	–	–	–	–	–	–	–	–	–	–	–	–	–	16·4	11·0	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	19·6	10·3	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	18·2	13·6	
2·6	71·6	100·8	114·0	188·3	191·2	438·4	387·5	979·0	1,043	3,422	3,523	15,446	17,615	0·65	0·54	Rem.
5·8	61·5	185·9	99·3	289·5	237·3	731·3	533·8	1,366	1,402	3,306	3,904	9,223	12,084	0·79	0·92	210-795
4·8	*56·6*	*116·7*	*165·9*	282·2	*172·2*	715·7	336·0	1,518	840·1	2,867	3,312	7,075	6,495	*1·16*	0·97	
1·0	146·2	192·8	161·3	409·0	310·1	839·7	659·9	2,771	2,517	14,839	13,761	75,180	53,907	1·01	0·96	
7·8	54·9	146·7	92·6	202·8	157·3	282·6	194·1	330·5	191·9	397·0	140·2	326·1	*78·0*	–	–	E963,
2·2	*32·2*	148·7	90·6	192·0	81·9	229·7	131·8	183·1	108·2	*211·7*	*58·8*	*198·4*	*112·9*	–	–	E970-
2·4	*33·9*	*70·0*	*44·2*	*122·7*	*91·8*	*124·5*	*53·8*	*248·9*	*57·3*	*220·6*	–	–	–	–	–	E979
7·6	*13·3*	*87·1*	*23·0*	*80·7*	*41·7*	*122·0*	*22·0*	*76·4*	*31·5*	*64·1*	–	–	–	–	–	
3·6	43·4	155·1	38·1	153·2	55·2	201·1	84·5	342·4	184·8	725·3	313·5	1,076	268·3	*0·02*	*0·03*	E810-
6·8	*14·6*	173·5	*26·3*	198·1	70·6	214·4	90·0	338·1	150·5	504·8	255·0	*1,091*	*338·8*	*0·02*	*0·04*	E845
5·2	*33·9*	*128·4*	*55·3*	282·2	*68·9*	*364·5*	*40·3*	*323·6*	*133·7*	*386·0*	*319·3*	*884·4*	*371·1*	–	–	
9·7	*33·2*	205·3	*40·3*	161·3	*47·7*	208·1	*80·7*	316·4	*94·4*	*384·9*	*128·1*	*135·7*	*85·3*	–	–	
5·6	13·9	39·2	26·5	55·9	41·5	99·0	85·5	242·5	338·2	1,097	1,565	3,891	5,522	0·58	0·40	E870-
8·5	*20·5*	117·7	*52·6*	118·9	84·8	260·3	154·4	486·0	418·7	1,938	2,825	4,661	10,842	1·23	1·12	E936
4·1	*33·9*	*11·7*	–	*85·9*	*91·8*	*62·2*	*26·9*	*124·5*	*171·8*	*661·7*	1,157	*4,422*	*3,526*	*0·18*	–	(part)
5·3	*19·9*	*43·5*	*17·3*	*34·6*	*11·9*	*86·1*	*44·0*	*65·5*	*115·4*	*299·3*	*219·6*	*542·8*	*426·5*	*0·26*	*0·17*	
5·7	16·7	142·2	18·0	155·1	23·8	201·5	37·8	198·5	86·9	390·3	278·6	837·0	922·0	0·11	0·08	Rem.
5·7	*8·78*	204·5	*11·7*	204·2	*28·3*	279·5	*25·7*	190·2	*42·3*	*276·8*	*117·7*	*297·5*	*169·4*	*0·06*	*0·02*	E800-
8·6	–	*140·0*	*11·1*	*122·7*	*23·0*	*124·5*	*26·9*	*323·6*	*171·8*	*716·8*	1,237	*2,064*	*3,340*	*0·06*	*0·06*	E999
4·6	*39·9*	136·8	–	190·1	–	179·4	*51·3*	654·6	335·6	641·4	1,482	*2,578*	4,009	*0·16*	*0·45*	
932	2,878	3,115	3,175	3,165	3,280	2,516	2,911	1,431	2,105	597	1,091	92	205	–	–	
330	342	323	342	328	354	261	311	142	213	61	102	10	18	–	–	
83	88	86	90	82	87	64	74	40	52	18	25	3	5	–	–	
142	151	161	174	174	168	139	136	92	95	47	55	7	12	–	–	

20 deaths shown in italic figures.

Table 61. Method of Celebration, etc. of Marriages in Scotland, 1855-1960

Year	Total Marriages		Marriage according to Forms of the									
	Number	Proportion per 1,000 of Population	Church of Scotland	Free Church	United Presbyterian Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms	Form not stated	Civil Marriages†	Irregular Marriages
Decennial Averages											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	...	19
1861-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	...	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	...	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	...	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	—	...	1,428
				Un. Free Ch.*							
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	—	...	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	—	...	5,132
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	—	...	4,287
1931-1940	38,963	7·869		24,459		5,051	1,076	3,427	—	4,950	
1941-1950	43,489	8·472		26,364		5,685	1,383	3,487	—	6,558	12
1951-1960	41,695	8·136		23,738		6,634	957	2,866	—	7,493	6
Annual Numbers											
1951	41,361	8·106		24,259		6,062	1,122	2,986	—	6,928	4
1952	41,154	8·068		23,671		6,033	1,022	2,961	—	7,459	8
1953	40,902	8·021		23,597		6,284	935	2,899	—	7,180	7
1954	41,974	8·224		23,802		6,425	988	2,912	—	7,842	5
1955	43,199	8·451		24,213		6,734	1,017	2,919	—	8,302	14
1956	43,963	8·586		24,915		7,235	950	2,986	—	7,870	7
1957	42,661	8·324		24,325		7,093	939	2,874	—	7,424	6
1958	41,186	8·011		23,118		6,904	868	2,794	—	7,498	4
1959	40,442	7·834		22,773		6,785	910	2,722	—	7,250	2
1960	40,103	7·746		22,709		6,789	820	2,608	—	7,176	1
Rate per hundred Marriages—Decennial											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	...	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	...	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	...	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	...	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	...	4·78
				Un. Free Ch.*							
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	...	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	...	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	...	12·74
1931-1940	100·00	—		62·77		12·96	2·76	8·80	—	...	12·70
1941-1950	100·00	—		60·56		13·09	3·18	8·01	—	15·13	0·03
1951-1960	100·00	—		56·93		15·91	2·30	6·87	—	17·97	0·01
Rate per hundred Marriages—Annual											
1951	100·00	—		58·65		14·66	2·71	7·22	—	16·75	0·01
1952	100·00	—		57·52		14·66	2·48	7·19	—	18·12	0·02
1953	100·00	—		57·69		15·36	2·29	7·09	—	17·55	0·02
1954	100·00	—		56·71		15·31	2·35	6·94	—	18·68	0·01
1955	100·00	—		56·05		15·59	2·35	6·76	—	19·22	0·03
1956	100·00	—		56·67		16·46	2·16	6·79	—	17·90	0·02
1957	100·00	—		57·02		16·63	2·20	6·74	—	17·40	0·01
1958	100·00	—		56·13		16·76	2·11	6·78	—	18·21	0·01
1959	100·00	—		56·31		16·78	2·25	6·73	—	17·95	0·00
1960	100·00	—		56·63		16·93	2·04	6·50	—	17·89	0·00

*The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland".

†By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for 1941 onwards were registered by Decree of Declarator of the Court of Session.

Table 62. Ecclesiastical, Civil and Irregular Marriages in Scotland—1960.

	Total Marriages	Numbers							Percentage of Total Marriages						
		Ecclesiastical Marriages				Civil Marriages		*Irregular Marriages	Ecclesiastical Marriages				Civil Marriages		Irregular Marriages
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence	
SCOTLAND	40,103	23,247	8,337	1,238	104	6,926	250	1	58·0	20·8	3·1	0·3	17·3	0·6	0·0
Counties of Cities	16,786	7,694	4,378	433	51	4,072	158	—	45·8	26·1	2·6	0·3	24·3	0·9	—
Large Burghs	7,448	4,129	1,691	210	24	1,350	44	—	55·4	22·7	2·8	0·3	18·1	0·6	—
Counties (ex Counties of Cities and Large Burghs)	15,869	11,424	2,268	595	29	1,504	48	1	72·0	14·3	3·7	0·2	9·5	0·3	0·0
Counties (ex Counties of Cities and Large Burghs)															
Aberdeen	978	847	42	23	1	62	3	—	86·6	4·3	2·4	0·1	6·3	0·3	—
Angus	457	369	19	15	—	53	1	—	80·7	4·2	3·3	—	11·6	0·2	—
Argyll	343	276	24	9	2	32	—	—	80·5	7·0	2·6	0·6	9·3	—	—
Ayr	1,797	1,397	206	76	4	114	—	—	77·7	11·5	4·2	0·2	6·3	—	—
Banff	341	289	24	4	—	23	1	—	84·8	7·0	1·2	—	6·7	0·3	—
Berwick	142	125	2	4	1	9	1	—	88·0	1·4	2·8	0·7	6·3	0·7	—
Bute	93	78	5	4	—	6	—	—	83·9	5·4	4·3	—	6·5	—	—
Caithness	183	159	3	3	—	17	1	—	86·9	1·6	1·6	—	9·3	0·5	—
Clackmannan	310	214	47	8	—	41	—	—	69·0	15·2	2·6	—	13·2	—	—
Dumfries	630	316	10	14	2	272	15	1	50·2	1·6	2·2	0·3	43·2	2·4	0·2
Dunbarton	664	399	196	23	1	45	—	—	60·1	29·5	3·5	0·2	6·8	—	—
East Lothian	350	250	45	24	—	30	1	—	71·4	12·9	6·9	—	8·6	0·3	—
Fife	1,494	1,096	166	65	1	161	5	—	73·4	11·1	4·4	0·1	10·8	0·3	—
Inverness	171	104	46	9	—	12	—	—	60·8	26·9	5·3	—	7·0	—	—
Kincardine	146	131	2	3	1	7	2	—	89·7	1·4	2·1	0·7	4·8	1·4	—
Kinross	52	42	—	2	—	8	—	—	80·8	—	3·8	—	15·4	—	—
Kirkcudbright	176	154	5	4	—	13	—	—	87·5	2·8	2·3	—	7·4	—	—
Lanark	2,264	1,374	644	82	7	152	5	—	60·7	28·4	3·6	0·3	6·7	0·2	—
Midlothian	708	430	126	48	3	98	3	—	60·7	17·8	6·8	0·4	13·8	0·4	—
Moray	330	231	15	13	3	66	2	—	70·0	4·5	3·9	0·9	20·0	0·6	—
Nairn	55	47	2	3	—	3	—	—	85·5	3·6	5·5	—	5·5	—	—
Orkney	122	114	2	—	—	5	1	—	93·4	1·6	—	—	4·1	0·8	—
Peebles	76	59	4	5	—	7	1	—	77·6	5·3	6·6	—	9·2	1·3	—
Perth	470	393	25	17	—	35	—	—	83·6	5·3	3·6	—	7·4	—	—
Renfrew	891	558	234	45	1	53	—	—	62·6	26·3	5·1	0·1	5·9	—	—
Ross & Cromarty	252	186	46	7	1	12	—	—	73·8	18·3	2·8	0·4	4·8	—	—
Roxburgh	276	221	18	11	1	24	1	—	80·1	6·5	4·0	0·4	8·7	0·4	—
Selkirk	152	103	12	11	—	26	—	—	67·8	7·9	7·2	—	17·1	—	—
Stirling	885	660	171	27	—	27	—	—	74·6	19·3	3·1	—	3·1	—	—
Sutherland	56	52	—	1	—	3	—	—	92·9	—	1·8	—	5·4	—	—
West Lothian	667	455	117	30	—	60	5	—	68·2	17·5	4·5	—	9·0	0·7	—
Wigtown	219	181	10	3	—	25	—	—	82·6	4·6	1·4	—	11·4	—	—
Zetland	119	114	—	2	—	3	—	—	95·8	—	1·7	—	2·5	—	—
Counties of Cities															
Glasgow	9,603	4,122	3,148	209	37	1,995	92	—	42·9	32·8	2·2	0·4	20·8	1·0	—
Edinburgh	4,049	1,870	660	172	7	1,299	41	—	46·2	16·3	4·2	0·2	32·1	1·0	—
Aberdeen	1,688	1,064	178	31	3	404	8	—	63·0	10·5	1·8	0·2	23·9	0·5	—
Dundee	1,446	638	392	21	4	374	17	—	44·1	27·1	1·5	0·3	25·9	1·2	—
Large Burghs															
Paisley	751	437	200	16	2	96	—	—	58·2	26·6	2·1	0·3	12·8	—	—
Greenock	593	324	183	24	4	52	6	—	54·6	30·9	4·0	0·7	8·8	1·0	—
Motherwell and Wishaw	559	304	158	15	2	75	5	—	54·4	28·3	2·7	0·4	13·4	0·9	—
Kirkcaldy	461	268	37	6	—	140	10	—	58·1	8·0	1·3	—	30·4	2·2	—
Coatbridge	392	173	177	8	3	31	—	—	44·1	45·2	2·0	0·8	7·9	—	—
Dunfermline	410	191	52	19	3	141	4	—	46·6	12·7	4·6	0·7	34·4	1·0	—
Clydebank	331	159	115	5	—	52	—	—	48·0	34·7	1·5	—	15·7	—	—
Ayr	414	280	31	12	—	90	1	—	67·6	7·5	2·9	—	21·7	0·2	—
Kilmarnock	366	240	56	13	—	54	3	—	65·6	15·3	3·6	—	14·8	0·8	—
Perth	391	200	56	13	2	119	1	—	51·2	14·3	3·3	0·5	30·4	0·3	—
Hamilton	404	227	117	9	2	48	1	—	56·2	29·0	2·2	0·5	11·9	0·2	—
Falkirk	370	219	46	10	—	92	3	—	59·2	12·4	2·7	—	24·9	0·8	—
Airdrie	294	160	104	5	2	23	—	—	54·4	35·4	1·7	0·7	7·8	—	—
Inverness	409	250	57	18	—	80	4	—	61·1	13·9	4·4	—	19·6	1·0	—
Stirling	249	135	45	9	—	58	2	—	54·2	18·1	3·6	—	23·3	0·8	—
Dumfries	303	164	20	5	1	113	—	—	54·1	6·6	1·7	0·3	37·3	—	—
Rutherglen	226	149	51	9	1	16	—	—	65·9	22·6	4·0	0·4	7·1	—	—
Dumbarton	183	69	85	3	1	21	4	—	37·7	46·4	1·6	0·5	11·5	2·2	—
Port Glasgow	200	99	83	7	1	10	—	—	49·5	41·5	3·5	0·5	5·0	—	—
Arbroath	142	81	18	4	—	39	—	—	57·0	12·7	2·8	—	27·5	—	—

* Registered by Decree of Declarator.

Table 63. Marriages in Scotland according to Church of Celebration—1960

	Total Marriages	According to Forms of						Civil and Irregular	Percentage of Total Marriages						
		Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopal Church	Other Forms	Civil and Irregular
SCOTLAND	40,103	22,709	375	217	6,789	820	2,016	7,177	56·6	0·9	0·5	16·9	2·0	5·0	17·9
Counties of Cities	16,786	7,839	108	55	3,306	364	884	4,230	46·7	0·6	0·3	19·7	2·2	5·3	25·2
Large Burghs	7,448	3,767	65	57	1,522	174	469	1,394	50·6	0·9	0·8	20·4	2·3	6·3	18·7
Counties (ex Counties of Cities and Large Burghs)	15,869	11,103	202	105	1,961	282	663	1,553	70·0	1·3	0·7	12·4	1·8	4·2	9·8
Counties (ex Counties of Cities and Large Burghs)															
Aberdeen	978	821	1	—	11	23	57	65	83·9	0·1	—	1·1	2·4	5·8	6·6
Angus	457	363	2	—	9	21	8	54	79·4	0·4	—	2·0	4·6	1·8	11·8
Argyll	343	250	7	13	27	4	10	32	72·9	2·0	3·8	7·9	1·2	2·9	9·3
Ayr	1,797	1,359	46	1	185	12	80	114	75·6	2·6	0·1	10·3	0·7	4·5	6·3
Banff	341	248	1	—	23	12	33	24	72·7	0·3	—	6·7	3·5	9·7	7·0
Berwick	142	120	1	—	1	7	3	10	84·5	0·7	—	0·7	4·9	2·1	7·0
Bute	93	69	—	4	11	2	1	6	74·2	—	4·3	11·8	2·2	1·1	6·5
Caithness	183	144	—	7	4	1	9	18	78·7	—	3·8	2·2	0·5	4·9	9·8
Clackmannan	310	203	20	—	31	7	8	41	65·5	6·5	—	10·0	2·3	2·6	13·2
Dumfries	630	300	9	—	17	1	15	288	47·6	1·4	—	2·7	0·2	2·4	45·7
Dunbarton	664	404	7	—	178	14	16	45	60·8	1·1	—	26·8	2·1	2·4	6·8
East Lothian	350	263	—	—	41	8	7	31	75·1	—	—	11·7	2·3	2·0	8·9
Fife	1,494	1,093	23	3	143	28	38	166	73·2	1·5	0·2	9·6	1·9	2·5	11·1
Inverness	171	94	1	11	42	3	8	12	55·0	0·6	6·4	24·6	1·8	4·7	7·0
Kincardine	146	131	—	—	2	4	—	9	89·7	—	—	1·4	2·7	—	6·2
Kinross	52	43	1	—	—	—	—	8	82·7	1·9	—	—	—	—	15·4
Kirkcudbright	176	148	—	—	9	6	—	13	84·1	—	—	5·1	3·4	—	7·4
Lanark	2,264	1,336	30	—	590	22	129	157	59·0	1·3	—	26·1	1·0	5·7	6·9
Midlothian	708	459	3	—	93	18	34	101	64·8	0·4	—	13·1	2·5	4·8	14·3
Moray	330	231	2	1	14	7	7	68	70·0	0·6	0·3	4·2	2·1	2·1	20·6
Nairn	55	46	—	1	1	2	2	3	83·6	—	1·8	1·8	3·6	3·6	5·5
Orkney	122	103	2	—	3	—	8	6	84·4	1·6	—	2·5	—	6·6	4·9
Peebles	76	59	—	—	4	4	1	8	77·6	—	—	5·3	5·3	1·3	10·5
Perth	470	398	—	1	24	9	3	35	84·7	—	0·2	5·1	1·9	0·6	7·4
Renfrew	891	560	6	—	180	23	69	53	62·9	0·7	—	20·2	2·6	7·7	5·9
Ross and Cromarty	252	157	3	57	3	3	17	12	62·3	1·2	22·6	1·2	1·2	6·7	4·8
Roxburgh	276	199	—	—	19	18	15	25	72·1	—	—	6·9	6·5	5·4	9·1
Selkirk	152	104	—	—	10	8	4	26	68·4	—	—	6·6	5·3	2·6	17·1
Stirling	885	649	9	—	162	5	33	27	73·3	1·0	—	18·3	0·6	3·7	3·1
Sutherland	56	47	—	6	—	—	—	3	83·9	—	10·7	—	—	—	5·4
West Lothian	667	447	13	—	112	6	24	65	67·0	1·9	—	16·8	0·9	3·6	9·7
Wigtown	219	172	4	—	12	1	5	25	78·5	1·8	—	5·5	0·5	2·3	11·4
Zetland	119	83	11	—	—	3	19	3	69·7	9·2	—	—	2·5	16·0	2·5
Counties of Cities															
Glasgow	9,603	4,173	76	48	2,535	100	584	2,087	43·5	0·8	0·5	26·4	1·0	6·1	21·7
Edinburgh	4,049	2,002	21	5	382	135	164	1,340	49·4	0·5	0·1	9·4	3·3	4·1	33·1
Aberdeen	1,688	1,047	6	2	73	74	74	412	62·0	0·4	0·1	4·3	4·4	4·4	24·4
Dundee	1,446	617	5	—	316	55	62	391	42·7	0·3	—	21·9	3·8	4·3	27·0
Large Burghs															
Paisley	751	414	1	1	175	10	54	96	55·1	0·1	0·1	23·3	1·3	7·2	12·8
Greenock	593	256	3	4	215	14	43	58	43·2	0·5	0·7	36·3	2·4	7·3	9·8
Motherwell and Wishaw	559	294	5	—	126	10	44	80	52·6	0·9	—	22·5	1·8	7·9	14·3
Kirkcaldy	461	248	8	—	29	6	20	150	53·8	1·7	—	6·3	1·3	4·3	32·5
Coatbridge	392	161	10	—	170	1	19	31	41·1	2·6	—	43·4	0·3	4·8	7·9
Dunfermline	410	182	6	—	28	18	31	145	44·4	1·5	—	6·8	4·4	7·6	35·4
Clydebank	331	142	3	—	105	3	26	52	42·9	0·9	—	31·7	0·9	7·9	15·7
Ayr	414	244	3	—	37	17	22	91	58·9	0·7	—	8·9	4·1	5·3	22·0
Kilmarnock	366	243	1	—	50	5	10	57	66·4	0·3	—	13·7	1·4	2·7	15·6
Perth	391	194	3	2	45	12	15	120	49·6	0·8	0·5	11·5	3·1	3·8	30·7
Hamilton	404	224	—	—	117	1	13	49	55·4	—	—	29·0	0·2	3·2	12·1
Falkirk	370	206	2	—	30	10	27	95	55·7	0·5	—	8·1	2·7	7·3	25·7
Airdrie	294	113	6	—	89	3	60	23	38·4	2·0	—	30·3	1·0	20·4	7·8
Inverness	409	205	2	48	28	7	35	84	50·1	0·5	11·7	6·8	1·7	8·6	20·5
Stirling	249	135	7	—	30	8	9	60	54·2	2·8	—	12·0	3·2	3·6	24·1
Dumfries	303	143	2	—	29	13	3	113	47·2	0·7	—	9·6	4·3	1·0	37·3
Rutherglen	226	158	—	—	45	1	6	16	69·9	—	—	19·9	0·4	2·7	7·1
Dumbarton	183	54	—	2	73	18	11	25	29·5	—	1·1	39·9	9·8	6·0	13·7
Port Glasgow	200	73	—	—	95	9	13	10	36·5	—	—	47·5	4·5	6·5	5·0
Arbroath	142	78	3	—	6	8	8	39	54·9	2·1	—	4·2	5·6	5·6	27·5

Table 64. Ages of Men at Marriage in Scotland—1960

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND	**40,103**	**27·2**	**36**	**242**	**734**	**1,668**	**2,820**	**15,967**	**10492**	**3, 434**	**1,663**	**822**	**646**	**545**	**433**	**249**	**184**	**116**	**48**	**3**	**1**
Counties of Cities	**16,786**	**27·6**	**15**	**117**	**330**	**718**	**1,184**	**6,432**	**4,306**	**1,460**	**737**	**379**	**323**	**241**	**218**	**132**	**112**	**51**	**30**	**1**	–
Large Burghs	**7,448**	**26·9**	**8**	**40**	**155**	**354**	**594**	**3,008**	**1,867**	**609**	**268**	**148**	**112**	**108**	**80**	**39**	**27**	**25**	**5**	**1**	–
Counties (ex Counties of Cities and Large Burghs)	**15,869**	**26·9**	**13**	**85**	**249**	**596**	**1,042**	**6,527**	**4,319**	**1,365**	**658**	**295**	**211**	**196**	**135**	**78**	**45**	**40**	**13**	**1**	**1**
Counties (ex Counties of Cities and Large Burghs)																					
Aberdeen	978	26·5	–	6	11	30	61	417	288	88	30	12	14	8	2	2	3	4	2	–	–
Angus	457	27·0	–	–	6	17	23	187	138	37	19	12	6	7	4	–	–	1	–	–	–
Argyll	343	29·6	–	–	1	6	15	96	112	52	29	10	4	7	5	2	3	1	–	–	–
Ayr	1,797	26·9	2	5	26	66	132	765	465	152	71	23	21	19	30	6	6	4	3	1	–
Banff	341	27·1	–	1	3	8	19	132	112	33	11	8	5	4	2	3	–	–	–	–	–
Berwick	142	28·0	–	–	2	1	6	53	45	19	7	3	1	2	1	–	1	1	–	–	–
Bute	93	28·7	–	–	–	2	2	35	35	6	4	3	–	3	–	–	2	1	–	–	–
Caithness	183	29·1	–	2	2	7	5	69	48	16	9	7	7	2	6	1	1	1	–	–	–
Clackmannan	310	26·3	1	3	7	17	25	137	71	18	8	7	5	3	5	1	–	1	1	–	–
Dumfries	630	25·4	3	16	27	53	59	243	133	42	20	17	3	8	2	2	1	1	–	–	–
Dunbarton	664	27·6	–	3	11	18	33	274	179	65	35	14	5	13	4	3	3	2	1	–	1
East Lothian	350	26·6	1	3	5	10	26	149	101	20	12	9	2	5	5	1	–	1	–	–	–
Fife	1,494	26·0	2	9	25	66	117	700	354	90	49	27	15	14	5	13	3	5	–	–	–
Inverness	171	30·4	–	1	–	2	4	40	59	30	13	11	3	1	4	1	1	1	–	–	–
Kincardine	146	27·3	1	–	4	–	7	57	49	12	7	3	2	1	1	1	1	–	–	–	–
Kinross	52	26·6	–	2	1	1	3	19	14	6	2	2	1	–	1	–	–	–	–	–	–
Kirkcudbright	176	27·6	–	–	4	10	10	65	48	18	8	3	2	3	1	1	2	–	1	–	–
Lanark	2,264	26·5	1	11	33	80	169	1,009	575	176	81	34	20	30	15	12	8	8	2	–	–
Midlothian	708	25·8	2	5	20	33	61	312	165	51	22	11	13	3	6	1	1	1	1	–	–
Moray	330	26·6	–	1	3	26	28	123	89	24	14	5	6	6	4	1	–	–	–	–	–
Nairn	55	27·4	–	–	–	2	5	19	13	10	4	–	–	2	–	–	–	–	–	–	–
Orkney	122	28·3	–	1	–	1	6	46	38	13	7	2	4	1	1	2	–	–	–	–	–
Peebles	76	28·1	–	–	1	1	2	33	26	3	2	4	1	–	1	1	–	–	1	–	–
Perth	470	28·2	–	2	10	11	11	156	167	49	27	8	8	10	6	4	–	1	–	–	–
Renfrew	891	27·3	–	3	11	28	52	357	252	87	36	22	12	13	9	6	1	1	1	–	–

Ross and Cromarty	252	29·6	–	–	1	6	8	67	80	38	29	7	11	2	1	–	–	2	–	–	–
Roxburgh	276	26·6	–	1	3	12	12	108	92	25	10	2	7	2	1	1	–	–	–	–	–
Selkirk	152	28·6	–	2	3	4	6	57	38	20	9	1	1	6	1	2	2	–	–	–	–
Stirling	885	26·7	–	5	10	32	61	378	240	67	35	18	15	8	6	6	2	2	–	–	–
Sutherland	56	28·3	–	–	–	2	2	19	16	12	3	–	–	1	–	–	1	–	–	–	–
West Lothian	667	26·3	–	2	12	26	54	287	164	62	31	6	8	7	4	2	1	1	–	–	–
Wigtown	219	27·2	–	1	7	13	15	77	67	13	8	4	6	2	2	2	2	–	–	–	–
Zetland	119	28·0	–	–	–	5	3	41	45	11	6	–	3	3	–	2	–	–	–	–	–
Counties of Cities																					
Glasgow	9,603	27·5	9	62	185	448	671	3,666	2,494	845	417	218	171	135	119	71	52	22	18	–	–
Edinburgh	4,049	28·2	5	29	66	141	274	1,531	1,034	362	201	87	99	59	67	39	33	14	7	1	–
Aberdeen	1,688	27·3	–	17	36	66	123	678	438	138	52	41	30	29	9	9	12	7	3	–	–
Dundee	1,446	27·7	1	9	43	63	116	557	340	115	67	33	23	18	23	13	15	8	2	–	–
Large Burghs																					
Paisley	751	27·2	1	4	14	30	59	316	183	56	30	14	6	16	9	6	4	2	–	1	–
Greenock	593	26·4	1	–	18	35	63	239	143	33	19	13	7	10	4	1	4	2	1	–	–
Motherwell & Wishaw	559	26·3	–	–	12	27	45	243	138	43	19	13	6	3	2	6	2	–	–	–	–
Kirkcaldy	461	26·5	1	2	13	28	42	190	104	33	19	2	9	8	4	2	1	2	1	–	–
Coatbridge	392	26·2	–	4	6	17	31	157	99	48	16	8	1	1	1	1	–	2	–	–	–
Dunfermline	410	26·4	–	2	10	23	39	179	83	33	14	7	5	6	5	–	2	2	–	–	–
Clydebank	331	26·9	–	2	9	15	14	139	88	27	12	6	10	–	5	2	1	1	–	–	–
Ayr	414	28·5	1	3	8	13	28	142	110	44	19	11	8	13	8	2	2	1	1	–	–
Kilmarnock	366	27·2	–	1	7	18	28	155	92	20	14	7	3	8	4	4	2	3	–	–	–
Perth	391	27·7	–	1	9	17	28	143	102	41	14	8	13	3	6	3	–	2	1	–	–
Hamilton	404	26·9	–	4	6	19	28	167	111	28	9	6	10	7	5	2	1	–	1	–	–
Falkirk	370	27·0	1	5	7	19	26	149	91	27	16	7	6	5	6	2	2	1	–	–	–
Airdrie	294	26·0	1	2	4	18	24	132	73	17	7	3	1	6	3	2	–	1	–	–	–
Inverness	409	28·2	–	4	9	9	25	121	127	58	22	11	7	9	5	–	1	1	–	–	–
Stirling	249	28·1	2	–	6	10	18	93	65	18	12	5	6	3	3	1	4	3	–	–	–
Dumfries	303	26·7	–	–	8	20	30	108	88	20	4	6	9	3	4	–	1	2	–	–	–
Rutherglen	226	27·0	–	2	1	9	13	100	52	28	6	6	–	4	3	2	–	–	–	–	–
Dumbarton	183	25·8	–	3	2	6	18	78	43	17	7	5	3	–	1	–	–	–	–	–	–
Port Glasgow	200	24·9	–	1	3	16	22	89	47	12	2	4	1	2	–	1	–	–	–	–	–
Arbroath	142	26·8	–	–	3	5	13	68	28	6	7	6	1	1	2	2	–	–	–	–	–

Table 65. Ages of Women at Marriage in Scotland—1960

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND	**40103**	**24·6**	**621**	**1581**	**2953**	**4168**	**4872**	**14724**	**5784**	**2034**	**1156**	**694**	**576**	**367**	**251**	**168**	**97**	**42**	**15**	–	–
Counties of Cities	**16786**	**25·1**	**261**	**653**	**1233**	**1666**	**1942**	**5939**	**2447**	**927**	**569**	**356**	**294**	**191**	**142**	**85**	**53**	**19**	**9**	–	–
Large Burghs	**7448**	**24·3**	**132**	**325**	**586**	**783**	**937**	**2689**	**1031**	**387**	**215**	**113**	**95**	**56**	**45**	**33**	**14**	**6**	**1**	–	–
Counties (ex Counties of Cities and Large Burghs)	**15869**	**24·1**	**228**	**603**	**1134**	**1719**	**1993**	**6096**	**2306**	**720**	**372**	**225**	**187**	**120**	**64**	**50**	**30**	**17**	**5**	–	–
Counties (ex Counties of Cities and Large Burghs)																					
Aberdeen	978	23·7	12	39	83	105	132	370	134	53	17	14	6	3	1	6	1	2	–	–	–
Angus	457	24·2	5	14	29	52	53	173	75	23	12	12	5	2	1	1	–	–	–	–	–
Argyll	343	25·3	2	12	14	24	39	141	59	27	5	7	3	7	–	1	–	2	–	–	–
Ayr	1797	24·3	20	66	115	178	236	714	266	77	38	28	22	13	10	4	6	3	1	–	–
Banff	341	24·1	9	8	24	36	38	137	47	19	9	1	7	5	–	1	–	–	–	–	–
Berwick	142	24·6	1	3	7	14	18	57	26	5	5	1	1	2	2	–	–	–	–	–	–
Bute	93	25·6	1	2	7	7	7	37	19	3	2	3	1	2	1	–	–	1	–	–	–
Caithness	183	25·5	2	5	20	12	17	72	23	10	10	5	1	3	–	1	1	–	1	–	–
Clackmannan	310	23·8	10	16	27	31	49	114	26	11	8	5	7	4	–	1	1	–	–	–	–
Dumfries	630	22·3	45	82	79	96	72	133	68	26	12	4	4	3	2	1	3	–	–	–	–
Dunbarton	664	24·9	8	18	53	55	74	261	108	32	14	17	11	4	–	1	4	3	1	–	–
East Lothian	350	24·1	6	12	30	38	44	136	47	12	4	6	7	5	1	2	–	–	–	–	–
Fife	1494	23·5	19	60	110	200	208	580	175	59	23	25	16	7	8	1	2	–	1	–	–
Inverness	171	25·8	–	5	9	16	13	64	35	14	5	1	2	4	2	1	–	–	–	–	–
Kincardine	146	24·4	1	6	11	8	15	67	21	8	2	2	1	1	2	1	–	–	–	–	–
Kinross	52	24·0	–	2	3	9	5	19	10	–	2	–	1	1	–	–	–	–	–	–	–
Kirkcudbright	176	24·1	6	7	18	19	18	66	20	9	3	3	5	–	–	1	1	–	–	–	–
Lanark	2,264	24·2	22	76	123	235	277	959	333	96	55	24	20	16	11	11	3	3	–	–	–
Midlothian	708	23·3	11	23	67	107	102	249	87	20	17	6	12	2	2	2	–	1	–	–	–
Moray	330	23·9	5	17	34	55	37	94	42	18	13	4	7	3	–	–	1	–	–	–	–
Nairn	55	23·8	2	–	4	4	5	23	13	2	1	–	1	–	–	–	–	–	–	–	–
Orkney	122	24·5	5	5	16	12	16	34	15	7	4	2	3	1	–	–	2	–	–	–	–
Peebles	76	24·4	2	2	12	8	8	22	8	4	2	1	1	–	–	–	–	–	–	–	–

Perth	470	24·7	3	21	32	41	42	180	93	21	16	3	6	6	5	1	–	–	–	–	–
Renfrew	891	24·6	9	22	55	69	108	353	170	44	22	12	9	6	5	5	2	–	–	–	–
Ross and Cromarty	252	24·8	3	13	15	24	21	87	52	19	8	6	2	–	–	2	–	–	–	–	–
Roxburgh	276	23·9	2	2	16	27	46	120	35	10	7	6	–	5	–	–	–	–	–	–	–
Selkirk	152	25·2	2	6	7	14	20	56	26	8	2	1	4	5	–	–	1	–	–	–	–
Stirling	885	23·9	5	26	60	96	141	348	111	38	22	17	9	3	6	2	1	–	–	–	–
Sutherland	56	24·5	–	–	6	7	8	19	10	1	3	–	1	–	–	–	–	–	1	–	–
West Lothian	667	24·0	5	13	39	82	96	269	91	29	18	8	7	2	4	2	1	1	–	–	–
Wigtown	219	24·0	7	13	15	27	14	80	37	11	7	2	2	2	1	1	–	–	–	–	–
Zetland	119	24·9	–	6	3	6	14	51	26	4	3	–	3	3	–	–	–	–	–	–	–
Counties of Cities																					
Glasgow	9,603	25·0	146	362	684	934	1,099	3,481	1,429	540	319	196	148	96	79	51	27	6	6	–	–
Edinburgh	4,049	25·4	65	153	304	406	480	1,347	586	232	153	97	92	58	35	16	18	6	1	–	–
Aberdeen	1,688	24·7	23	79	128	160	193	631	247	77	44	29	34	16	16	4	5	2	–	–	–
Dundee	1,446	25·3	27	59	117	166	170	480	185	78	53	34	20	21	12	14	3	5	2	–	–
Large Burghs																					
Paisley	751	24·6	10	33	55	92	98	258	98	39	20	14	14	7	3	7	2	1	–	–	–
Greenock	593	24·2	6	23	48	67	93	204	79	24	20	10	8	4	1	4	1	1	–	–	–
Motherwell & Wishaw	559	24·1	9	18	35	60	61	229	85	29	12	4	6	7	2	1	–	1	–	–	–
Kirkcaldy	461	24·2	11	24	40	46	61	161	61	22	8	5	11	3	3	3	2	–	–	–	–
Coatbridge	392	23·8	5	10	21	31	60	155	71	23	11	–	3	–	–	1	–	1	–	–	–
Dunfermline	410	24·1	7	26	41	49	67	111	54	19	17	4	1	6	3	3	2	–	–	–	–
Clydebank	331	24·1	4	16	21	35	44	131	34	20	11	6	5	2	–	1	1	–	–	–	–
Ayr	414	24·9	10	21	34	44	42	137	58	26	18	8	6	3	4	2	–	1	–	–	–
Kilmarnock	366	24·8	4	14	21	34	51	141	49	20	9	6	7	4	3	1	2	–	–	–	–
Perth	391	24·6	10	20	29	43	47	130	54	24	9	7	9	4	3	1	–	–	1	–	–
Hamilton	404	24·6	9	10	29	43	44	161	59	18	9	7	5	2	6	1	1	–	–	–	–
Falkirk	370	24·2	8	17	29	28	38	167	43	13	8	8	2	2	4	3	–	–	–	–	–
Airdrie	294	23·8	6	13	17	27	37	125	43	9	2	6	4	3	2	–	–	–	–	–	–
Inverness	409	25·2	4	13	31	31	31	151	78	34	17	7	6	1	4	–	1	–	–	–	–
Stirling	249	25·3	8	11	22	31	20	79	35	16	9	5	3	5	–	3	2	–	–	–	–
Dumfries	303	22·9	13	28	44	42	41	75	27	11	9	6	1	1	3	1	–	1	–	–	–
Rutherglen	226	24·8	1	6	18	22	25	83	37	16	8	3	3	1	2	1	–	–	–	–	–
Dumbarton	183	23·6	3	7	17	18	27	61	29	10	7	2	1	–	1	–	–	–	–	–	–
Port Glasgow	200	22·8	3	11	20	24	31	74	23	7	3	3	–	–	1	–	–	–	–	–	–
Arbroath	142	23·7	1	4	14	16	19	56	14	7	8	2	–	1	–	–	–	–	–	–	–

Table 66. Ages and Conditions of Persons Married in the year 1960—Scotland
Men

Age last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced Men who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	**40,103**	**37,325**	**1,619**	**1,159**	**36,143**	**450**	**732**	**801**	**641**	**177**	**767**	**140**	**252**
16	36	36	—	—	36	—	—	—	—	—	—	—	—
17	242	242	—	—	241	—	1	—	—	—	—	—	—
18	734	734	—	—	733	—	1	—	—	—	—	—	—
19	1,668	1,668	—	—	1,664	—	4	—	—	—	—	—	—
20	2,820	2,820	—	—	2,806	2	12	—	—	—	—	—	—
Under 21	**5,500**	**5,500**	—	—	**5,480**	**2**	**18**	—	—	—	—	—	—
21	3,787	3,785	1	1	3,769	6	10	1	—	—	—	—	1
22	4,185	4,176	—	9	4,148	5	23	—	—	—	8	—	1
23	4,206	4,191	1	14	4,148	10	33	1	—	—	14	—	—
24	3,789	3,761	4	24	3,711	10	40	3	1	—	19	—	5
21–24	**15,967**	**15,913**	**6**	**48**	**15,776**	**31**	**106**	**5**	**1**	—	**41**	—	**7**
25	3,294	3,263	2	29	3,213	8	42	2	—	—	24	1	4
26	2,530	2,491	7	32	2,447	12	32	6	1	—	27	—	5
27	1,964	1,926	6	32	1,885	8	33	6	—	—	28	—	4
28	1,482	1,427	10	45	1,386	8	33	9	—	1	42	1	2
29	1,222	1,157	15	50	1,118	10	29	13	1	1	38	4	8
25–29	**10,492**	**10,264**	**40**	**188**	**10,049**	**46**	**169**	**36**	**2**	**2**	**159**	**6**	**23**
30	941	879	14	48	841	10	28	11	1	2	43	1	4
31	789	722	14	53	667	14	41	11	3	—	40	3	10
32	642	588	14	40	540	13	35	11	1	2	29	2	9
33	583	516	13	54	462	20	34	8	2	3	41	3	10
34	479	402	21	56	356	12	34	17	2	2	40	6	10
30–34	**3,434**	**3,107**	**76**	**251**	**2,866**	**69**	**172**	**58**	**9**	**9**	**193**	**15**	**43**
35	392	335	14	43	292	19	24	10	4	—	29	1	13
36	353	290	19	44	247	16	27	16	2	1	29	6	9
37	301	229	31	41	184	17	28	23	—	8	29	3	9
38	317	235	33	49	193	16	26	24	7	2	40	3	6
39	300	217	28	55	178	14	25	19	6	3	31	8	16
35–39	**1,663**	**1,306**	**125**	**232**	**1,094**	**82**	**130**	**92**	**19**	**14**	**158**	**21**	**53**
40	235	152	41	42	122	14	16	27	8	6	24	7	11
41	145	109	16	20	90	9	10	13	3	—	14	4	2
42	161	113	23	25	80	13	20	17	4	2	11	6	8
43	145	90	20	35	72	6	12	10	7	3	17	8	10
44	136	79	35	22	56	15	8	22	6	7	10	5	7
40–44	**822**	**543**	**135**	**144**	**420**	**57**	**66**	**89**	**28**	**18**	**76**	**30**	**38**
45	137	78	30	29	59	10	9	14	8	8	16	5	8
46	134	72	37	25	41	16	15	17	12	8	9	3	13
47	145	85	36	24	67	14	4	17	14	5	12	9	3
48	120	57	35	28	36	15	6	15	13	7	15	7	6
49	110	47	43	20	35	10	2	21	16	6	10	3	7
45–49	**646**	**339**	**181**	**126**	**238**	**65**	**36**	**84**	**63**	**34**	**62**	**27**	**37**

51	108	43	48	17	32	8	3	24	18	6	7	3	7
52	104	31	53	20	20	9	2	25	20	8	8	5	7
53	110	30	63	17	18	10	2	27	32	4	5	5	7
54	96	30	43	23	18	9	3	19	20	4	9	7	7
50–54	**545**	**193**	**256**	**96**	**128**	**44**	**21**	**119**	**111**	**26**	**41**	**23**	**32**
55	91	18	60	13	10	7	1	27	25	8	6	1	6
56	103	27	61	15	16	8	3	24	30	7	7	5	3
57	88	16	64	8	12	4	—	26	29	9	5	—	3
58	80	13	61	6	8	4	1	21	29	11	1	2	3
59	71	14	51	6	10	2	2	25	21	5	3	3	—
55–59	**433**	**88**	**297**	**48**	**56**	**25**	**7**	**123**	**134**	**40**	**22**	**11**	**15**
60	55	7	41	7	3	3	1	12	24	5	3	2	2
61	41	10	29	2	6	3	1	11	14	4	1	1	—
62	51	10	37	4	5	5	—	11	21	5	3	1	—
63	53	4	47	2	1	3	—	25	19	3	1	1	—
64	49	9	40	—	3	5	1	17	22	1	—	—	—
60–64	**249**	**40**	**194**	**15**	**18**	**19**	**3**	**76**	**100**	**18**	**8**	**5**	**2**
65	53	7	43	3	1	4	2	15	26	2	2	1	—
66	28	4	22	2	4	—	—	6	13	3	2	—	—
67	38	4	32	2	3	1	—	16	15	1	2	—	—
68	32	4	28	—	3	—	1	10	17	1	—	—	—
69	33	3	28	2	3	—	—	14	14	—	1	—	1
65–69	**184**	**22**	**153**	**9**	**14**	**5**	**3**	**61**	**85**	**7**	**7**	**1**	**1**
70	28	2	26	—	—	2	—	12	13	1	—	—	—
71	23	1	20	2	1	—	—	2	15	3	—	1	1
72	26	—	26	—	—	—	—	13	13	—	—	—	—
73	21	1	20	—	1	—	—	7	12	1	—	—	—
74	18	—	18	—	—	—	—	8	9	1	—	—	—
70–74	**116**	**4**	**110**	**2**	**2**	**2**	—	**42**	**62**	**6**	—	**1**	**1**
75	15	2	13	—	—	1	1	4	8	1	—	—	—
76	16	3	13	—	2	1	—	5	8	—	—	—	—
77	11	1	10	—	—	1	—	4	4	2	—	—	—
78	1	—	1	—	—	—	—	—	1	—	—	—	—
79	5	—	5	—	—	—	—	3	2	—	—	—	—
75–79	**48**	**6**	**42**	—	**2**	**3**	**1**	**16**	**23**	**3**	—	—	—
80	1	—	1	—	—	—	—	—	1	—	—	—	—
81	1	—	1	—	—	—	—	—	1	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	1	—	1	—	—	—	—	—	1	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	1	—	1	—	—	—	—	—	1	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	**4**	—	**4**	—	—	—	—	—	**4**	—	—	—	—
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 67. Ages and Conditions of Persons Married in the Year 1960—Scotland
Women

Age last Birthday	Total Women	Total Spinsters	Total Widows	Total Divorced Women	Spinsters who Married			Widows who Married			Divorced Women who Married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	**40,103**	**37,711**	**1,231**	**1,161**	**36,143**	**801**	**767**	**450**	**641**	**140**	**732**	**177**	**252**
16	621	621	—	—	615	1	5	—	—	—	—	—	—
17	1,581	1,581	—	—	1,570	2	9	—	—	—	—	—	—
18	2,953	2,953	—	—	2,928	14	11	—	—	—	—	—	—
19	4,168	4,163	2	3	4,127	9	27	2	—	—	3	—	—
20	4,872	4,868	—	4	4,832	12	24	—	—	—	4	—	—
Under 21	**14,195**	**14,186**	**2**	**7**	**14,072**	**38**	**76**	**2**	**—**	**—**	**7**	**—**	**—**
21	4,789	4,768	4	17	4,703	14	51	4	—	—	14	—	3
22	4,204	4,178	7	19	4,109	16	53	7	—	—	17	1	1
23	3,339	3,310	5	24	3,258	13	39	3	1	1	23	—	1
24	2,392	2,344	5	43	2,288	11	45	3	1	1	36	—	7
21–24	**14,724**	**14,600**	**21**	**103**	**14,358**	**54**	**188**	**17**	**2**	**2**	**90**	**1**	**12**
25	1,852	1,803	10	39	1,760	10	33	10	—	—	32	—	7
26	1,403	1,335	12	56	1,284	13	38	9	1	2	44	4	8
27	1,047	992	10	45	942	15	35	10	—	—	32	1	12
28	763	705	12	46	653	21	31	10	—	2	41	—	5
29	719	647	17	55	584	22	41	11	2	4	41	7	7
25–29	**5,784**	**5,482**	**61**	**241**	**5,223**	**81**	**178**	**50**	**3**	**8**	**190**	**12**	**39**
30	548	483	27	38	423	26	34	21	2	4	28	2	8
31	457	395	12	50	351	13	31	9	2	1	40	2	8
32	387	328	9	50	293	11	24	7	1	1	34	2	14
33	355	295	17	43	244	24	27	9	3	5	27	7	9
34	287	217	19	51	178	21	18	12	3	4	33	4	14
30–34	**2,034**	**1,718**	**84**	**232**	**1,489**	**95**	**134**	**58**	**11**	**15**	**162**	**17**	**53**
35	239	171	19	49	142	18	11	16	3	—	34	3	12
36	259	182	33	44	144	18	20	19	9	5	32	7	5
37	212	157	21	34	106	30	21	11	8	2	18	6	10
38	223	139	30	54	100	28	11	15	7	8	27	9	18
39	223	131	37	55	90	23	18	18	11	8	33	7	15
35–39	**1,156**	**780**	**140**	**236**	**582**	**117**	**81**	**79**	**38**	**23**	**144**	**32**	**60**
40	179	95	37	47	65	15	15	19	14	4	26	13	8
41	134	83	26	25	48	25	10	17	6	3	13	3	9
42	134	69	39	26	35	21	13	18	14	7	13	4	9
43	129	68	35	26	39	18	11	10	17	8	21	3	2
44	118	55	37	26	31	20	4	18	13	6	12	8	6
40–44	**694**	**370**	**174**	**150**	**218**	**99**	**53**	**82**	**64**	**28**	**85**	**31**	**34**
45	135	52	52	31	21	19	12	22	22	8	12	10	9
46	126	55	43	28	32	18	5	10	23	10	10	11	7
47	96	45	35	16	24	18	3	12	19	4	4	9	3
48	115	53	43	19	18	28	7	11	26	6	6	6	7
49	104	44	44	16	12	28	4	13	24	7	2	7	7

52	70	34	31	5	12	16	6	5	23	3	—	3	2
53	62	26	34	2	12	11	3	7	25	2	—	—	2
54	59	20	27	12	6	13	1	7	17	3	2	7	3
50–54	367	155	166	46	55	81	19	41	109	16	11	22	13
55	49	18	24	7	2	14	2	4	18	2	1	4	2
56	54	21	29	4	5	14	2	5	21	3	1	2	1
57	59	26	23	10	8	17	1	2	19	2	3	4	3
58	43	13	27	3	3	10	—	5	21	1	1	2	—
59	46	8	36	2	4	4	—	3	32	1	1	1	—
55–59	251	86	139	26	22	59	5	19	111	9	7	13	6
60	43	19	23	1	6	13	—	2	19	2	—	1	—
61	39	12	26	1	1	11	—	6	20	—	—	1	—
62	37	4	31	2	—	4	—	4	26	1	1	1	—
63	26	5	21	—	—	5	—	3	17	1	—	—	—
64	23	9	14	—	2	7	—	3	11	—	—	—	—
60–64	168	49	115	4	9	40	—	18	93	4	1	3	—
65	25	5	17	3	1	4	—	—	17	—	1	1	1
66	21	6	14	1	2	4	—	1	13	—	—	1	—
67	21	6	15	—	1	5	—	5	10	—	—	—	—
68	15	3	12	—	—	3	—	5	7	—	—	—	—
69	15	4	10	1	2	2	—	1	9	—	—	—	1
65–69	97	24	68	5	6	18	—	12	56	—	1	2	2
70	15	4	10	1	—	3	1	1	9	—	—	1	—
71	11	4	7	—	1	3	—	—	7	—	—	—	—
72	3	1	2	—	—	1	—	—	2	—	—	—	—
73	10	1	9	—	—	—	1	1	8	—	—	—	—
74	3	1	2	—	1	—	—	—	2	—	—	—	—
70–74	42	11	30	1	2	7	2	2	28	—	—	1	—
75	3	—	3	—	—	—	—	—	3	—	—	—	—
76	3	—	3	—	—	—	—	—	3	—	—	—	—
77	4	—	4	—	—	—	—	—	4	—	—	—	—
78	4	1	3	—	—	1	—	2	1	—	—	—	—
79	1	—	1	—	—	—	—	—	1	—	—	—	—
75–79	15	1	14	—	—	1	—	2	12	—	—	—	—
80	—	—	—	—	—	—	—	—	—	—	—	—	—
81	—	—	—	—	—	—	—	—	—	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	—	—	—	—	—	—	—	—	—	—	—	—	—
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 68. Ages in combination of Men and Women at Marriage in Scotland—1960

Ages of HUSBANDS	Ages of WIVES: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of HUSBANDS
16	9	15	6	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36	16
17	59	81	48	32	13	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	242	17
18	81	205	192	128	57	63	7	1	–	–	–	–	–	–	–	–	–	–	–	–	734	18
19	141	287	408	358	254	204	11	5	–	–	–	–	–	–	–	–	–	–	–	–	1,668	19
20	105	253	558	648	587	620	46	3	–	–	–	–	–	–	–	–	–	–	–	–	2,820	20
21–	181	584	1,356	2,267	2,808	7,565	1,117	80	7	2	–	–	–	–	–	–	–	–	–	–	15,967	21–
25–	32	128	330	623	1,001	5,092	2,729	462	73	16	5	–	1	–	–	–	–	–	–	–	10,492	25–
30–	10	18	38	80	119	927	1,233	709	229	56	12	3	–	–	–	–	–	–	–	–	3,434	30–
35–	1	9	11	20	23	187	444	442	356	122	35	9	3	1	–	–	–	–	–	–	1,663	35–
40–	1	1	3	2	3	35	133	181	210	150	73	25	3	2	–	–	–	–	–	–	822	40–
45–	–	–	1	2	3	17	48	94	144	146	129	44	12	6	–	–	–	–	–	–	646	45–
50–	1	–	1	3	1	1	9	36	79	111	160	92	36	11	4	–	–	–	–	–	545	50–
55–	–	–	–	1	1	3	4	11	43	65	103	97	79	17	7	–	2	–	–	–	433	55–
60–	–	–	–	–	1	–	3	4	4	17	39	61	62	40	14	4	–	–	–	–	249	60–
65–	–	–	1	–	–	–	–	5	10	3	12	23	31	49	33	15	2	–	–	–	184	65–
70–	–	–	–	–	–	–	–	–	1	4	7	7	18	34	23	18	4	–	–	–	116	70–
75–	–	–	–	–	–	–	–	1	–	2	1	6	6	6	16	5	5	–	–	–	48	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	3	80–
85 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	85 and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	621	1581	2,953	4,168	4,872	14,724	5,784	2,034	1,156	694	576	367	251	168	97	42	15	–	–	–	40,103	Ttl. Husbands and Wives

Average Age—Husbands, 27·2; Wives, 24·6.

The Table read *vertically* shows the numbers of *Wives* at each age, with the ages of their Husbands at Marriage. Thus, of 4,168 Wives aged 19, 4 Married Husbands aged 16, 32 Married Husbands, aged 17, etc.

Read *horizontally* the Table shows the numbers of *Husbands* at each age with the ages of their Wives at Marriage.

Table 69. Mean ages at marriage by conjugal conditions, 1855–1960—Scotland

Males

Period	All bride-grooms	All bachelors	All widowers	All divorced men	Bachelors		
					with spinsters	with widows	with divorced women
1855–60	28·8	27·0	42·5	...	26·8	32·6	...
1861–70	28·6	26·8	42·1	...	26·6	32·8	...
1871–80	28·5	26·6	41·7	...	26·4	32·7	...
1881–90	28·5	26·8	41·8	...	26·6	33·6	...
1891–1900	28·7	27·2	42·2	...	27·0	33·6	...
1901–10	28·9	27·5	43·2	...	27·4	34·0	...
1911–20	29·6	28·2	44·9	...	27·9	34·3	...
1921–30	29·4	28·1	46·2	...	27·8	36·2	...
*1931–40	29·4	28·2	47·2	38·9	28·0	37·7	34·1
1941–50	29·0	27·6	48·3	37·6	27·3	35·3	32·9
1951–60	27·9	26·4	52·2	38·5	26·0	39·3	33·2
1951	28·6	27·1	50·1	37·9	26·7	37·4	32·8
1952	28·7	27·1	50·5	37·9	26·7	38·6	32·9
1953	28·5	26·9	51·2	38·6	26·5	38·5	33·3
1954	28·3	26·7	51·6	38·6	26·3	39·1	33·3
1955	28·0	26·5	52·4	38·4	26·1	39·7	33·6
1956	27·7	26·3	52·5	38·8	26·0	38·9	33·3
1957	27·5	26·1	53·6	38·8	25·7	40·1	32·8
1958	27·4	25·9	53·7	38·9	25·6	40·4	33·5
1959	27·4	25·9	53·5	38·8	25·5	41·1	33·2
1960	27·2	25·7	53·9	38·6	25·3	41·1	33·3

Females

Period	All brides	All spinsters	All widows	All divorced women	Spinsters		
					with bachelors	with widowers	with divorced men
1855–60	*25·6*	*24·9*	*36·7*	...	*24·2*	*31·8*	...
1861–70	*25·6*	*24·9*	*37·1*	...	*24·2*	*32·0*	...
1871–80	*25·6*	*24·8*	*37·1*	...	*24·1*	*32·2*	...
1881–90	*25·7*	*24·9*	*38·0*	...	*24·2*	*32·3*	...
1891–1900	*25·9*	*25·2*	*38·4*	...	*24·6*	*32·6*	...
1901–10	*26·2*	*25·6*	*38·6*	...	*25·0*	*33·4*	...
1911–20	*26·7*	*26·0*	*37·7*	...	*25·4*	*34·5*	...
1921–30	*26·5*	*25·8*	*40·2*	...	*25·3*	*35·0*	...
*1931–40	*26·4*	*25·9*	*42·5*	*35·8*	*25·3*	*35·6*	*30·7*
1941–50	*26·0*	*25·2*	*40·0*	*33·7*	*24·6*	*37·0*	*30·5*
1951–60	*25·1*	*24·0*	*45·9*	*35·2*	*23·5*	*39·8*	*30·4*
1951	*25·7*	*24·7*	*43·3*	*33·8*	*24·1*	*37·8*	*30·2*
1952	*25·7*	*24·6*	*43·9*	*34·3*	*24·0*	*38·5*	*30·5*
1953	*25·6*	*24·5*	*44·8*	*34·9*	*23·8*	*39·4*	*30·5*
1954	*25·4*	*24·2*	*45·2*	*35·4*	*23·7*	*39·0*	*30·4*
1955	*25·2*	*24·1*	*45·5*	*35·4*	*23·5*	*40·6*	*30·3*
1956	*24·9*	*23·9*	*46·3*	*35·7*	*23·4*	*40·3*	*30·3*
1957	*24·8*	*23·8*	*47·0*	*35·4*	*23·2*	*41·7*	*30·5*
1958	*24·7*	*23·6*	*47·6*	*35·8*	*23·1*	*40·8*	*30·6*
1959	*24·7*	*23·6*	*47·9*	*35·9*	*23·0*	*40·8*	*30·1*
1960	*24·6*	*23·4*	*48·4*	*35·9*	*22·9*	*41·3*	*30·2*

* "Divorced" data relate to the period 1934–1940.

Table 69—*continued*

Males

Period	Widowers			Divorced men		
	with spinsters	with widows	with divorced women	with spinsters	with widows	with divorced women
1855–60	41·3	46·0	...	...	...	...
1861–70	40·8	45·8	...	...	...	...
1871–80	40·3	45·6	...	...	...	...
1881–90	40·3	45·8	...	...	...	...
1891–1900	40·5	46·7	...	...	...	...
1901–10	41·7	47·2	...	...	...	...
1911–20	43·4	48·0	...	...	...	...
1921–30	44·4	50·8	...	...	...	...
1931–40*	45·5	53·3	49·6	38·0	43·5	40·3
1941–50	46·4	53·9	47·5	37·3	41·7	39·4
1951–60	49·4	57·5	49·9	36·9	44·2	40·6
1951	47·5	56·2	48·2	36·9	42·8	38·9
1952	47·8	55·9	48·4	36·6	42·5	39·7
1953	48·6	56·8	48·7	37·1	44·3	40·5
1954	48·8	57·3	49·2	37·0	44·0	40·4
1955	50·3	57·5	48·8	36·9	43·6	40·7
1956	49·6	57·8	50·5	37·2	44·5	41·4
1957	51·5	58·4	49·7	37·1	45·1	40·8
1958	50·4	59·1	52·2	37·2	45·8	40·9
1959	50·7	58·0	51·6	36·8	46·0	41·3
1960	50·9	58·3	51·8	36·6	45·2	41·1

Females

Period	Widows			Divorced women		
	with bachelors	with widowers	with divorced men	with bachelors	with widowers	with divorced men
1855–60	*33·6*	*39·6*	...	...	...	...
1861–70	*33·6*	*40·1*	...	...	...	...
1871–80	*33·8*	*40·3*	...	...	...	...
1881–90	*34·6*	*41·1*	...	...	...	...
1891–1900	*34·6*	*42·0*	...	...	...	...
1901–10	*35·2*	*42·4*	...	...	...	...
1911–20	*34·2*	*42·7*	...	...	...	...
1921–30	*36·3*	*45·1*	...	...	...	...
1931–40*	*38·3*	*47·5*	*41·2*	*33·9*	*41·7*	*36·5*
1941–50	*35·1*	*48·2*	*39·2*	*32·5*	*40·1*	*35·9*
1951–60	*40·0*	*52·4*	*42·7*	*33·1*	*42·1*	*37·0*
1951	*37·8*	*50·8*	*40·9*	*32·4*	*39·8*	*35·4*
1952	*38·9*	*50·5*	*40·9*	*32·4*	*40·8*	*36·5*
1953	*39·1*	*51·5*	*42·4*	*32·9*	*41·3*	*37·2*
1954	*39·5*	*52·0*	*42·1*	*33·3*	*41·8*	*36·2*
1955	*40·2*	*51·8*	*41·1*	*33·5*	*41·2*	*36·9*
1956	*40·2*	*52·6*	*43·2*	*33·1*	*43·6*	*37·9*
1957	*41·0*	*53·0*	*44·4*	*32·8*	*42·2*	*37·1*
1958	*41·0*	*53·9*	*44·9*	*33·3*	*43·4*	*37·5*
1959	*42·0*	*53·5*	*44·8*	*33·6*	*43·9*	*37·2*
1960	*41·8*	*54·1*	*43·6*	*33·4*	*43·8*	*37·7*

NOTE:—Before 1934 divorced men were included with bachelors and divorced women with spinsters.

Table 70. Parliamentary Electors—Scotland.
Parliamentary Electors on the February 1961 Register

Parliamentary Constituencies	Parliamentary Electors					Votes Cast at By-Elections
	Total	Ordinary Residence Qualification		Service Voters' Qualification		
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5)*	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	*3,402,449*	*3,372,085*	*23,773*	*30,364*	*908*	*94,955*
County Constituencies	*1,807,783*	*1,791,912*	*13,584*	*15,871*	*474*	*33,616*
Burgh Constituencies	*1,594,666*	*1,580,173*	*10,189*	*14,493*	*434*	*61,339*
ABERDEENSHIRE						
County Constituencies	*90,461*	*89,438*	*558*	*1,023*	*33*	—
East Aberdeenshire	44,321	43,851	325	470	20	—
West Aberdeenshire	46,140	45,587	233	553	13	—
Burgh Constituencies	*124,107*	*122,824*	*922*	*1,283*	*56*	—
Aberdeen North	63,975	63,278	406	697	35	—
Aberdeen South	60,132	59,546	516	586	21	—
ANGUS AND KINCARDINE						
County Constituencies	*80,096*	*79,144*	*649*	*952*	*38*	—
North Angus and Mearns	35,753	35,295	264	458	22	—
South Angus	44,343	43,849	385	494	16	—
Burgh Constituencies	*121,615*	*120,267*	*1,133*	*1,348*	*43*	—
Dundee East	58,424	57,789	517	635	21	—
Dundee West	63,191	62,478	616	713	22	—
ARGYLL						
County Constituency						
Argyll	40,215	39,911	213	304	7	—
AYRSHIRE AND BUTE						
County Constituencies	*236,359*	*234,672*	*1,937*	*1,687*	*54*	—
Ayr	45,800	45,421	303	379	13	—
Bute and North Ayrshire	44,104	43,707	289	397	10	—
Central Ayrshire	48,599	48,252	438	347	11	—
Kilmarnock	49,327	49,065	410	262	5	—
South Ayrshire	48,529	48,227	497	302	15	—
BANFFSHIRE						
County Constituency						
Banff	31,689	31,312	176	377	10	—
BERWICKSHIRE AND EAST LOTHIAN						
County Constituency						
Berwick and East Lothian	50,380	49,913	378	467	18	—
CAITHNESS AND SUTHERLAND						
County Constituency						
Caithness and Sutherland	27,544	27,309	187	235	6	—
DUMFRIESSHIRE						
County Constituency						
Dumfries	57,262	56,687	495	575	14	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1960, but who becomes 21 on or before 15th June, 1961, and who is entitled to vote only at elections held after 1st October 1961.

Table 70. Parliamentary Electors—Scotland—*continued.*

(1)	(2)	(3)	(4)	(5)	(6)	(7)
DUNBARTONSHIRE						
County Constituencies	*116,999*	*116,169*	*737*	*830*	*21*	—
East Dunbartonshire	66,823	66,403	432	420	8	—
West Dunbartonshire	50,176	49,766	305	410	13	—
FIFE						
County Constituencies	*105,852*	*104,793*	*743*	*1,059*	*39*	—
East Fife	49,931	49,369	303	562	16	33,616
West Fife	55,921	55,424	440	497	23	—
Burgh Constituencies	*101,033*	*99,963*	*679*	*1,070*	*36*	—
Dunfermline Burghs	47,394	46,794	351	600	16	—
Kirkcaldy Burghs	53,639	53,169	328	470	20	—
INVERNESS-SHIRE AND ROSS AND CROMARTY						
County Constituencies	*98,112*	*97,234*	*607*	*878*	*15*	—
Inverness	49,152	48,647	361	505	7	—
Ross and Cromarty	24,431	24,179	110	252	6	—
Western Isles	24,529	24,408	136	121	2	—
KIRKCUDBRIGHT AND WIGTOWN						
County Constituency						
Galloway	35,844	35,428	290	416	16	—
LANARKSHIRE						
County Constituencies	*307,119*	*305,116*	*2,885*	*2,003*	*59*	—
Bothwell	56,131	55,796	556	335	5	—
Hamilton	52,160	51,773	566	387	18	—
Lanark	61,042	60,662	502	380	11	—
Motherwell	50,558	50,170	537	388	13	—
North Lanarkshire	44,774	44,504	413	270	9	—
Rutherglen	42,454	42,211	311	243	3	—
Burgh Constituencies	*744,939*	*739,351*	*4,496*	*5,588*	*162*	—
Coatbridge and Airdrie	54,108	53,771	528	337	17	—
Glasgow, Bridgeton	45,347	45,028	215	319	3	19,000
Cathcart	65,668	65,354	337	314	14	—
Central	33,551	33,268	148	283	8	—
Craigton	46,739	46,283	370	456	10	—
Gorbals	43,455	43,135	225	320	8	—
Govan	48,216	47,872	291	344	8	—
Hillhead	36,840	36,610	201	230	3	—
Kelvingrove	31,734	31,501	129	233	6	—
Maryhill	44,893	44,397	292	496	17	—
Pollok	52,907	52,514	248	393	17	—
Provan	56,083	55,703	294	380	18	—
Scotstoun	56,837	56,437	413	400	12	—
Shettleston	48,385	47,991	250	394	7	—
Springburn	37,251	36,894	305	357	9	—
Woodside	42,925	42,593	250	332	5	—
MIDLOTHIAN						
County Constituency						
Midlothian	59,558	58,973	417	585	33	—
Burgh Constituencies	*336,750*	*332,909*	*1,939*	*3,841*	*108*	—
Edinburgh, Central	40,102	39,647	256	455	8	—
East	55,337	54,606	292	731	30	—
Leith	38,855	38,493	201	362	10	—
North	40,889	40,407	269	482	14	—
Pentlands	53,807	53,158	338	649	15	—
South	49,130	48,633	286	497	14	—
West	58,630	57,965	297	665	17	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1960, but who becomes 21 on or before 15th June 1961, and who is entitled to vote only at elections held after 1st October 1961.

Table 70. Parliamentary Electors—Scotland—*continued*

(1)	(2)	(3)	(4)	(5)	(6)	(7)
MORAY AND NAIRNSHIRE						
County Constituency						
Moray and Nairn .	35,941	35,120	163	821	19	—
ORKNEY AND ZETLAND						
County Constituency						
Orkney and Zetland .	26,009	25,902	220	107	3	—
PERTHSHIRE AND KINROSS-SHIRE						
County Constituencies	*87,929*	*86,823*	*603*	*1,106*	*28*	—
Kinross and West Perthshire . . .	32,980	32,589	197	391	14	—
Perth and East Perthshire	54,949	54,234	406	715	14	—
RENFREWSHIRE						
County Constituencies .	*110,514*	*109,894*	*822*	*620*	*17*	—
East Renfrewshire .	62,078	61,786	485	292	9	—
West Renfrewshire .	48,436	48,108	337	328	8	—
Burgh Constituencies .	*109,789*	*108,931*	*689*	*858*	*18*	—
Greenock . . .	47,184	46,832	238	352	5	—
Paisley . . .	62,605	62,099	451	506	13	42,339
ROXBURGH, SELKIRK AND PEEBLES						
County Constituency						
Roxburgh, Selkirk and Peebles . . .	54,983	54,512	299	471	8	—
STIRLINGSHIRE AND CLACKMANNANSHIRE						
County Constituencies .	*96,006*	*95,272*	*749*	*734*	*16*	—
Clackmannan and East Stirlingshire . .	52,050	51,665	349	385	7	—
West Stirlingshire . .	43,956	43,607	400	349	9	—
Burgh Constituency						
Stirling and Falkirk Burghs	56,433	55,928	331	505	11	—
WEST LOTHIAN						
County Constituency						
West Lothian . .	58,911	58,290	456	621	20	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1960, but who becomes 21 on or before 15th June 1961, and who is entitled to vote only at elections held after 1st October 1961.

Table 71. Local Government Electors and Analysis of Local Elections on the 1961 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	**3,398,254**	**1,198**	**704**	**2,216,016**	**1,001,793**	**45·2**
Counties of Cities	**1,259,963**	**16**	**93**	**1,134,139**	**463,730**	**40·9**
Large Burghs	**564,804**	**43**	**115**	**433,325**	**189,751**	**43·8**
Small Burghs	**596,695**	**387**	**297**	**342,970**	**171,690**	**50·1**
Landward Areas	**976,792**	**752**	**199**	**305,582**	**176,622**	**57·8**
Districts	**971,528**	**1,129**	**172**	**202,007**	**110,290**	**54·6**
ABERDEEN COUNTY:						
County of City:						
Aberdeen	123,421	9	27	93,390	43,298	46·4
Small Burghs	**27,924**	**24**	**11**	**15,421**	**6,589**	**42·7**
Ballater	856	2	—	—	—	—
Ellon	1,063	3	—	—	—	—
Fraserburgh	6,861	—	7	6,861	3,313	48·3
Huntly	2,800	3	—	—	—	—
*Inverurie	3,698	3	—	—	—	—
Kintore	579	3	—	—	—	—
Oldmeldrum	783	3	—	—	—	—
Peterhead	8,560	—	4	8,560	3,276	38·3
Rosehearty	822	4	—	—	—	—
Turriff	1,902	3	—	—	—	—
Landward	**62,784**	**55**	**2**	**2,499**	**1,404**	**56·2**
Districts	**62,784**	**108**	**3**	**2,142**	**1,033**	**48·2**
Aberdeen	17,968	19	1	1,352	593	43·9
Alford	5,675	14	2	790	440	55·7
Deer	13,643	14	—	—	—	—
Deeside	5,415	15	—	—	—	—
Ellon	6,560	12	—	—	—	—
*Garioch	5,208	14	—	—	—	—
Huntly	3,392	9	—	—	—	—
Turriff	4,923	11	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	120,761	—	12	120,761	65,017	53·8
Large Burgh						
Arbroath	13,093	4	2	4,041	1,924	47·6
Small Burghs	**29,015**	**9**	**14**	**19,845**	**7,855**	**39·6**
Brechin	5,056	—	4	5,056	1,767	34·9
Carnoustie	4,000	3	—	—	—	—
Forfar	7,282	—	5	7,282	3,406	46·8
Kirriemuir	2,631	3	—	—	—	—
Monifieth	2,539	3	—	—	—	—
Montrose	7,507	—	5	7,507	2,682	35·7
Landward	**20,540**	**29**	**1**	**940**	**603**	**64·1**
Districts	**20,540**	**51**	**1**	**602**	**386**	**64·1**
Brechin	2,910	9	—	—	—	—
Carnoustie	2,946	6	—	—	—	—
Forfar	4,615	10	1	602	386	64·1
Kirriemuir	2,888	9	—	—	—	—
Monifieth	4,231	10	—	—	—	—
Montrose	2,950	7	—	—	—	—

*Denotes a change of boundary since the Census of 1961.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
ARGYLL COUNTY:						
Small Burghs	**17,049**	**11**	**11**	**6,676**	**3,332**	**49·9**
Campbeltown	4,444	—	6	4,444	2,069	46·6
Dunoon	6,569	3	1	1,891	1,038	54·9
Inveraray	341	—	4	341	225	66·0
Lochgilphead	873	2	—	—	—	—
Oban	4,346	3	—	—	—	—
Tobermory	476	3	—	—	—	—
Landward	**23,812**	**30**	**4**	**3,333**	**2,169**	**65·1**
Districts	**23,812**	**39**	**3**	**2,917**	**1,866**	**64·0**
Ardnamurchan	1,107	3	—	—	—	—
Cowal	5,181	4	1	1,075	683	63·5
Islay	2,667	2	1	1,216	749	61·6
Jura and Colonsay	310	5	—	—	—	—
Kintyre	3,608	5	—	—	—	—
Lorn North	2,634	4	—	—	—	—
Lorn South	2,822	3	1	626	434	69·3
Mid Argyll	3,368	3	—	—	—	—
Mull	1,206	3	—	—	—	—
Tiree and Coll	909	7	—	—	—	—
AYR COUNTY:						
Large Burghs	**61,908**	**5**	**22**	**46,528**	**20,998**	**45·1**
Ayr	30,425	3	15	25,564	11,811	46·2
Kilmarnock	31,483	2	7	20,964	9,187	43·8
Small Burghs	**80,032**	**21**	**34**	**52,872**	**27,987**	**52·9**
Ardrossan	5,974	3	—	—	—	—
Cumnock and Holmhead	3,489	3	—	—	—	—
Darvel	2,420	—	3	2,420	1,020	42·1
Galston	2,869	3	—	—	—	—
Girvan	4,186	—	4	4,186	2,074	49·5
Irvine	10,961	1	5	8,927	5,337	59·8
Kilwinning	4,643	—	3	4,643	2,236	48·2
Largs	6,451	—	3	6,451	3,137	48·6
Maybole	3,128	5	—	—	—	—
Newmilns and Greenholm	2,577	—	3	2,577	1,114	43·2
Prestwick	8,531	3	1	1,369	570	41·6
Saltcoats	9,176	—	3	9,176	5,195	56·6
Stevenston	6,500	—	3	6,500	3,451	53·1
Stewarton	2,306	—	4	2,306	1,139	49·4
Troon	6,821	3	2	4,317	2,714	62·9
Landward	**82,221**	**32**	**10**	**18,633**	**10,271**	**55·1**
Districts	**82,221**	**72**	**7**	**7,799**	**4,243**	**54·4**
Ayr	7,982	6	2	1,736	1,133	65·3
Cumnock	22,222	18	—	—	—	—
Dalmellington	8,516	8	—	—	—	—
Girvan	3,341	5	1	388	225	58·0
Irvine	5,768	4	1	944	626	66·3
Kilbirnie	14,722	10	2	2,891	1,703	58·9
*†Kilmarnock	10,986	11	—	—	—	—
Maybole	3,694	6	—	—	—	—
‡West Kilbride	4,990	4	1	1,840	556	30·2

*See note page 418.
†Since 1960, Newmilns D.C. has been suppressed and now forms part of Kilmarnock D.C.
‡Formerly named Saltcoats D.C.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
BANFF COUNTY:						
Small Burghs	**1,9457**	**35**	**4**	**5,503**	**1,614**	**29·3**
Aberchirder	495	3	—	—	—	—
*Aberlour	560	3	—	—	—	—
Banff	2,251	5	—	—	—	—
Buckie	5,503	—	4	5,503	1,614	29·3
Cullen	1,051	4	—	—	—	—
Dufftown	1,067	3	—	—	—	—
Findochty	991	3	—	—	—	—
Keith	2,931	4	—	—	—	—
Macduff	2,450	4	—	—	—	—
Portknockie	979	3	—	—	—	—
*Portsoy	1,179	3	—	—	—	—
Landward	**12,257**	**21**	—	—	—	—
Districts	**12,257**	**21**	**1**	**717**	**101**	**14·1**
Aberchirder	1,403	4	—	—	—	—
Banff	3,114	4	1	717	101	14·1
Buckie	1,645	2	—	—	—	—
*Cullen	1,226	2	—	—	—	—
*Dufftown	2,358	5	—	—	—	—
Keith	2,511	4	—	—	—	—
BERWICK COUNTY:						
Small Burghs	**4,311**	**8**	**3**	**456**	**206**	**45·2**
Coldstream	943	2	—	—	—	—
Duns	1,356	3	—	—	—	—
Eyemouth	1,556	3	—	—	—	—
Lauder	456	—	3	456	206	45·2
Landward	**11,810**	**22**	**3**	**959**	**607**	**63·3**
Districts	**11,810**	**16**	—	—	—	—
East	4,661	6	—	—	—	—
Middle	3,892	7	—	—	—	—
West	3,257	3	—	—	—	—
BUTE COUNTY:						
Small Burghs	**7,412**	**8**	**4**	**3,198**	**1,506**	**47·1**
Millport	1,677	—	3	1,677	765	45·6
Rothesay	5,735	8	1	1,521	741	48·7
Landward	**4,284**	**11**	—	—	—	—
Districts	**4,284**	**13**	—	—	—	—
Arran	2,660	6	—	—	—	—
Bute	1,585	4	—	—	—	—
Cumbrae	39	3	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	**9,787**	**6**	**3**	**3,185**	**1,439**	**45·2**
Thurso	4,829	4	—	—	—	—
Wick	4,958	2	3	3,185	1,439	45·2
Landward	**8,348**	**18**	**3**	**1,043**	**793**	**76·0**
Districts	**8,348**	**24**	—	—	—	—
Central	1,266	4	—	—	—	—
Eastern	2,137	5	—	—	—	—
Northern	1,144	4	—	—	—	—
Southern	1,714	5	—	—	—	—
Western	2,087	6	—	—	—	—

*See note page 418.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
CLACKMANNAN COUNTY:						
Small Burghs	**15,872**	**7**	**6**	**9,834**	**5,662**	**57·6**
Alloa	9,210	1	3	7,198	3,781	52·5
Alva	2,849	3	—	—	—	—
Dollar	1,177	3	—	—	—	—
Tillicoultry	2,636	—	3	2,636	1,881	71·4
Landward	**10,635**	**3**	**8**	**7,124**	**5,274**	**74·0**
Districts	**10,635**	**8**	**3**	**3,411**	**2,519**	**73·8**
Alloa	8,629	5	3	3,411	2,519	73·8
Hillfoots	2,006	3	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh						
Dumfries	17,966	6	3	5,455	2,696	49·4
Small Burghs	**11,217**	**14**	**9**	**5,281**	**1,863**	**35·3**
Annan	3,782	—	5	3,782	933	24·7
Langholm	1,661	3	—	—	—	—
Lochmaben	863	4	—	—	—	—
Lockerbie	2,016	4	—	—	—	—
Moffat	1,396	3	—	—	—	—
Sanquhar	1,499	—	4	1,499	930	62·0
Landward	**28,242**	**33**	**4**	**3,770**	**2,351**	**62·4**
Districts	**28,242**	**32**	**2**	**1,967**	**1,178**	**59·9**
Annan	3,747	5	—	—	—	—
*Dumfries	7,598	5	1	1,152	757	65·7
Gretna	3,594	4	—	—	—	—
Langholm	1,591	3	—	—	—	—
Lockerbie	2,727	4	—	—	—	—
Moffat	1,052	2	—	—	—	—
*Thornhill	4,556	6	—	—	—	—
†Upper Nithsdale	3,377	3	1	815	421	51·7
DUNBARTON COUNTY:						
Large Burghs	**47,980**	**1**	**12**	**43,102**	**22,440**	**52·1**
Clydebank	31,675	1	6	26,797	12,696	47·4
Dumbarton	16,305	—	6	16,305	9,744	59·8
Small Burghs	**35,775**	**12**	**8**	**19,446**	**11,727**	**60·3**
Bearsden	11,169	5	—	—	—	—
Cove and Kilcreggan	690	3	—	—	—	—
Helensburgh	6,590	4	1	2,120	994	46·9
Kirkintilloch	11,284	—	4	11,284	6,817	60·4
Milngavie	6,042	—	3	6,042	3,916	64·8
Landward	**32,844**	**11**	**17**	**21,268**	**14,448**	**67·9**
Districts	**32,844**	**22**	**15**	**14,135**	**9,914**	**70·1**
Cumbernauld	4,059	—	6	4,059	2,695	66·4
Helensburgh	4,535	6	2	479	389	81·2
Kirkintilloch	2,233	4	—	—	—	—
Old Kilpatrick	5,950	7	—	—	—	—
Vale of Leven	16,067	5	7	9,597	6,830	71·2

*See note page 418.
†Formerly named Sanquhar D.C.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
EAST LOTHIAN COUNTY:						
Small Burghs	**18,301**	**10**	**15**	**12,352**	**5,636**	**45·6**
Cockenzie and Port Seton	2,364	3	—	—	—	—
Dunbar	2,863	4	—	—	—	—
East Linton	722	3	—	—	—	—
Haddington	3,394	—	5	3,394	1,140	33·6
North Berwick	2,858	—	4	2,858	1,724	60·3
Prestonpans	1,964	—	3	1,964	945	48·1
Tranent	4,136	—	3	4,136	1,827	44·2
Landward	**16,462**	**23**	**3**	**1,737**	**1,087**	**62·6**
Districts	**16,462**	**24**	**1**	**784**	**424**	**54·1**
Dunbar	2,222	4	1	784	424	54·1
Haddington	2,731	6	—	—	—	—
North Berwick	3,338	5	—	—	—	—
Prestonpans	3,890	3	—	—	—	—
Tranent	4,281	6	—	—	—	—
FIFE COUNTY:						
Large Burghs	**64,314**	**7**	**12**	**38,021**	**15,395**	**40·5**
Dunfermline	30,332	7	1	4,039	1,258	31·1
Kirkcaldy	33,982	—	11	33,982	14,137	41·6
Small Burghs	**71,912**	**41**	**54**	**47,570**	**23,881**	**50·2**
Auchtermuchty	942	4	—	—	—	—
Buckhaven and Methil	13,740	2	2	9,789	4,378	44·7
Burntisland	4,251	—	7	4,251	2,806	66·0
Cowdenbeath	8,129	—	5	8,129	4,227	52·0
Crail	817	—	3	817	628	76·9
Culross	349	—	3	349	307	88·0
*Cupar	3,907	4	—	—	—	—
Elie and Earlsferry	779	4	—	—	—	—
Falkland	740	5	—	—	—	—
Inverkeithing	2,677	—	4	2,677	1,104	41·2
Kilrenny, Anstruther Easter and Anstruther Wester	2,078	—	5	2,078	660	31·8
Kinghorn	1,502	—	4	1,502	922	61·4
Ladybank	887	—	3	887	235	26·5
Leslie	2,354	3	—	—	—	—
Leven	6,234	—	9	6,234	4,275	68·6
Lochgelly	6,101	—	4	6,101	2,524	41·4
Markinch	1,706	3	—	—	—	—
Newburgh	1,664	—	3	1,664	695	41·8
Newport-on-Tay	2,448	3	—	—	—	—
Pittenweem	1,149	4	—	—	—	—
St. Andrews	6,203	2	2	3,092	1,120	36·2
St. Monance	1,044	4	—	—	—	—
Tayport	2,211	3	—	—	—	—
Landward	**70,265**	**26**	**20**	**31,916**	**17,135**	**53·7**
Districts	**70,265**	**65**	**21**	**24,354**	**11,521**	**47·3**
*Cupar	8,380	20	—	—	—	—
Dunfermline	16,229	9	4	5,330	3,195	59·9
*†Glenrothes	6,431	—	9	6,431	1,939	30·2
*†Kirkcaldy	5,357	7	1	1,443	829	57·4
Lochgelly	18,715	7	5	9,808	5,022	51·2
St. Andrews	7,313	13	2	1,342	536	39·9
Wemyss	7,840	9	—	—	—	—

*See note page 418.
†In 1960 Glenrothes D.C. and Kirkcaldy D.C. formed Kirkcaldy D.C.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
INVERNESS COUNTY:						
Large Burgh						
Inverness	19,675	4	3	6,697	2,547	38·0
Small Burghs	2,766	—	7	2,766	1,662	60·1
Fort William	1,960	—	3	1,960	1,152	58·8
Kingussie	806	—	4	806	510	63·3
Landward	35,073	50	10	5,386	3,057	56·8
Districts	35,073	51	3	2,653	1,098	41·4
Aird	4,783	9	—	—	—	—
Badenoch	4,025	9	—	—	—	—
Barra	1,472	—	2	1,472	655	44·5
Harris	2,775	2	—	—	—	—
Inverness	4,947	9	—	—	—	—
Lochaber	6,500	10	—	—	—	—
North Uist	1,360	2	—	—	—	—
Skye	6,489	7	1	1,181	443	37·5
South Uist	2,722	3	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	6,382	9	5	3,219	1,644	51·1
Banchory	1,396	3	—	—	—	—
Inverbervie	720	3	—	—	—	—
Laurencekirk	1,047	3	—	—	—	—
Stonehaven	3,219	—	5	3,219	1,644	51·1
Landward	10,987	19	2	1,544	747	48·4
Districts	10,987	20	—	—	—	—
Laurencekirk	2,583	5	—	—	—	—
Lower Deeside	1,994	3	—	—	—	—
St. Cyrus	2,241	3	—	—	—	—
Stonehaven	2,441	5	—	—	—	—
Upper Deeside	1,728	4	—	—	—	—
KINROSS COUNTY:						
Small Burgh						
Kinross	1,623	4	—	—	—	—
Landward	2,832	10	1	204	150	73·5
Districts—None						
KIRKCUDBRIGHT COUNTY:						
Small Burghs	6,792	19	—	—	—	—
Castle Douglas	2,267	3	—	—	—	—
*Dalbeattie	2,087	3	—	—	—	—
Gatehouse	598	2	—	—	—	—
Kirkcudbright	1,586	7	—	—	—	—
New Galloway	254	4	—	—	—	—
Landward	12,032	20	2	759	458	60·3
Districts	12,032	21	—	—	—	—
Castle Douglas	1,870	4	—	—	—	—
*Dalbeattie	2,379	3	—	—	—	—
Eastern	1,892	2	—	—	—	—
Glenkens	1,542	4	—	—	—	—
Kirkcudbright	2,317	4	—	—	—	—
†Western	2,032	4	—	—	—	—

*See note page 418.
†Formerly named Creetown D.C.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
LANARK COUNTY:						
County of City:						
Glasgow	692,247	—	38	692,247	278,462	40·2
Large Burghs	**144,743**	**4**	**31**	**135,292**	**61,310**	**45·3**
Airdrie	21,207	—	5	21,207	10,887	51·3
Coatbridge	32,560	1	7	29,958	14,530	48·5
Hamilton	26,505	—	5	26,505	9,417	35·5
Motherwell and Wishaw	46,989	2	9	42,506	19,430	45·7
*Rutherglen	17,482	1	5	15,116	7,046	46·6
Small Burghs	**6,584**	**6**	**4**	**1,061**	**468**	**44·1**
Biggar	1,061	—	4	1,061	468	44·1
Lanark	5,523	6	—	—	—	—
Landward	**208,034**	**27**	**32**	**120,738**	**68,835**	**57·0**
Districts	**208,034**	**54**	**32**	**87,738**	**49,394**	**56·3**
No. 1	4,933	10	1	1,450	1,169	80·6
*No. 2	9,494	6	3	3,082	2,175	70·6
*No. 3	13,978	8	2	2,853	2,031	71·2
No. 4	21,937	5	2	3,422	2,218	64·8
No. 5	29,286	4	10	22,741	11,938	52·5
No. 6	38,721	5	5	20,288	10,661	52·5
No. 7	22,013	5	2	5,820	3,405	58·5
*No. 8	24,930	5	2	7,332	3,655	49·8
No. 9	42,742	6	5	20,750	12,142	58·5
MIDLOTHIAN COUNTY:						
County of City:						
Edinburgh	323,534	7	16	227,741	76,953	33·8
Small Burghs	**29,555**	**1**	**16**	**29,011**	**16,667**	**57·5**
Bonnyrigg and Lasswade	4,294	1	2	3,750	2,234	59·6
Dalkeith	5,890	—	3	5,890	2,883	48·9
Loanhead	3,320	—	3	3,320	1,998	60·2
Musselburgh	12,168	—	5	12,168	7,551	62·1
Penicuik	3,883	—	3	3,883	2,001	51·5
Landward	**41,903**	**23**	**16**	**20,268**	**9,304**	**45·9**
Districts	**41,903**	**29**	**9**	**9,730**	**4,605**	**47·3**
Currie	5,752	3	1	986	398	40·4
East Calder	4,179	4	—	—	—	—
Gala Water	7,721	6	2	2,051	1,070	52·2
Lasswade	3,774	3	—	—	—	—
Musselburgh	4,980	4	—	—	—	—
Newbattle	7,009	4	2	2,397	1,111	46·3
Penicuik	3,933	2	2	1,955	853	43·6
West Calder	4,555	3	2	2,341	1,173	50·1
MORAY COUNTY:						
Small Burghs	**16,975**	**17**	**9**	**11,147**	**4,182**	**37·5**
Burghead	840	5	—	—	—	—
Elgin	7,768	—	5	7,768	2,816	36·3
Forres	3,188	7	—	—	—	—
Grantown-on-Spey	1,028	2	—	—	—	—
Lossiemouth and Branderburgh	3,379	—	4	3,379	1,366	40·4
Rothes	772	3	—	—	—	—
Landward	**13,191**	**21**	**1**	**840**	**592**	**70·5**

*See note page 418.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Moray County—*continued*						
Districts	**13,191**	**31**	—	—	—	—
Cromdale	691	3	—	—	—	—
Duffus and Drainie	1,933	5	—	—	—	—
Elgin	3,756	8	—	—	—	—
Fochabers	2,622	5	—	—	—	—
Forres	3,125	8	—	—	—	—
Rothes and Knockando	1,064	2	—	—	—	—
NAIRN COUNTY:						
Small Burgh						
Nairn	3,392	7	—	—	—	—
Landward	**2,432**	**9**	—	—	—	—
Districts—None						
ORKNEY COUNTY:						
Small Burghs	**3,946**	**4**	**4**	**1,076**	**521**	**48·4**
Kirkwall	2,870	4	—	—	—	—
Stromness	1,076	—	4	1,076	521	48·4
Landward	**9,242**	**19**	**2**	**749**	**474**	**63·3**
Districts	**9,242**	**41**	**24**	**1,633**	**587**	**35·9**
Eday	151	—	4	151	66	43·7
Hoy and Walls	535	10	—	—	—	—
Mainland	5,376	10	—	—	—	—
North Ronaldsay	126	4	—	—	—	—
Rousay	249	—	4	249	142	57·0
Sanday	489	—	8	489	266	54·4
Shapinsay	313	4	—	—	—	—
South Ronaldsay	903	7	—	—	—	—
Stronsay	356	6	—	—	—	—
Westray	744	—	8	744	113	15·2
PEEBLES COUNTY:						
Small Burghs	**5,743**	**4**	**3**	**1,675**	**566**	**33·8**
Innerleithen	1,675	—	3	1,675	566	33·8
Peebles	4,068	4	—	—	—	—
Landward	**4,203**	**15**	—	—	—	—
Districts	**4,203**	**11**	**2**	**936**	**322**	**34·4**
Broughton	768	4	—	—	—	—
Innerleithen	1,166	1	—	—	—	—
Linton	1,373	2	2	936	322	34·4
Peebles	896	4	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth	27,648	3	5	18,263	7,591	41·6
Small Burghs	**18,826**	**28**	**10**	**5,420**	**2,660**	**49·1**
Aberfeldy	1,059	3	—	—	—	—
Abernethy	459	3	—	—	—	—
Alyth	1,359	5	—	—	—	—
Auchterarder	1,678	4	—	—	—	—
Blairgowrie and Rattray	3,590	3	—	—	—	—
Callander	1,128	—	3	1,128	647	57·4
Coupar Angus	1,485	3	—	—	—	—
Crieff	3,733	—	4	3,733	1,752	46·9
Doune	559	—	3	559	261	46·7
Dunblane	2,161	4	—	—	—	—
Pitlochry	1,615	3	—	—	—	—

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Perth County—*continued*						
Landward	**36,863**	**41**	**5**	**4,349**	**2,533**	**58·2**
Districts	**36,863**	**45**	**2**	**2,042**	**1,279**	**62·6**
*Central	5,715	9	—	—	—	—
*Eastern	5,845	7	—	—	—	—
*Highland	5,240	10	—	—	—	—
Perth	14,474	14	—	—	—	—
*Western	5,589	5	2	2,042	1,279	62·6
RENFREW COUNTY:						
Large Burghs	**123,021**	**2**	**19**	**112,096**	**47,115**	**42·0**
Greenock	47,122	—	9	47,122	18,465	39·2
Paisley	62,521	1	7	54,405	21,424	39·4
Port Glasgow	13,378	1	3	10,569	7,226	68·4
Small Burghs	**39,345**	**5**	**12**	**29,844**	**17,311**	**58·0**
Barrhead	9,202	2	4	7,035	4,731	67·2
Gourock	6,884	—	3	6,884	3,730	54·2
Johnstone	11,144	3	1	3,810	1,769	46·4
Renfrew	12,115	—	4	12,115	7,081	58·4
Landward	**57,461**	**20**	**7**	**16,747**	**8,283**	**49·5**
Districts	**57,461**	**51**	**10**	**11,562**	**4,588**	**39·7**
No. 1	30,879	13	8	11,227	4,376	39·0
No. 2	9,653	8	—	—	—	—
No. 3	3,815	10	—	—	—	—
No. 4	9,685	12	2	335	212	63·3
No. 5	3,429	8	—	—	—	—
ROSS AND CROMARTY COUNTY:						
Small Burghs	**9,323**	**10**	**14**	**5,351**	**2,227**	**41·6**
Cromarty	475	2	—	—	—	—
Dingwall	2,332	5	—	—	—	—
Fortrose	664	—	5	664	413	62·2
*Invergordon	1,165	3	—	—	—	—
Stornoway	3,516	—	3	3,516	1,266	36·0
Tain	1,171	—	6	1,171	548	46·8
Landward	**31,192**	**30**	**5**	**4,218**	**2,080**	**49·3**
Districts	**31,192**	**57**	**4**	**2,986**	**658**	**22·0**
Avoch	2,030	3	2	743	312	42·0
Dingwall	2,389	4	—	—	—	—
Fearn	1,661	4	—	—	—	—
Fortrose	776	1	1	449	232	51·7
Gairloch	1,287	6	—	—	—	—
*Invergordon	2,188	4	—	—	—	—
Lewis	12,577	8	1	1,794	114	6·4
Lochbroom	1,080	6	—	—	—	—
Lochcarron	1,090	6	—	—	—	—
Muir of Ord	3,339	6	—	—	—	—
South West	1,532	6	—	—	—	—
Tain	1,243	3	—	—	—	—

*See note page 418.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
ROXBURGH COUNTY:						
Small Burghs	**18,676**	**24**	**2**	**4,399**	**1,665**	**37·8**
Hawick	11,748	4	2	4,399	1,665	37·8
Jedburgh	2,583	5	—	—	—	—
Kelso	2,933	12	—	—	—	—
Melrose	1,412	3	—	—	—	—
Landward	**12,083**	**26**	**2**	**807**	**387**	**48·0**
Districts	**12,083**	**28**	—	—	—	—
Hawick	3,013	6	—	—	—	—
Jedburgh	2,411	7	—	—	—	—
Kelso	2,919	8	—	—	—	—
Melrose	3,740	7	—	—	—	—
SELKIRK COUNTY:						
Small Burghs	**12,700**	**12**	—	—	—	—
Galashiels	8,682	6	—	—	—	—
Selkirk	4,018	6	—	—	—	—
Landward	**1,977**	**7**	—	—	—	—
Districts	**1,977**	**10**	—	—	—	—
North	1,208	4	—	—	—	—
South	769	6	—	—	—	—
STIRLING COUNTY:						
Large Burghs	**44,456**	**7**	**6**	**23,830**	**7,735**	**32·5**
Falkirk	26,207	3	2	13,683	3,740	27·3
Stirling	18,249	4	4	10,147	3,995	39·4
Small Burghs	**25,784**	**9**	**6**	**12,899**	**7,248**	**56·2**
Bridge of Allan	2,357	4	—	—	—	—
Denny and Dunipace	4,946	—	3	4,946	3,114	63·0
*Grangemouth	11,986	1	3	7,953	4,134	52·0
Kilsyth	6,495	4	—	—	—	—
Landward	**55,356**	**30**	**13**	**17,290**	**11,424**	**66·1**
Districts	**55,356**	**32**	**10**	**16,222**	**9,636**	**59·4**
Central No. 1	10,566	6	—	—	—	—
No. 2	8,857	6	1	1,920	1,207	62·9
Eastern No. 1	11,648	4	4	6,388	3,000	47·0
*No. 2	8,732	3	3	4,672	3,464	74·1
No. 3	4,965	4	—	—	—	—
Western No. 1	1,115	2	—	—	—	—
No. 2	4,595	5	—	—	—	—
No. 3	4,878	2	2	3,242	1,965	60·6
SUTHERLAND COUNTY:						
Small Burgh						
Dornoch	585	5	—	—	—	—
Landward	**8,733**	**15**	**4**	**1,960**	**1,492**	**76·1**
Districts	**8,733**	**29**	—	—	—	—
Assynt	563	4	—	—	—	—
Dornoch and Creich	1,626	4	—	—	—	—
Eddrachillis and Durness	799	5	—	—	—	—
Golspie, Rogart and Lairg	2,062	6	—	—	—	—
Kildonan, Loth and Clyne	2,180	4	—	—	—	—
Tongue and Farr	1,503	6	—	—	—	—

*See note page 418.

Table 71—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
WEST LOTHIAN COUNTY:						
Small Burghs	**27,514**	**8**	**15**	**22,709**	**11,819**	**52·0**
Armadale	4,086	—	3	4,086	1,981	48·5
Bathgate	8,220	—	5	8,220	3,830	46·6
Bo'ness	6,913	—	4	6,913	3,895	56·3
Linlithgow	2,905	5	—	—	—	—
Queensferry	1,900	3	—	—	—	—
Whitburn	3,490	—	3	3,490	2,113	60·5
Landward	**31,061**	**18**	**15**	**13,567**	**8,868**	**65·4**
Districts	**31,061**	**26**	**6**	**6,402**	**4,450**	**69·5**
Bo'ness	2,596	2	—	—	—	—
Linlithgow	1,993	2	—	—	—	—
Kirkliston and Winchburgh	3,877	3	1	918	758	82·6
Torphichen and Bathgate	4,233	5	1	602	488	81·1
Uphall	7,728	7	1	1,142	539	47·2
Whitburn and Livingston	10,634	7	3	3,740	2,665	71·3
WIGTOWN COUNTY:						
Small Burghs	**8,222**	**9**	**10**	**6,856**	**1,865**	**27·2**
Newton Stewart	1,328	—	3	1,328	693	52·2
Stranraer	5,528	—	7	5,528	1,172	21·2
Whithorn	602	4	—	—	—	—
Wigtown	764	5	—	—	—	—
Landward	**8,854**	**19**	**2**	**816**	**678**	**83·1**
Districts	**8,854**	**21**	—	—	—	—
Machars	3,396	9	—	—	—	—
Rhins	5,458	12	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:						
Lerwick	3,898	—	4	3,898	1,888	48·4
Landward	**8,779**	**19**	**5**	**2,118**	**1,118**	**52·8**
Districts	**8,779**	**77**	**13**	**1,275**	**488**	**38·3**
Bressay	219	2	—	—	—	—
Delting	525	9	—	—	—	—
Dunrossness	1,613	11	—	—	—	—
Fetlar	106	5	—	—	—	—
Lerwick (Landward)	730	4	—	—	—	—
Nesting	351	7	—	—	—	—
Northmaven	618	9	—	—	—	—
Sandsting	732	4	—	—	—	—
Tingwall	1,123	9	—	—	—	—
Unst	639	—	9	639	253	39·6
Walls	551	8	—	—	—	—
Whalsay	636	—	4	636	235	36·9
Yell	936	9	—	—	—	—

Table 72. Return of Inhabited Houses in Scotland, 1939 and 1957-1961

	1961	1960	1959	1958	1957	1939
SCOTLAND	**1,613,752**	**1,608,060**	**1,597,775**	**1,583,662**	**1,566,877**	**1,294,872**
Counties of Cities	**600,340**	**600,132**	**599,049**	**595,698**	**591,100**	**507,110**
Large Burghs	**268,512**	**265,361**	**263,529**	**260,341**	**256,406**	**199,651**
Small Burghs	**288,292**	**288,396**	**285,792**	**282,498**	**274,526**	**213,511**
Landward Areas	**456,608**	**454,171**	**449,405**	**445,125**	**444,845**	**374,600**
ABERDEEN COUNTY	**98,553**	**99,409**	**98,753**	**98,144**	**97,439**	**83,224**
Aberdeen County of City	**58,318**	**58,099**	**57,652**	**56,951**	**56,427**	**46,516**
Small Burghs	**12,656**	**12,663**	**12,593**	**12,685**	**12,575**	**10,386**
Ballater	431	457	456	467	469	394
Ellon	472	479	472	467	472	389
Fraserburgh	3,080	3,065	3,005	3,037	2,991	2,410
Huntly	1,261	1,290	1,284	1,274	1,274	1,106
Inverurie	1,699	1,702	1,691	1,687	1,682	1,306
Kintore	252	264	268	268	272	231
Oldmeldrum	359	363	362	362	364	293
Peterhead	3,845	3,755	3,765	3,832	3,755	3,177
Rosehearty	365	369	371	372	373	308
Turriff	892	919	919	919	923	772
Landward	**27,579**	**28,647**	**28,508**	**28,508**	**28,437**	**26,322**
ANGUS COUNTY	**94,871**	**95,736**	**95,090**	**93,904**	**93,015**	**78,121**
Dundee County of City	**62,441**	**62,837**	**62,316**	**61,262**	**60,364**	**49,416**
Large Burgh	**6,964**	**7,024**	**7,045**	**7,003**	**7,031**	**5,806**
Arbroath	6,694	7,024	7,045	7,003	7,031	5,806
Small Burghs	**15,079**	**15,189**	**15,178**	**15,136**	**15,031**	**12,612**
Brechin	2,592	2,644	2,664	2,686	2,648	2,161
Carnoustie	2,096	2,085	2,059	2,035	2,058	1,603
Forfar	3,748	3,802	3,805	3,762	3,685	3,156
Kirriemuir	1,361	1,376	1,374	1,391	1,397	1,187
Monifieth	1,306	1,262	1,279	1,294	1,289	1,038
Montrose	3,976	4,020	3,997	3,968	3,954	3,467
Landward	**10,387**	**10,686**	**10,551**	**10,503**	**10,589**	**10,287**
ARGYLL COUNTY	**20,439**	**20,855**	**20,793**	**20,823**	**20,628**	**18,889**
Small Burghs	**8,405**	**8,594**	**8,604**	**8,601**	**8,591**	**7,487**
Campbeltown	2,081	2,101	2,128	2,139	2,141	1,745
Dunoon	3,633	3,709	3,721	3,726	3,720	3,501
Inveraray	151	147	151	162	165	153
Lochgilphead	420	436	431	432	418	370
Oban	1,875	1,943	1,915	1,883	1,885	1,472
Tobermory	245	258	258	259	262	246
Landward	**12,034**	**12,261**	**12,189**	**12,222**	**12,037**	**11,402**
AYR COUNTY	**105,908**	**105,479**	**103,986**	**102,269**	**100,219**	**75,984**
Large Burghs	**29,131**	**28,749**	**28,294**	**27,827**	**27,292**	**20,424**
Ayr	13,884	13,579	13,261	13,079	12,895	9,981
Kilmarnock	15,247	15,170	15,033	14,748	14,397	10,443
Small Burghs	**39,023**	**38,868**	**38,425**	**37,661**	**37,038**	**25,787**
Ardrossan	2,914	2,863	2,785	2,746	2,707	1,951
Cumnock and Holmhead	1,661	1,644	1,649	1,624	1,615	1,089
Darvel	1,209	1,225	1,226	1,230	1,226	1,003
Galston	1,411	1,462	1,461	1,462	1,448	1,247
Girvan	2,021	2,035	1,978	1,893	1,860	1,634
Irvine	5,183	5,147	5,044	4,874	4,784	3,074
Kilwinning	2,144	2,149	2,113	2,105	2,052	1,320
Largs	3,508	3,499	3,467	3,397	3,363	2,882

NOTE.—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

Table 72. Return of Inhabited Houses in Scotland, 1939 and 1957-1961—*contd.*

	1961	1960	1959	1958	1957	1939
Ayr County—*continued*						
Maybole	1,473	1,444	1,479	1,452	1,451	1,202
Newmilns and Greenholm	1,304	1,355	1,373	1,373	1,396	1,237
Prestwick	4,073	4,036	3,943	3,838	3,719	2,934
Saltcoats	4,662	4,621	4,583	4,497	4,317	2,980
*Stevenston	3,107	3,030	2,979	2,884	2,816	...
Stewarton	1,089	1,113	1,121	1,127	1,127	795
Troon	3,264	3,245	3,224	3,159	3,157	2,439
Landward	**37,754**	**37,862**	**37,267**	**36,781**	**35,889**	**29,773**
BANFF COUNTY	**14,140**	**15,248**	**15,309**	**15,343**	**15,286**	**13,217**
Small Burghs	**8,718**	**9,090**	**9,104**	**9,113**	**9,076**	**7,545**
Aberchirder	242	263	254	263	271	259
Aberlour	257	271	270	271	273	229
Banff	1,103	1,206	1,219	1,202	1,211	932
Buckie	2,320	2,286	2,291	2,294	2,281	1,912
Cullen	503	547	547	541	542	479
Dufftown	454	476	476	474	473	425
Findochty	425	454	455	455	457	371
Keith	1,316	1,362	1,360	1,375	1,362	1,144
Macduff	1,146	1,218	1,223	1,221	1,184	896
Portknockie	430	439	441	445	455	407
Portsoy	522	568	568	572	567	491
Landward	**5,422**	**6,158**	**6,205**	**6,230**	**6,210**	**5,672**
BERWICK COUNTY	**8,145**	**7,815**	**7,831**	**7,832**	**7,912**	**7,856**
Small Burghs	**2,121**	**2,133**	**2,148**	**2,151**	**2,179**	**1,862**
Coldstream	461	467	477	474	480	417
Duns	667	676	677	684	695	606
Eyemouth	760	759	760	759	771	624
Lauder	233	231	234	234	233	215
Landward	**6,024**	**5,682**	**5,683**	**5,681**	**5,733**	**5,994**
BUTE COUNTY	**7,330**	**7,561**	**7,572**	**7,500**	**7,555**	**7,338**
Small Burghs	**4,714**	**4,745**	**4,754**	**4,747**	**4,772**	**4,470**
Millport	1,230	1,255	1,264	1,264	1,261	1,207
Rothesay	3,484	3,490	3,490	3,483	3,511	3,263
Landward	**2,616**	**2,816**	**2,818**	**2,753**	**2,783**	**2,868**
CAITHNESS COUNTY	**8,191**	**9,262**	**9,120**	**9,104**	**8,775**	**7,211**
Small Burghs	**4,503**	**4,590**	**4,415**	**4,392**	**4,030**	**2,846**
Thurso	2,296	2,055	1,887	1,843	1,506	852
Wick	2,207	2,535	2,528	2,549	2,524	1,994
Landward	**3,688**	**4,672**	**4,705**	**4,712**	**4,745**	**4,365**
CLACKMANNAN CO.	**13,024**	**13,373**	**12,976**	**12,518**	**12,138**	**9,025**
Small Burghs	**7,880**	**8,284**	**8,155**	**7,773**	**7,530**	**6,094**
Alloa	4,513	4,883	4,684	4,418	4,291	3,423
Alva	1,453	1,441	1,509	1,409	1,311	1,198
Dollar	572	591	587	572	557	456
Tillicoultry	1,342	1,369	1,375	1,374	1,371	1,017
Landward	**5,144**	**5,089**	**4,821**	**4,745**	**4,608**	**2,931**
DUMFRIES COUNTY	**27,783**	**27,470**	**27,106**	**26,787**	**26,705**	**21,490**
Large Burgh	**8,580**	**8,409**	**8,180**	**8,156**	**8,136**	**6,381**
Dumfries	8,580	8,409	8,180	8,156	8,136	6,381
Small Burghs	**5,477**	**5,489**	**5,452**	**5,420**	**5,336**	**4,002**
Annan	1,814	1,849	1,812	1,744	1,681	1,057
Langholm	896	886	888	909	897	784
Lochmaben	387	392	393	393	380	292
Lockerbie	948	941	923	918	915	760
Moffat	699	704	707	713	720	611
Sanquhar	733	717	729	743	743	498
Landward	**13,726**	**13,572**	**13,474**	**13,211**	**13,233**	**11,107**

* Formation of new burgh, 1952.

Table 72. Return of Inhabited Houses in Scotland, 1939 and 1957-1961—*contd.*

	1961	1960	1959	1958	1957	1939
DUNBARTON COUNTY	**55,932**	**53,767**	**53,250**	**52,560**	**51,855**	**39,258**
Large Burghs	**22,573**	**22,615**	**22,619**	**22,462**	**22,254**	**16,977**
Clydebank	14,822	15,019	14,838	14,677	14,432	11,572
Dumbarton	7,751	7,596	7,781	7,785	7,822	5,405
Small Burghs	**17,166**	**16,392**	**15,670**	**15,422**	**10,534**	**7,732**
*Bearsden	5,437	5,188	4,856	4,696	...	...
Cove and Kilcreggan	388	385	381	373	384	351
Helensburgh	3,210	3,065	3,063	3,047	2,975	2,405
Kirkintilloch	5,204	4,950	4,698	4,545	4,508	3,242
Milngavie	2,927	2,804	2,672	2,761	2,667	1,734
Landward	**16,193**	**14,760**	**14,961**	**14,676**	**19,067**	**14,549**
EAST LOTHIAN CO.	**16,651**	**16,103**	**16,111**	**15,979**	**15,907**	**12,767**
Small Burghs	**8,575**	**8,581**	**8,567**	**8,419**	**8,320**	**6,301**
Cockenzie and Port Seton	1,140	1,139	1,142	1,144	1,112	738
Dunbar	1,260	1,376	1,387	1,377	1,377	1,163
East Linton	355	346	354	346	355	284
Haddington	1,628	1,576	1,522	1,411	1,431	1,168
North Berwick	1,395	1,372	1,391	1,385	1,390	1,005
Prestonpans	902	896	889	876	864	672
Tranent	1,895	1,876	1,882	1,880	1,791	1,271
Landward	**8,076**	**7,522**	**7,544**	**7,560**	**7,587**	**6,466**
FIFE COUNTY	**102,321**	**99,614**	**98,864**	**98,112**	**97,134**	**75,928**
Large Burghs	**32,787**	**31,037**	**30,960**	**30,689**	**30,412**	**22,997**
Dunfermline	15,605	14,558	14,301	14,095	13,907	10,309
Kirkcaldy	17,182	16,479	16,659	16,594	16,505	12,688
Small Burghs	**35,322**	**35,488**	**35,308**	**34,973**	**34,591**	**27,768**
Auchtermuchty	484	480	493	484	476	414
Buckhaven and Methil	6,478	6,530	6,510	6,425	6,413	4,516
Burntisland	2,063	2,159	2,065	2,014	1,973	1,621
Cowdenbeath	3,828	3,881	3,876	3,916	3,998	3,108
Crail	465	471	474	466	461	397
Culross	167	159	156	152	161	134
Cupar	1,911	1,911	1,894	1,856	1,859	1,558
Elie and Earlsferry	532	525	524	527	521	485
Falkland	374	377	371	376	386	294
Inverkeithing	1,320	1,287	1,311	1,301	1,259	881
Kilrenny, Anstruther Easter and Anstruther Wester	1,059	1,094	1,111	1,131	1,124	1,119
Kinghorn	798	811	782	803	811	698
Ladybank	458	452	453	453	454	391
Leslie	1,158	1,179	1,188	1,184	1,014	782
Leven	3,141	3,063	3,030	2,943	2,848	2,345
Lochgelly	2,775	2,791	2,800	2,698	2,670	2,118
Markinch	831	829	825	827	836	652
Newburgh	849	827	830	838	823	770
Newport-on-Tay	1,214	1,230	1,200	1,203	1,195	1,009
Pittenweem	600	614	619	621	610	534
St. Andrews	3,079	3,087	3,041	2,988	2,931	2,379
St. Monance	592	597	618	624	614	561
Tayport	1,146	1,134	1,137	1,143	1,154	1,002
Landward	**34,212**	**33,089**	**32,596**	**32,450**	**32,131**	**25,163**
INVERNESS COUNTY	**24,696**	**25,335**	**25,174**	**24,940**	**24,808**	**20,773**
Large Burgh	**8,702**	**8,662**	**8,528**	**8,389**	**8,321**	**6,089**
Inverness	8,702	8,662	8,528	8,389	8,321	6,089
Small Burghs	**1,120**	**1,125**	**1,132**	**1,122**	**1,108**	**944**
Fort William	784	781	787	776	770	636
Kingussie	336	344	345	346	338	308
Landward	**14,874**	**15,548**	**15,514**	**15,429**	**15,379**	**13,740**

*Formation of new burgh 1958.

Table 72. Return of Inhabited Houses in Scotland, 1939 and 1957-1961—*contd.*

	1961	1960	1959	1958	1957	1939
KINCARDINE COUNTY	**8,117**	**8,156**	**8,133**	**8,109**	**8,102**	**7,119**
Small Burghs	**2,995**	**3,085**	**3,071**	**3,065**	**3,052**	**2,553**
Banchory	647	640	626	629	611	514
Inverbervie	332	311	310	302	302	268
Laurencekirk	512	527	524	522	525	468
Stonehaven	1,504	1,607	1,611	1,612	1,614	1,303
Landward	**5,122**	**5,071**	**5,062**	**5,044**	**5,050**	**4,566**
KINROSS COUNTY	**2,186**	**2,196**	**2,215**	**2,237**	**2,248**	**2,057**
Small Burgh	**811**	**800**	**800**	**802**	**815**	**716**
Kinross	811	800	800	802	815	716
Landward	**1,375**	**1,396**	**1,415**	**1,435**	**1,433**	**1,341**
KIRKCUDBRIGHT CO.	**9,478**	**9,222**	**9,207**	**9,180**	**9,274**	**8,315**
Small Burghs	**3,369**	**3,316**	**3,330**	**3,305**	**3,311**	**2,801**
Castle Douglas	1,086	1,078	1,097	1,078	1,081	876
Dalbeattie	1,027	1,016	992	979	986	868
Gatehouse of Fleet	305	288	306	306	306	252
Kirkcudbright	814	798	797	799	798	663
New Galloway	137	136	138	143	140	142
Landward	**6,109**	**5,906**	**5,877**	**5,875**	**5,963**	**5,514**
LANARK COUNTY	**491,843**	**488,897**	**486,666**	**483,295**	**478,100**	**400,057**
Glasgow County of City	**325,716**	**325,946**	**326,777**	**326,267**	**324,350**	**283,011**
Large Burghs	**67,417**	**66,401**	**65,565**	**64,502**	**63,190**	**47,604**
Airdrie	9,651	9,608	9,397	9,100	8,832	6,276
Coatbridge	15,134	14,922	14,515	14,345	14,037	10,082
Hamilton	12,101	11,805	11,723	11,456	11,318	8,639
Motherwell and Wishaw	22,073	21,800	21,721	21,499	21,072	15,925
Rutherglen	8,458	8,266	8,209	8,102	7,931	6,682
Small Burghs	**3,253**	**3,114**	**3,119**	**3,118**	**3,109**	**1,988**
Biggar	527	530	526	523	521	415
Lanark	2,726	2,584	2,593	2,595	2,588	1,573
Landward	**95,457**	**93,436**	**91,205**	**89,408**	**87,451**	**67,454**
MIDLOTHIAN COUNTY	**187,352**	**185,962**	**184,709**	**183,469**	**181,580**	**150,274**
Edinburgh County of City	**153,865**	**153,250**	**152,304**	**151,218**	**149,959**	**128,167**
Small Burghs	**13,785**	**13,692**	**13,640**	**13,701**	**13,618**	**9,949**
Bonnyrigg and Lasswade	2,042	2,019	1,993	2,057	1,949	1,453
Dalkeith	2,670	2,655	2,631	2,598	2,655	1,901
Loanhead	1,522	1,489	1,488	1,490	1,474	959
Musselburgh	5,660	5,644	5,630	5,660	5,626	4,399
Penicuik	1,891	1,885	1,898	1,896	1,914	1,237
Landward	**19,702**	**19,020**	**18,765**	**18,550**	**18,003**	**12,158**
MORAY COUNTY	**13,805**	**13,704**	**13,567**	**13,472**	**13,463**	**11,031**
Small Burghs	**7,891**	**7,826**	**7,747**	**7,688**	**7,610**	**5,787**
Burghead	400	392	392	392	399	378
Elgin	3,625	3,576	3,529	3,534	3,494	2,474
Forres	1,473	1,475	1,485	1,432	1,416	1,148
Grantown-on-Spey	490	497	501	502	508	418
Lossiemouth and Branderburgh	1,544	1,532	1,486	1,465	1,425	1,033
Rothes	359	354	354	363	368	336
Landward	**5,914**	**5,878**	**5,820**	**5,784**	**5,853**	**5,244**
NAIRN COUNTY	**2,648**	**2,690**	**2,688**	**2,702**	**2,661**	**2,281**
Small Burgh	**1,617**	**1,632**	**1,626**	**1,634**	**1,585**	**1,239**
Nairn	1,617	1,632	1,626	1,634	1,585	1,239
Landward	**1,031**	**1,058**	**1,062**	**1,068**	**1,076**	**1,042**

Table 72. Return of Inhabited Houses in Scotland, 1939 and 1957-1961—*contd.*

	1961	1960	1959	1958	1957	1939
ORKNEY COUNTY	**5,986**	**6,187**	**6,243**	**6,222**	**6,234**	**6,087**
Small Burghs	**1,817**	**1,833**	**1,858**	**1,835**	**1,816**	**1,487**
Kirkwall	1,316	1,326	1,338	1,310	1,287	1,044
Stromness	501	507	520	525	529	443
Landward	**4,169**	**4,354**	**4,385**	**4,387**	**4,418**	**4,600**
PEEBLES COUNTY	**5,024**	**4,963**	**4,914**	**4,875**	**4,897**	**4,318**
Small Burghs	**2,908**	**2,933**	**2,897**	**2,879**	**2,889**	**2,475**
Innerleithen	867	877	871	863	880	697
Peebles	2,041	2,056	2,026	2,016	2,009	1,778
Landward	**2,116**	**2,030**	**2,017**	**1,996**	**2,008**	**1,843**
PERTH COUNTY	**41,344**	**41,056**	**41,025**	**40,667**	**40,571**	**34,217**
Large Burgh	**13,662**	**13,733**	**13,599**	**13,309**	**13,262**	**10,286**
Perth	13,662	13,733	13,599	13,309	13,262	10,286
Small Burghs	**9,190**	**9,126**	**9,151**	**9,116**	**9,137**	**7,128**
Aberfeldy	538	547	543	542	547	437
Abernethy	228	239	239	239	241	199
Alyth	664	649	659	664	678	601
Auchterarder	840	848	852	841	844	680
Blairgowrie and Rattray	1,784	1,805	1,811	1,791	1,794	1,519
Callander	565	577	577	578	580	447
Coupar Angus	730	693	699	699	717	601
Crieff	1,804	1,774	1,777	1,772	1,753	1,559
Doune	269	260	258	262	270	253
Dunblane	1,014	1,011	1,012	1,010	988	832
*Pitlochry	754	723	724	718	725	...
Landward	**18,492**	**18,197**	**18,275**	**18,242**	**18,172**	**16,803**
RENFREW COUNTY	**104,220**	**103,323**	**102,958**	**101,831**	**99,769**	**81,383**
Large Burghs	**58,333**	**58,167**	**58,612**	**58,362**	**57,144**	**46,882**
Greenock	21,668	21,544	21,902	21,734	21,312	18,239
Paisley	30,756	30,626	30,662	30,549	29,970	24,284
Port Glasgow	5,909	5,997	6,048	6,079	5,862	4,359
Small Burghs	**18,951**	**18,613**	**18,114**	**17,472**	**17,138**	**13,408**
Barrhead	4,341	4,320	4,301	4,201	4,247	3,014
Gourock	3,406	3,364	3,268	3,253	3,192	2,693
Johnstone	5,363	5,043	4,774	4,475	4,257	3,373
Renfrew	5,841	5,886	5,771	5,543	5,442	4,328
Landward	**26,936**	**26,543**	**26,232**	**25,997**	**25,487**	**21,093**
ROSS AND CROMARTY COUNTY	**18,044**	**18,009**	**17,903**	**17,897**	**17,771**	**15,993**
Small Burghs	**4,224**	**4,249**	**4,185**	**4,151**	**4,099**	**3,197**
Cromarty	256	268	262	267	268	268
Dingwall	1,045	1,042	1,002	996	988	714
Fortrose	337	355	346	344	335	285
Invergordon	554	556	556	549	559	424
Stornoway	1,466	1,463	1,453	1,442	1,408	1,084
Tain	566	565	566	553	541	422
Landward	**13,820**	**13,760**	**13,718**	**13,746**	**13,672**	**12,796**
ROXBURGH COUNTY	**14,575**	**14,709**	**14,715**	**14,750**	**14,903**	**12,972**
Small Burghs	**9,042**	**9,171**	**9,148**	**9,196**	**9,257**	**7,612**
Hawick	5,828	5,893	5,875	5,869	5,909	4,978
Jedburgh	1,263	1,303	1,285	1,335	1,318	1,041
Kelso	1,370	1,393	1,405	1,417	1,460	1,120
Melrose	581	582	583	575	570	473
Landward	**5,533**	**5,538**	**5,567**	**5,554**	**5,646**	**5,360**

*Formation of new burgh 1947.

Table 72. Return of Inhabited Houses in Scotland, 1939 and 1957-1961—*contd.*

	1961	1960	1959	1958	1957	1939
SELKIRK COUNTY	**7,299**	**7,394**	**7,388**	**7,351**	**7,430**	**6,666**
Small Burghs	**6,487**	**6,589**	**6,582**	**6,526**	**6,571**	**5,697**
Galashiels	4,490	4,541	4,516	4,451	4,481	3,985
Selkirk	1,997	2,048	2,066	2,075	2,090	1,712
Landward	**812**	**805**	**806**	**825**	**859**	**969**
STIRLING COUNTY	**57,278**	**57,512**	**56,624**	**55,443**	**54,747**	**43,522**
Large Burghs	**20,363**	**20,564**	**20,127**	**19,642**	**19,364**	**16,205**
Falkirk	12,171	12,113	11,814	11,547	11,387	9,490
Stirling	8,192	8,451	8,313	8,095	7,977	6,715
Small Burghs	**11,943**	**11,888**	**11,799**	**11,452**	**11,320**	**8,112**
Bridge of Allan	1,068	1,070	1,053	1,031	1,041	787
Denny and Dunipace	2,282	2,265	2,209	2,189	2,131	1,443
Grangemouth	5,676	5,568	5,568	5,285	5,257	3,690
Kilsyth	2,917	2,985	2,969	2,947	2,891	2,192
Landward	**24,972**	**25,060**	**24,698**	**24,349**	**24,063**	**19,205**
SUTHERLAND COUNTY	**4,551**	**4,751**	**4,771**	**4,766**	**4,793**	**4,725**
Small Burgh	**278**	**286**	**280**	**276**	**274**	**225**
Dornoch	278	286	280	276	274	225
Landward	**4,273**	**4,465**	**4,491**	**4,490**	**4,519**	**4,500**
WEST LOTHIAN CO.	**27,422**	**27,888**	**27,677**	**27,100**	**26,280**	**19,476**
Small Burghs	**13,099**	**13,212**	**13,145**	**12,886**	**12,555**	**8,867**
Armadale	1,921	1,954	1,928	1,898	1,861	1,281
Bathgate	3,945	4,024	4,024	3,907	3,718	2,569
Bo'ness	3,240	3,199	3,220	3,110	3,094	2,538
Linlithgow	1,379	1,421	1,407	1,403	1,357	959
Queensferry	884	913	916	917	869	542
Whitburn	1,730	1,701	1,650	1,651	1,656	978
Landward	**14,323**	**14,676**	**14,532**	**14,214**	**13,725**	**10,609**
WIGTOWN COUNTY	**8,895**	**8,651**	**8,697**	**8,715**	**8,886**	**7,599**
Small Burghs	**4,157**	**4,062**	**4,062**	**4,077**	**3,954**	**2,973**
Newton-Stewart	675	670	685	691	699	561
Stranraer	2,776	2,700	2,671	2,683	2,542	1,769
Whithorn	324	325	328	325	331	291
Wigtown	382	367	378	378	382	352
Landward	**4,738**	**4,589**	**4,635**	**4,638**	**4,932**	**4,626**
ZETLAND COUNTY	**5,701**	**5,763**	**5,740**	**5,766**	**5,792**	**5,699**
Small Burgh	**1,716**	**1,738**	**1,733**	**1,704**	**1,705**	**1,461**
Lerwick	1,716	1,738	1,733	1,704	1,705	1,461
Landward	**3,985**	**4,025**	**4,007**	**4,062**	**4,087**	**4,238**

Table 73. Meteorology of Scotland for 1961; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each month of the Year 1961

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature	53·8°	42·0°	47·8°	52·6°	53·1°	58·0°	62·3°	63·0°	63·9°	62·4°	55·1°	46·4°	39·4°
Mean of Minimum Temperature	42·2°	32·5°	38·2°	41·1°	41·1°	43·4°	48·3°	50·1°	50·4°	49·9°	44·6°	36·5°	30·1°
Mean Temperature	48·0°	37·3°	43·0°	46·8°	47·1°	50·7°	55·3°	56·5°	57·1°	56·2°	49·9°	41·5°	34·8°
Absolute Maximum	84°	57°	60°	68°	65°	74°	76°	76°	84°	78°	68°	59°	60°
Absolute Minimum	−8°	10°	12°	20°	12°	22°	27°	31°	31°	30°	25°	10°	−8°
Rainfall (Normal 100)	103	85	125	95	115	71	82	108	131	118	121	65	91
Births (Living Children only)	101,169	8,567	7,975	9,056	8,458	9,070	8,367	8,426	8,469	8,218	8,750	7,822	7,991
Stillbirths	2,147	170	165	185	185	210	170	209	179	167	170	172	165
Deaths	63,928	6,735	6,462	5,555	5,105	5,355	4,730	4,521	4,653	4,340	4,941	5,276	6,255
Deaths under 1	2,615	280	246	231	220	236	203	187	198	183	194	199	238
Marriages	40,567	2,016	2,498	5,488	3,678	1,570	3,322	4,345	3,323	4,432	5,150	2,128	2,617
Rates per 1,000 of Estimated Population — Births	19·5	19·5	20·1	20·6	19·9	20·6	19·6	19·1	19·2	19·3	19·9	18·4	18·1
Stillbirths†	21	19	20	20	21	23	20	24	21	20	19	22	20
Deaths	12·3	15·3	16·2	12·6	12·0	12·2	11·1	10·3	10·6	10·2	11·2	12·4	14·2
Infant Mortality*	26	33	31	26	26	26	24	22	23	22	22	25	30
Marriages	7·8	4·6	6·3	12·5	8·6	3·6	7·8	9·9	7·5	10·4	11·7	5·0	5·9

*Rate per 1,000 live births. †Rate per 1,000 births (including stillbirths).

Table 74. Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each week of 1961

No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature			Rain in inches	No. of Week	Week ended	Deaths (corrected for Transfer)	Death-rate (corrected per 1,000 of Population)	Temperature			Rain in inches
				Max. °	Min. °	Mean °						Max. °	Min. °	Mean °	
1	January 7 .	795	15·9	57	24	38·3	0·74	27	July 8 .	496	9·9	72	40	56·2	0·42
2	14 .	760	15·2	52	17	36·9	1·06	28	15 .	492	9·8	70	38	54·4	2·21
3	21 .	730	14·6	45	17	35·7	0·25	29	22 .	544	10·9	72	38	57·3	0·12
4	28 .	759	15·2	52	27	37·4	0·85	30	29 .	464	9·3	68	43	56·3	0·56
5	February 4 .	806	16·1	50	27	37·5	1·17	31	August 5 .	562	11·2	68	40	56·2	1·05
6	11 .	878	17·6	55	24	42·7	1·65	32	12 .	484	9·7	67	41	55·0	2·66
7	18 .	958	19·1	56	36	46·8	0·60	33	19 .	541	10·8	73	44	57·9	0·35
8	25 .	746	14·9	58	32	43·1	0·35	34	26 .	520	10·4	70	40	56·3	1·07
9	March 4 .	714	14·3	57	33	45·3	0·67	35	September 2 .	526	10·5	81	44	61·4	0·95
10	11 .	701	14·0	62	31	48·7	0·26	36	9 .	474	9·5	70	39	54·9	0·35
11	18 .	605	12·1	62	32	48·7	0·20	37	16 .	535	10·7	70	33	57·6	1·17
12	25 .	623	12·4	58	31	46·4	0·24	38	23 .	507	10·1	77	44	57·3	0·63
								39	30 .	506	10·1	67	43	53·6	1·73
13	April 1 .	571	11·4	60	29	43·0	0·82								
14	8 .	590	11·8	56	25	39·5	1·14	40	October 7 .	505	10·1	66	42	55·1	1·27
15	15 .	649	13·0	61	34	49·1	0·81	41	14 .	534	10·7	65	37	51·0	0·65
16	22 .	542	10·8	62	37	49·9	0·94	42	21 .	542	10·8	60	38	47·8	1·17
17	29 .	622	12·4	60	37	49·5	0·42	43	28 .	596	11·9	59	35	46·6	1·62
18	May 6 .	576	11·5	62	37	51·2	0·72	44	November 4 .	602	12·0	57	27	44·9	0·57
19	13 .	588	11·7	69	39	52·5	0·29	45	11 .	580	11·6	54	24	42·4	1·03
20	20 .	585	11·7	65	36	50·7	0·00	46	18 .	674	13·5	52	26	42·8	0·03
21	27 .	579	11·6	69	31	50·2	0·17	47	25 .	630	12·6	50	31	40·8	1·13
22	June 3 .	585	11·7	69	31	51·0	0·27	48	December 2 .	672	13·4	46	22	36·2	0·77
23	10 .	519	10·4	67	39	54·7	0·72	49	9 .	695	13·9	49	13	32·2	1·78
24	17 .	537	10·7	68	35	53·7	0·29	50	16 .	778	15·5	52	33	44·4	1·24
25	24 .	539	10·8	69	44	56·5	0·26	51	23 .	748	14·9	51	21	35·3	0·06
								52	30 .	782	15·6	39	16	28·3	0·60
26	July 1 .	525	10·5	76	44	58·3	0·27								

Printed in Scotland under the authority of Her Majesty's Stationery Office
by David J. Clark Limited, Glasgow. W.70724. K4